R 3850-1.5

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, Southern Region,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface . . . iii
Discussion of the Data . . . 1
  Source of the Data . . . 1
  Data Quality . . . 3
  Coverage . . . 4
  Organization of Length of Stay Tables . . . 7
    ICD-9-CM List A: Hospital Diagnosis Groups . . . 7
    Definition of Multiple Dx Patients . . . 7
    Definition of Operated Patients . . . 8
  Explanation of Statistics . . . 8
  Exclusions . . . 9
  Defining the Extended Stay Case . . . 10
Length of Stay Tables . . . 21
  Summary of All Patients . . . 22
  Summary of All Patients Except Newborn . . . 23
  Diagnosis Groups 1-398 . . . 24
Distribution Tables . . . 223
  Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups . . . 225
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges . . . 244
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care . . . 268
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** . . . 293
Index to Length of Stay Tables . . . 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS
1979 CASE ABSTRACT
1234567890
SAMPLE
PAS

FIG. 2 PAS Case Abstract

BEST AVAILABLE COPY

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 3,261,926 patients discharged during 1979 from 446 nonfederal, short-term* hospitals participating in PAS in the Southern Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 3,459,567 discharges.

Characteristics of all hospitals in the Southern Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies			Hospitals with Medical School Affiliation		
	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] **Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."**

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the Southern Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.*			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)*			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, Southern Region, 1979.*

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.5	4	1	2	3	4	6	7	12
20-34	453	3.1	4	1	1	3	4	5	7	9
35-49	458	3.7	6	1	2	3	5	7	9	12
50-64	473	4.2	9	1	2	3	5	8	10	14
65+	444	5.4	15	2	2	5	7	9	12	16
B. *Operated*										
0-19 YRS	401	7.4	11	3	5	7	9	11	13	17
20-34	4313	7.7	8	5	5	7	9	11	13	18
35-49	3917	8.3	11	5	5	8	9	12	14	20
50-64	3982	9.2	14	5	6	8	11	14	16	22
65+	2336	11.2	26	6	7	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	6	1	2	3	6	7	10	10
20-34	385	4.1	7	1	1	4	5	7	9	12
35-49	544	4.9	11	2	2	4	6	9	11	16
50-64	1146	5.7	16	2	2	5	7	10	13	23
65+	2093	7.5	28	2	3	6	9	14	17	26
B. *Operated*										
0-19 YRS	208	10.1	46	5	6	8	12	16	20	34
20-34	2594	9.6	24	5	6	8	11	15	17	27
35-49	3095	10.4	26	5	6	9	12	16	20	29
50-64	4712	12.1	45	6	6	10	14	19	24	37
65+	4950	15.2	68	7	8	13	18	25	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.1	9	1	2	3	5	7	9	14
B. *Operated*	14949	8.8	15	5	5	8	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4204	6.3	22	2	2	5	8	11	15	24
B. *Operated*	15559	12.3	50	6	6	10	15	20	25	39
1. SINGLE DX	16850	8.3	16	3	4	8	10	13	15	22
2. MULTIPLE DX	19763	11.0	50	3	4	9	14	19	23	36
A. NOT OPERATED	6105	5.6	19	1	2	4	7	10	14	22
B. OPERATED	30508	10.6	36	5	6	9	12	17	21	33
TOTAL 0-19 YRS	718	7.6	24	2	3	7	9	12	14	25
20-34	7745	7.9	16	3	4	7	9	12	15	20
35-49	8014	8.6	20	3	4	8	10	14	17	24
50-64	10313	9.9	34	3	5	9	12	16	20	31
65+	9823	12.2	58	3	5	10	15	21	26	40
GRAND TOTAL	**36613**	**9.8**	**36**	**3**	**4**	**8**	**12**	**16**	**20**	**32**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).


446 PAS Hospitals Southern Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6	8		
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).


446 PAS Hospitals Southern Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6	8		
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



446 PAS Hospitals, Southern Region, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6	8		
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



446 PAS Hospitals, Southern Region, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6			
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

The patient was admitted on 3 November; therefore the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

446 PAS Hospitals, Southern Region, January–December 1979

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343609	3.4	9	1	2	3	4	5	7	14
20-34	191169	4.0	23	1	1	3	4	7	10	24
35-49	83131	5.8	35	1	1	4	7	12	16	30
50-64	72498	6.5	40	1	2	5	8	13	17	32
65+	64867	7.5	48	1	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	148217	3.1	13	1	1	2	3	6	8	17
20-34	250689	4.0	14	1	1	3	5	7	10	18
35-49	121532	5.4	26	1	2	4	7	11	14	24
50-64	107232	6.6	38	1	2	5	9	14	18	30
65+	92790	8.0	58	2	2	5	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176895	5.0	30	1	2	4	6	9	13	30
20-34	121746	5.6	35	1	2	4	7	11	15	31
35-49	133551	6.9	39	1	2	5	8	13	18	32
50-64	217263	7.9	47	2	2	6	10	15	20	35
65+	354486	9.6	65	2	3	7	12	18	24	43
B. *Operated*										
0-19 YRS	88634	5.0	60	1	1	3	5	10	17	48
20-34	209699	5.8	40	1	2	4	7	10	15	34
35-49	148278	7.8	59	2	2	6	9	15	21	43
50-64	156526	10.1	96	2	2	8	13	21	28	54
65+	179114	12.9	130	2	3	10	17	26	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	755274	4.5	24	1	1	3	5	8	12	25
B. *Operated*	720460	5.0	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	1003941	7.6	51	2	2	6	9	15	20	37
B. *Operated*	782251	8.6	86	1	2	6	10	18	26	51
1. SINGLE DX	1475734	4.7	26	1	1	3	5	9	13	25
2. MULTIPLE DX	1786192	8.0	67	1	2	6	10	16	23	44
A. NOT OPERATED	1759215	6.3	42	1	2	4	8	13	17	33
B. OPERATED	1502711	6.8	61	1	2	4	8	15	21	41
TOTAL 0-19 YRS	757355	3.9	21	1	1	3	4	7	9	24
20-34	773303	4.8	27	1	1	3	6	9	12	27
35-49	486492	6.6	42	1	2	5	8	13	17	33
50-64	553519	8.1	60	2	2	6	10	16	22	40
65+	691257	10.1	83	2	2	8	13	20	27	48
GRAND TOTAL	**3261926**	**6.5**	**51**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

446 PAS Hospitals, Southern Region, January–December 1979

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136113	3.8	19	1	1	3	4	7	9	22
20-34	191169	4.0	23	1	1	3	4	7	10	24
35-49	83131	5.8	35	1	1	4	7	12	16	30
50-64	72498	6.5	40	1	2	5	8	13	17	32
65+	64867	7.5	48	1	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	148074	3.1	13	1	1	2	3	6	8	17
20-34	250689	4.0	14	1	1	3	5	7	10	18
35-49	121532	5.4	26	1	2	4	7	11	14	24
50-64	107232	6.6	38	1	2	5	9	14	18	30
65+	92790	8.0	58	2	2	5	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105437	4.7	28	1	1	3	5	9	12	28
20-34	121746	5.6	35	1	2	4	7	11	15	31
35-49	133551	6.9	39	1	2	5	8	13	18	32
50-64	217263	7.9	47	2	2	6	10	15	20	35
65+	354486	9.6	65	2	3	7	12	18	24	43
B. *Operated*										
0-19 YRS	86176	4.6	46	1	1	2	5	9	15	40
20-34	209699	5.8	40	1	2	4	7	10	15	34
35-49	148278	7.8	59	2	2	6	9	15	21	43
50-64	156526	10.1	96	2	2	8	13	21	28	54
65+	179114	12.9	130	2	3	10	17	26	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547778	5.0	31	1	1	3	6	10	14	28
B. *Operated*	720317	5.0	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	932483	7.8	52	2	2	6	10	15	21	37
B. *Operated*	779793	8.6	85	1	2	6	10	18	26	50
1. SINGLE DX	1268095	5.0	29	1	1	3	6	10	14	27
2. MULTIPLE DX	1712276	8.1	67	1	2	6	10	17	23	44
A. NOT OPERATED	1480261	6.7	46	1	2	5	8	14	19	35
B. OPERATED	1500110	6.8	61	1	2	4	8	15	21	41
TOTAL 0-19 YRS	475800	3.9	25	1	1	3	4	7	10	26
20-34	773303	4.8	27	1	1	3	6	9	12	27
35-49	486492	6.6	42	1	2	5	8	13	17	33
50-64	553519	8.1	60	2	2	6	10	16	22	40
65+	691257	10.1	83	2	2	8	13	20	27	48
GRAND TOTAL	**2980371**	**6.8**	**53**	**1**	**2**	**5**	**8**	**14**	**20**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3235	3.6	8	1	1	3	4	6	8	14
20-34	1257	3.5	6	1	1	3	4	6	8	12
35-49	537	4.1	24	1	1	3	5	7	8	16
50-64	357	4.5	11	1	2	4	6	9	11	16
65+	267	4.8	15	1	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	54	5.9	13	2	2	5	7	11	13	19
20-34	58	6.4	17	2	2	5	8	11	17	19
35-49	25	7.7	30	3	4	7	9	12	17	30
50-64	8	10.4	141	1	1	7	11	30	38	38
65+	7	8.7	12	3	4	9	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3004	4.0	8	1	2	3	5	7	9	15
20-34	1303	4.0	9	1	2	3	5	7	9	15
35-49	682	4.9	11	1	2	4	6	9	11	16
50-64	856	6.0	23	2	2	5	7	11	15	27
65+	1217	7.1	38	2	2	6	9	13	18	31
B. *Operated*										
0-19 YRS	81	8.5	80	2	3	6	9	16	28	52
20-34	80	9.2	78	3	3	6	11	18	30	86
35-49	50	8.7	42	3	3	7	11	15	19	40
50-64	55	10.1	39	3	4	9	12	18	24	32
65+	81	12.7	45	4	5	11	16	24	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5653	3.7	9	1	1	3	5	7	8	15
B. *Operated*	152	6.7	24	2	2	5	9	12	14	30
2. MULTIPLE DX										
A. *Not Operated*	7062	4.9	17	1	2	4	6	9	12	22
B. *Operated*	347	9.9	61	3	4	8	12	18	26	48
1. SINGLE DX	5805	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	7409	5.1	20	1	2	4	6	10	13	24
A. NOT OPERATED	12715	4.4	14	1	2	3	5	8	10	19
B. OPERATED	499	9.0	52	2	3	7	11	17	24	40
TOTAL 0-19 YRS	6374	3.9	9	1	1	3	5	7	9	15
20-34	2698	4.0	10	1	1	3	5	7	9	16
35-49	1294	4.8	19	1	2	4	6	8	11	18
50-64	1276	5.8	23	2	2	5	7	11	14	25
65+	1572	7.0	37	2	2	5	9	14	18	30
GRAND TOTAL	**13214**	**4.5**	**16**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.2	61	2	3	8	15	19	27	36
20-34	57	11.4	68	1	2	10	16	22	28	38
35-49	77	11.3	63	2	3	10	16	21	28	34
50-64	76	10.4	77	2	3	8	14	19	26	47
65+	66	13.1	114	2	4	10	19	23	28	60
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	30	12.6	150	2	2	10	19	26	27	60
35-49	41	11.6	60	2	3	10	17	24	26	27
50-64	44	17.5	157	4	4	15	22	36	43	51
65+	55	14.3	64	4	5	13	21	24	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.9	34	1	2	7	12	16	19	21
20-34	65	14.3	98	4	4	12	19	25	31	59
35-49	103	14.2	154	2	4	11	17	27	33	69
50-64	165	11.4	75	3	3	9	15	23	28	46
65+	246	15.5	145	3	4	13	19	32	43	67
B. *Operated*										
0-19 YRS	9	14.7	174	5	6	9	25	73	99+	99+
20-34	37	18.8	178	4	6	14	27	35	42	62
35-49	88	18.1	295	3	5	13	20	36	52	90
50-64	123	16.7	135	3	4	13	23	32	40	54
65+	157	19.4	185	5	7	15	24	36	53	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	11.5	78	2	3	10	16	21	28	46
B. *Operated*	172	14.0	106	2	3	11	20	27	33	50
2. MULTIPLE DX										
A. *Not Operated*	595	13.8	122	3	4	11	17	26	35	57
B. *Operated*	414	18.1	192	4	5	14	23	35	46	82
1. SINGLE DX	469	12.4	90	2	3	10	17	24	30	48
2. MULTIPLE DX	1009	15.6	155	3	4	13	19	31	42	70
A. NOT OPERATED	892	13.0	109	2	3	11	17	25	33	53
B. OPERATED	586	16.9	170	3	4	14	22	33	43	73
TOTAL 0-19 YRS	48	10.4	75	2	2	8	15	21	36	99+
20-34	189	14.0	118	2	3	12	19	27	35	61
35-49	309	14.2	165	2	3	11	17	27	34	78
50-64	408	13.5	110	3	3	10	17	28	36	51
65+	524	16.2	149	4	4	14	20	32	43	68
GRAND TOTAL	**1478**	**14.6**	**137**	**3**	**4**	**12**	**18**	**28**	**37**	**62**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	4	18.5	360	3	3	12	30	46	46	46
35-49	7	8.9	34	1	1	9	14	16	16	16
50-64	9	11.2	43	2	2	11	15	20	22	22
65+	6	10.5	54	3	3	8	13	23	24	24
B. *Operated*										
0-19 YRS	15	5.8	41	1	1	3	6	20	21	21
20-34	21	7.4	30	1	2	5	10	14	19	23
35-49	12	14.3	195	2	3	11	18	35	49	51
50-64	10	12.1	101	1	3	11	21	59	97	99+
65+	8	22.0	229	6	8	16	30	47	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.0	98	13	13	20	27	27	27	27
20-34	9	5.8	19	1	1	5	9	12	12	12
35-49	12	11.0	97	<1	1	8	13	30	32	32
50-64	11	8.3	45	3	3	5	10	21	22	22
65+	25	17.5	270	4	5	11	24	42	58	70
B. *Operated*										
0-19 YRS	4	14.0	485	2	2	3	25	47	47	47
20-34	18	20.7	691	1	2	11	24	68	87	94
35-49	17	18.5	145	4	5	19	25	35	42	46
50-64	32	18.4	217	4	4	15	25	33	40	78
65+	34	22.9	206	3	7	23	34	47	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.6	80	2	2	9	15	19	24	46
B. *Operated*	66	10.8	117	1	2	7	15	23	43	92
2. MULTIPLE DX										
A. *Not Operated*	59	12.8	166	1	3	8	15	28	37	69
B. *Operated*	105	20.1	285	3	4	16	28	46	60	99+
1. SINGLE DX	96	10.7	104	1	2	8	15	22	38	77
2. MULTIPLE DX	164	17.5	253	2	3	13	25	40	51	99
A. NOT OPERATED	89	12.0	137	2	3	9	15	26	32	64
B. OPERATED	171	16.5	240	2	3	12	24	40	50	99+
TOTAL 0-19 YRS	25	8.1	112	1	2	4	8	21	32	47
20-34	52	12.6	311	1	2	8	13	24	50	94
35-49	48	14.2	136	2	3	11	20	31	37	51
50-64	62	14.5	155	3	4	13	20	31	38	97
65+	73	20.0	225	4	6	16	29	46	56	99+
GRAND TOTAL	**260**	**15.0**	**208**	**2**	**3**	**11**	**21**	**34**	**47**	**99**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	3.2	5	1	1	3	4	5	6	12
20-34	164	3.6	3	2	2	3	4	6	7	9
35-49	44	3.8	4	2	2	3	5	6	7	12
50-64	30	4.2	4	1	2	4	5	7	8	10
65+	9	5.1	4	3	3	5	6	8	9	9
B. *Operated*										
0-19 YRS	25	2.4	4	1	2	2	2	3	6	12
20-34	13	2.1		1	1	2	2	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	573	3.9	19	1	2	3	5	6	7	18
20-34	232	4.1	5	2	2	4	5	6	8	14
35-49	70	4.9	12	2	2	4	6	9	10	22
50-64	74	5.9	15	2	3	5	7	10	13	24
65+	41	9.1	119	2	3	6	9	17	24	69
B. *Operated*										
0-19 YRS	23	5.0	18	1	1	2	8	11	13	15
20-34	10	5.9	18	2	2	5	8	12	15	15
35-49	5	6.4	14	4	4	5	8	13	13	13
50-64	3	6.7		6	6	7	7	7	7	7
65+	3	14.7	72	6	6	15	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	3.4	5	1	2	3	4	5	6	10
B. *Operated*	38	2.3	3	1	2	2	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	990	4.4	20	1	2	4	5	7	10	19
B. *Operated*	44	6.2	23	1	2	5	8	13	15	23
1. SINGLE DX	655	3.4	5	1	2	3	4	5	6	10
2. MULTIPLE DX	1034	4.5	21	1	2	4	5	7	10	19
A. NOT OPERATED	1607	4.0	15	1	2	3	5	6	8	17
B. OPERATED	82	4.4	17	1	2	2	6	11	14	21
TOTAL 0-19 YRS	991	3.6	14	1	2	3	4	6	7	15
20-34	419	3.9	5	2	2	3	5	6	8	12
35-49	119	4.6	9	2	2	4	6	8	10	17
50-64	107	5.4	12	2	2	5	6	10	12	20
65+	53	8.7	100	2	3	6	9	17	23	68
GRAND TOTAL	**1689**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	6.3	19	2	2	5	8	11	12	30
20-34	29	5.8	13	2	2	5	7	11	14	16
35-49	18	6.1	7	2	3	6	7	10	11	11
50-64	26	11.2	69	4	4	8	15	26	30	32
65+	59	11.2	40	4	5	10	14	18	22	36
B. *Operated*										
0-19 YRS	9	8.2	31	2	2	7	13	16	17	17
20-34	3	27.7	410	5	5	34	41	44	44	44
35-49	4	12.0	179	4	4	6	19	32	32	32
50-64										
65+	5	24.2	205	7	7	20	38	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	7.7	31	2	3	6	10	14	17	32
20-34	108	9.2	51	2	2	8	11	20	24	35
35-49	92	14.3	140	3	4	11	18	28	41	63
50-64	275	12.7	74	4	5	11	15	23	28	48
65+	941	14.0	96	5	6	12	16	26	33	57
B. *Operated*										
0-19 YRS	32	16.3	133	3	4	14	18	34	43	45
20-34	30	18.9	192	4	5	13	29	39	50	54
35-49	39	20.1	268	4	6	17	27	38	42	94
50-64	84	22.4	244	6	7	16	35	46	58	99+
65+	205	22.9	270	6	8	18	29	47	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	7.2	27	2	3	6	9	12	16	32
B. *Operated*	21	15.5	189	2	3	10	23	39	42	44
2. MULTIPLE DX										
A. *Not Operated*	1787	12.2	85	3	4	10	15	23	30	52
B. *Operated*	390	21.7	249	5	7	17	29	43	55	99+
1. SINGLE DX	490	7.5	36	2	3	6	9	13	17	37
2. MULTIPLE DX	2177	13.9	128	3	4	11	16	28	37	69
A. NOT OPERATED	2256	11.1	77	3	4	9	14	21	28	48
B. OPERATED	411	21.4	247	5	7	16	29	43	54	99+
TOTAL 0-19 YRS	749	7.4	34	2	3	6	9	14	17	34
20-34	170	10.7	95	2	3	8	13	25	31	49
35-49	153	14.7	172	3	4	11	19	30	40	64
50-64	385	14.7	127	4	5	12	17	31	40	59
65+	1210	15.4	135	5	6	12	18	29	38	82
GRAND TOTAL	**2667**	**12.7**	**117**	**3**	**4**	**10**	**15**	**26**	**35**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	308	7.5	22	2	2	7	11	13	15	22
20-34	55	7.3	23	2	2	7	10	12	17	22
35-49	46	7.8	18	3	3	7	11	13	16	19
50-64	38	6.1	9	2	3	6	8	10	11	17
65+	31	6.8	29	2	2	5	8	14	21	26
B. *Operated*										
0-19 YRS	21	10.6	31	2	3	12	14	17	20	23
20-34	7	9.7	50	4	4	8	10	22	25	25
35-49	9	9.7	106	1	1	5	16	27	31	31
50-64	6	6.3	3	4	4	6	8	8	8	8
65+	11	16.0	199	1	2	13	22	35	51	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	7.8	26	2	2	7	11	14	16	23
20-34	81	6.2	20	2	3	5	8	10	12	29
35-49	86	7.8	41	3	3	6	9	14	18	41
50-64	128	9.1	32	3	4	8	11	17	20	28
65+	200	11.1	67	4	4	9	13	19	27	46
B. *Operated*										
0-19 YRS	22	16.8	376	1	4	11	16	37	62	91
20-34	16	11.1	55	1	2	9	16	24	25	25
35-49	20	17.0	191	3	4	12	23	43	48	49
50-64	42	19.7	377	3	4	11	28	49	58	93
65+	49	20.8	395	2	6	14	28	44	56	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	7.4	21	2	2	7	10	13	16	22
B. *Operated*	54	10.9	79	2	2	9	14	22	25	51
2. MULTIPLE DX										
A. *Not Operated*	743	8.8	42	2	3	7	11	15	20	38
B. *Operated*	149	18.3	325	2	4	12	23	42	53	93
1. SINGLE DX	532	7.7	28	2	2	7	11	13	17	25
2. MULTIPLE DX	892	10.4	101	2	3	8	12	19	28	53
A. NOT OPERATED	1221	8.2	34	2	3	7	11	14	18	36
B. OPERATED	203	16.4	270	2	3	11	20	35	49	92
TOTAL 0-19 YRS	599	8.1	39	2	2	7	11	14	16	31
20-34	159	7.2	27	2	2	6	9	12	18	25
35-49	161	9.1	64	3	3	7	11	16	23	48
50-64	214	10.6	115	3	3	7	11	20	29	58
65+	291	12.5	138	3	4	9	14	24	36	54
GRAND TOTAL	**1424**	**9.4**	**76**	**2**	**3**	**8**	**11**	**16**	**23**	**48**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1108	4.4	16	1	2	4	6	8	10	14
20-34	486	4.6	7	2	2	4	6	8	9	14
35-49	89	5.4	13	1	2	5	7	10	11	70
50-64	23	6.2	15	2	2	5	8	11	14	18
65+	5	7.8	45	1	1	6	10	19	19	19
B. *Operated*										
0-19 YRS	28	6.5	15	2	2	5	9	13	13	15
20-34	10	6.5	10	3	3	6	10	11	11	11
35-49										
50-64	2	8.0	32	4	4	8	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	5.4	22	2	2	4	6	10	12	19
20-34	176	5.6	10	2	3	5	7	10	12	15
35-49	48	8.0	36	2	3	7	9	16	22	29
50-64	22	9.2	56	2	3	7	10	23	26	30
65+	14	10.6	26	4	5	10	11	20	22	22
B. *Operated*										
0-19 YRS	15	13.9	155	1	3	9	21	35	39	41
20-34	23	9.9	29	2	3	9	13	19	20	21
35-49	6	10.7	23	6	6	9	15	18	18	18
50-64	3	18.0	61	9	9	22	23	23	23	23
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1711	4.6	13	1	2	4	6	8	10	14
B. *Operated*	40	6.6	13	2	2	6	10	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	601	5.9	22	2	2	5	7	10	14	23
B. *Operated*	47	11.8	72	2	3	9	15	22	30	41
1. SINGLE DX	1751	4.6	13	1	2	4	6	8	10	15
2. MULTIPLE DX	648	6.3	28	2	2	5	8	11	15	25
A. NOT OPERATED	2312	4.9	16	1	2	4	6	9	11	18
B. OPERATED	87	9.4	52	2	3	7	12	19	22	39
TOTAL 0-19 YRS	1492	4.8	20	1	2	4	6	8	11	17
20-34	695	5.1	9	2	2	4	6	9	11	15
35-49	143	6.5	23	1	2	6	8	11	17	33
50-64	50	8.3	42	2	2	6	10	20	23	30
65+	19	9.9	30	2	4	9	11	20	21	22
GRAND TOTAL	**2399**	**5.1**	**18**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	554	3.5	5	1	2	3	4	5	7	13
20-34	136	4.6	7	2	2	4	6	7	9	14
35-49	49	5.0	11	1	2	4	7	10	11	16
50-64	113	6.4	12	2	3	6	8	11	14	16
65+	252	8.1	41	2	3	6	10	15	20	34
B. *Operated*										
0-19 YRS	5	4.8	47	<1	<1	2	17	92	99+	99+
20-34	13	5.0	24	<1	1	3	5	14	16	17
35-49	5	5.4	18	2	2	4	8	12	12	12
50-64	14	5.6	9	2	3	5	8	10	11	11
65+	14	7.9	54	1	2	4	11	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	698	4.0	6	1	2	3	5	7	8	14
20-34	151	5.4	11	2	2	5	7	9	12	19
35-49	74	7.1	37	2	3	5	8	12	19	37
50-64	287	8.2	37	2	3	7	10	15	19	34
65+	893	10.3	63	3	3	8	12	20	26	41
B. *Operated*										
0-19 YRS	24	11.3	249	2	3	6	10	20	59	66
20-34	25	5.6	16	1	2	4	8	9	15	17
35-49	14	13.1	188	2	2	7	16	37	42	44
50-64	33	13.0	142	2	3	9	15	25	47	53
65+	78	15.9	175	3	4	12	20	38	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	5.0	18	1	2	4	6	10	13	21
B. *Operated*	51	6.0	29	1	2	4	9	14	20	98
2. MULTIPLE DX										
A. *Not Operated*	2103	7.5	43	2	2	5	9	15	20	33
B. *Operated*	174	13.0	165	2	3	9	17	29	46	95
1. SINGLE DX	1155	5.1	18	1	2	4	6	10	13	22
2. MULTIPLE DX	2277	7.9	55	2	2	6	9	16	22	41
A. NOT OPERATED	3207	6.6	36	2	2	5	8	13	18	32
B. OPERATED	225	11.4	143	2	2	8	15	26	44	99+
TOTAL 0-19 YRS	1281	3.9	11	1	2	3	4	6	8	15
20-34	325	5.1	10	2	2	4	7	9	12	17
35-49	142	6.0	46	2	2	5	8	12	18	41
50-64	447	8.0	40	2	3	6	10	15	18	34
65+	1237	10.2	68	3	3	8	12	20	27	45
GRAND TOTAL	**3432**	**6.9**	**44**	**2**	**2**	**5**	**8**	**14**	**19**	**35**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	6.5	20	2	2	6	8	11	15	25
20-34	1029	7.6	26	2	3	6	10	13	16	26
35-49	245	8.3	27	2	3	7	10	15	19	24
50-64	123	8.9	44	3	3	7	11	14	21	36
65+	54	8.5	30	2	3	7	11	16	20	27
B. *Operated*										
0-19 YRS	18	6.4	24	2	2	5	10	14	15	16
20-34	62	8.2	53	2	2	6	10	19	23	32
35-49	26	11.2	100	2	2	10	13	22	37	43
50-64	25	11.9	59	2	5	9	16	27	46	99+
65+	3	23.0	304	11	11	15	36	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	7.2	27	2	3	6	8	15	18	27
20-34	333	8.0	28	2	3	7	10	15	18	27
35-49	165	9.1	40	3	3	8	11	17	20	34
50-64	131	10.8	49	4	4	9	14	20	22	39
65+	105	11.7	73	4	5	10	13	21	30	51
B. *Operated*										
0-19 YRS	7	12.4	71	4	4	8	19	24	25	25
20-34	36	10.0	42	2	2	9	15	19	22	24
35-49	40	13.7	127	2	3	10	16	30	39	53
50-64	33	19.9	285	3	3	16	33	47	57	58
65+	32	22.2	304	5	7	16	27	54	60	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1863	7.5	27	2	3	6	9	14	17	27
B. *Operated*	134	9.5	69	2	2	8	14	20	27	52
2. MULTIPLE DX										
A. *Not Operated*	856	9.0	41	3	3	7	11	17	21	35
B. *Operated*	148	16.0	195	2	3	12	19	37	51	60
1. SINGLE DX	1997	7.7	30	2	3	6	10	14	18	30
2. MULTIPLE DX	1004	10.0	70	3	3	8	12	19	24	49
A. NOT OPERATED	2719	8.0	32	2	3	7	10	14	19	30
B. OPERATED	282	12.9	145	2	2	10	16	27	40	60
TOTAL 0-19 YRS	559	6.8	23	2	2	6	8	13	16	26
20-34	1460	7.8	28	2	3	7	10	14	17	27
35-49	476	9.2	46	2	3	8	11	17	20	37
50-64	312	11.1	82	3	4	8	13	21	33	57
65+	194	12.7	122	3	4	10	15	23	37	60
GRAND TOTAL	**3001**	**8.5**	**44**	**2**	**3**	**7**	**10**	**15**	**20**	**37**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	734	4.4	6	2	2	4	6	8	9	12
20-34	263	4.9	8	1	2	4	7	9	10	13
35-49	42	5.4	10	2	2	5	7	9	13	15
50-64	6	7.8	8	4	4	7	11	11	11	11
65+	3	5.7	1	5	5	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	9	6.0	15	1	1	8	8	11	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	5.1	9	2	2	4	6	8	10	16
20-34	200	5.3	9	2	2	5	7	10	11	17
35-49	33	6.7	9	2	3	6	8	11	13	14
50-64	7	7.3	27	3	3	5	9	16	18	18
65+	6	4.8	5	2	2	6	6	7	7	7
B. *Operated*										
0-19 YRS	22	7.6	15	1	2	8	9	13	15	16
20-34	15	8.8	33	1	3	8	10	18	22	23
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64	4	8.5	16	3	3	9	11	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	4.6	7	2	2	4	6	8	10	12
B. *Operated*	12	5.6	14	1	1	6	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	848	5.2	9	2	2	5	6	9	11	17
B. *Operated*	43	8.4	23	2	3	8	10	15	18	23
1. SINGLE DX	1060	4.6	7	2	2	4	6	8	10	12
2. MULTIPLE DX	891	5.4	10	2	2	5	7	9	12	18
A. NOT OPERATED	1896	4.9	8	2	2	4	6	8	10	15
B. OPERATED	55	7.8	22	1	2	8	10	13	17	23
TOTAL 0-19 YRS	1361	4.7	8	2	2	4	6	8	10	15
20-34	487	5.2	10	2	2	5	7	9	11	17
35-49	77	6.2	12	2	3	5	8	11	14	18
50-64	17	7.8	16	3	3	7	11	12	16	18
65+	9	5.1	4	2	2	6	6	7	7	7
GRAND TOTAL	**1951**	**4.9**	**9**	**2**	**2**	**4**	**6**	**9**	**10**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	4	<1	<1	2	3	5	7	9
20-34	26	2.4	3	<1	1	2	3	5	6	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	455	2.4	21	<1	1	2	2	4	5	10
20-34	934	2.6	9	<1	1	2	3	4	5	9
35-49	242	2.9	4	1	1	2	3	5	6	14
50-64	93	3.0	4	1	1	3	3	5	7	13
65+	22	3.1	4	1	1	3	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	4	<1	<1	2	5	6	7	7
20-34	21	4.6	29	1	2	3	5	7	16	27
35-49	11	2.2	2	<1	<1	2	3	4	5	5
50-64	7	6.9	35	2	2	4	11	16	17	17
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	112	3.1	6	1	1	3	4	5	9	13
20-34	336	3.4	16	1	1	2	4	6	8	12
35-49	139	3.8	10	1	2	3	4	7	10	18
50-64	71	5.3	18	2	2	4	7	11	15	22
65+	19	5.5	14	1	1	4	8	10	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	1746	2.6	11	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	59	3.9	18	<1	1	3	5	7	10	26
B. *Operated*	677	3.7	14	1	1	3	4	7	9	16
1. SINGLE DX	1803	2.6	11	<1	1	2	3	4	5	10
2. MULTIPLE DX	736	3.7	14	1	1	3	4	7	9	16
A. NOT OPERATED	116	3.3	11	<1	1	2	4	6	8	20
B. OPERATED	2423	2.9	12	1	1	2	3	5	7	12
TOTAL 0-19 YRS	608	2.5	17	<1	1	2	3	4	6	12
20-34	1317	2.8	11	<1	1	2	3	5	6	10
35-49	395	3.2	6	1	1	2	4	5	7	14
50-64	174	4.1	13	1	1	3	5	9	12	18
65+	45	4.2	9	1	1	3	6	9	9	16
GRAND TOTAL	**2539**	**2.9**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0, 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2058	3.3	4	1	1	3	4	6	7	10
20-34	547	4.2	23	1	1	3	5	8	10	15
35-49	202	5.1	29	2	2	4	5	9	10	27
50-64	147	5.3	13	1	2	4	7	10	12	20
65+	139	4.6	10	2	2	4	6	7	10	23
B. *Operated*										
0-19 YRS	82	4.4	33	1	1	3	4	8	16	33
20-34	42	4.8	53	1	1	3	5	9	11	48
35-49	20	6.9	91	<1	1	4	8	13	29	44
50-64	9	13.0	203	4	4	8	12	36	50	50
65+	6	12.3	153	2	2	8	19	32	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1540	3.7	13	1	1	3	4	6	8	15
20-34	703	4.4	11	1	2	4	5	8	9	19
35-49	435	5.4	15	2	2	4	7	9	11	22
50-64	456	6.1	18	2	2	5	8	12	13	25
65+	635	7.2	37	2	2	6	9	13	18	29
B. *Operated*										
0-19 YRS	51	6.8	56	2	2	4	7	14	26	36
20-34	60	7.7	41	1	2	5	10	16	20	30
35-49	30	10.6	53	2	4	9	15	22	24	32
50-64	32	10.1	70	2	3	9	13	17	21	47
65+	36	11.2	65	4	5	9	12	23	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3093	3.7	10	1	1	3	4	6	8	13
B. *Operated*	159	5.6	63	1	1	3	5	11	21	48
2. MULTIPLE DX										
A. *Not Operated*	3769	4.9	19	1	2	4	6	9	12	23
B. *Operated*	209	8.9	57	2	2	6	11	17	24	37
1. SINGLE DX	3252	3.8	13	1	1	3	4	7	8	15
2. MULTIPLE DX	3978	5.1	22	1	2	4	6	9	13	25
A. NOT OPERATED	6862	4.4	16	1	2	3	5	8	10	20
B. OPERATED	358	7.5	62	1	2	5	10	16	23	43
TOTAL 0-19 YRS	3731	3.5	9	1	1	3	4	6	7	13
20-34	1352	4.5	19	1	2	4	5	8	10	20
35-49	687	5.6	24	2	2	4	7	10	13	25
50-64	644	6.2	23	2	2	5	8	12	14	25
65+	816	7.0	37	2	2	5	8	13	18	31
GRAND TOTAL	**7230**	**4.5**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	5.0	6	2	2	5	6	8	10	15
20-34	131	4.8	5	2	2	5	6	8	9	99+
35-49	35	5.6	7	2	3	5	7	10	11	11
50-64	32	7.0	16	3	3	6	9	11	12	24
65+	11	6.7	16	3	3	5	11	12	13	13
B. *Operated*										
0-19 YRS	4	4.8	8	1	1	5	7	7	7	7
20-34	5	7.6	3	5	5	8	9	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	2	21.5	365	8	8	21	35	35	35	35
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	7.3	89	1	2	5	8	12	19	62
20-34	53	5.2	9	1	2	5	6	9	11	18
35-49	48	7.1	23	2	2	6	9	12	15	28
50-64	35	6.5	10	3	3	6	8	9	11	18
65+	21	13.5	78	5	6	11	16	24	35	43
B. *Operated*										
0-19 YRS	5	6.2	13	1	1	7	8	11	11	11
20-34	6	8.2	12	3	3	8	12	12	12	12
35-49	3	38.7	2665	4	4	14	77	98	98	98
50-64	6	17.8	335	8	8	11	13	51	55	55
65+	3	39.0	228	23	23	41	50	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	5.2	7	2	2	5	6	9	10	16
B. *Operated*	12	9.3	73	1	3	7	9	18	33	35
2. MULTIPLE DX										
A. *Not Operated*	235	7.2	48	2	2	6	8	12	18	37
B. *Operated*	23	18.3	521	2	4	10	14	53	70	98
1. SINGLE DX	517	5.3	9	2	2	5	6	9	10	16
2. MULTIPLE DX	258	8.2	99	2	2	6	9	14	19	55
A. NOT OPERATED	740	5.8	21	2	2	5	7	10	12	28
B. OPERATED	35	15.2	379	2	4	8	12	41	54	98
TOTAL 0-19 YRS	383	5.5	24	2	2	5	6	9	11	19
20-34	195	5.1	7	2	2	5	7	9	11	61
35-49	87	7.6	113	2	2	6	8	12	14	72
50-64	75	8.0	53	3	3	6	9	12	17	50
65+	35	13.6	136	3	3	11	16	28	42	53
GRAND TOTAL	**775**	**6.3**	**41**	**2**	**2**	**5**	**7**	**10**	**13**	**40**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	5.3	12	2	2	5	7	10	12	20
20-34	240	5.5	14	2	2	4	6	10	14	18
35-49	34	6.3	18	2	2	5	8	13	16	17
50-64	12	7.3	51	1	2	5	9	18	25	26
65+	12	4.2	10	1	1	3	6	9	11	11
B. *Operated*										
0-19 YRS	42	2.6	3	<1	1	2	3	5	7	7
20-34	120	2.8	6	<1	1	2	3	6	8	40
35-49	38	2.6	4	<1	1	2	3	4	7	10
50-64	13	4.8	26	<1	1	3	4	16	16	16
65+	5	4.6	19	2	2	2	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	5.9	11	1	3	5	7	11	12	17
20-34	184	5.7	15	2	2	5	7	9	12	25
35-49	41	8.2	58	2	3	5	8	18	28	36
50-64	29	10.8	69	1	2	10	15	22	25	35
65+	66	11.2	64	3	4	9	15	19	25	47
B. *Operated*										
0-19 YRS	23	5.8	39	1	2	4	6	10	18	32
20-34	74	5.6	26	1	2	4	8	12	14	28
35-49	36	8.3	240	1	2	4	9	15	20	94
50-64	16	12.9	137	2	2	9	18	30	38	42
65+	19	19.7	454	3	4	14	22	43	73	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	5.5	14	2	2	4	7	10	13	20
B. *Operated*	218	2.9	6	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	422	7.2	34	2	3	6	8	14	18	33
B. *Operated*	168	8.5	149	1	2	5	10	18	30	84
1. SINGLE DX	668	4.6	13	1	1	4	6	9	12	18
2. MULTIPLE DX	590	7.6	67	2	2	5	9	15	20	36
A. NOT OPERATED	872	6.3	25	2	2	5	7	12	16	26
B. OPERATED	386	5.3	76	1	1	3	6	11	17	46
TOTAL 0-19 YRS	319	5.2	13	1	2	4	7	10	11	19
20-34	618	5.0	15	1	2	4	6	10	12	20
35-49	149	6.4	83	1	2	4	7	13	17	37
50-64	70	9.5	79	1	2	6	15	21	26	41
65+	102	11.6	145	2	3	9	15	21	33	70
GRAND TOTAL	**1258**	**6.0**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**32**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.8	15	2	2	4	6	9	11	21
20-34	26	5.6	44	1	2	4	6	11	17	35
35-49	21	8.0	41	1	2	6	9	20	22	23
50-64	26	12.7	380	<1	<1	6	10	34	65	85
65+	18	8.8	56	1	2	7	11	22	26	28
B. *Operated*										
0-19 YRS	10	5.4	63	1	1	2	3	20	24	24
20-34	26	9.3	52	2	2	9	13	21	24	25
35-49	41	9.4	70	1	2	8	12	22	28	35
50-64	35	8.3	80	1	1	5	12	19	21	47
65+	27	10.9	226	2	2	8	14	23	82	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.1	8	1	2	5	7	8	9	16
20-34	48	9.3	127	2	2	5	11	16	27	64
35-49	62	11.5	228	1	2	7	10	32	44	77
50-64	95	9.5	102	3	3	6	11	15	25	56
65+	89	12.1	189	3	3	8	12	22	34	82
B. *Operated*										
0-19 YRS	7	10.9	368	1	1	3	7	45	54	54
20-34	34	12.3	213	2	3	6	16	37	60	99+
35-49	39	19.0	367	2	3	12	28	48	79	99+
50-64	51	18.4	318	3	3	13	25	48	65	99+
65+	60	17.6	416	2	3	10	19	55	67	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	7.7	112	1	2	5	8	16	23	66
B. *Operated*	139	9.1	98	1	2	7	12	20	25	82
2. MULTIPLE DX										
A. *Not Operated*	392	9.3	127	2	3	6	10	15	28	65
B. *Operated*	191	16.9	342	2	3	11	22	50	66	99+
1. SINGLE DX	264	8.5	105	1	2	5	11	19	24	77
2. MULTIPLE DX	583	11.8	210	2	3	7	12	28	49	88
A. NOT OPERATED	517	8.9	124	2	2	6	10	16	27	64
B. OPERATED	330	13.6	253	2	2	9	17	34	54	99+
TOTAL 0-19 YRS	149	5.3	29	1	2	4	6	9	12	24
20-34	134	9.4	121	2	2	5	11	21	34	69
35-49	163	12.3	210	1	2	8	13	29	44	88
50-64	207	11.9	198	2	2	8	13	27	48	86
65+	194	13.3	258	2	3	8	14	28	57	89
GRAND TOTAL	**847**	**10.7**	**179**	**2**	**2**	**6**	**12**	**23**	**44**	**85**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.2	4	1	1	3	4	5	8	11
20-34	11	3.6	8	<1	<1	2	6	8	10	10
35-49	6	3.8	6	1	1	3	5	8	8	8
50-64	8	5.6	20	<1	1	4	8	12	14	14
65+	3	5.7	20	1	1	6	9	10	10	10
B. *Operated*										
0-19 YRS	30	4.3	6	2	2	4	5	6	7	15
20-34	12	4.0	3	2	2	4	5	7	8	8
35-49	11	7.5	56	1	1	5	10	19	25	26
50-64	7	8.9	34	1	1	9	14	16	16	16
65+	2	12.5	221	2	2	12	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.9	5	2	2	3	5	6	9	13
20-34	9	4.9	8	1	1	4	7	9	9	9
35-49	10	7.7	19	2	3	6	9	15	15	15
50-64	11	6.4	17	3	3	4	8	12	17	17
65+	15	8.3	38	3	4	6	9	19	24	26
B. *Operated*										
0-19 YRS	18	4.7	6	2	2	4	5	7	11	13
20-34	11	5.9	5	2	2	6	7	8	9	9
35-49	21	12.5	79	2	3	10	17	26	32	34
50-64	7	6.9	48	2	2	4	9	19	21	21
65+	6	9.7	89	1	1	6	15	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.7	8	1	1	3	5	8	10	13
B. *Operated*	62	5.6	24	2	2	4	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	84	5.6	17	2	2	4	7	9	15	24
B. *Operated*	63	8.2	51	2	2	6	10	19	25	33
1. SINGLE DX	133	4.6	16	1	1	4	5	10	14	24
2. MULTIPLE DX	147	6.7	33	2	2	5	8	14	19	30
A. NOT OPERATED	155	4.7	14	1	2	4	6	9	11	19
B. OPERATED	125	6.9	39	2	2	5	8	15	22	31
TOTAL 0-19 YRS	130	3.9	5	1	2	3	5	6	8	14
20-34	43	4.6	6	1	1	4	6	8	9	10
35-49	48	9.3	60	2	2	8	12	20	26	34
50-64	33	6.8	26	1	2	5	9	15	17	21
65+	26	8.7	52	1	2	6	10	23	26	26
GRAND TOTAL	**280**	**5.7**	**26**	**1**	**2**	**4**	**7**	**11**	**16**	**26**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.1	6	1	2	3	5	7	9	14
20-34	91	5.3	13	1	2	4	7	10	13	16
35-49	40	5.9	21	2	2	4	8	11	15	23
50-64	23	5.7	11	2	3	5	6	9	15	16
65+	7	5.4	8	<1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	32	5.2	13	1	1	4	9	10	12	14
20-34	326	6.1	19	2	2	5	8	12	15	20
35-49	122	6.1	32	1	2	4	8	13	17	34
50-64	38	7.9	34	2	2	6	10	17	21	26
65+	16	9.7	46	2	2	8	13	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	4.6	10	1	2	4	5	9	13	14
20-34	160	6.4	16	1	2	6	9	12	14	21
35-49	117	7.8	49	2	2	6	10	16	21	34
50-64	59	7.9	35	2	2	6	10	17	20	29
65+	59	10.8	154	2	3	8	12	18	28	85
B. *Operated*										
0-19 YRS	27	7.5	40	1	1	5	10	15	18	30
20-34	232	9.5	50	3	3	8	12	17	21	42
35-49	128	8.4	33	2	3	7	11	17	20	26
50-64	73	10.9	106	2	3	8	13	21	26	60
65+	31	13.5	146	3	4	9	16	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.1	12	1	2	4	7	9	12	16
B. *Operated*	534	6.3	24	2	2	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	461	7.3	46	2	2	6	9	14	18	29
B. *Operated*	491	9.5	61	2	3	8	12	18	23	42
1. SINGLE DX	758	5.9	21	2	2	5	8	12	15	22
2. MULTIPLE DX	952	8.4	55	2	3	6	11	16	21	36
A. NOT OPERATED	685	6.6	36	2	2	5	8	13	16	26
B. OPERATED	1025	7.8	44	2	2	6	10	16	20	32
TOTAL 0-19 YRS	188	4.9	15	1	2	4	6	10	13	16
20-34	809	7.0	29	2	2	6	9	14	17	25
35-49	407	7.3	37	2	2	5	9	16	19	27
50-64	193	8.8	61	2	3	6	11	18	22	40
65+	113	11.1	129	2	3	8	13	22	28	73
GRAND TOTAL	**1710**	**7.3**	**41**	**2**	**2**	**6**	**9**	**15**	**18**	**29**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	2	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34	5	13.4	207	5	5	7	16	39	39	39
35-49	4	5.8	8	2	2	6	8	8	8	8
50-64	2	6.5	5	5	5	6	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	5.2	7	2	2	6	7	8	8	8
35-49	8	4.8	4	2	2	4	6	8	8	8
50-64	6	4.8	7	2	2	4	8	8	8	8
65+	14	8.0	27	2	3	5	11	17	19	19
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	9	6.0	11	1	2	5	8	11	11	11
35-49	7	15.7	232	2	2	9	29	39	40	40
50-64	8	16.4	328	2	2	8	25	47	54	54
65+	8	9.9	44	2	3	9	13	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7		3	3	4	4	4	4	4
B. *Operated*	11	9.4	101	2	4	7	8	21	37	39
2. MULTIPLE DX										
A. *Not Operated*	36	6.0	16	2	2	5	8	11	15	19
B. *Operated*	33	11.7	146	2	2	8	13	32	39	54
1. SINGLE DX	14	8.1	83	2	3	6	8	12	33	39
2. MULTIPLE DX	69	8.7	85	2	2	5	10	18	31	51
A. NOT OPERATED	39	5.8	15	2	2	5	8	11	15	19
B. OPERATED	44	11.1	133	2	2	8	11	31	39	54
TOTAL 0-19 YRS	4	5.3	27	2	2	3	8	13	13	13
20-34	20	7.6	62	1	2	7	8	10	25	39
35-49	19	9.0	108	2	2	5	8	26	37	40
50-64	18	10.1	172	2	2	5	8	28	45	54
65+	22	8.7	32	2	3	7	11	18	20	22
GRAND TOTAL	**83**	**8.6**	**84**	**2**	**2**	**5**	**9**	**17**	**32**	**49**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	7.3	82	1	1	4	8	22	30	30
35-49	14	8.1	113	<1	1	4	7	32	32	32
50-64	89	6.8	44	1	2	5	9	15	20	34
65+	106	7.6	84	1	2	4	8	20	33	72
B. *Operated*										
0-19 YRS	17	5.8	24	1	2	4	8	15	16	16
20-34	40	3.6	6	1	2	3	4	6	9	14
35-49	130	5.3	42	1	2	3	6	12	20	30
50-64	356	7.4	75	1	2	4	9	16	24	47
65+	480	7.1	75	1	2	4	9	15	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	27	2	2	6	12	12	12	12
20-34	7	11.9	531	1	1	4	6	52	64	64
35-49	48	8.4	59	2	2	5	13	17	25	34
50-64	204	8.9	94	1	1	6	11	21	30	45
65+	227	10.7	96	2	2	8	14	24	31	53
B. *Operated*										
0-19 YRS	6	5.3	19	1	1	4	7	12	13	13
20-34	21	14.6	290	2	2	7	19	44	56	58
35-49	111	15.1	249	2	2	10	19	38	50	85
50-64	498	13.1	162	2	2	9	18	32	44	99+
65+	590	12.4	164	2	2	8	16	29	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	7.3	68	1	2	4	8	18	30	43
B. *Operated*	1023	6.8	68	1	2	4	8	15	23	41
2. MULTIPLE DX										
A. *Not Operated*	492	9.7	96	1	2	7	13	22	30	48
B. *Operated*	1226	12.9	173	2	2	9	17	31	43	75
1. SINGLE DX	1242	6.9	68	1	2	4	8	15	23	41
2. MULTIPLE DX	1718	12.0	153	2	2	8	16	29	39	72
A. NOT OPERATED	711	9.0	89	1	2	6	11	21	30	48
B. OPERATED	2249	10.1	134	2	2	6	13	25	36	64
TOTAL 0-19 YRS	30	5.7	22	1	1	4	10	13	16	16
20-34	77	7.8	154	1	2	4	6	16	35	62
35-49	303	9.5	142	1	2	4	13	25	35	66
50-64	1147	10.1	121	1	2	6	13	25	35	61
65+	1403	9.9	122	2	2	6	13	23	32	64
GRAND TOTAL	**2960**	**9.9**	**123**	**2**	**2**	**6**	**13**	**24**	**33**	**63**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	9.4	91	1	2	5	13	25	31	32
50-64	49	7.0	57	1	1	5	8	17	24	36
65+	51	9.0	81	2	2	7	10	20	32	43
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	19	16.6	122	1	2	18	24	37	72	99+
50-64	100	13.8	144	2	3	11	18	30	36	66
65+	118	13.9	202	2	2	9	18	30	43	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	9.2	43	2	3	8	12	19	23	24
50-64	100	10.6	132	1	3	7	11	21	39	59
65+	150	12.1	105	2	3	8	16	27	35	43
B. *Operated*										
0-19 YRS	2	21.5	41	17	17	21	26	26	26	26
20-34	1	30.0		30	30	30	30	30	30	30
35-49	34	23.4	277	6	8	22	28	55	72	99+
50-64	174	18.1	211	3	4	15	25	40	47	97
65+	215	17.3	204	2	3	14	25	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.2	71	1	2	5	9	19	31	40
B. *Operated*	238	14.0	170	2	3	10	19	30	39	82
2. MULTIPLE DX										
A. *Not Operated*	263	11.4	112	2	3	8	14	24	35	52
B. *Operated*	426	18.1	213	2	4	15	25	40	54	99+
1. SINGLE DX	349	12.2	146	2	2	8	16	28	36	65
2. MULTIPLE DX	689	15.6	185	2	3	12	22	35	46	87
A. NOT OPERATED	374	10.4	102	1	2	7	13	24	32	49
B. OPERATED	664	16.7	201	2	3	13	23	37	47	97
TOTAL 0-19 YRS	2	21.5	41	17	17	21	26	26	26	26
20-34	2	16.5	365	3	3	16	30	30	30	30
35-49	77	17.3	205	2	4	14	24	38	58	99+
50-64	423	14.0	173	2	3	10	18	32	41	70
65+	534	14.3	171	2	3	10	20	32	43	70
GRAND TOTAL	**1038**	**14.4**	**174**	**2**	**3**	**10**	**20**	**32**	**43**	**82**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.6	14	2	2	4	6	11	11	11
35-49	8	5.3	9	1	1	6	8	9	9	9
50-64	48	7.1	28	1	2	5	10	16	18	21
65+	87	6.9	32	1	1	5	9	15	19	25
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	14.5	41	10	10	14	19	19	19	19
35-49	22	19.4	52	8	11	19	22	31	32	32
50-64	104	15.7	72	3	6	14	20	27	33	40
65+	147	17.6	125	4	6	15	22	33	39	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.9	33	1	1	3	5	14	20	20
35-49	28	7.5	42	1	1	6	10	13	23	29
50-64	143	10.0	141	1	2	6	12	22	27	72
65+	300	10.3	89	2	3	8	13	21	30	52
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	18	21.7	306	7	8	16	29	34	63	82
35-49	45	18.8	256	4	4	15	20	41	51	75
50-64	252	20.0	173	5	8	17	25	35	43	96
65+	496	22.5	210	6	9	19	28	39	53	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	6.8	29	1	1	5	9	15	18	24
B. *Operated*	276	17.0	99	4	7	15	21	31	37	51
2. MULTIPLE DX										
A. *Not Operated*	481	10.0	101	1	2	7	12	21	29	57
B. *Operated*	813	21.5	204	5	8	18	27	38	51	85
1. SINGLE DX	424	13.4	98	2	3	12	18	26	33	43
2. MULTIPLE DX	1294	17.2	196	2	4	14	22	33	44	79
A. NOT OPERATED	629	9.2	86	1	2	7	12	19	25	48
B. OPERATED	1089	20.3	181	5	8	17	26	36	48	79
TOTAL 0-19 YRS	3	13.3	30	8	8	13	17	19	19	19
20-34	35	14.0	233	1	2	10	19	32	34	82
35-49	103	14.8	166	1	3	12	19	30	36	75
50-64	547	15.5	156	2	3	14	20	31	38	75
65+	1030	16.9	183	2	4	14	22	33	43	71
GRAND TOTAL	**1718**	**16.3**	**175**	**2**	**4**	**14**	**21**	**32**	**41**	**75**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	6.0	10	4	4	5	7	11	12	12
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	5	12.8	46	7	7	10	16	24	24	24
50-64	7	21.0	55	10	11	19	26	31	32	32
65+	11	16.5	81	9	9	13	17	34	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	5	1	1	4	5	6	6	6
35-49	4	3.5	6	1	1	3	5	6	6	6
50-64	18	13.6	385	2	3	7	12	39	68	80
65+	27	7.2	28	1	1	6	11	14	18	20
B. *Operated*										
0-19 YRS										
20-34	3	19.0	229	7	7	14	30	36	36	36
35-49	20	16.0	61	4	6	15	19	29	30	31
50-64	48	21.0	264	9	10	15	24	45	54	92
65+	56	21.6	203	10	10	18	25	38	55	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.7	9	4	4	4	6	11	12	12
B. *Operated*	24	16.9	67	8	9	14	21	32	33	36
2. MULTIPLE DX										
A. *Not Operated*	53	8.8	154	1	1	6	10	15	20	79
B. *Operated*	127	20.4	204	8	10	16	25	37	53	82
1. SINGLE DX	31	14.4	76	4	4	13	18	29	32	36
2. MULTIPLE DX	180	17.0	216	2	4	14	20	31	50	80
A. NOT OPERATED	60	8.5	137	1	2	6	10	14	19	77
B. OPERATED	151	19.9	183	8	10	16	24	34	51	79
TOTAL 0-19 YRS										
20-34	8	10.8	123	1	2	6	13	29	36	36
35-49	29	13.7	67	2	4	12	17	27	30	31
50-64	74	18.9	277	4	6	14	22	42	53	89
65+	100	16.2	174	2	4	13	19	30	38	73
GRAND TOTAL	**211**	**16.6**	**196**	**3**	**4**	**13**	**19**	**31**	**46**	**79**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	14	10.6	142	1	2	6	13	29	41	45
50-64	117	6.4	35	1	1	5	7	14	19	31
65+	191	7.8	45	1	2	5	11	16	24	31
B. *Operated*										
0-19 YRS	10	11.0	33	3	3	12	16	17	18	18
20-34	23	13.7	50	4	6	13	17	21	27	38
35-49	114	12.9	35	3	7	12	16	20	23	32
50-64	450	14.0	40	5	9	13	16	21	24	39
65+	907	16.5	72	6	9	15	19	26	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	6.1	19	2	2	5	8	12	17	17
35-49	104	7.9	62	1	2	5	10	16	20	45
50-64	498	7.8	67	1	2	5	9	16	23	43
65+	1034	9.7	89	2	3	7	12	19	28	52
B. *Operated*										
0-19 YRS	6	17.5	46	5	6	19	22	24	24	24
20-34	67	15.5	101	5	6	13	18	29	36	54
35-49	266	16.9	95	6	8	15	20	28	34	58
50-64	1157	17.7	99	6	9	16	21	29	35	59
65+	2938	20.6	126	9	11	18	25	34	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	7.4	46	1	2	5	9	16	22	32
B. *Operated*	1504	15.4	61	5	9	14	18	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	1670	9.0	80	2	2	6	11	18	25	47
B. *Operated*	4434	19.5	119	8	10	17	24	32	41	62
1. SINGLE DX	1831	14.0	58	2	4	13	17	23	28	43
2. MULTIPLE DX	6104	16.6	130	3	4	15	21	30	38	59
A. NOT OPERATED	1997	8.7	75	1	2	6	11	18	25	45
B. OPERATED	5938	18.5	107	7	9	16	22	30	38	59
TOTAL 0-19 YRS	18	12.6	46	3	3	14	18	21	23	24
20-34	127	12.4	85	2	3	11	16	21	31	48
35-49	498	13.9	88	2	4	13	17	25	30	53
50-64	2222	14.1	95	2	4	13	18	25	31	53
65+	5070	17.1	127	3	5	15	22	30	38	60
GRAND TOTAL	**7935**	**16.0**	**117**	**3**	**4**	**14**	**20**	**29**	**36**	**58**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	16	8.4	60	<1	1	6	11	22	26	27
50-64	74	7.6	55	1	2	5	10	15	26	34
65+	113	9.3	106	1	2	5	11	24	31	54
B. *Operated*										
0-19 YRS	3	15.3	169	2	2	16	25	28	28	28
20-34	18	10.4	63	2	2	10	14	19	28	34
35-49	102	12.5	51	2	3	13	17	21	23	37
50-64	340	14.8	68	3	4	14	19	25	28	45
65+	585	16.0	83	2	4	16	21	27	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	13	14.8	424	2	3	5	22	40	69	76
35-49	41	9.8	79	2	2	6	14	21	25	46
50-64	212	8.7	78	2	2	6	10	16	27	49
65+	402	10.1	88	2	2	7	13	21	31	48
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	21	14.4	61	3	4	14	19	24	30	33
35-49	122	16.6	91	4	6	15	20	27	36	50
50-64	580	19.3	133	4	7	17	24	34	42	62
65+	1245	20.9	167	5	7	18	26	37	47	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	8.5	84	1	2	5	11	22	28	46
B. *Operated*	1048	15.2	76	2	3	15	20	25	30	45
2. MULTIPLE DX										
A. *Not Operated*	670	9.8	91	2	2	7	12	20	30	50
B. *Operated*	1970	20.1	153	4	7	18	25	36	46	67
1. SINGLE DX	1252	14.1	83	2	3	14	19	25	30	45
2. MULTIPLE DX	2640	17.5	157	3	4	15	23	33	42	65
A. NOT OPERATED	874	9.5	89	2	2	6	12	21	29	49
B. OPERATED	3018	18.4	132	3	5	16	23	32	41	61
TOTAL 0-19 YRS	7	13.1	72	2	3	14	17	26	28	28
20-34	53	12.9	148	2	3	10	17	25	33	75
35-49	281	13.7	80	2	3	13	18	23	29	47
50-64	1206	15.4	119	2	4	14	20	29	36	54
65+	2345	17.3	149	3	4	16	23	32	41	62
GRAND TOTAL	**3892**	**16.4**	**136**	**2**	**4**	**15**	**21**	**31**	**39**	**59**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	8.0	79	1	1	6	9	23	30	30
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	17	7.2	15	1	1	9	10	11	12	13
50-64	35	6.6	29	<1	<1	5	9	15	16	23
65+	65	8.4	63	<1	1	6	11	19	24	40
B. *Operated*										
0-19 YRS	2	13.0	98	6	6	13	20	20	20	20
20-34	9	10.0	27	1	3	10	12	18	20	20
35-49	18	15.8	54	6	7	15	22	27	29	29
50-64	74	17.0	73	7	8	15	21	30	36	88
65+	110	17.2	138	6	7	15	22	29	42	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	11	2	2	4	6	10	11	11
20-34	14	7.6	51	2	2	5	10	22	24	24
35-49	34	8.4	38	2	2	6	12	17	20	26
50-64	117	9.1	61	2	3	7	11	19	24	48
65+	225	10.6	88	3	3	8	14	21	26	65
B. *Operated*										
0-19 YRS	4	34.5	332	18	18	33	50	54	54	54
20-34	16	16.4	68	4	8	14	22	29	32	34
35-49	47	19.3	128	6	7	19	26	36	48	99+
50-64	158	19.9	160	6	8	16	26	38	49	66
65+	330	20.5	181	6	8	17	24	36	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	7.7	47	<1	1	6	10	15	22	34
B. *Operated*	213	16.7	104	6	8	14	21	29	33	91
2. MULTIPLE DX										
A. *Not Operated*	396	9.8	74	2	3	7	12	20	24	50
B. *Operated*	555	20.2	169	6	8	17	25	37	47	76
1. SINGLE DX	341	13.3	102	1	3	12	18	27	31	66
2. MULTIPLE DX	951	15.9	156	3	4	13	21	32	43	68
A. NOT OPERATED	524	9.3	68	1	2	7	11	19	24	46
B. OPERATED	768	19.2	154	6	8	16	24	34	46	77
TOTAL 0-19 YRS	21	12.7	212	1	2	6	18	36	50	54
20-34	41	11.4	65	2	2	10	15	23	27	34
35-49	116	13.8	100	2	3	11	20	28	33	66
50-64	384	14.8	128	2	4	12	20	30	38	61
65+	730	15.9	159	3	4	13	21	31	41	74
GRAND TOTAL	**1292**	**15.2**	**143**	**2**	**4**	**12**	**20**	**30**	**40**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	19	9.6	276	2	2	5	9	12	48	77
50-64	62	6.7	27	1	2	5	9	11	17	30
65+	110	9.5	55	2	3	7	14	17	21	43
B. *Operated*										
0-19 YRS										
20-34	4	21.0	74	10	10	21	26	31	31	31
35-49	16	16.4	29	8	9	15	20	25	26	26
50-64	70	19.8	88	8	11	18	23	32	35	61
65+	138	19.0	81	5	10	18	24	32	36	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	9	9.8	10	5	5	11	12	13	14	14
35-49	52	7.7	41	1	2	6	9	17	19	32
50-64	197	9.0	52	2	2	7	12	17	21	35
65+	319	10.4	99	2	3	7	13	21	29	62
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	8	14.5	64	5	7	12	17	28	31	31
35-49	65	17.1	74	5	6	16	23	29	30	47
50-64	306	21.1	171	6	8	18	25	42	47	68
65+	547	22.0	142	8	11	20	25	36	45	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	8.6	68	2	2	7	11	16	20	44
B. *Operated*	228	19.1	79	7	10	18	23	32	35	56
2. MULTIPLE DX										
A. *Not Operated*	579	9.6	77	2	2	7	12	19	25	43
B. *Operated*	927	21.3	147	7	9	19	25	37	45	66
1. SINGLE DX	419	14.3	102	2	3	13	19	27	33	48
2. MULTIPLE DX	1506	16.8	152	3	4	15	22	31	42	62
A. NOT OPERATED	770	9.4	75	2	2	7	12	18	24	44
B. OPERATED	1155	20.8	135	7	10	19	25	35	44	66
TOTAL 0-19 YRS	3	10.0	129	2	2	5	18	23	23	23
20-34	21	13.7	55	5	5	11	16	25	31	31
35-49	152	12.9	101	2	3	12	17	25	30	50
50-64	635	15.8	148	2	4	13	20	31	42	60
65+	1114	17.0	144	3	4	15	22	31	40	62
GRAND TOTAL	**1925**	**16.3**	**142**	**3**	**4**	**14**	**21**	**31**	**40**	**61**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	10	4.7	17	1	1	3	5	12	13	13
35-49	149	5.3	29	1	1	4	6	12	17	26
50-64	531	7.2	65	1	1	5	9	16	22	36
65+	558	7.9	54	1	1	6	10	16	22	36
B. *Operated*										
0-19 YRS	5	19.2	79	11	11	15	25	33	33	33
20-34	23	10.9	49	1	2	11	15	21	23	24
35-49	328	11.1	58	2	3	10	15	21	27	36
50-64	1265	12.7	76	2	3	11	17	23	29	46
65+	1239	12.8	82	2	3	11	17	24	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.4	63	2	3	12	16	24	27	27
20-34	26	7.2	51	1	2	5	9	14	20	35
35-49	469	9.1	95	1	2	6	11	21	29	43
50-64	2076	9.6	85	1	2	7	12	21	27	48
65+	2532	10.7	93	2	3	8	14	22	30	51
B. *Operated*										
0-19 YRS	10	13.6	264	1	2	9	11	39	57	57
20-34	31	11.0	36	3	4	11	15	20	24	99+
35-49	549	14.7	124	3	4	12	19	27	35	57
50-64	2736	15.7	126	3	4	13	20	30	37	57
65+	3003	16.2	128	3	5	14	21	31	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1250	7.3	56	1	1	5	9	16	22	35
B. *Operated*	2860	12.6	77	2	3	11	17	23	29	43
2. MULTIPLE DX										
A. *Not Operated*	5111	10.1	90	1	2	7	13	21	29	50
B. *Operated*	6329	15.8	127	3	4	13	20	30	37	58
1. SINGLE DX	4110	10.9	76	1	2	9	15	22	27	41
2. MULTIPLE DX	11440	13.2	119	2	3	10	18	27	34	55
A. NOT OPERATED	6361	9.5	85	1	2	7	12	20	28	49
B. OPERATED	9189	14.8	113	3	4	12	19	28	35	55
TOTAL 0-19 YRS	25	13.8	142	2	4	10	16	27	39	57
20-34	90	9.2	45	1	2	8	13	19	23	73
35-49	1495	11.2	100	1	2	9	15	23	30	47
50-64	6608	12.5	108	2	3	10	17	25	32	51
65+	7332	13.1	111	2	3	11	17	26	34	54
GRAND TOTAL	**15550**	**12.6**	**108**	**2**	**3**	**10**	**17**	**26**	**33**	**52**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	6	6	6
20-34	9	3.3	6	1	1	3	5	7	8	8
35-49	23	6.9	55	1	1	5	11	16	26	28
50-64	71	5.9	58	1	1	4	7	11	16	42
65+	67	6.1	46	1	1	3	7	17	22	31
B. *Operated*										
0-19 YRS	8	5.9	32	1	1	4	8	16	18	18
20-34	30	10.1	124	2	2	8	14	19	26	58
35-49	93	7.0	45	1	1	3	12	16	22	29
50-64	447	8.6	82	1	1	4	14	20	26	40
65+	359	7.2	61	1	1	3	12	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.3	13	2	2	5	10	11	12	12
20-34	12	7.3	26	<1	1	6	11	15	15	15
35-49	25	10.5	103	2	3	8	11	25	32	46
50-64	112	6.9	61	1	1	5	8	12	20	44
65+	103	10.6	96	1	2	8	13	25	35	44
B. *Operated*										
0-19 YRS	7	12.0	101	3	3	9	21	27	28	28
20-34	13	15.0	628	1	1	10	12	31	85	97
35-49	65	15.8	275	2	2	12	22	35	52	98
50-64	364	14.1	176	2	2	11	20	36	44	95
65+	350	14.6	185	2	2	11	20	32	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	5.9	49	1	1	4	6	13	22	38
B. *Operated*	937	8.0	71	1	1	3	13	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	264	8.7	77	1	2	6	11	19	27	45
B. *Operated*	799	14.4	193	2	2	11	20	34	44	81
1. SINGLE DX	1111	7.6	68	1	1	3	12	18	24	37
2. MULTIPLE DX	1063	13.0	171	1	2	9	18	31	42	66
A. NOT OPERATED	438	7.6	68	1	1	5	10	17	25	43
B. OPERATED	1736	10.9	138	1	2	7	16	26	35	58
TOTAL 0-19 YRS	31	7.2	41	1	2	5	10	14	24	28
20-34	64	9.6	195	1	1	6	12	15	22	92
35-49	206	10.2	140	1	1	7	14	24	29	87
50-64	994	10.2	121	1	2	6	15	25	35	58
65+	879	10.5	125	1	2	6	15	25	33	53
GRAND TOTAL	**2174**	**10.3**	**126**	**1**	**2**	**6**	**15**	**24**	**33**	**57**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.8	6	<1	1	4	4	6	7	14
20-34	33	3.2	3	1	1	3	5	5	6	6
35-49	24	5.4	27	1	1	4	6	10	15	26
50-64	29	7.8	57	2	2	5	10	22	33	99+
65+	48	5.9	51	1	1	4	7	13	18	40
B. *Operated*										
0-19 YRS	56	7.7	38	2	2	7	11	14	20	32
20-34	76	8.0	53	1	2	6	11	18	20	41
35-49	86	7.1	41	1	2	5	9	15	22	33
50-64	139	9.3	106	1	2	6	11	20	27	66
65+	183	9.7	94	1	2	7	14	21	28	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.5	16	1	2	4	7	9	10	22
20-34	59	7.1	42	1	1	6	9	16	21	34
35-49	38	11.2	226	1	2	5	12	30	42	78
50-64	91	7.2	78	1	1	4	9	15	20	50
65+	123	10.1	148	1	2	5	12	25	33	62
B. *Operated*										
0-19 YRS	23	10.2	62	2	2	8	13	23	27	31
20-34	37	13.0	88	2	3	10	19	25	32	42
35-49	47	15.6	249	2	3	10	22	37	54	99+
50-64	117	13.8	209	2	2	9	19	26	37	79
65+	199	14.9	222	2	3	11	20	30	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	5.1	31	1	1	4	6	10	14	38
B. *Operated*	540	8.7	78	1	2	6	11	18	26	47
2. MULTIPLE DX										
A. *Not Operated*	363	8.3	105	1	2	5	9	18	28	55
B. *Operated*	423	14.2	201	2	2	10	19	30	40	85
1. SINGLE DX	716	7.8	68	1	2	5	10	17	26	46
2. MULTIPLE DX	786	11.5	165	1	2	7	15	25	35	71
A. NOT OPERATED	539	7.3	83	1	1	4	8	15	24	54
B. OPERATED	963	11.1	139	2	2	7	15	24	33	65
TOTAL 0-19 YRS	173	6.4	31	1	2	4	8	13	19	30
20-34	205	7.9	56	1	2	6	10	18	22	38
35-49	195	9.7	137	1	2	6	12	22	35	83
50-64	376	10.1	134	1	2	6	12	23	33	69
65+	553	11.3	156	1	2	7	15	26	33	65
GRAND TOTAL	**1502**	**9.8**	**122**	**1**	**2**	**6**	**12**	**22**	**31**	**61**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	3.6	2	2	2	3	5	6	6	6
35-49	22	4.8	9	2	2	4	6	9	11	12
50-54	47	6.0	19	1	2	4	8	13	15	20
65+	27	8.6	55	2	2	5	12	18	26	32
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	137	6.0	21	1	2	5	8	11	15	23
35-49	229	6.1	16	2	2	5	8	12	14	19
50-64	228	7.4	40	2	2	6	9	13	19	35
65+	200	8.0	59	2	2	6	10	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	46	6.1	37	1	1	4	7	15	22	28
35-49	40	5.6	13	1	1	5	8	10	12	17
50-64	66	6.7	19	2	3	5	9	15	17	20
65+	88	10.2	112	2	3	6	10	24	32	52
B. *Operated*										
0-19 YRS	3	7.7	32	3	3	6	12	14	14	14
20-34	55	6.9	29	1	2	5	9	13	20	24
35-49	108	7.7	28	2	2	6	11	16	18	22
50-64	136	11.3	70	2	3	9	14	23	31	36
65+	202	11.4	85	2	3	9	15	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	6.1	26	2	2	4	7	13	15	28
B. *Operated*	798	6.9	35	2	2	5	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	241	7.7	59	1	2	5	9	16	23	43
B. *Operated*	504	10.0	65	2	2	8	13	20	26	39
1. SINGLE DX	907	6.8	34	2	2	5	9	13	17	26
2. MULTIPLE DX	745	9.3	64	2	2	7	12	19	24	41
A. NOT OPERATED	350	7.2	49	1	2	5	8	15	21	42
B. OPERATED	1302	8.1	49	2	2	6	11	16	21	36
TOTAL 0-19 YRS	9	4.0	16	1	1	2	4	11	14	14
20-34	250	6.1	25	1	2	5	8	12	17	24
35-49	399	6.4	19	2	2	5	9	12	15	20
50-64	477	8.3	47	2	2	6	11	16	22	35
65+	517	9.7	80	2	2	7	12	19	26	44
GRAND TOTAL	**1652**	**7.9**	**49**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	4.7	37	2	2	2	3	16	17	17
50-64	18	3.3	9	<1	<1	2	5	7	10	12
65+	51	5.3	42	1	2	4	6	9	11	45
B. *Operated*										
0-19 YRS	17	2.7	4	<1	1	2	3	5	7	8
20-34	54	4.4	16	1	1	3	6	10	12	21
35-49	246	3.1	11	1	1	2	3	6	9	16
50-64	561	3.1	12	1	1	2	3	5	8	20
65+	1008	4.0	18	1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.7	20	2	2	7	10	11	11	11
35-49	7	3.3	2	<1	<1	4	4	5	5	5
50-64	22	5.9	14	1	1	5	9	11	12	13
65+	101	9.3	73	1	2	6	13	20	24	43
B. *Operated*										
0-19 YRS	7	5.9	23	2	2	5	6	14	16	16
20-34	37	5.6	50	<1	1	3	8	9	20	38
35-49	172	3.8	12	1	1	2	4	8	11	18
50-64	507	5.3	46	1	1	3	6	12	16	39
65+	1231	6.7	54	1	2	4	8	14	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.6	32	1	1	3	5	9	12	37
B. *Operated*	1886	3.6	16	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	133	8.3	61	1	2	5	11	19	22	42
B. *Operated*	1954	6.0	49	1	2	4	7	13	19	37
1. SINGLE DX	1965	3.6	16	1	1	2	4	7	11	21
2. MULTIPLE DX	2087	6.2	50	1	2	4	8	14	19	38
A. NOT OPERATED	212	6.9	53	1	1	4	9	15	20	43
B. OPERATED	3840	4.8	34	1	1	3	5	10	15	33
TOTAL 0-19 YRS	27	3.4	10	1	1	2	5	6	9	16
20-34	95	4.9	29	1	1	3	7	10	12	32
35-49	431	3.4	12	1	1	2	4	7	10	17
50-64	1108	4.2	29	1	1	2	4	9	13	32
65+	2391	5.6	42	1	1	3	7	12	17	36
GRAND TOTAL	**4052**	**4.9**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	4.8	16	<1	1	4	7	10	13	14
35-49	78	5.9	33	1	1	4	8	11	14	33
50-64	150	7.3	73	1	1	4	9	16	19	68
65+	136	8.9	71	1	2	8	11	19	29	99+
B. *Operated*										
0-19 YRS	18	3.1	11	1	1	2	2	9	12	12
20-34	226	6.5	14	1	2	7	9	11	12	16
35-49	893	7.7	11	2	3	8	9	12	13	16
50-64	1445	8.6	16	3	4	8	10	13	15	23
65+	1490	9.4	29	3	4	9	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	22.0	800	2	2	22	42	42	42	42
20-34	82	9.0	69	1	1	6	12	19	27	43
35-49	406	8.3	74	1	2	6	10	18	22	46
50-64	943	9.3	90	1	2	6	12	20	28	46
65+	944	10.8	100	2	2	8	14	24	32	50
B. *Operated*										
0-19 YRS	8	9.1	51	2	2	8	11	20	24	24
20-34	189	9.2	30	2	3	8	11	15	17	33
35-49	973	10.0	54	3	5	8	11	16	21	37
50-64	1808	11.8	74	4	5	10	13	20	29	53
65+	2034	12.5	78	4	5	10	15	21	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	7.5	63	1	1	5	9	16	22	66
B. *Operated*	4072	8.6	20	2	4	8	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	2377	9.7	92	1	2	7	12	21	29	48
B. *Operated*	5012	11.6	71	4	5	10	13	20	27	50
1. SINGLE DX	4449	8.5	24	2	3	8	10	13	16	26
2. MULTIPLE DX	7389	11.0	79	2	3	9	13	20	28	50
A. NOT OPERATED	2754	9.4	88	1	2	7	12	21	29	48
B. OPERATED	9084	10.3	51	3	5	9	12	17	21	41
TOTAL 0-19 YRS	29	6.0	75	1	1	2	8	12	25	42
20-34	509	7.9	31	1	2	7	10	14	17	30
35-49	2350	8.7	42	2	3	8	10	14	18	35
50-64	4346	10.0	61	2	3	8	12	18	24	46
65+	4604	11.1	68	3	4	9	13	19	26	48
GRAND TOTAL	**11838**	**10.1**	**60**	**2**	**3**	**9**	**12**	**17**	**23**	**44**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	63	4.9	25	1	2	4	5	9	14	33
35-49	201	4.3	17	1	2	4	5	6	8	26
50-64	239	3.9	6	1	2	4	4	5	9	14
65+	165	6.1	55	2	3	4	5	10	20	45
B. *Operated*										
0-19 YRS	4	6.0	18	2	2	5	9	11	11	11
20-34	324	5.4	14	1	2	5	7	10	12	17
35-49	264	6.3	32	2	2	5	8	13	17	30
50-64	236	6.2	24	2	2	5	8	11	15	23
65+	190	6.4	28	2	2	5	8	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	72	2	2	5	15	18	18	18
20-34	52	6.0	31	1	1	4	8	15	19	21
35-49	125	6.1	46	1	1	4	7	12	20	57
50-64	210	7.7	88	1	2	5	9	17	26	45
65+	238	9.3	93	2	2	6	11	22	27	45
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	201	8.4	38	2	2	7	10	16	19	34
35-49	290	10.5	103	2	3	8	12	20	28	51
50-64	296	11.2	120	2	2	8	13	24	34	57
65+	255	12.0	103	2	3	9	16	24	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	668	4.7	24	1	2	4	5	7	10	32
B. Operated	1018	6.0	24	2	2	5	8	11	15	24
2. MULTIPLE DX										
A. Not Operated	628	7.9	78	1	2	5	9	18	25	45
B. Operated	1044	10.6	97	2	2	8	13	22	30	51
1. SINGLE DX	1686	5.5	24	2	2	4	6	10	13	26
2. MULTIPLE DX	1672	9.6	91	2	2	7	12	21	28	46
A. NOT OPERATED	1296	6.2	52	1	2	4	6	12	20	42
B. OPERATED	2062	8.3	66	2	2	6	10	17	23	43
TOTAL 0-19 YRS	9	6.3	29	2	2	5	9	15	18	18
20-34	640	6.3	26	1	2	5	8	13	16	27
35-49	880	7.2	60	1	2	5	8	15	21	42
50-64	981	7.5	70	2	2	5	9	15	23	45
65+	848	8.9	80	2	3	6	10	20	26	45
GRAND TOTAL	**3358**	**7.5**	**62**	**2**	**2**	**5**	**9**	**15**	**22**	**42**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.8	4	2	2	3	5	7	7	7
35-49	27	4.4	9	2	2	4	5	8	10	16
50-64	180	4.3	10	1	2	4	5	6	9	18
65+	149	5.0	20	2	2	4	5	8	11	30
B. *Operated*										
0-19 YRS	3	9.3	10	7	7	8	12	13	13	13
20-34	16	7.5	18	1	2	7	9	12	17	19
35-49	103	6.1	14	1	2	6	8	11	14	16
50-64	536	6.3	18	1	2	6	8	11	13	22
65+	413	7.8	32	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	36	6.7	29	2	2	5	8	16	18	26
50-64	159	7.8	78	1	2	5	9	17	25	51
65+	224	9.0	99	2	2	6	11	18	26	53
B. *Operated*										
0-19 YRS										
20-34	29	6.7	25	<1	1	6	10	14	17	18
35-49	168	8.5	32	2	2	8	10	14	18	29
50-64	763	9.2	43	2	2	8	11	16	20	36
65+	765	11.2	69	2	3	10	14	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	4.6	14	2	2	4	5	7	10	24
B. *Operated*	1071	6.9	23	1	2	7	9	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	422	8.3	85	1	2	5	10	17	25	51
B. *Operated*	1725	10.0	54	2	2	9	12	18	23	40
1. SINGLE DX	1433	6.3	22	1	2	5	8	12	14	23
2. MULTIPLE DX	2147	9.6	61	2	2	8	12	18	23	42
A. NOT OPERATED	784	6.6	56	1	2	4	7	12	19	42
B. OPERATED	2796	8.8	45	2	2	8	11	16	20	34
TOTAL 0-19 YRS	5	8.2	14	3	3	8	11	13	13	13
20-34	52	6.6	21	1	1	6	9	12	17	19
35-49	334	7.2	26	1	2	7	9	13	16	23
50-64	1638	7.6	37	1	2	7	9	14	18	31
65+	1551	9.4	63	2	2	8	12	18	23	41
GRAND TOTAL	**3580**	**8.3**	**48**	**2**	**2**	**7**	**10**	**15**	**20**	**36**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	1	2	2	4	5	5	5	5
20-34	32	3.1	4	1	1	2	4	7	8	9
35-49	55	3.9	28	1	1	3	4	6	10	38
50-64	210	4.4	65	1	1	3	5	7	10	41
65+	113	4.3	26	1	1	3	5	8	11	30
B. *Operated*										
0-19 YRS	7	6.4	1	5	5	7	7	8	8	8
20-34	45	7.7	12	3	4	7	9	13	15	17
35-49	60	9.5	14	4	6	9	10	15	18	21
50-64	126	11.6	35	6	6	10	13	21	23	37
65+	95	12.8	43	5	7	11	16	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	8	<1	<1	5	7	9	9	9
20-34	15	3.7	5	2	2	3	4	5	9	11
35-49	112	5.8	56	1	1	4	6	12	16	51
50-64	396	5.4	40	1	2	3	6	12	17	35
65+	393	9.2	117	1	2	5	11	22	30	59
B. *Operated*										
0-19 YRS	16	10.3	29	5	5	7	13	18	21	22
20-34	52	10.3	32	3	5	9	12	17	22	29
35-49	176	13.8	100	7	7	11	15	26	30	63
50-64	366	15.1	85	5	7	13	18	26	35	48
65+	400	18.4	107	8	9	16	22	31	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	4.2	44	1	1	3	5	7	10	38
B. *Operated*	333	10.9	33	5	6	9	13	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	923	7.0	77	1	2	4	8	16	24	48
B. *Operated*	1010	15.9	98	6	7	13	19	27	36	58
1. SINGLE DX	751	7.2	50	1	2	6	9	15	19	38
2. MULTIPLE DX	1933	11.6	108	2	2	9	15	24	31	56
A. NOT OPERATED	1341	6.1	68	1	1	3	7	13	20	43
B. OPERATED	1343	14.6	86	6	7	12	18	25	33	52
TOTAL 0-19 YRS	38	7.3	21	2	3	6	7	13	18	22
20-34	144	7.2	25	1	2	6	9	13	16	28
35-49	403	9.6	81	1	2	8	12	17	26	52
50-64	1098	9.2	81	1	2	7	13	19	25	42
65+	1001	12.7	122	2	2	10	17	26	34	57
GRAND TOTAL	**2684**	**10.4**	**95**	**1**	**2**	**8**	**14**	**22**	**28**	**48**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	20	2	2	6	10	11	11	11
20-34	5	8.6	65	4	4	5	10	23	23	23
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	25	4.1	16	1	1	3	5	10	13	17
65+	24	4.2	8	1	2	3	6	7	10	14
B. *Operated*										
0-19 YRS	4	11.0	61	2	2	10	16	21	21	21
20-34	11	4.7	17	<1	1	5	5	11	15	15
35-49	21	7.6	31	2	2	7	11	17	18	19
50-64	52	9.2	193	2	2	4	9	24	28	92
65+	63	8.3	73	2	3	5	11	15	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.5	724	2	3	5	7	59	81	81
20-34	4	6.5	4	4	4	6	8	9	9	9
35-49	12	3.7	4	1	1	4	5	6	7	7
50-64	30	10.0	121	1	2	6	9	30	34	47
65+	68	10.5	167	1	2	7	13	25	31	71
B. *Operated*										
0-19 YRS										
20-34	6	5.2	39	1	1	2	7	16	17	17
35-49	30	14.4	172	3	3	10	21	33	44	55
50-64	73	16.0	226	3	4	11	19	36	50	71
65+	138	16.4	240	3	4	11	19	42	50	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.6	17	1	1	3	6	9	13	22
B. *Operated*	151	8.3	104	2	2	5	10	17	25	54
2. MULTIPLE DX										
A. *Not Operated*	122	9.8	170	1	2	6	10	24	32	75
B. *Operated*	247	15.8	224	3	3	11	19	38	50	73
1. SINGLE DX	210	7.3	82	1	2	4	9	15	23	40
2. MULTIPLE DX	369	13.8	213	2	2	9	17	32	47	73
A. NOT OPERATED	181	8.1	125	1	2	5	9	17	27	70
B. OPERATED	398	12.9	191	2	3	9	16	29	44	70
TOTAL 0-19 YRS	15	11.9	389	2	2	6	11	21	66	81
20-34	26	5.8	28	1	1	5	7	14	18	23
35-49	65	9.9	108	2	2	6	13	23	31	53
50-64	180	11.4	185	1	2	7	14	27	37	71
65+	293	12.3	185	2	2	8	15	29	44	69
GRAND TOTAL	**579**	**11.4**	**175**	**2**	**2**	**7**	**14**	**26**	**41**	**70**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	6.4	146	<1	<1	1	8	28	28	28
50-64	72	5.9	23	2	2	4	6	14	18	23
65+	318	7.1	33	1	2	6	9	15	18	30
B. *Operated*										
0-19 YRS	4	6.8	16	2	2	7	10	11	11	11
20-34	3	23.3	702	2	2	15	43	53	53	53
35-49	17	6.3	25	1	2	5	8	14	18	20
50-64	725	8.8	41	2	2	8	12	17	20	29
65+	2231	8.8	34	2	3	8	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.6	55	2	3	8	12	22	25	25
20-34										
35-49	12	7.8	26	2	2	6	13	15	16	16
50-64	310	8.8	83	2	2	6	11	17	23	65
65+	1736	9.4	70	2	2	7	12	20	25	43
B. *Operated*										
0-19 YRS	6	17.0	66	8	8	15	18	31	32	32
20-34	3	8.0	13	5	5	7	11	12	12	12
35-49	38	12.6	61	3	4	12	16	25	29	34
50-64	773	11.5	68	2	3	9	15	23	27	40
65+	3769	12.0	75	3	4	10	15	22	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	6.9	33	1	2	5	9	15	18	29
B. *Operated*	2980	8.8	36	2	3	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	2066	9.3	71	2	2	7	12	19	24	43
B. *Operated*	4589	12.0	74	3	4	10	15	22	28	45
1. SINGLE DX	3376	8.6	36	2	2	7	11	16	19	30
2. MULTIPLE DX	6655	11.1	74	2	3	9	14	21	27	44
A. NOT OPERATED	2462	8.9	66	2	2	7	12	19	24	40
B. OPERATED	7569	10.7	61	2	3	9	13	20	25	41
TOTAL 0-19 YRS	19	11.0	63	2	3	9	15	22	29	32
20-34	6	15.7	357	2	2	9	15	49	53	53
35-49	72	9.9	58	1	2	7	14	20	28	33
50-64	1880	9.8	61	2	2	8	13	19	24	38
65+	8054	10.4	63	2	3	8	13	20	25	41
GRAND TOTAL	**10031**	**10.3**	**63**	**2**	**3**	**8**	**13**	**20**	**25**	**40**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	10	1	1	3	7	9	9	9
20-34	57	4.6	12	1	1	5	6	7	10	21
35-49	19	5.2	17	<1	1	5	6	12	15	16
50-64	7	5.0	4	<1	1	5	7	7	7	7
65+	5	5.4	44	1	1	2	8	17	17	17
B. *Operated*										
0-19 YRS	17	7.1	22	3	3	5	9	16	18	18
20-34	136	7.8	33	2	3	6	10	15	19	27
35-49	61	6.3	14	2	2	5	8	13	14	16
50-64	33	5.8	9	2	2	5	7	10	12	12
65+	39	8.3	39	1	3	6	11	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.3	9	1	3	6	7	10	13	14
20-34	65	5.1	17	1	1	5	6	9	13	25
35-49	30	8.1	70	2	2	6	8	16	20	46
50-64	11	5.9	26	1	1	4	9	14	17	17
65+	8	11.0	121	3	3	6	14	30	36	36
B. *Operated*										
0-19 YRS	12	10.8	26	5	5	9	15	18	19	19
20-34	64	11.1	104	3	3	9	14	19	22	70
35-49	31	11.4	66	3	4	9	14	24	25	39
50-64	24	13.5	153	3	3	9	16	32	41	56
65+	35	14.7	118	2	4	11	19	36	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.8	13	1	1	5	6	9	11	20
B. *Operated*	286	7.2	27	2	3	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	127	6.4	37	1	1	5	7	12	17	38
B. *Operated*	166	12.2	101	3	3	9	14	23	33	53
1. SINGLE DX	380	6.6	25	1	2	5	8	13	16	25
2. MULTIPLE DX	293	9.7	82	1	2	7	13	19	26	44
A. NOT OPERATED	221	5.7	28	1	1	5	6	10	15	29
B. OPERATED	452	9.1	60	2	3	7	12	17	23	39
TOTAL 0-19 YRS	48	7.4	22	2	3	6	9	15	18	19
20-34	322	7.3	45	1	2	6	9	15	18	28
35-49	141	7.7	41	2	2	6	9	15	18	40
50-64	75	8.2	69	1	2	6	10	16	22	50
65+	87	10.9	87	2	3	8	14	26	36	40
GRAND TOTAL	**673**	**8.0**	**52**	**1**	**2**	**6**	**10**	**16**	**20**	**37**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	3.0	4	1	1	2	5	6	6	6
50-64	42	4.9	18	1	1	4	6	9	15	21
65+	164	7.0	55	1	2	4	8	14	25	40
B. *Operated*										
0-19 YRS	6	7.0	12	3	3	7	9	12	12	12
20-34	32	4.2	12	1	1	3	6	8	11	16
35-49	173	5.7	47	1	2	4	6	13	15	41
50-64	817	5.9	27	1	2	4	7	13	17	27
65+	1913	6.6	39	1	2	5	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	12	7.3	15	2	2	7	9	14	14	14
50-64	114	5.8	36	1	2	4	6	12	22	29
65+	415	8.9	65	2	2	7	11	18	25	46
B. *Operated*										
0-19 YRS	5	10.4	86	2	2	9	14	26	26	26
20-34	11	9.0	52	3	3	7	10	22	26	26
35-49	83	9.5	174	2	2	5	10	16	35	71
50-64	647	9.8	92	2	2	6	12	22	30	51
65+	2160	10.7	90	2	3	8	14	22	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	6.4	46	1	1	4	7	13	19	38
B. *Operated*	2941	6.3	36	1	2	4	7	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	542	8.2	59	2	2	6	10	17	24	45
B. *Operated*	2906	10.5	93	2	3	7	13	22	30	51
1. SINGLE DX	3157	6.3	36	1	2	4	7	13	18	30
2. MULTIPLE DX	3448	10.1	88	2	3	7	13	21	29	50
A. NOT OPERATED	758	7.7	56	1	2	5	10	17	23	41
B. OPERATED	5847	8.4	69	2	2	6	10	18	24	42
TOTAL 0-19 YRS	11	8.5	44	2	3	9	10	18	25	26
20-34	46	5.3	25	1	1	4	7	11	17	26
35-49	276	6.8	85	2	2	4	7	14	17	62
50-64	1620	7.4	57	1	2	5	9	17	22	38
65+	4652	8.7	69	2	2	6	11	18	25	43
GRAND TOTAL	**6605**	**8.3**	**67**	**2**	**2**	**6**	**10**	**18**	**24**	**42**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	4	1	1	4	5	7	7	7
20-34	5	7.0	55	1	1	4	11	19	19	19
35-49	11	12.9	343	2	2	8	11	37	64	67
50-64	45	7.3	50	1	1	5	9	19	22	30
65+	36	9.8	85	1	2	7	13	21	32	39
B. *Operated*										
0-19 YRS	14	12.9	63	4	5	11	13	27	32	33
20-34	11	19.3	361	4	5	15	24	48	67	69
35-49	83	10.8	19	3	4	11	13	16	19	23
50-64	212	12.7	48	2	4	12	16	20	23	35
65+	206	13.6	51	3	5	13	17	23	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	6	<1	<1	3	5	7	8	8
20-34	8	12.6	295	2	2	7	12	42	54	54
35-49	43	8.3	44	1	2	6	12	22	26	99+
50-64	158	9.6	94	1	2	7	11	23	29	43
65+	202	9.0	62	1	2	7	11	20	24	35
B. *Operated*										
0-19 YRS	8	18.3	91	6	7	16	26	32	32	32
20-34	14	11.1	21	3	4	11	14	17	19	20
35-49	106	15.1	88	3	7	13	18	25	35	52
50-64	323	16.1	107	4	5	14	20	28	36	55
65+	481	17.1	99	4	6	15	21	29	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.2	87	1	1	5	10	19	23	50
B. *Operated*	526	12.9	53	3	4	12	16	21	25	37
2. MULTIPLE DX										
A. *Not Operated*	421	9.1	76	1	2	6	11	21	27	46
B. *Operated*	932	16.4	100	4	6	15	20	28	35	55
1. SINGLE DX	637	12.1	62	2	3	11	15	21	25	38
2. MULTIPLE DX	1353	14.1	104	2	3	12	19	26	33	55
A. NOT OPERATED	532	8.9	78	1	2	6	11	21	26	45
B. OPERATED	1458	15.1	86	3	5	14	19	25	32	53
TOTAL 0-19 YRS	46	9.0	70	1	1	6	12	20	32	33
20-34	38	13.2	185	2	3	10	15	24	46	69
35-49	243	12.3	74	3	3	11	15	22	26	54
50-64	738	13.2	92	2	3	12	17	24	30	50
65+	925	14.2	91	2	4	13	19	25	32	46
GRAND TOTAL	**1990**	**13.5**	**91**	**2**	**3**	**12**	**18**	**24**	**31**	**53**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	8	<1	1	1	2	4	10	12
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	3	9.3	82	1	1	8	16	19	19	19
B. *Operated*										
0-19 YRS	18	3.5	7	<1	1	3	5	7	10	11
20-34	7	3.3	2	1	1	3	5	5	5	5
35-49	11	4.8	4	2	3	4	6	8	9	9
50-64	20	5.1	11	2	2	4	6	10	13	15
65+	37	4.9	14	2	2	4	6	9	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	4	<1	<1	1	1	4	7	7
20-34	4	21.8	1173	3	3	6	40	73	73	73
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	7	6.3	32	1	1	5	9	15	17	17
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	6	7.5	63	2	2	5	8	21	23	23
50-64	20	6.1	30	2	2	4	7	12	19	25
65+	28	7.1	43	2	2	5	9	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.5	19	<1	1	2	4	9	15	19
B. *Operated*	93	4.5	10	2	2	4	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	24	6.9	213	<1	1	3	7	10	34	73
B. *Operated*	57	6.5	38	2	2	4	8	15	21	31
1. SINGLE DX	115	4.4	12	1	1	4	5	8	11	19
2. MULTIPLE DX	81	6.6	88	1	1	4	7	14	20	60
A. NOT OPERATED	46	5.3	121	<1	1	2	6	9	17	73
B. OPERATED	150	5.3	22	2	2	4	6	10	15	25
TOTAL 0-19 YRS	46	2.6	6	<1	1	2	3	5	9	12
20-34	11	10.0	440	1	2	3	5	34	70	73
35-49	20	5.7	21	2	2	4	7	8	16	23
50-64	44	5.5	19	2	2	4	6	10	14	25
65+	75	6.1	29	1	2	4	8	15	17	28
GRAND TOTAL	**196**	**5.3**	**44**	**1**	**1**	**4**	**6**	**10**	**16**	**28**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	7.5	101	1	1	3	9	17	37	41
20-34	37	7.2	78	1	2	4	7	15	20	52
35-49	53	9.7	136	1	2	6	12	23	32	69
50-64	104	12.2	153	1	2	9	15	25	54	99+
65+	79	15.4	214	2	4	10	21	38	49	66
B. *Operated*										
0-19 YRS	55	15.7	82	5	8	13	20	26	31	52
20-34	68	13.6	92	3	4	12	16	24	26	61
35-49	95	16.2	82	5	7	15	20	28	34	50
50-64	168	19.7	208	6	8	16	22	35	52	83
65+	103	22.5	270	3	7	18	27	46	58	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	7.4	89	1	2	4	8	14	25	47
20-34	31	10.3	99	1	2	6	13	29	34	36
35-49	61	12.7	232	1	2	7	18	36	53	97
50-64	123	11.9	160	2	3	8	15	24	34	69
65+	81	14.0	173	2	2	11	18	35	39	94
B. *Operated*										
0-19 YRS	40	22.4	265	4	6	18	28	51	63	99+
20-34	43	20.6	240	4	7	16	26	39	56	76
35-49	64	20.0	253	4	5	17	26	43	59	98
50-64	106	23.9	338	4	8	18	31	52	62	95
65+	97	26.5	367	6	9	21	34	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	11.4	157	1	2	7	15	26	41	70
B. *Operated*	489	18.3	174	4	7	15	22	33	45	79
2. MULTIPLE DX										
A. *Not Operated*	321	12.1	167	2	2	8	16	28	39	85
B. *Operated*	350	23.3	313	5	7	18	30	52	65	99+
1. SINGLE DX	802	15.6	179	2	3	13	20	32	44	73
2. MULTIPLE DX	671	18.0	274	2	3	14	24	41	56	98
A. NOT OPERATED	634	11.7	162	1	2	8	15	28	40	78
B. OPERATED	839	20.4	238	4	7	16	24	40	57	92
TOTAL 0-19 YRS	160	14.0	167	1	2	11	18	30	46	65
20-34	179	13.4	146	2	3	11	16	26	36	64
35-49	273	15.1	177	2	3	12	20	32	44	82
50-64	501	17.1	235	2	4	14	21	37	54	92
65+	360	20.1	286	3	4	16	26	41	58	96
GRAND TOTAL	**1473**	**16.7**	**224**	**2**	**3**	**13**	**21**	**36**	**52**	**89**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	12	1	1	7	9	9	9	9
20-34	17	3.1	7	2	2	2	3	5	10	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	5.8	31	2	2	3	9	14	14	14
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	22.3	201	10	10	20	23	46	49	49
20-34	11	20.9	531	3	4	13	19	63	75	76
35-49	6	13.8	35	4	5	15	18	20	20	20
50-64	13	15.9	111	4	6	14	18	34	40	41
65+	4	22.5	110	16	16	18	29	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	5	1	1	3	4	7	8	8
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	3	19.0	313	3	3	16	32	38	38	38
50-64	10	11.3	172	2	2	8	10	31	47	47
65+	4	22.0	567	5	5	13	38	56	56	56
B. *Operated*										
0-19 YRS	8	12.8	71	2	3	10	21	24	24	24
20-34	7	17.3	178	3	3	22	32	81	99+	99+
35-49	11	18.5	97	8	10	15	24	35	39	39
50-64	20	22.6	328	5	7	17	30	59	80	99+
65+	3	42.3	264	24	24	48	53	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.1	11	2	2	3	5	9	13	14
B. *Operated*	40	18.6	220	4	6	15	21	39	52	76
2. MULTIPLE DX										
A. *Not Operated*	30	10.0	185	1	2	5	10	29	47	56
B. *Operated*	49	20.5	238	4	5	17	26	55	63	99+
1. SINGLE DX	70	12.4	182	2	2	9	16	23	41	72
2. MULTIPLE DX	79	16.5	241	2	3	11	23	49	56	99+
A. NOT OPERATED	60	7.0	105	1	2	3	7	14	29	55
B. OPERATED	89	19.7	228	4	6	16	24	49	56	99+
TOTAL 0-19 YRS	29	10.3	110	1	1	8	13	23	25	49
20-34	40	10.5	236	2	2	4	13	31	64	99+
35-49	21	16.5	103	3	4	15	20	34	38	39
50-64	47	16.9	232	3	3	14	19	49	57	99+
65+	12	25.8	360	4	5	20	43	55	56	56
GRAND TOTAL	**149**	**14.6**	**216**	**2**	**2**	**10**	**19**	**39**	**55**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.8	28	1	2	3	5	8	12	29
20-34	38	4.1	23	1	1	3	4	7	18	22
35-49	29	4.4	37	1	1	2	4	11	22	27
50-64	21	3.4	10	1	1	3	3	7	11	15
65+	30	4.4	14	1	1	3	5	11	13	13
B. *Operated*										
0-19 YRS	20	5.7	12	2	3	5	7	9	13	17
20-34	136	5.4	8	3	3	5	6	9	11	16
35-49	106	6.7	22	3	3	5	7	13	17	27
50-64	73	7.4	24	3	3	5	8	16	19	82
65+	65	8.6	43	3	3	7	10	15	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.5	87	1	1	4	7	12	15	54
20-34	20	5.1	7	2	2	5	7	9	10	11
35-49	27	5.5	28	1	1	4	6	14	18	23
50-64	32	6.2	50	1	1	4	6	16	22	31
65+	66	9.1	79	2	2	6	11	17	25	55
B. *Operated*										
0-19 YRS	24	11.8	124	2	3	8	13	32	38	40
20-34	108	7.6	42	3	3	6	8	15	19	38
35-49	118	7.8	33	3	4	6	9	15	24	54
50-64	100	8.9	19	3	4	8	11	16	18	22
65+	99	13.8	121	4	4	10	17	30	39	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	4.2	22	1	1	3	4	8	14	27
B. *Operated*	400	6.7	21	3	3	5	7	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	177	7.1	61	1	2	5	9	15	21	48
B. *Operated*	449	9.5	62	3	4	7	11	19	28	45
1. SINGLE DX	544	6.0	23	1	2	5	7	12	16	27
2. MULTIPLE DX	626	8.8	63	2	3	6	10	17	25	45
A. NOT OPERATED	321	5.8	45	1	1	4	7	12	18	32
B. OPERATED	849	8.2	45	3	3	6	9	16	22	39
TOTAL 0-19 YRS	102	7.2	71	1	2	4	8	13	28	47
20-34	302	6.0	23	2	3	5	7	10	15	27
35-49	280	6.8	30	2	3	5	8	13	18	29
50-64	226	7.5	26	2	3	6	10	15	18	26
65+	260	10.2	88	2	3	7	12	22	32	49
GRAND TOTAL	**1170**	**7.5**	**46**	**2**	**3**	**5**	**9**	**15**	**21**	**38**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.9	37	<1	<1	2	3	12	21	22
20-34	32	6.0	48	1	1	4	7	14	19	35
35-49	89	7.5	37	1	2	6	11	15	17	33
50-64	285	7.8	75	1	1	5	10	17	23	55
65+	407	9.5	81	2	2	7	12	22	27	55
B. *Operated*										
0-19 YRS	23	5.6	21	<1	1	4	9	12	14	17
20-34	77	7.3	40	2	2	5	9	18	22	29
35-49	182	8.0	47	1	2	6	11	17	22	40
50-64	466	10.1	90	2	2	7	13	22	30	45
65+	654	9.8	80	2	2	8	13	21	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.8	25	1	1	5	7	13	14	26
20-34	164	8.3	88	1	2	5	10	18	26	63
35-49	654	8.5	75	1	2	6	11	18	27	43
50-64	2315	9.1	85	1	2	6	12	20	27	52
65+	3124	10.9	104	2	3	8	14	23	32	53
B. *Operated*										
0-19 YRS	24	9.6	58	1	2	9	12	19	26	33
20-34	185	10.2	73	2	2	8	13	21	27	48
35-49	681	12.8	130	2	3	10	17	26	33	64
50-64	1877	14.4	160	2	3	11	18	28	38	76
65+	2623	15.0	142	2	3	12	20	30	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	8.5	73	1	2	6	11	18	25	51
B. *Operated*	1402	9.5	77	2	2	7	13	20	28	43
2. MULTIPLE DX										
A. *Not Operated*	6290	9.9	94	2	2	7	13	21	29	52
B. *Operated*	5390	14.3	145	2	3	11	19	29	37	63
1. SINGLE DX	2226	9.1	76	1	2	6	12	20	27	44
2. MULTIPLE DX	11680	11.9	122	2	3	9	16	25	33	59
A. NOT OPERATED	7114	9.8	92	1	2	7	12	21	29	52
B. OPERATED	6792	13.3	135	2	3	10	17	28	35	60
TOTAL 0-19 YRS	91	6.5	37	1	1	5	9	14	19	30
20-34	458	8.7	73	2	2	6	11	18	25	49
35-49	1606	10.2	98	2	2	7	13	22	29	52
50-64	4943	11.1	120	2	2	8	15	24	31	60
65+	6808	12.3	120	2	3	9	16	26	34	56
GRAND TOTAL	**13906**	**11.5**	**116**	**2**	**2**	**8**	**15**	**25**	**32**	**57**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	5	1	1	2	5	7	8	9
20-34	79	4.4	23	1	1	3	5	10	14	28
35-49	42	6.1	40	1	1	5	7	11	15	38
50-64	37	5.3	39	1	1	3	6	15	18	29
65+	44	6.9	75	1	1	3	9	21	27	36
B. *Operated*										
0-19 YRS	90	8.0	39	2	2	6	11	17	22	27
20-34	183	8.5	34	2	2	7	11	16	19	27
35-49	70	8.9	37	1	2	8	12	18	21	25
50-64	46	10.6	64	2	2	8	15	24	26	31
65+	45	11.1	44	2	3	10	15	22	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.4	16	1	1	4	8	11	13	14
20-34	68	5.7	28	1	1	4	8	12	15	27
35-49	34	7.1	28	1	1	6	10	14	17	23
50-64	58	7.6	44	1	2	5	10	18	22	30
65+	79	12.1	151	2	2	8	17	28	35	93
B. *Operated*										
0-19 YRS	29	7.3	33	1	2	5	10	16	20	21
20-34	85	12.0	107	2	3	9	14	28	35	54
35-49	59	12.9	117	2	3	10	19	23	28	66
50-64	63	12.9	110	2	2	10	17	27	35	44
65+	55	16.5	182	2	3	13	21	32	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.3	38	1	1	3	6	11	18	32
B. *Operated*	434	9.0	40	2	2	8	12	18	22	27
2. MULTIPLE DX										
A. *Not Operated*	255	8.3	76	1	2	5	11	20	24	45
B. *Operated*	291	12.8	121	2	3	10	18	26	34	66
1. SINGLE DX	657	7.7	42	1	1	6	11	17	22	30
2. MULTIPLE DX	546	10.7	104	1	2	8	14	23	31	62
A. NOT OPERATED	478	6.9	60	1	1	4	9	16	23	36
B. OPERATED	725	10.5	76	2	2	8	14	21	26	42
TOTAL 0-19 YRS	156	7.0	33	1	2	5	9	15	20	23
20-34	415	8.0	52	1	2	6	11	16	22	36
35-49	205	9.2	65	1	2	7	12	19	22	38
50-64	204	9.5	75	1	2	7	14	22	27	43
65+	223	12.0	131	1	2	9	17	25	33	82
GRAND TOTAL	**1203**	**9.1**	**73**	**1**	**2**	**7**	**12**	**20**	**24**	**39**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.6	13	1	1	2	5	10	12	15
20-34	14	12.1	58	3	4	11	18	23	26	27
35-49	8	10.1	95	1	2	6	16	26	29	29
50-64	35	9.2	128	1	2	5	12	14	40	53
65+	62	6.3	55	1	1	4	9	13	16	48
B. *Operated*										
0-19 YRS	48	11.5	163	2	2	6	15	30	42	58
20-34	10	11.2	76	2	2	9	22	23	23	23
35-49	16	8.9	39	2	3	6	12	19	23	24
50-64	28	6.9	44	2	3	6	8	11	16	37
65+	39	9.2	79	2	2	8	10	21	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.2	21	1	1	3	7	11	13	23
20-34	12	9.3	72	1	2	6	12	22	29	30
35-49	18	9.5	54	1	1	9	13	21	25	26
50-64	119	9.5	92	1	2	7	12	20	26	57
65+	335	9.3	53	2	3	7	12	20	25	36
B. *Operated*										
0-19 YRS	31	13.2	113	3	3	11	18	28	38	42
20-34	6	21.3	405	1	2	14	36	52	54	54
35-49	11	14.7	247	2	2	8	22	39	52	53
50-64	67	13.0	104	2	3	10	15	29	37	43
65+	171	13.4	146	2	3	10	17	28	44	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	6.2	58	1	1	4	9	14	18	49
B. *Operated*	141	9.6	97	2	2	7	11	22	31	50
2. MULTIPLE DX										
A. *Not Operated*	559	8.8	59	1	2	7	11	19	24	36
B. *Operated*	286	13.5	140	2	3	10	17	30	41	72
1. SINGLE DX	345	7.6	76	1	1	5	9	17	23	49
2. MULTIPLE DX	845	10.4	91	2	2	8	13	23	30	53
A. NOT OPERATED	763	8.1	60	1	2	6	11	17	24	36
B. OPERATED	427	12.2	129	2	3	9	16	27	37	59
TOTAL 0-19 YRS	239	6.9	72	1	1	4	9	16	23	43
20-34	42	12.4	119	1	2	9	18	24	32	54
35-49	53	10.5	94	1	2	7	13	24	29	52
50-64	249	10.1	98	2	2	7	12	23	30	53
65+	607	10.1	86	2	2	8	13	21	28	53
GRAND TOTAL	**1190**	**9.6**	**89**	**1**	**2**	**7**	**12**	**21**	**27**	**52**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.0	52	<1	<1	2	5	11	27	30
20-34	54	9.2	102	<1	1	5	12	26	27	44
35-49	57	7.6	79	<1	1	5	8	20	32	39
50-64	99	6.9	65	1	1	4	9	17	25	38
65+	150	6.4	59	1	1	4	7	15	19	32
B. *Operated*										
0-19 YRS	10	19.2	445	1	1	8	27	55	57	57
20-34	19	20.0	542	1	1	14	30	42	72	95
35-49	45	15.0	315	1	2	6	25	39	55	71
50-64	51	13.3	137	2	3	9	21	27	30	63
65+	67	12.5	130	3	3	9	15	28	40	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.5	35	<1	<1	3	8	13	17	26
20-34	51	9.4	77	1	2	6	10	25	30	36
35-49	75	8.4	127	1	1	6	10	17	30	68
50-64	190	8.4	81	1	1	6	10	16	25	48
65+	344	8.0	53	1	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	24	17.4	301	1	2	8	37	44	48	52
20-34	42	23.3	381	2	3	20	32	52	71	72
35-49	59	18.3	211	4	5	12	27	41	45	64
50-64	107	20.2	347	2	4	13	29	45	52	92
65+	166	16.2	243	3	4	11	20	35	46	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	7.0	69	<1	1	4	8	18	25	38
B. *Operated*	192	14.4	232	1	2	8	20	34	44	68
2. MULTIPLE DX										
A. *Not Operated*	687	8.2	70	1	1	6	10	17	25	39
B. *Operated*	398	18.4	287	2	4	12	26	40	51	84
1. SINGLE DX	592	9.4	133	1	1	5	11	25	32	56
2. MULTIPLE DX	1085	11.9	173	1	2	8	14	29	39	70
A. NOT OPERATED	1087	7.7	70	1	1	5	10	17	25	39
B. OPERATED	590	17.1	272	2	3	11	25	39	49	81
TOTAL 0-19 YRS	101	9.5	175	<1	<1	4	9	30	41	55
20-34	166	14.1	250	1	2	7	21	33	44	72
35-49	236	11.9	190	1	1	7	14	32	40	66
50-64	447	11.5	174	1	1	7	14	27	38	64
65+	727	10.0	118	1	1	7	13	21	31	57
GRAND TOTAL	**1677**	**11.0**	**161**	**1**	**1**	**7**	**14**	**27**	**37**	**65**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.2	6	1	1	2	4	6	8	11
20-34	41	7.0	103	1	1	4	9	14	21	61
35-49	93	6.3	41	1	1	4	9	14	18	33
50-64	249	7.4	106	1	1	4	9	15	22	57
65+	416	8.8	85	1	2	6	11	18	28	49
B. *Operated*										
0-19 YRS	22	7.0	33	<1	1	5	9	15	20	22
20-34	61	8.8	47	1	2	7	13	18	20	30
35-49	166	8.0	44	2	2	6	10	18	23	29
50-64	394	10.7	84	2	2	8	14	22	30	48
65+	462	10.4	59	2	3	8	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	53	1	1	4	7	10	14	43
20-34	49	9.0	65	2	2	6	13	17	24	38
35-49	185	8.5	70	1	2	6	11	19	26	47
50-64	560	9.8	116	1	2	7	12	21	30	64
65+	1108	10.3	90	1	2	7	14	23	29	48
B. *Operated*										
0-19 YRS	17	9.5	30	3	4	8	14	18	18	18
20-34	47	12.9	110	2	3	11	17	24	39	42
35-49	152	12.6	115	2	3	9	15	26	39	49
50-64	483	15.4	179	3	4	12	20	32	44	67
65+	838	16.8	188	3	5	13	22	31	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	7.8	87	1	1	5	9	17	24	48
B. *Operated*	1105	10.0	65	2	2	8	13	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	1935	9.8	95	1	2	7	13	22	29	49
B. *Operated*	1537	15.8	176	3	4	12	21	31	43	71
1. SINGLE DX	1925	9.1	76	1	2	7	12	19	25	41
2. MULTIPLE DX	3472	12.5	139	2	2	9	16	26	36	61
A. NOT OPERATED	2755	9.2	93	1	2	6	12	21	28	49
B. OPERATED	2642	13.3	138	2	3	10	17	27	37	61
TOTAL 0-19 YRS	93	6.3	37	1	1	5	8	14	18	34
20-34	198	9.5	81	1	2	7	13	19	25	42
35-49	596	9.0	74	1	2	7	12	19	26	44
50-64	1686	11.2	133	1	2	8	14	24	34	62
65+	2824	12.0	123	2	2	9	16	25	33	56
GRAND TOTAL	**5397**	**11.2**	**119**	**1**	**2**	**8**	**15**	**24**	**32**	**57**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64	6	3.2	1	2	2	3	4	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	91	2.8	6	1	1	2	3	6	7	14
20-34	194	3.5	4	1	1	3	4	6	7	10
35-49	204	3.5	2	2	2	3	4	6	6	8
50-64	257	3.8	5	1	2	4	5	6	7	12
65+	167	4.3	8	2	2	4	5	7	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	8.8	74	2	2	7	15	20	20	20
50-64	7	4.1	18	<1	<1	3	5	12	13	13
65+	8	6.8	12	3	3	6	8	12	14	14
B. *Operated*										
0-19 YRS	15	3.2	5	<1	1	2	5	6	8	9
20-34	43	4.3	20	1	2	4	4	7	8	31
35-49	90	4.2	7	1	2	4	6	8	9	13
50-64	105	4.4	8	1	2	3	6	8	12	14
65+	104	5.8	25	2	2	4	6	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.5	2	<1	<1	2	3	4	5	6
B. *Operated*	913	3.7	5	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	22	5.6	25	<1	1	4	7	13	16	20
B. *Operated*	357	4.7	15	1	2	4	6	9	12	21
1. SINGLE DX	934	3.6	5	1	2	3	5	6	7	11
2. MULTIPLE DX	379	4.8	15	1	2	4	6	9	12	21
A. NOT OPERATED	43	4.1	16	<1	1	3	5	9	13	20
B. OPERATED	1270	4.0	8	1	2	3	5	6	8	15
TOTAL 0-19 YRS	111	2.8	5	1	1	2	3	6	7	12
20-34	243	3.6	7	1	1	3	4	6	7	11
35-49	303	3.8	5	1	2	3	5	6	8	11
50-64	375	4.0	6	1	2	4	5	6	8	13
65+	281	4.9	15	2	2	4	5	9	12	23
GRAND TOTAL	**1313**	**4.0**	**8**	**1**	**2**	**3**	**5**	**6**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.6	5	1	1	2	3	7	9	9
20-34	28	2.9	5	1	1	2	4	6	8	9
35-49	63	2.6	6	1	1	2	3	5	9	13
50-64	136	2.7	4	1	1	2	3	5	7	9
65+	132	3.4	7	1	1	2	5	7	9	13
B. *Operated*										
0-19 YRS	64	4.6	11	1	2	3	7	10	11	14
20-34	130	6.0	23	1	2	5	9	12	16	22
35-49	276	4.9	23	1	1	3	7	12	15	19
50-64	661	4.5	22	1	1	2	5	12	15	21
65+	671	5.2	36	1	1	3	7	13	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	4	1	1	3	3	5	7	8
20-34	29	4.2	7	2	2	3	6	9	10	11
35-49	72	4.5	7	1	1	4	6	8	8	15
50-64	183	4.8	16	1	2	3	6	11	13	18
65+	298	6.5	41	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	33	7.4	25	1	2	7	10	13	17	24
20-34	119	8.4	73	1	2	6	12	16	19	45
35-49	266	7.5	54	1	2	6	10	15	20	30
50-64	808	7.5	53	1	2	5	11	16	19	31
65+	1116	9.2	78	1	2	6	13	21	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	2.9	6	1	1	2	4	7	8	12
B. *Operated*	1802	4.9	27	1	1	3	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	595	5.5	28	1	2	4	7	11	14	25
B. *Operated*	2342	8.4	66	1	2	6	11	18	23	39
1. SINGLE DX	2192	4.6	24	1	1	2	6	11	14	21
2. MULTIPLE DX	2937	7.8	60	1	2	5	11	17	22	38
A. NOT OPERATED	985	4.5	20	1	1	3	6	9	12	23
B. OPERATED	4144	6.9	52	1	2	4	10	15	19	33
TOTAL 0-19 YRS	141	4.7	15	1	1	3	7	10	12	18
20-34	306	6.5	42	1	2	5	9	14	16	26
35-49	677	5.7	35	1	1	4	8	13	16	25
50-64	1788	5.8	36	1	1	3	8	14	16	27
65+	2217	7.3	60	1	2	4	10	17	22	37
GRAND TOTAL	**5129**	**6.4**	**47**	**1**	**1**	**4**	**9**	**14**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5		1	1	1	2	2	2	2
20-34	5	6.6	68	2	2	2	10	21	21	21
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	6	5.0	18	2	2	3	6	12	13	13
B. *Operated*										
0-19 YRS	155	2.2	3	1	1	2	2	3	6	12
20-34	71	3.4	13	1	1	2	3	8	9	19
35-49	127	3.3	9	1	1	2	4	8	10	14
50-64	151	5.0	26	1	1	2	8	12	16	27
65+	94	4.9	29	1	1	3	6	12	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	8.6	177	1	1	2	13	32	32	32
50-64	7	12.0	317	2	2	5	9	43	52	52
65+	18	10.2	87	1	2	7	14	26	32	34
B. *Operated*										
0-19 YRS	53	4.7	70	<1	1	2	4	9	20	44
20-34	23	7.5	58	<1	1	4	11	20	25	26
35-49	55	7.2	46	1	1	5	12	15	23	96
50-64	63	9.5	134	1	2	5	14	24	32	61
65+	75	8.2	50	2	2	6	12	20	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.4	16	1	1	2	4	6	12	21
B. *Operated*	598	3.7	16	1	1	2	3	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	32	9.9	136	1	1	6	10	29	34	52
B. *Operated*	269	7.5	75	1	1	4	10	19	25	43
1. SINGLE DX	631	3.7	16	1	1	2	3	9	13	21
2. MULTIPLE DX	301	7.8	82	1	1	4	10	20	27	48
A. NOT OPERATED	65	6.6	85	1	1	3	7	15	29	49
B. OPERATED	867	4.9	38	1	1	2	6	12	18	31
TOTAL 0-19 YRS	219	2.8	20	1	1	2	2	4	8	40
20-34	100	4.6	28	1	1	2	6	11	17	25
35-49	190	4.6	27	1	1	2	6	12	14	34
50-64	230	6.4	67	1	1	3	9	16	21	41
65+	193	6.7	45	1	2	4	9	15	23	29
GRAND TOTAL	**932**	**5.0**	**41**	**1**	**1**	**2**	**6**	**12**	**18**	**34**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.1	1	<1	1	2	3	4	4	4
20-34	31	3.3	5	<1	1	3	5	7	8	8
35-49	40	2.7	2	<1	<1	2	3	5	5	8
50-64	41	2.6	2	<1	<1	2	3	4	5	8
65+	12	2.6	4	<1	<1	2	3	5	8	8
B. *Operated*										
0-19 YRS	844	3.2	5	1	1	3	4	5	7	12
20-34	1169	3.2	7	1	1	2	3	6	8	15
35-49	1328	3.1	11	1	1	2	3	5	7	14
50-64	1318	3.2	8	1	1	2	4	5	7	16
65+	492	3.6	8	1	1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	1	<1	<1	2	2	3	5	5
20-34	22	4.0	11	<1	<1	3	7	8	10	13
35-49	36	3.9	13	<1	1	3	5	8	13	16
50-64	38	5.6	50	1	2	4	6	11	12	44
65+	43	6.5	25	1	1	5	10	14	14	22
B. *Operated*										
0-19 YRS	154	4.1	17	1	2	3	5	7	11	24
20-34	415	4.4	18	1	2	3	5	9	11	23
35-49	667	4.5	20	1	2	3	5	8	12	27
50-64	796	5.0	27	1	2	3	6	10	13	28
65+	398	6.4	31	2	2	4	8	14	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.7	3	<1	<1	2	3	5	7	8
B. *Operated*	5151	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	152	4.9	26	<1	1	3	6	11	14	22
B. *Operated*	2430	4.9	24	1	2	3	6	10	14	26
1. SINGLE DX	5297	3.2	8	1	1	2	4	5	8	14
2. MULTIPLE DX	2582	4.9	24	1	2	3	6	10	14	26
A. NOT OPERATED	298	3.8	16	<1	1	3	5	8	11	15
B. OPERATED	7581	3.8	14	1	2	3	4	7	10	20
TOTAL 0-19 YRS	1033	3.3	7	1	1	3	4	5	7	13
20-34	1637	3.5	10	1	1	2	4	7	9	18
35-49	2071	3.6	14	1	1	2	4	7	9	19
50-64	2193	3.9	16	1	2	3	4	7	10	20
65+	945	4.9	20	1	2	3	6	11	14	22
GRAND TOTAL	**7879**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.2	9	<1	1	2	4	8	10	12
20-34	17	2.9	4	<1	<1	2	4	6	7	8
35-49	15	3.5	19	<1	1	2	3	7	15	18
50-64	18	3.7	12	1	1	2	4	8	12	14
65+	16	4.8	8	1	2	5	7	8	9	10
B. *Operated*										
0-19 YRS	920	2.3	4	1	1	2	2	4	5	12
20-34	456	3.1	11	<1	1	2	3	5	7	17
35-49	381	3.0	7	<1	1	2	3	5	8	16
50-64	281	3.5	18	1	1	2	3	6	10	22
65+	207	4.0	20	1	1	2	4	9	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	14	<1	<1	1	3	8	9	20
20-34	13	3.5	11	<1	<1	2	5	10	10	10
35-49	19	3.8	7	1	2	3	4	7	10	12
50-64	20	5.6	17	2	2	5	6	9	15	21
65+	23	6.2	27	1	2	5	7	12	16	24
B. *Operated*										
0-19 YRS	183	3.3	11	1	1	2	4	7	10	17
20-34	259	3.9	23	1	1	3	4	7	12	20
35-49	283	4.0	20	1	1	2	5	9	12	22
50-64	280	5.9	53	1	2	3	6	13	17	40
65+	193	7.7	81	1	2	4	9	19	24	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	3.5	10	<1	1	2	5	8	9	16
B. *Operated*	2245	2.9	9	1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	114	4.2	17	<1	1	3	5	10	12	22
B. *Operated*	1198	4.9	39	1	1	3	5	11	16	31
1. SINGLE DX	2349	2.9	9	1	1	2	3	5	8	17
2. MULTIPLE DX	1312	4.9	37	1	1	3	5	11	16	31
A. NOT OPERATED	218	3.9	14	<1	1	2	5	8	11	20
B. OPERATED	3443	3.6	21	1	1	2	4	7	11	23
TOTAL 0-19 YRS	1180	2.5	6	<1	1	2	3	4	7	13
20-34	745	3.4	15	<1	1	2	4	6	9	17
35-49	698	3.5	13	<1	1	2	4	7	10	20
50-64	599	4.7	35	1	1	3	5	10	15	31
65+	439	5.8	50	1	1	3	7	13	20	32
GRAND TOTAL	**3661**	**3.6**	**20**	**1**	**1**	**2**	**4**	**7**	**11**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.9	1	<1	<1	2	2	3	4	4
20-34	26	2.0		<1	1	2	2	3	3	4
35-49	13	2.2	1	<1	1	2	3	3	4	4
50-64	10	7.5	141	1	1	2	3	29	35	35
65+	6	2.2	1	<1	<1	2	3	4	4	4
B. Operated										
0-19 YRS	992	2.1	1	1	1	2	2	3	3	5
20-34	1718	2.1	3	1	1	2	2	3	3	5
35-49	896	2.3	2	1	1	2	2	3	4	7
50-64	300	2.7	2	1	2	2	3	4	5	10
65+	179	3.2	5	2	2	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	<1	<1	2	3	3	3	3
20-34	16	2.6	7	<1	<1	2	3	4	10	12
35-49	16	3.4	6	1	2	2	4	8	9	9
50-64	10	4.7	20	2	2	3	4	11	17	17
65+	3	3.7	9	1	1	3	6	7	7	7
B. Operated										
0-19 YRS	143	2.6	4	1	1	2	3	4	5	13
20-34	540	2.8	6	1	1	2	3	4	6	13
35-49	545	3.2	7	1	2	2	3	6	8	14
50-64	239	4.0	13	2	2	3	4	8	10	19
65+	162	5.0	20	2	2	4	6	10	15	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.8	22	<1	<1	2	2	3	4	33
B. Operated	4085	2.2	3	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	52	3.3	9	<1	1	2	4	7	9	17
B. Operated	1629	3.3	9	1	2	2	3	6	9	16
1. SINGLE DX	4157	2.2	3	1	1	2	2	3	4	7
2. MULTIPLE DX	1681	3.3	9	1	2	2	3	6	9	16
A. NOT OPERATED	124	3.0	16	<1	1	2	3	4	7	27
B. OPERATED	5714	2.5	5	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1159	2.2	2	1	1	2	2	3	3	7
20-34	2300	2.3	4	1	1	2	2	3	4	10
35-49	1470	2.6	4	1	2	2	3	4	6	12
50-64	559	3.4	10	1	2	2	4	6	8	18
65+	350	4.0	13	2	2	3	5	8	11	16
GRAND TOTAL	**5838**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	3.3	6	<1	1	3	4	7	8	10
35-49	58	4.3	12	<1	1	3	7	8	9	21
50-64	10	4.9	5	2	2	4	6	8	10	10
65+	6	6.2	15	1	1	6	8	12	12	12
B. Operated										
0-19 YRS	6	6.7	7	2	2	7	9	9	9	9
20-34	871	6.2	7	2	2	6	8	9	10	14
35-49	2209	6.8	11	2	3	7	8	9	10	14
50-64	351	6.6	11	1	2	7	8	10	12	18
65+	49	8.8	20	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	101	4.6	13	<1	1	4	6	9	13	17
35-49	246	4.7	16	1	1	4	7	8	10	18
50-64	54	5.7	9	1	2	6	8	10	10	11
65+	34	6.9	25	1	2	5	9	14	18	22
B. Operated										
0-19 YRS	15	6.1	8	2	3	6	7	8	13	15
20-34	2459	7.0	10	2	2	7	8	10	12	17
35-49	9234	7.8	13	2	5	7	9	11	13	20
50-64	1936	8.1	14	2	5	8	9	12	14	22
65+	226	11.2	38	4	6	9	14	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	4.1	[illegible]	<1	1	3	6	8	9	16
B. Operated	3486	6.7	10	2	2	7	8	9	10	15
2. MULTIPLE DX										
A. Not Operated	437	5.0	16	1	1	4	7	9	11	18
B. Operated	13870	7.8	14	2	5	7	9	11	14	21
1. SINGLE DX	3598	6.6	10	2	2	7	8	9	10	15
2. MULTIPLE DX	14307	7.7	14	2	4	7	9	11	14	21
A. NOT OPERATED	549	4.8	15	<1	1	4	7	9	11	18
B. OPERATED	17356	7.5	13	2	4	7	9	11	13	20
TOTAL 0-19 YRS	24	5.6	10	1	1	6	7	9	11	15
20-34	3468	6.7	10	2	2	7	8	10	12	17
35-49	11747	7.5	13	2	4	7	9	11	13	20
50-64	2351	7.9	14	2	3	8	9	11	14	21
65+	315	10.3	36	3	4	9	13	17	22	32
GRAND TOTAL	**17905**	**7.5**	**13**	**2**	**3**	**7**	**9**	**11**	**13**	**20**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	28	4.4	8	1	1	3	7	8	9	10
35-49	55	5.6	10	1	2	6	8	9	10	13
50-64	23	3.9	7	2	2	3	6	8	10	10
65+	12	4.4	18	1	1	3	5	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	3	7.3	4	5	5	8	9	9	9	9
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	57	6.1	9	1	2	6	8	9	11	13
35-49	163	7.0	15	2	2	7	9	11	13	19
50-64	61	6.1	24	1	2	6	8	12	16	26
65+	20	8.7	79	2	2	8	10	13	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	2	5	6	6	6
B. *Operated*	120	4.9	10	1	2	4	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	9	6.6	14	1	1	7	9	11	13	13
B. *Operated*	302	6.8	20	1	2	7	8	11	13	23
1. SINGLE DX	125	4.8	10	1	2	3	7	9	10	14
2. MULTIPLE DX	311	6.8	20	1	2	7	8	11	13	22
A. NOT OPERATED	14	5.4	13	1	1	5	8	10	12	13
B. OPERATED	422	6.2	18	1	2	6	8	10	12	19
TOTAL 0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	88	5.5	9	1	2	6	8	9	10	13
35-49	222	6.7	14	2	2	7	8	10	12	19
50-64	89	5.5	20	1	2	5	7	10	14	23
65+	34	7.2	57	2	2	5	9	13	15	43
GRAND TOTAL	**436**	**6.2**	**18**	**1**	**2**	**6**	**8**	**10**	**12**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	5	<1	<1	2	5	6	6	6
20-34	8	3.8	6	1	1	4	6	6	6	6
35-49	5	7.8	4	6	6	7	9	11	11	11
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	157	6.3	4	4	4	6	7	8	9	16
20-34	454	6.3	12	4	4	6	7	8	9	15
35-49	150	7.5	7	5	5	7	9	11	12	18
50-64	103	8.1	8	5	6	8	9	11	13	21
65+	53	9.7	10	5	6	9	11	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	7	5.4	3	3	3	5	7	8	8	8
35-49	5	4.8	9	<1	<1	5	7	9	9	9
50-64	8	9.5	36	3	3	8	13	19	20	20
65+	5	4.8	13	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	97	7.0	6	4	5	6	8	11	13	14
20-34	458	7.1	9	4	5	6	8	10	11	21
35-49	309	8.4	12	5	6	8	9	12	17	27
50-64	229	10.3	19	6	7	9	12	16	19	25
65+	153	13.2	36	7	8	11	16	23	27	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.6	8	<1	1	5	7	8	9	11
B. *Operated*	917	6.9	10	4	5	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	28	6.1	19	1	1	6	8	10	17	20
B. *Operated*	1246	8.8	19	5	5	8	10	14	18	27
1. SINGLE DX	941	6.8	10	4	4	6	8	10	11	16
2. MULTIPLE DX	1274	8.7	19	5	5	8	10	14	18	27
A. NOT OPERATED	52	5.4	14	1	1	5	7	9	11	20
B. OPERATED	2163	8.0	16	4	5	7	9	12	16	25
TOTAL 0-19 YRS	263	6.4	5	4	4	6	7	9	11	16
20-34	927	6.6	11	4	4	6	7	9	10	17
35-49	469	8.1	10	5	5	7	9	12	14	24
50-64	342	9.6	17	5	6	8	11	15	18	24
65+	214	12.0	33	6	7	11	14	19	25	31
GRAND TOTAL	**2215**	**7.9**	**16**	**4**	**5**	**7**	**9**	**12**	**16**	**25**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	12	2.9	6	<1	<1	2	4	7	9	9
20-34	50	3.7	5	<1	1	3	6	6	8	10
35-49	29	3.9	15	1	1	2	6	8	11	19
50-64	19	3.8	6	<1	1	3	6	7	9	10
65+	12	4.2	11	2	2	3	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.8	5	1	1	5	6	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.9	6	<1	<1	4	6	7	7	7
20-34	37	5.3	12	1	1	5	7	10	11	17
35-49	36	5.7	11	1	2	6	8	11	12	13
50-64	26	5.6	16	2	2	4	8	10	15	17
65+	11	6.4	20	2	2	4	9	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	5	1	1	2	3	7	8	8
B. *Operated*	122	3.7	8	<1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	8	5.8	6	1	2	6	7	9	9	9
B. *Operated*	117	5.5	13	1	2	5	7	10	12	17
1. SINGLE DX	130	3.7	8	1	1	3	5	7	9	13
2. MULTIPLE DX	125	5.5	12	1	2	5	7	10	12	17
A. NOT OPERATED	16	4.3	8	1	1	4	6	8	9	9
B. OPERATED	239	4.6	11	1	1	4	6	9	11	17
TOTAL 0-19 YRS	22	3.3	7	<1	<1	2	6	7	8	9
20-34	93	4.4	8	1	1	4	6	8	10	14
35-49	66	4.9	14	1	1	4	7	10	11	18
50-64	49	4.8	12	1	2	3	7	9	10	17
65+	25	5.1	15	2	2	3	6	11	13	15
GRAND TOTAL	**255**	**4.6**	**11**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	15	3.2	3	<1	1	3	4	6	7	8
20-34	30	3.3	3	1	2	3	4	6	6	10
35-49	19	3.4	4	<1	<1	3	5	7	8	8
50-64	22	3.1	3	<1	1	3	4	5	6	7
65+	11	5.9	31	2	2	3	6	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.8	24	2	2	3	7	12	12	12
65+	4	24.3	1645	1	1	5	45	85	85	85
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	16	2.8	1	1	1	3	4	4	4	4
35-49	12	4.1	4	1	2	4	5	7	8	8
50-64	13	4.5	6	2	2	4	6	8	9	9
65+	27	7.1	55	1	2	4	10	20	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	<1	<1	2	3	4	4	4
B. *Operated*	97	3.6	7	<1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	10	12.2	664	1	1	3	6	48	85	85
B. *Operated*	71	5.0	26	1	2	3	5	9	18	28
1. SINGLE DX	101	3.5	7	<1	1	3	4	6	7	16
2. MULTIPLE DX	81	5.9	103	1	2	3	5	10	19	68
A. NOT OPERATED	14	9.4	481	<1	1	3	5	19	70	85
B. OPERATED	168	4.2	15	1	1	3	5	7	10	23
TOTAL 0-19 YRS	19	3.0	3	<1	1	3	3	5	7	8
20-34	48	3.1	3	1	1	3	4	5	6	10
35-49	32	3.6	4	<1	1	3	5	7	8	8
50-64	39	3.7	6	1	2	3	5	7	9	12
65+	44	8.2	183	1	2	4	8	19	25	85
GRAND TOTAL	**182**	**4.6**	**51**	**1**	**1**	**3**	**5**	**7**	**11**	**27**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	5	5	5
20-34	21	4.4	63	<1	1	2	4	7	22	38
35-49	27	4.3	11	1	1	3	5	9	11	14
50-64	35	3.9	13	1	1	2	5	10	11	17
65+	78	3.8	12	1	1	3	4	7	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	5	4.0	9	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	11	4.1	5	2	2	3	5	8	8	8
35-49	14	4.6	12	1	2	4	6	7	13	15
50-64	47	8.3	60	1	2	5	12	18	25	34
65+	99	6.1	30	2	2	4	8	14	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.7	6	1	1	3	5	8	8	8
B. *Operated*	169	3.9	18	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	9	3.3	6	1	1	3	4	7	8	8
B. *Operated*	175	6.3	36	2	2	4	8	15	18	32
1. SINGLE DX	175	3.9	17	1	1	3	4	8	11	21
2. MULTIPLE DX	184	6.2	35	1	2	4	8	15	18	32
A. NOT OPERATED	15	3.5	5	1	1	3	5	8	8	8
B. OPERATED	344	5.1	28	1	2	3	6	11	16	28
TOTAL 0-19 YRS	12	2.2	2	1	1	2	3	4	5	5
20-34	33	4.3	41	1	1	2	5	8	9	38
35-49	41	4.4	11	1	1	3	5	9	12	15
50-64	88	6.2	42	1	1	3	9	16	18	32
65+	185	5.0	23	1	2	3	6	11	15	23
GRAND TOTAL	**359**	**5.1**	**28**	**1**	**2**	**3**	**6**	**11**	**16**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	63	1.6	1	<1	<1	1	2	2	3	87
20-34	16	2.6	7	1	1	2	3	4	10	12
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64	12	2.5	1	2	2	2	3	4	6	6
65+	7	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	13	1.8		1	1	2	2	3	3	3
20-34	6	3.7	19	1	1	2	5	11	12	12
35-49	2	3.0		3	3	3	3	3	3	3
50-64	5	4.0	13	1	1	3	5	10	10	10
65+	9	3.8	7	2	2	3	4	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	103	1.9	2	<1	1	2	2	3	4	52
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	35	3.0	7	1	1	2	3	8	10	12
1. SINGLE DX	106	1.9	2	<1	1	2	2	3	4	50
2. MULTIPLE DX	36	2.9	7	1	1	2	3	8	10	12
A. NOT OPERATED	4	1.8	1	1	1	2	2	3	3	3
B. OPERATED	138	2.2	3	<1	1	2	2	3	6	22
TOTAL 0-19 YRS	76	1.6	1	<1	1	2	2	2	3	74
20-34	23	2.9	9	1	1	2	3	6	12	12
35-49	8	2.5	1	1	1	3	3	3	3	3
50-64	19	2.7	4	1	1	2	3	5	8	10
65+	16	3.0	5	1	2	2	3	8	9	9
GRAND TOTAL	**142**	**2.2**	**3**	**<1**	**1**	**2**	**2**	**3**	**6**	**18**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	43	1	1	2	13	15	15	15
20-34	16	4.3	14	1	1	3	4	9	14	16
35-49	14	2.9	3	<1	1	3	4	6	7	7
50-64	19	7.3	163	1	1	3	7	14	39	57
65+	27	8.1	38	1	2	6	13	18	19	22
B. *Operated*										
0-19 YRS	12	11.4	41	3	3	9	17	20	23	24
20-34	44	11.7	48	2	3	11	16	22	25	29
35-49	105	12.1	99	1	2	11	16	22	31	52
50-64	115	15.4	128	2	4	13	19	28	36	64
65+	91	18.5	176	2	4	16	23	32	37	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	80	1	1	5	16	22	22	22
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	10	5.1	12	1	2	4	7	10	13	13
50-64	30	14.8	366	2	2	6	18	48	60	75
65+	60	11.0	125	2	3	8	14	20	28	72
B. *Operated*										
0-19 YRS	9	12.1	51	1	4	9	17	23	23	23
20-34	27	19.7	236	2	3	14	33	46	51	52
35-49	54	16.3	156	2	3	15	21	34	44	57
50-64	81	23.9	397	4	7	19	27	55	80	99
65+	93	28.8	409	4	10	22	42	60	80	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.2	58	1	1	3	8	15	17	46
B. *Operated*	367	14.7	125	2	3	13	19	26	36	59
2. MULTIPLE DX										
A. *Not Operated*	110	11.1	180	2	2	6	14	23	32	76
B. *Operated*	264	23.2	347	3	5	19	28	49	70	95
1. SINGLE DX	448	13.1	124	1	2	12	17	24	32	58
2. MULTIPLE DX	374	19.7	328	2	3	15	25	46	60	89
A. NOT OPERATED	191	9.0	134	1	2	5	11	19	28	69
B. OPERATED	631	18.3	236	2	3	15	22	36	52	83
TOTAL 0-19 YRS	33	10.2	52	1	2	9	15	22	23	24
20-34	90	12.5	125	1	2	10	16	28	34	52
35-49	183	12.3	117	1	2	10	17	23	35	52
50-64	245	17.5	270	2	3	13	21	36	57	87
65+	271	19.3	288	2	3	16	24	42	58	83
GRAND TOTAL	**822**	**16.1**	**227**	**2**	**3**	**13**	**20**	**34**	**49**	**81**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	13	3.6	2	<1	1	4	5	5	5	5
35-49	11	4.8	38	2	2	3	5	12	22	23
50-64	9	4.7	3	2	2	5	6	7	7	7
65+	5	4.0	3	1	1	5	5	5	5	5
B. *Operated*										
0-19 YRS	52	3.9	2	2	2	4	4	6	6	8
20-34	411	4.3	2	3	3	4	5	6	7	10
35-49	472	4.5	5	3	3	4	5	6	7	12
50-64	342	4.9	7	3	3	4	5	7	9	22
65+	149	5.9	13	3	3	5	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	9	8.2	122	<1	1	5	7	26	37	37
50-64	11	5.7	15	1	2	5	8	12	13	13
65+	9	9.3	43	1	3	7	11	20	24	24
B. *Operated*										
0-19 YRS	8	4.8	3	3	3	4	6	7	8	8
20-34	123	5.0	7	3	3	4	5	7	9	17
35-49	204	6.1	20	3	3	5	6	10	15	24
50-64	212	6.2	14	3	3	5	7	11	14	22
65+	118	9.0	48	3	4	7	11	19	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.2	11	1	2	4	5	6	7	23
B. *Operated*	1426	4.7	6	3	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	33	7.3	49	1	2	6	8	13	22	37
B. *Operated*	665	6.4	22	3	3	5	7	12	16	24
1. SINGLE DX	1468	4.7	6	3	3	4	5	6	8	13
2. MULTIPLE DX	698	6.5	23	3	3	5	7	12	17	25
A. NOT OPERATED	75	5.6	30	1	2	5	6	10	13	34
B. OPERATED	2091	5.2	12	3	3	4	6	8	11	21
TOTAL 0-19 YRS	64	4.0	2	2	2	4	5	6	7	8
20-34	551	4.4	4	3	3	4	5	6	8	14
35-49	696	5.0	12	3	3	4	5	7	10	21
50-64	574	5.4	10	3	3	5	6	8	12	22
65+	281	7.3	31	3	3	6	8	13	20	28
GRAND TOTAL	**2166**	**5.2**	**12**	**3**	**3**	**4**	**6**	**8**	**11**	**22**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	32	4.8	51	1	2	3	4	9	10	42
35-49	11	4.1	29	1	1	2	4	11	19	20
50-64	10	5.9	20	1	1	5	8	12	16	16
65+	5	5.8	10	2	2	7	8	9	9	9
B. *Operated*										
0-19 YRS	5	8.6	17	4	4	9	12	14	14	14
20-34	64	10.2	49	3	5	9	12	17	20	42
35-49	52	10.9	109	3	4	8	14	18	20	73
50-64	67	9.5	68	3	4	8	12	16	29	92
65+	42	10.4	46	4	5	8	13	22	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	4.0	5	1	2	4	5	6	9	10
35-49	15	9.0	81	2	2	6	9	19	33	38
50-64	15	9.3	56	2	2	5	13	18	26	29
65+	14	16.7	291	1	3	12	20	47	58	61
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	50	10.2	73	3	4	8	12	18	21	57
35-49	55	13.9	195	4	5	10	17	23	29	86
50-64	96	12.9	163	3	4	9	16	26	33	79
65+	88	14.7	158	4	5	9	18	34	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.9	36	1	2	3	5	9	13	40
B. *Operated*	230	10.2	66	3	4	8	13	18	23	58
2. MULTIPLE DX										
A. *Not Operated*	59	9.6	120	2	2	6	12	20	34	60
B. *Operated*	290	13.1	153	4	5	9	16	26	35	65
1. SINGLE DX	290	9.1	64	2	3	7	11	17	22	49
2. MULTIPLE DX	349	12.5	148	3	4	8	15	25	35	64
A. NOT OPERATED	119	7.2	83	1	2	4	8	16	20	51
B. OPERATED	520	11.8	116	3	4	9	15	22	31	64
TOTAL 0-19 YRS	8	6.4	20	2	2	5	10	13	14	14
20-34	161	8.5	59	2	2	7	10	16	20	42
35-49	133	11.4	141	2	3	8	15	20	24	76
50-64	188	11.0	116	3	4	8	13	23	31	81
65+	149	13.4	138	4	5	9	17	29	39	61
GRAND TOTAL	**639**	**11.0**	**113**	**2**	**3**	**8**	**13**	**21**	**31**	**64**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.6	6	<1	<1	4	5	6	8	9
35-49	8	3.8	13	<1	<1	2	7	9	10	10
50-64	6	4.2	7	<1	<1	4	4	9	9	9
65+	2	9.5	85	3	3	9	16	16	16	16
B. *Operated*										
0-19 YRS	37	3.3	5	1	2	2	4	7	8	9
20-34	1503	4.7	12	1	2	5	6	8	9	12
35-49	464	5.6	8	2	2	6	7	9	10	12
50-64	161	5.6	12	2	2	6	8	10	11	16
65+	82	5.5	15	2	2	4	7	11	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	3.6	10	<1	<1	3	5	8	10	12
35-49	9	4.4	15	<1	1	3	6	11	13	13
50-64	5	4.2	2	2	2	4	5	6	6	6
65+	6	6.7	19	3	3	5	10	14	14	14
B. *Operated*										
0-19 YRS	19	5.0	9	2	2	5	6	8	12	15
20-34	881	5.7	11	2	2	6	7	9	11	17
35-49	532	6.8	11	2	3	7	8	10	12	19
50-64	186	7.7	22	2	2	7	9	13	18	25
65+	95	9.4	93	2	2	7	12	17	20	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	12	<1	<1	4	5	9	10	16
B. *Operated*	2247	5.0	12	1	2	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	40	4.3	12	<1	1	4	6	9	12	14
B. *Operated*	1713	6.5	18	2	2	6	8	10	13	20
1. SINGLE DX	2277	5.0	12	1	2	5	7	8	9	12
2. MULTIPLE DX	1753	6.4	18	2	2	6	8	10	13	20
A. NOT OPERATED	70	4.3	12	<1	<1	4	6	9	12	16
B. OPERATED	3960	5.6	15	2	2	6	7	9	11	17
TOTAL 0-19 YRS	56	3.9	7	1	2	3	5	7	9	15
20-34	2418	5.1	12	1	2	5	7	8	9	13
35-49	1013	6.2	10	2	2	6	8	9	11	17
50-64	358	6.6	18	2	2	6	8	11	14	24
65+	185	7.6	59	2	2	6	10	15	17	29
GRAND TOTAL	**4030**	**5.6**	**15**	**2**	**2**	**6**	**7**	**9**	**11**	**17**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.6	1	1	2	2	3	4	5	7
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	9.3	102	3	3	4	17	21	21	21
50-64	15	7.8	45	2	3	5	11	17	24	26
65+	13	7.6	69	1	1	5	9	17	29	32
B. *Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	51	4.9	22	1	1	3	6	9	15	25
35-49	100	5.7	19	1	2	5	7	11	14	23
50-64	173	5.5	22	1	2	4	8	12	15	23
65+	189	6.4	29	1	2	4	9	15	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	7	7.3	9	4	4	6	10	11	11	11
35-49	9	6.0	8	2	2	6	7	10	11	11
50-64	17	6.3	26	1	2	5	7	12	19	22
65+	25	12.3	148	3	4	7	16	26	43	52
B. *Operated*										
0-19 YRS										
20-34	44	6.7	17	2	2	6	8	10	12	26
35-49	108	7.4	48	2	2	6	9	14	21	43
50-64	203	7.7	41	1	2	6	10	15	21	29
65+	228	10.7	83	2	2	9	15	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.9	32	1	2	3	5	12	17	31
B. *Operated*	516	5.8	24	1	2	4	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	62	8.7	76	2	3	6	10	18	24	51
B. *Operated*	583	8.7	59	2	2	7	11	19	23	41
1. SINGLE DX	587	5.7	25	1	2	4	8	12	16	24
2. MULTIPLE DX	645	8.7	61	2	2	7	11	19	23	43
A. NOT OPERATED	133	6.7	56	2	2	4	7	14	22	42
B. OPERATED	1099	7.4	45	1	2	5	10	16	21	31
TOTAL 0-19 YRS	44	2.8	2	1	1	2	3	5	7	7
20-34	105	5.8	19	1	2	5	8	10	12	25
35-49	220	6.6	34	1	2	5	8	12	17	31
50-64	408	6.7	34	1	2	5	9	14	18	27
65+	455	8.9	68	2	2	6	12	19	25	40
GRAND TOTAL	**1232**	**7.3**	**46**	**1**	**2**	**5**	**10**	**16**	**21**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.9	3	1	1	3	4	6	7	99+
20-34	95	3.2	7	1	1	2	4	6	8	14
35-49	84	3.9	6	1	1	3	5	7	9	11
50-64	156	5.3	37	1	1	3	6	12	17	23
65+	181	6.5	58	1	1	4	8	14	19	49
B. *Operated*										
0-19 YRS	203	4.3	18	1	1	3	5	8	13	22
20-34	376	5.0	21	1	2	4	6	11	15	25
35-49	335	5.4	36	1	1	3	6	13	16	35
50-64	464	5.6	31	1	2	3	8	12	16	27
65+	474	6.5	51	1	2	4	9	15	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.6	9	<1	1	3	5	7	13	99+
20-34	95	5.6	44	<1	1	4	7	11	13	40
35-49	125	5.4	30	1	1	4	7	10	13	32
50-64	276	7.2	61	1	2	5	9	14	17	41
65+	550	8.5	69	1	2	6	11	19	25	44
B. *Operated*										
0-19 YRS	77	9.8	141	1	2	5	11	26	30	63
20-34	307	7.9	108	2	2	5	9	14	20	61
35-49	325	7.1	57	2	2	5	8	13	18	42
50-64	515	9.2	72	2	2	7	12	20	24	56
65+	782	11.4	123	2	2	8	15	24	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	565	4.9	33	1	1	3	6	10	15	38
B. *Operated*	1852	5.5	34	1	2	3	7	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	1090	7.4	60	1	2	5	9	15	21	45
B. *Operated*	2006	9.6	100	2	2	7	12	21	28	58
1. SINGLE DX	2417	5.4	34	1	1	3	7	12	16	29
2. MULTIPLE DX	3096	8.8	87	1	2	6	11	19	25	55
A. NOT OPERATED	1655	6.6	52	1	1	4	8	14	19	44
B. OPERATED	3858	7.6	72	1	2	5	10	17	23	42
TOTAL 0-19 YRS	373	5.2	46	1	1	3	6	10	19	48
20-34	873	5.9	55	1	2	4	7	12	16	42
35-49	869	5.9	41	1	2	4	7	12	16	35
50-64	1411	7.2	55	1	2	5	10	15	21	36
65+	1987	9.0	89	1	2	6	12	20	26	51
GRAND TOTAL	**5513**	**7.3**	**66**	**1**	**2**	**5**	**9**	**16**	**22**	**42**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	3	1	1	3	4	5	7	8
20-34	67	3.7	20	1	1	3	4	6	9	31
35-49	57	3.7	12	1	1	3	4	6	8	24
50-64	51	4.5	13	1	2	4	5	7	8	26
65+	36	4.7	9	2	2	4	6	10	11	13
B. *Operated*										
0-19 YRS	47	4.3	3	2	3	4	5	6	7	11
20-34	369	4.5	4	3	3	4	5	6	7	14
35-49	533	4.9	3	3	3	4	6	7	9	11
50-64	487	5.2	5	3	3	5	6	8	10	13
65+	259	6.0	11	3	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.8	11	1	2	4	6	10	13	13
20-34	59	4.1	8	1	1	3	5	7	10	15
35-49	100	5.0	10	2	2	4	6	9	11	19
50-64	111	5.4	13	2	2	5	7	9	13	20
65+	134	6.3	20	2	3	5	8	11	14	26
B. *Operated*										
0-19 YRS	18	4.9	5	2	3	4	7	8	9	9
20-34	132	5.0	7	2	3	5	6	7	10	17
35-49	263	6.0	11	3	3	5	7	10	12	19
50-64	337	7.1	21	3	4	6	8	13	17	23
65+	215	8.5	34	3	4	7	10	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	4.0	13	1	1	3	5	7	9	25
B. *Operated*	1695	5.0	5	3	3	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	415	5.4	14	2	2	5	7	10	12	23
B. *Operated*	965	6.8	20	3	3	5	8	12	16	24
1. SINGLE DX	1924	4.9	7	2	3	4	6	7	9	13
2. MULTIPLE DX	1380	6.4	19	2	3	5	8	11	15	24
A. NOT OPERATED	644	4.9	14	1	2	4	6	8	11	23
B. OPERATED	2660	5.7	11	3	3	5	6	9	11	20
TOTAL 0-19 YRS	94	4.3	4	1	2	4	5	7	8	12
20-34	627	4.5	7	2	2	4	5	6	8	15
35-49	953	5.1	7	2	3	4	6	8	10	16
50-64	986	5.8	13	3	3	5	7	9	12	21
65+	644	6.8	22	3	3	6	8	11	15	31
GRAND TOTAL	**3304**	**5.5**	**12**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.1	18	1	1	4	6	10	15	20
20-34	244	5.4	22	1	2	4	7	10	13	21
35-49	249	5.0	8	2	2	4	7	9	10	14
50-64	186	6.2	20	2	2	5	8	12	14	22
65+	90	7.4	22	3	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	78	5.7	15	3	3	5	6	9	15	25
20-34	412	5.6	12	3	3	5	6	8	10	20
35-49	311	5.1	5	3	3	5	6	8	9	13
50-64	213	5.8	48	2	3	5	6	8	10	22
65+	85	6.7	21	2	3	5	8	11	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	7.0	69	2	2	5	7	13	15	58
20-34	331	6.4	19	2	3	5	8	12	14	23
35-49	449	7.1	30	2	2	5	9	14	17	29
50-64	533	7.7	29	2	3	7	10	13	17	27
65+	611	10.2	73	3	3	8	12	19	27	42
B. *Operated*										
0-19 YRS	33	9.2	65	4	4	7	9	19	24	41
20-34	213	7.8	45	3	4	6	9	14	20	42
35-49	237	7.1	22	3	3	6	9	13	15	29
50-64	205	8.3	50	3	3	6	10	15	21	51
65+	168	12.1	108	3	4	9	16	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	5.6	18	1	2	4	7	11	13	20
B. *Operated*	1099	5.6	18	3	3	5	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	1989	8.1	44	2	3	6	10	15	20	32
B. *Operated*	856	8.6	56	3	4	6	10	16	22	42
1. SINGLE DX	1954	5.6	18	2	3	5	7	9	12	20
2. MULTIPLE DX	2845	8.3	48	2	3	6	10	15	21	36
A. NOT OPERATED	2844	7.4	38	2	2	6	9	14	17	31
B. OPERATED	1955	6.9	37	3	3	5	7	12	17	33
TOTAL 0-19 YRS	262	6.3	37	2	2	4	7	13	17	27
20-34	1200	6.2	23	2	3	5	7	11	14	27
35-49	1246	6.2	19	2	3	5	7	11	14	25
50-64	1137	7.2	36	2	3	6	9	13	16	27
65+	954	10.0	72	3	3	8	12	19	26	44
GRAND TOTAL	**4799**	**7.2**	**37**	**2**	**3**	**5**	**8**	**13**	**17**	**31**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	6.3	12	2	2	6	8	11	13	17
20-34	580	5.7	10	2	2	5	7	9	12	17
35-49	773	6.5	17	2	3	6	8	11	13	20
50-64	1119	7.1	17	2	3	6	9	12	14	21
65+	936	7.8	21	3	3	7	10	13	15	26
B. *Operated*										
0-19 YRS	4	7.8	18	2	2	8	10	12	12	12
20-34	6	11.0	58	6	6	8	12	25	26	26
35-49	10	5.6	6	2	2	6	7	9	9	9
50-64	22	7.7	24	2	3	6	10	15	19	20
65+	30	10.0	61	2	2	8	14	19	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	452	6.1	24	1	2	5	8	11	14	32
20-34	1198	6.5	16	2	3	6	8	11	14	21
35-49	2703	7.5	22	2	3	6	9	13	16	26
50-64	5695	8.2	28	3	3	7	10	14	17	29
65+	6796	9.3	44	3	4	8	11	16	21	36
B. *Operated*										
0-19 YRS	22	7.8	45	2	2	6	9	21	22	23
20-34	137	10.0	89	2	2	7	12	21	25	49
35-49	391	12.1	98	2	3	9	16	24	32	68
50-64	783	13.1	106	3	4	11	16	24	34	64
65+	826	15.7	152	3	4	12	19	31	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4034	6.8	17	2	3	6	8	11	14	21
B. *Operated*	72	8.7	41	2	2	7	11	18	20	35
2. MULTIPLE DX										
A. *Not Operated*	16844	8.4	34	3	3	7	10	15	18	31
B. *Operated*	2159	13.7	123	3	4	11	17	27	36	70
1. SINGLE DX	4106	6.8	17	2	3	6	8	12	14	21
2. MULTIPLE DX	19003	9.0	47	3	3	7	11	16	21	37
A. NOT OPERATED	20878	8.1	31	2	3	7	10	14	17	29
B. OPERATED	2231	13.5	121	3	4	11	17	27	36	66
TOTAL 0-19 YRS	1104	6.2	18	2	2	5	8	11	13	21
20-34	1921	6.5	21	2	2	6	8	11	14	22
35-49	3877	7.7	31	2	3	7	9	13	18	31
50-64	7619	8.5	37	3	3	7	10	15	19	34
65+	8588	9.8	56	3	4	8	12	17	23	40
GRAND TOTAL	**23109**	**8.6**	**42**	**2**	**3**	**7**	**10**	**15**	**20**	**35**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	693	5.0	14	1	2	4	6	9	11	20
20-34	538	5.0	9	2	2	4	7	9	11	14
35-49	235	6.6	14	2	3	6	9	11	14	17
50-64	201	7.0	17	2	3	6	9	12	15	22
65+	159	8.7	42	3	3	7	10	15	19	36
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	6.6	13	3	3	5	10	11	11	11
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	3	9.0	3	7	7	10	10	10	10	10
65+	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	5.6	14	2	2	5	7	11	13	16
20-34	660	6.7	28	2	2	5	8	12	17	31
35-49	564	8.3	30	2	3	7	10	16	19	28
50-64	627	10.0	49	3	4	9	13	18	21	33
65+	649	12.1	96	3	5	10	15	22	28	57
B. *Operated*										
0-19 YRS	17	10.0	16	3	7	10	12	16	18	18
20-34	49	13.1	60	4	5	11	17	22	34	37
35-49	55	14.2	81	5	5	12	19	24	29	54
50-64	68	18.7	164	6	8	15	22	34	45	97
65+	68	23.0	179	8	10	19	29	43	50	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1826	5.8	17	2	2	5	7	10	13	20
B. *Operated*	14	8.0	12	3	4	8	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	2954	8.7	51	2	3	7	11	16	21	39
B. *Operated*	257	17.3	137	5	6	14	21	32	42	63
1. SINGLE DX	1840	5.8	17	2	2	5	7	10	13	20
2. MULTIPLE DX	3211	9.4	63	2	3	7	12	18	23	47
A. NOT OPERATED	4780	7.6	40	2	2	6	10	14	18	32
B. OPERATED	271	16.8	135	5	6	14	21	32	40	62
TOTAL 0-19 YRS	1165	5.3	14	1	2	4	7	10	12	19
20-34	1252	6.2	23	2	2	5	8	11	15	29
35-49	857	8.2	32	2	3	7	10	15	19	28
50-64	899	10.0	58	3	3	8	13	18	22	39
65+	878	12.4	104	3	4	10	15	22	31	57
GRAND TOTAL	**5051**	**8.1**	**49**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	5.5	11	1	2	5	7	10	12	16
20-34	188	5.6	12	2	2	5	7	9	12	16
35-49	256	6.5	13	2	3	6	8	12	14	18
50-64	417	7.4	22	3	3	6	9	13	17	25
65+	324	7.9	23	3	3	7	10	14	16	28
B. *Operated*										
0-19 YRS	6	6.8	82	1	1	2	10	23	24	24
20-34	34	5.2	44	1	1	3	6	15	25	27
35-49	20	6.9	21	1	2	6	9	14	17	18
50-64	88	9.3	157	1	1	5	10	21	32	64
65+	77	9.1	125	2	2	5	11	16	34	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	6.2	19	2	2	5	8	12	15	23
20-34	536	7.2	34	2	2	6	9	13	17	33
35-49	987	7.9	24	3	3	7	10	14	17	26
50-64	2236	8.8	35	[illegible]	4	7	11	15	19	33
65+	2531	9.9	51	[illegible]	4	8	12	18	22	40
B. *Operated*										
0-19 YRS	11	8.4	20	3	5	7	9	16	19	19
20-34	158	13.7	133	2	3	10	17	31	38	56
35-49	327	16.5	191	4	5	12	21	35	46	70
50-64	872	17.5	210	3	4	13	23	38	49	70
65+	976	21.1	269	3	5	16	28	43	57	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1318	6.9	19	2	3	6	8	12	15	24
B. *Operated*	225	8.3	116	1	1	5	9	18	27	61
2. MULTIPLE DX										
A. *Not Operated*	6409	8.9	40	3	3	7	11	16	20	34
B. *Operated*	2344	18.6	231	3	4	14	24	40	51	74
1. SINGLE DX	1543	7.1	33	2	3	6	8	13	16	28
2. MULTIPLE DX	8753	11.5	110	3	4	8	14	22	33	60
A. NOT OPERATED	7727	8.6	37	3	3	7	10	15	19	33
B. OPERATED	2569	17.7	229	3	4	13	23	39	50	73
TOTAL 0-19 YRS	269	5.9	16	1	2	5	7	11	14	21
20-34	916	7.9	54	2	2	6	9	15	20	42
35-49	1590	9.4	69	3	3	7	11	17	24	49
50-64	3613	10.8	93	3	4	8	13	21	30	56
65+	3908	12.5	129	3	4	9	15	25	35	65
GRAND TOTAL	**10296**	**10.8**	**100**	**3**	**3**	**8**	**13**	**21**	**31**	**57**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	33	2	2	3	5	15	18	18
20-34	34	3.7	5	<1	1	3	4	7	9	9
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	50	4.6	5	1	2	5	6	8	8	10
20-34	288	4.5	9	1	1	5	6	8	9	14
35-49	19	4.5	9	<1	<1	5	7	9	9	9
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	7	1	1	4	5	7	10	11
20-34	29	4.5	8	1	1	4	5	8	11	14
35-49	10	9.1	59	1	2	6	15	21	24	24
50-64	3	8.0	9	5	5	8	10	11	11	11
65+										
B. *Operated*										
0-19 YRS	62	4.7	8	1	1	5	6	8	10	13
20-34	515	4.9	11	<1	1	5	7	8	11	17
35-49	62	6.6	15	1	2	7	8	10	15	20
50-64	5	5.2	12	1	1	7	8	8	8	8
65+	3	10.0	27	7	7	7	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.8	9	<1	2	3	4	7	9	18
B. *Operated*	359	4.5	8	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	57	5.4	19	1	1	4	6	11	15	24
B. *Operated*	647	5.1	12	<1	1	5	7	8	11	17
1. SINGLE DX	404	4.5	9	1	1	4	6	8	9	14
2. MULTIPLE DX	704	5.1	12	<1	1	5	7	9	11	18
A. NOT OPERATED	102	4.7	15	1	1	4	5	9	12	21
B. OPERATED	1006	4.9	10	1	1	5	7	8	10	16
TOTAL 0-19 YRS	134	4.6	8	1	1	5	6	8	10	14
20-34	866	4.7	10	<1	1	5	7	8	10	15
35-49	94	6.3	19	1	2	6	8	10	16	22
50-64	9	5.8	12	1	1	7	8	10	11	11
65+	5	8.2	21	4	4	7	9	16	16	16
GRAND TOTAL	**1108**	**4.9**	**11**	**1**	**1**	**5**	**7**	**8**	**10**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	3.6	12	1	1	3	4	6	9	20
20-34	273	5.0	28	1	2	4	6	9	11	16
35-49	229	4.8	15	1	1	4	6	9	12	20
50-64	176	4.6	8	1	2	4	6	8	10	15
65+	157	5.8	19	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	24	5.8	17	1	2	4	8	12	15	16
20-34	53	6.8	21	2	2	6	10	12	15	24
35-49	50	7.7	59	2	3	6	9	14	16	54
50-64	46	7.4	43	1	2	6	8	14	25	34
65+	26	8.8	59	1	2	7	9	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	3.8	9	1	1	3	5	7	9	19
20-34	513	5.4	21	1	2	4	6	10	13	25
35-49	629	6.2	39	1	2	4	7	11	16	39
50-64	809	7.1	46	1	2	5	9	13	18	37
65+	1211	8.1	45	2	3	6	10	16	20	36
B. *Operated*										
0-19 YRS	28	10.6	347	1	1	5	8	29	50	91
20-34	98	8.7	56	1	2	7	13	19	24	70
35-49	111	9.2	45	1	1	8	12	19	24	62
50-64	161	12.4	90	3	4	10	16	24	32	64
65+	150	16.6	199	4	5	12	21	36	47	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	4.7	18	1	1	4	6	9	11	18
B. *Operated*	199	7.3	40	1	2	6	9	13	17	32
2. MULTIPLE DX										
A. *Not Operated*	3370	6.8	40	1	2	5	8	13	18	35
B. *Operated*	548	12.2	126	1	3	9	16	24	35	91
1. SINGLE DX	1266	5.1	22	1	2	4	6	9	13	25
2. MULTIPLE DX	3918	7.6	55	1	2	5	9	15	21	41
A. NOT OPERATED	4437	6.3	35	1	2	5	8	12	16	30
B. OPERATED	747	10.9	108	1	2	8	14	23	33	66
TOTAL 0-19 YRS	492	4.2	32	1	1	3	5	7	10	25
20-34	937	5.7	28	1	2	4	7	11	15	30
35-49	1019	6.3	37	1	2	5	8	12	16	38
50-64	1192	7.5	51	1	2	6	9	15	20	37
65+	1544	8.7	65	2	3	6	11	17	23	44
GRAND TOTAL	**5184**	**7.0**	**48**	**1**	**2**	**5**	**8**	**14**	**19**	**37**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	16	1	2	4	6	9	15	17
20-34	12	4.5	19	1	1	3	5	11	16	17
35-49	3	7.0	39	2	2	5	12	14	14	14
50-64	26	6.6	17	1	2	6	9	12	14	20
65+	22	12.0	60	4	5	9	15	22	31	33
B. *Operated*										
0-19 YRS	5	9.6	34	4	4	8	14	18	18	18
20-34	8	2.8	3	<1	<1	2	3	5	6	6
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	5	10.0	68	3	3	7	13	24	24	24
65+	3	15.3	5	14	14	14	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	12.7	196	3	3	7	16	23	49	70
20-34	34	8.0	33	2	2	6	10	16	21	24
35-49	52	10.2	46	2	3	8	15	20	21	32
50-64	129	10.4	101	2	3	7	12	18	30	60
65+	403	13.2	127	3	4	10	16	24	33	62
B. *Operated*										
0-19 YRS	8	9.0	170	<1	<1	5	9	32	40	40
20-34	20	10.7	83	2	2	8	12	28	31	32
35-49	16	17.9	220	4	4	10	33	42	43	43
50-64	37	21.4	141	3	6	21	29	40	41	45
65+	67	20.2	134	7	8	18	27	34	48	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	7.6	37	1	2	6	9	16	19	32
B. *Operated*	24	7.7	38	1	2	5	12	18	20	24
2. MULTIPLE DX										
A. *Not Operated*	670	12.1	118	3	4	9	15	23	31	63
B. *Operated*	148	18.4	153	3	5	16	27	35	41	54
1. SINGLE DX	101	7.6	37	1	2	6	10	17	19	31
2. MULTIPLE DX	818	13.2	130	3	4	10	17	27	35	59
A. NOT OPERATED	747	11.6	112	2	3	9	15	22	31	61
B. OPERATED	172	16.9	150	2	4	14	24	34	41	53
TOTAL 0-19 YRS	79	10.7	157	2	2	6	14	22	35	68
20-34	74	7.6	46	2	2	5	10	17	24	32
35-49	74	11.6	91	2	3	8	16	22	37	43
50-64	197	11.9	118	2	3	8	15	27	34	52
65+	495	14.1	130	4	4	11	18	27	34	60
GRAND TOTAL	**919**	**12.6**	**123**	**2**	**3**	**9**	**16**	**26**	**34**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	8.7	34	1	2	7	13	16	20	22
20-34	5	10.8	43	3	3	9	17	19	19	19
35-49	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	12.5	4	11	11	12	14	15	15	15
20-34	5	3.6	3	2	2	3	5	6	6	6
35-49	14	2.9	2	1	2	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	10.5	43	2	3	10	14	19	22	32
20-34	29	10.4	50	3	3	8	13	21	26	29
35-49	6	8.0	15	4	4	8	11	13	13	13
B. *Operated*										
0-19 YRS	17	13.0	46	3	4	14	17	26	71	99+
20-34	10	9.4	160	1	1	5	11	29	43	43
35-49	10	3.4	3	2	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	8.7	35	1	2	7	13	17	19	22
B. *Operated*	23	4.7	16	1	2	3	6	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	177	10.4	43	2	3	9	14	20	22	32
B. *Operated*	37	9.4	78	2	2	7	15	21	37	99+
1. SINGLE DX	72	7.4	32	1	2	6	12	15	19	22
2. MULTIPLE DX	214	10.2	49	2	2	9	14	20	23	37
A. NOT OPERATED	226	10.0	42	2	3	9	14	19	22	31
B. OPERATED	60	7.6	59	2	2	4	13	17	25	94
TOTAL 0-19 YRS	206	10.4	42	2	3	10	14	19	22	33
20-34	49	9.5	67	2	2	7	12	20	26	43
35-49	31	4.0	9	2	2	3	5	8	11	13
GRAND TOTAL	**286**	**9.5**	**46**	**2**	**2**	**8**	**14**	**19**	**22**	**33**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.1	7	<1	1	2	4	5	8	14
20-34	41	4.5	14	1	1	3	6	9	12	18
35-49	26	4.0	7	1	1	4	6	8	9	11
50-64	13	7.3	51	2	2	4	11	16	25	27
65+	4	5.3	5	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	20	9.4	5	7	7	9	10	13	14	15
20-34	332	9.4	13	6	6	9	11	13	17	22
35-49	206	9.7	13	6	6	9	12	14	18	25
50-64	32	9.2	10	5	6	9	11	13	16	17
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	13	1	2	4	6	10	11	21
20-34	137	5.9	43	1	1	4	7	11	15	36
35-49	210	5.8	24	1	2	4	7	12	15	29
50-64	174	6.5	21	2	2	5	9	13	17	20
65+	88	9.3	84	2	3	7	11	18	25	54
B. *Operated*										
0-19 YRS	20	9.7	26	2	3	9	12	16	19	22
20-34	366	10.8	47	5	6	9	12	17	22	52
35-49	410	12.3	62	5	7	10	14	19	25	47
50-64	117	13.6	128	3	4	11	15	29	41	55
65+	16	12.8	132	3	3	8	20	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.4	15	1	1	3	5	9	12	21
B. *Operated*	592	9.5	13	6	6	9	11	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	664	6.4	36	1	2	5	8	13	17	31
B. *Operated*	929	11.8	65	4	6	10	13	19	27	47
1. SINGLE DX	706	8.6	17	2	4	8	10	13	16	22
2. MULTIPLE DX	1593	9.6	60	2	3	8	12	17	22	44
A. NOT OPERATED	778	6.1	33	1	2	4	7	12	16	28
B. OPERATED	1521	10.9	46	5	6	9	12	17	22	43
TOTAL 0-19 YRS	125	5.9	19	1	1	4	9	12	14	21
20-34	876	9.2	36	2	3	8	11	15	18	34
35-49	852	9.8	47	2	3	9	12	17	20	39
50-64	336	9.3	68	2	3	7	12	17	22	44
65+	110	9.6	88	2	3	7	11	21	32	50
GRAND TOTAL	**2299**	**9.3**	**47**	**2**	**3**	**8**	**11**	**16**	**20**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	4.3	11	1	1	3	6	8	10	19
20-34	86	5.0	20	1	1	4	6	8	14	28
35-49	92	5.6	17	1	2	4	7	10	12	25
50-64	62	5.5	28	1	1	4	7	9	11	31
65+	39	5.8	26	1	1	4	8	10	16	27
B. *Operated*										
0-19 YRS	52	5.1	31	1	1	4	7	10	12	36
20-34	81	4.4	8	1	2	3	6	8	10	14
35-49	75	4.1	9	1	1	3	6	9	10	14
50-64	97	5.4	22	1	2	3	9	13	14	22
65+	43	6.8	44	1	2	5	9	16	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	5.4	41	1	2	4	6	11	14	68
20-34	234	6.1	32	1	2	5	7	12	18	32
35-49	339	6.5	31	2	2	5	8	12	15	34
50-64	333	7.4	39	2	3	5	9	15	20	32
65+	300	9.6	63	2	3	7	12	19	25	40
B. *Operated*										
0-19 YRS	51	5.4	45	1	1	4	7	11	17	99
20-34	125	8.0	35	2	2	7	10	14	16	33
35-49	190	8.7	76	2	2	6	10	17	25	48
50-64	165	9.1	83	2	2	6	11	18	26	55
65+	161	12.7	121	2	3	11	16	24	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	5.1	19	1	1	4	6	9	11	27
B. *Operated*	348	5.0	21	1	1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1361	7.2	43	2	2	5	9	14	20	38
B. *Operated*	692	9.3	82	1	2	7	12	18	27	54
1. SINGLE DX	753	5.0	19	1	1	4	6	10	12	27
2. MULTIPLE DX	2053	7.9	57	2	2	6	10	16	22	43
A. NOT OPERATED	1766	6.7	38	1	2	5	8	13	19	34
B. OPERATED	1040	7.9	66	1	2	6	10	16	22	46
TOTAL 0-19 YRS	384	5.0	30	1	1	4	6	10	12	42
20-34	526	6.1	28	1	2	5	8	12	15	30
35-49	696	6.8	41	1	2	5	8	13	17	38
50-64	657	7.4	48	2	2	5	9	14	20	31
65+	543	10.0	80	2	3	7	13	20	27	45
GRAND TOTAL	**2806**	**7.2**	**49**	**1**	**2**	**5**	**9**	**14**	**20**	**39**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	20	4.7	11	1	1	4	5	9	13	15
35-49	63	5.1	12	2	2	4	7	9	11	21
50-64	93	5.3	9	2	2	4	7	9	11	15
65+	85	5.8	13	2	2	5	7	10	13	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	7.1	18	3	3	5	11	14	14	14
35-49	13	4.1	5	2	2	3	7	7	7	7
50-64	7	6.6	19	2	2	7	11	12	12	12
65+	18	3.6	6	1	1	3	5	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	15	2	2	4	9	12	12	12
20-34	35	6.1	19	2	2	4	8	14	15	19
35-49	136	6.4	29	2	3	5	8	10	15	35
50-64	336	7.4	30	2	3	6	9	13	18	28
65+	484	8.3	35	2	3	7	11	16	19	27
B. *Operated*										
0-19 YRS										
20-34	5	8.0	29	4	4	7	10	17	17	17
35-49	26	10.3	112	2	2	8	11	22	36	50
50-64	43	11.3	94	2	2	8	16	21	28	52
65+	48	12.4	85	3	4	9	17	24	32	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	5.4	11	2	2	4	7	10	12	16
B. *Operated*	46	4.7	11	1	2	4	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	997	7.6	32	2	3	6	9	14	18	28
B. *Operated*	122	11.4	91	2	3	8	15	23	32	51
1. SINGLE DX	309	5.3	11	2	2	4	7	10	12	16
2. MULTIPLE DX	1119	8.0	40	2	3	6	10	15	20	34
A. NOT OPERATED	1260	7.2	29	2	3	6	9	13	17	27
B. OPERATED	168	9.5	78	2	2	7	12	20	25	49
TOTAL 0-19 YRS	9	5.0	12	2	2	4	7	11	12	12
20-34	67	5.9	17	2	2	5	7	14	15	19
35-49	238	6.4	34	2	2	5	8	10	14	35
50-64	479	7.3	33	2	3	6	9	13	18	32
65+	635	8.1	38	2	3	6	10	16	19	29
GRAND TOTAL	**1428**	**7.4**	**35**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.6	10	1	1	3	4	7	12	16
20-34	76	4.4	58	<1	1	3	5	7	11	53
35-49	60	4.8	16	1	1	4	6	9	11	25
50-64	87	4.4	7	1	1	4	6	8	9	12
65+	176	6.7	15	2	2	6	9	12	14	19
B. *Operated*										
0-19 YRS	4	6.0	9	3	3	5	8	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	9.0	16	6	6	8	10	16	16	16
65+	2	15.0	2	14	14	15	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	697	4.8	25	1	2	3	5	9	13	32
20-34	423	4.9	17	1	2	4	6	9	13	22
35-49	574	6.3	27	2	2	5	8	12	16	27
50-64	1049	7.5	37	2	3	6	9	15	18	33
65+	3882	10.0	70	3	3	8	12	19	25	48
B. *Operated*										
0-19 YRS	19	11.3	83	2	3	9	13	26	33	37
20-34	32	7.8	59	<1	<1	5	11	18	19	36
35-49	61	10.2	89	3	3	7	12	20	29	96
50-64	121	15.2	177	2	4	12	20	35	49	99+
65+	261	19.3	221	5	6	14	26	39	56	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	5.0	20	1	1	4	6	10	12	19
B. *Operated*	13	8.2	21	2	3	7	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	6625	8.4	57	2	2	6	10	16	22	40
B. *Operated*	494	16.1	193	3	4	12	20	35	49	99+
1. SINGLE DX	539	5.1	20	1	1	4	7	10	13	19
2. MULTIPLE DX	7119	9.0	70	2	3	7	11	17	24	47
A. NOT OPERATED	7151	8.2	55	2	2	6	10	16	21	39
B. OPERATED	507	15.9	190	3	4	12	20	35	48	99+
TOTAL 0-19 YRS	847	4.7	25	1	1	3	5	9	13	30
20-34	532	5.0	25	1	2	4	6	10	14	24
35-49	696	6.5	33	2	2	5	8	12	15	29
50-64	1262	8.0	54	2	2	6	10	16	21	42
65+	4321	10.5	82	3	3	8	13	20	27	53
GRAND TOTAL	**7658**	**8.7**	**68**	**2**	**2**	**6**	**11**	**17**	**23**	**47**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.1	7	1	2	4	5	7	9	14
20-34	53	4.2	5	1	2	4	5	7	8	11
35-49	78	5.2	7	2	2	5	7	9	10	12
50-64	69	5.8	10	2	3	5	7	10	13	16
65+	194	5.7	12	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	19	4.2	8	<1	1	3	5	9	10	11
20-34	20	5.1	12	1	2	4	7	9	13	16
35-49	33	5.4	8	2	3	5	6	11	12	12
50-64	25	7.9	25	2	3	7	11	16	18	18
65+	54	8.4	31	2	3	7	10	17	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.7	10	2	2	4	6	8	11	16
20-34	144	5.3	12	1	2	4	7	10	12	20
35-49	293	5.7	12	2	2	5	8	10	12	16
50-64	478	6.9	30	2	3	6	9	13	17	30
65+	1656	8.2	37	2	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	25	7.1	62	1	2	5	8	11	19	42
20-34	70	7.7	46	1	2	7	9	12	18	42
35-49	181	7.8	25	3	3	7	10	13	15	24
50-64	227	10.2	87	3	3	8	11	20	27	46
65+	610	11.4	59	4	5	10	14	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	5.2	9	1	2	5	7	9	11	16
B. *Operated*	151	6.7	22	2	2	5	8	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	2732	7.4	32	2	3	6	9	13	17	28
B. *Operated*	1113	10.2	61	3	4	8	12	18	23	42
1. SINGLE DX	616	5.6	13	1	2	5	7	10	13	18
2. MULTIPLE DX	3845	8.2	42	2	3	7	10	15	19	32
A. NOT OPERATED	3197	7.0	29	2	2	6	9	13	16	27
B. OPERATED	1264	9.8	57	3	3	8	12	17	22	39
TOTAL 0-19 YRS	276	4.7	14	1	2	4	6	8	11	16
20-34	287	5.6	20	1	2	5	7	10	13	23
35-49	585	6.3	16	2	2	5	8	11	13	19
50-64	799	7.8	47	2	3	6	9	14	18	38
65+	2514	8.8	43	2	3	7	11	16	20	32
GRAND TOTAL	**4461**	**7.8**	**38**	**2**	**3**	**6**	**10**	**14**	**18**	**31**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	5.0	13	1	2	4	6	9	11	17
20-34	529	5.9	24	1	2	5	8	10	13	17
35-49	93	6.4	16	1	2	6	9	11	14	19
50-64	8	4.1	7	1	1	3	6	8	9	9
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	8	5.9	33	1	1	3	9	15	16	16
20-34	13	10.6	27	3	5	10	12	17	23	24
35-49	5	5.8	28	2	2	4	7	15	15	15
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	442	6.4	29	2	2	5	8	11	14	27
20-34	651	8.2	36	2	3	7	10	15	19	28
35-49	162	8.1	25	2	3	7	11	14	19	24
50-64	36	9.8	69	3	3	7	11	19	33	36
65+	13	8.7	28	2	2	8	12	17	19	19
B. *Operated*										
0-19 YRS	33	11.5	103	1	2	10	15	21	35	49
20-34	75	11.4	67	2	3	9	15	24	29	37
35-49	27	9.9	72	2	2	7	14	19	25	41
50-64	13	13.4	109	3	4	11	18	27	38	41
65+	6	10.5	52	4	4	9	15	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	5.6	19	1	2	5	7	10	12	17
B. *Operated*	27	8.0	32	2	2	7	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	1304	7.6	34	2	3	6	10	14	17	28
B. *Operated*	154	11.3	77	2	3	9	15	22	29	41
1. SINGLE DX	1082	5.6	19	1	2	5	7	10	12	18
2. MULTIPLE DX	1458	8.0	40	2	3	6	10	15	19	34
A. NOT OPERATED	2359	6.7	28	2	2	5	9	12	15	25
B. OPERATED	181	10.8	72	2	3	9	14	22	27	41
TOTAL 0-19 YRS	907	5.9	26	1	2	5	7	11	13	27
20-34	1268	7.4	35	2	2	6	9	14	17	28
35-49	287	7.7	27	1	2	7	10	14	18	24
50-64	58	9.7	74	2	3	7	12	20	32	41
65+	20	9.1	32	2	3	8	13	17	20	22
GRAND TOTAL	**2540**	**7.0**	**32**	**2**	**2**	**6**	**9**	**13**	**16**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	2.9	11	<1	<1	1	3	7	10	19
20-34	82	4.0	12	1	1	3	5	9	10	16
35-49	114	4.9	17	<1	1	4	6	9	15	21
50-64	211	4.7	18	1	1	3	7	10	13	22
65+	571	5.2	31	1	1	4	6	11	15	31
B. *Operated*										
0-19 YRS	45	6.3	48	1	1	5	7	11	16	44
20-34	43	7.3	18	2	3	7	10	11	17	21
35-49	22	9.3	30	2	3	9	11	18	22	22
50-64	83	8.3	30	2	3	7	10	15	17	30
65+	177	8.7	33	2	3	8	11	16	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	5.1	34	1	1	4	6	9	14	35
20-34	208	5.5	19	1	1	4	7	11	13	23
35-49	335	6.2	29	1	1	5	8	12	16	29
50-64	730	6.7	37	1	1	6	9	13	17	29
65+	2619	8.0	48	1	2	6	10	16	21	37
B. *Operated*										
0-19 YRS	54	8.0	63	2	2	5	10	15	18	48
20-34	97	9.5	38	2	3	9	12	18	21	32
35-49	172	11.7	64	2	4	10	14	21	26	46
50-64	316	11.8	70	2	3	10	15	23	29	40
65+	988	13.1	91	3	4	11	16	24	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1208	4.6	23	<1	1	3	6	10	13	23
B. *Operated*	370	8.2	32	2	3	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	4065	7.4	43	1	2	6	9	15	19	35
B. *Operated*	1627	12.3	81	3	4	10	15	23	29	43
1. SINGLE DX	1578	5.4	28	<1	1	4	7	11	16	25
2. MULTIPLE DX	5692	8.8	59	1	2	7	11	18	23	39
A. NOT OPERATED	5273	6.7	40	1	1	5	9	14	18	33
B. OPERATED	1997	11.6	75	3	4	9	15	22	28	42
TOTAL 0-19 YRS	502	4.5	31	<1	<1	3	6	9	13	30
20-34	430	6.3	26	1	1	5	9	12	16	24
35-49	643	7.5	43	1	2	6	10	15	20	31
50-64	1340	7.7	47	1	1	6	10	16	20	32
65+	4355	8.8	61	1	2	7	12	18	23	40
GRAND TOTAL	**7270**	**8.0**	**54**	**1**	**1**	**6**	**11**	**17**	**22**	**37**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	5	1	1	3	4	6	8	11
20-34	3	9.3	72	3	3	6	16	19	19	19
35-49	4	10.8	23	5	5	11	14	16	16	16
50-64	3	15.3	265	4	4	8	27	34	34	34
65+	2	6.5	41	2	2	6	11	11	11	11
B. *Operated*										
0-19 YRS	3	15.7	154	8	8	9	25	30	30	30
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	3.9	7	1	1	3	4	8	11	13
20-34	56	6.2	24	1	2	5	7	13	17	25
35-49	10	11.6	60	2	3	8	18	23	26	26
50-64	14	5.2	5	1	2	5	7	8	8	8
65+	6	8.3	50	3	3	5	14	19	20	20
B. *Operated*										
0-19 YRS	8	14.6	163	2	2	12	26	31	33	33
20-34	9	15.1	224	3	4	13	15	39	53	53
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64										
65+	2	9.5	1	9	9	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.0	41	1	2	4	7	13	18	34
B. *Operated*	5	13.4	111	3	3	9	20	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	155	5.5	21	1	1	4	7	11	16	25
B. *Operated*	22	13.4	149	2	3	10	17	29	41	53
1. SINGLE DX	41	6.9	53	1	2	4	8	16	24	34
2. MULTIPLE DX	177	6.5	43	1	2	4	7	14	19	31
A. NOT OPERATED	191	5.6	25	1	2	4	7	11	17	26
B. OPERATED	27	13.4	138	3	3	9	17	29	36	53
TOTAL 0-19 YRS	104	5.0	32	1	1	3	5	10	15	31
20-34	69	7.4	57	1	2	6	8	16	19	48
35-49	18	11.1	42	2	4	9	16	19	24	26
50-64	17	7.0	53	1	2	6	8	8	25	34
65+	10	8.2	33	2	2	7	11	17	20	20
GRAND TOTAL	**218**	**6.6**	**45**	**1**	**2**	**4**	**8**	**14**	**20**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	4.2	12	1	1	3	5	8	10	19
20-34	103	4.7	34	1	1	3	6	10	12	36
35-49	56	5.2	19	1	2	4	6	12	16	19
50-64	71	5.1	12	1	2	4	6	9	14	17
65+	164	5.0	19	1	1	4	7	11	12	20
B. *Operated*										
0-19 YRS	132	6.6	16	1	2	6	8	13	16	20
20-34	84	8.0	19	3	3	7	10	13	18	22
35-49	46	7.5	21	3	3	7	10	13	15	27
50-64	77	8.7	34	2	3	7	11	19	21	26
65+	73	10.1	39	3	3	9	13	21	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	5.5	47	1	2	4	6	10	16	31
20-34	147	5.9	17	2	2	5	8	11	13	23
35-49	164	6.3	23	2	2	5	8	12	15	24
50-64	367	6.7	37	1	2	5	8	14	18	35
65+	572	8.4	75	1	2	6	10	17	24	55
B. *Operated*										
0-19 YRS	75	9.3	110	1	2	6	10	18	33	62
20-34	116	9.1	33	2	3	8	12	17	20	27
35-49	126	11.9	90	2	3	9	16	26	33	44
50-64	223	12.4	95	3	4	10	16	25	33	51
65+	294	14.9	158	3	4	11	18	29	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	4.7	18	1	1	4	6	9	12	20
B. *Operated*	412	8.0	26	2	3	7	10	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	1445	7.1	51	1	2	5	9	14	19	37
B. *Operated*	834	12.5	113	2	3	9	16	26	34	56
1. SINGLE DX	1026	6.0	24	1	1	5	8	12	16	23
2. MULTIPLE DX	2279	9.1	80	1	2	7	11	19	26	50
A. NOT OPERATED	2059	6.4	42	1	1	5	8	12	18	33
B. OPERATED	1246	11.0	89	2	3	8	13	22	29	50
TOTAL 0-19 YRS	622	5.7	38	1	1	4	7	10	15	30
20-34	450	6.8	28	1	2	6	9	13	17	24
35-49	392	8.1	50	2	2	6	10	17	22	37
50-64	738	8.5	59	1	2	6	10	17	23	39
65+	1103	9.8	98	1	2	7	12	21	28	58
GRAND TOTAL	**3305**	**8.1**	**65**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	906	2.3	3	1	1	2	3	4	5	7
20-34	189	2.9	3	1	1	2	3	5	7	12
35-49	35	3.3	5	1	1	3	5	6	8	11
50-64	10	3.4	3	1	1	3	4	6	6	6
65+	5	4.0	5	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	689	4.1	5	2	2	4	5	6	8	11
20-34	208	4.8	22	2	3	4	5	7	9	15
35-49	23	5.3	5	2	3	5	7	8	9	10
50-64	8	4.6	3	3	3	4	6	7	8	8
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	3.2	30	1	1	2	4	5	6	12
20-34	106	3.2	4	1	1	3	4	6	7	9
35-49	21	4.4	4	1	2	4	5	8	8	9
50-64	15	5.0	8	2	2	5	6	10	11	11
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	248	4.9	6	2	3	4	6	8	9	15
20-34	86	5.9	10	3	3	5	7	10	13	18
35-49	16	9.0	46	2	3	6	15	15	23	26
50-64	6	5.5	3	4	4	5	7	8	8	8
65+	4	9.5	68	3	3	7	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1145	2.5	3	1	1	2	3	4	5	8
B. *Operated*	930	4.3	9	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	505	3.3	23	1	1	3	4	5	7	12
B. *Operated*	360	5.4	10	2	3	5	6	8	12	16
1. SINGLE DX	2075	3.3	7	1	1	3	4	5	7	10
2. MULTIPLE DX	865	4.2	18	1	2	4	5	7	9	15
A. NOT OPERATED	1650	2.7	9	1	1	2	3	5	6	10
B. OPERATED	1290	4.6	10	2	2	4	5	7	9	15
TOTAL 0-19 YRS	2202	3.3	9	1	1	3	4	5	7	11
20-34	589	4.1	12	1	2	3	5	7	9	14
35-49	95	5.0	15	1	2	4	6	9	14	21
50-64	39	4.6	5	1	2	4	6	8	9	11
65+	15	5.5	26	1	1	4	7	10	18	21
GRAND TOTAL	**2940**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.9	4	1	2	3	5	7	8	11
20-34	34	4.0	4	2	2	4	5	7	8	9
35-49	22	3.8	8	1	1	3	5	7	11	13
50-64	10	4.2	5	2	2	4	5	7	9	9
65+	5	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	223	3.3	7	1	1	2	4	7	9	13
20-34	160	3.6	11	1	1	2	4	7	10	21
35-49	66	3.5	9	1	1	3	4	8	9	16
50-64	44	4.6	8	1	1	4	6	9	11	11
65+	35	4.0	6	2	2	3	5	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	5.5	22	1	2	4	7	10	14	23
20-34	48	4.7	7	2	2	4	6	7	10	14
35-49	21	5.6	12	1	1	5	8	11	12	12
50-64	13	6.8	14	2	3	6	9	12	14	15
65+	22	10.5	222	2	3	5	9	25	52	65
B. *Operated*										
0-19 YRS	109	4.8	17	1	2	4	6	9	12	23
20-34	74	4.6	15	1	2	3	6	9	12	19
35-49	37	6.2	24	1	2	4	8	15	17	18
50-64	30	8.2	97	2	2	6	11	14	15	56
65+	37	7.7	49	2	2	6	8	16	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	3.9	5	1	2	3	5	7	8	11
B. *Operated*	528	3.5	9	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	247	5.9	37	2	2	4	7	10	14	39
B. *Operated*	287	5.7	31	1	2	4	7	12	15	28
1. SINGLE DX	763	3.7	7	1	1	3	5	7	9	12
2. MULTIPLE DX	534	5.7	34	1	2	4	7	11	15	29
A. NOT OPERATED	482	4.9	22	1	2	4	6	9	11	19
B. OPERATED	815	4.3	18	1	1	3	5	9	11	20
TOTAL 0-19 YRS	639	4.2	12	1	1	3	5	8	10	18
20-34	316	4.0	11	1	1	3	5	8	10	19
35-49	146	4.5	14	1	1	3	6	10	12	17
50-64	97	5.9	38	1	2	5	7	11	13	37
65+	99	6.8	74	2	2	5	7	12	22	54
GRAND TOTAL	**1297**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**11**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.8	339	1	1	5	14	24	55	85
20-34	59	10.1	133	<1	1	6	14	22	28	72
35-49	8	15.5	573	1	1	6	18	57	71	71
50-64	13	16.5	371	1	2	7	26	46	61	64
65+	28	7.8	27	2	2	7	10	13	20	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	10.0	39	5	5	8	15	17	17	17
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	10.9	159	1	1	5	18	30	39	44
20-34	54	14.5	154	2	2	10	22	32	42	50
35-49	43	14.6	278	1	2	8	21	28	49	80
50-64	52	17.0	247	1	2	14	24	40	47	77
65+	109	13.7	134	3	4	11	17	25	29	73
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	60	99+	99+	99+	99+
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	20.7	119	11	11	15	33	36	36	36
65+	16	14.1	103	4	5	12	15	26	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	10.8	192	1	2	7	13	25	31	78
B. *Operated*	5	10.0	52	2	2	8	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	276	14.4	182	1	2	11	20	29	41	73
B. *Operated*	24	15.5	111	3	5	13	20	36	59	99+
1. SINGLE DX	134	10.8	187	1	2	7	13	24	30	77
2. MULTIPLE DX	300	14.5	176	1	3	11	20	30	41	75
A. NOT OPERATED	405	13.3	188	1	2	9	18	28	40	75
B. OPERATED	29	14.5	103	2	4	13	18	34	45	99+
TOTAL 0-19 YRS	39	11.4	250	1	1	5	15	28	39	85
20-34	114	12.3	146	1	2	9	17	29	40	84
35-49	53	14.2	308	1	1	8	20	28	66	80
50-64	74	16.9	246	1	2	13	25	40	47	74
65+	154	12.7	115	3	3	10	16	24	29	72
GRAND TOTAL	**434**	**13.4**	**182**	**1**	**2**	**9**	**18**	**28**	**41**	**76**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.7	50	<1	1	2	4	6	9	46
20-34	164	5.8	84	1	1	3	6	12	19	41
35-49	86	8.6	114	1	2	5	11	19	24	63
50-64	190	10.8	102	1	2	7	15	27	33	47
65+	879	11.4	104	2	2	9	15	24	33	64
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	6.8	33	2	2	5	10	15	15	15
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	14	7.5	28	2	3	6	10	16	19	20
65+	25	16.9	301	1	3	10	22	52	54	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	7.2	74	1	1	4	9	19	23	59
20-34	318	8.0	61	1	2	5	10	17	24	45
35-49	280	10.4	83	2	3	7	14	23	31	48
50-64	607	12.8	145	2	3	9	16	26	35	77
65+	3895	12.8	122	3	4	10	16	27	36	66
B. *Operated*										
0-19 YRS	8	6.5	59	1	1	3	12	19	19	19
20-34	20	10.3	32	2	3	10	14	20	56	99+
35-49	17	18.4	272	3	4	13	22	51	58	59
50-64	66	17.5	157	4	5	14	22	38	47	54
65+	362	19.8	242	4	6	16	26	42	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1451	9.8	104	1	2	7	13	23	31	50
B. *Operated*	49	11.7	190	2	2	6	14	25	52	55
2. MULTIPLE DX										
A. *Not Operated*	5255	12.2	119	2	3	9	15	25	35	64
B. *Operated*	473	18.8	225	4	5	15	24	40	57	99+
1. SINGLE DX	1500	9.9	107	1	2	7	13	23	31	54
2. MULTIPLE DX	5728	12.8	131	2	3	9	16	27	37	70
A. NOT OPERATED	6706	11.7	117	2	3	9	15	25	34	64
B. OPERATED	522	18.2	226	3	4	14	23	40	55	99+
TOTAL 0-19 YRS	297	5.6	65	1	1	3	6	14	20	51
20-34	506	7.4	68	1	1	5	9	16	23	45
35-49	387	10.3	101	2	2	7	14	22	31	55
50-64	877	12.6	137	2	3	9	16	27	35	70
65+	5161	13.1	132	3	3	10	16	27	37	71
GRAND TOTAL	**7228**	**12.2**	**128**	**2**	**3**	**9**	**15**	**26**	**35**	**69**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	6.8	8	3	3	7	9	9	9	9
65+	84	10.5	85	2	2	9	14	21	25	84
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	3	13.0	12	9	9	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	2	44.0	1800	14	14	44	74	74	74	74
50-64	36	13.0	85	3	5	9	17	29	33	35
65+	571	13.3	134	3	4	10	17	26	32	62
B. *Operated*										
YRS										
20-34										
35-49										
50-64	2	10.5	1	10	10	10	11	11	11	11
65+	36	22.5	299	6	8	20	28	35	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	10.2	82	2	2	9	13	20	23	82
B. *Operated*	3	13.0	12	9	9	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	609	13.4	137	3	4	10	17	26	33	65
B. *Operated*	38	21.9	290	6	8	19	28	35	49	99
1. SINGLE DX	92	10.3	80	2	2	9	14	20	23	81
2. MULTIPLE DX	647	13.9	149	3	4	10	18	27	34	69
A. NOT OPERATED	698	13.0	131	2	4	10	17	25	32	66
B. OPERATED	41	21.2	274	6	8	17	27	35	46	99
TOTAL YRS										
20-34										
35-49	3	30.0	1488	2	2	14	59	74	74	74
50-64	42	12.3	77	3	5	9	15	28	32	35
65+	694	13.4	141	2	4	10	17	26	34	66
GRAND TOTAL	**739**	**13.4**	**142**	**2**	**4**	**10**	**17**	**26**	**34**	**69**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	4	5	5	5
20-34	137	4.0	13	1	1	3	5	8	10	20
35-49	348	4.5	21	1	1	3	5	8	13	26
50-64	219	6.2	77	1	1	4	7	12	16	44
65+	65	6.6	34	1	2	5	9	15	18	29
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.7	71	<1	1	2	10	19	28	29
20-34	290	5.9	18	1	2	5	7	12	16	21
35-49	808	7.1	46	2	2	5	9	15	19	39
50-64	725	8.6	67	2	2	6	11	16	22	47
65+	264	10.9	103	2	3	8	14	21	29	56
B. *Operated*										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	17	8.2	28	1	2	7	13	18	67	99+
35-49	23	12.5	50	4	5	11	17	21	26	33
50-64	37	18.2	163	4	4	15	27	39	41	42
65+	23	26.3	490	6	7	21	30	62	79	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	5.0	37	1	1	3	6	10	14	26
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2098	7.9	59	2	2	6	10	16	21	44
B. *Operated*	102	17.1	219	3	4	13	22	37	42	98
1. SINGLE DX	780	5.0	37	1	1	3	6	10	14	26
2. MULTIPLE DX	2200	8.4	70	2	2	6	10	17	23	47
A. NOT OPERATED	2876	7.2	55	1	2	5	9	15	20	40
B. OPERATED	104	16.8	219	3	4	13	22	37	42	98
TOTAL 0-19 YRS	22	6.0	64	<1	<1	2	6	17	28	29
20-34	445	5.4	18	1	1	4	7	11	15	21
35-49	1179	6.5	41	1	2	4	8	14	17	35
50-64	981	8.5	78	2	2	6	10	17	23	47
65+	353	11.1	133	2	3	8	14	23	30	66
GRAND TOTAL	**2980**	**7.5**	**63**	**1**	**2**	**5**	**9**	**15**	**21**	**43**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	6.5	52	1	1	3	10	15	24	27
20-34	52	8.0	60	1	1	5	11	21	27	29
35-49	16	8.6	31	2	4	7	12	15	21	23
50-64	16	7.5	47	2	2	5	9	15	25	29
65+	22	9.2	65	1	1	7	11	21	29	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.6	89	1	1	6	10	20	32	44
20-34	104	6.2	33	1	1	5	8	14	18	29
35-49	33	8.7	52	1	2	6	12	18	24	33
50-64	58	12.3	170	2	3	9	13	24	46	68
65+	77	9.8	54	2	3	8	11	21	27	37
B. *Operated*										
0-19 YRS	3	12.7	180	3	3	7	23	28	28	28
20-34	11	10.3	27	3	4	10	15	17	18	18
35-49	4	23.5	188	4	4	28	52	99+	99+	99+
50-64	5	14.0	100	6	6	11	18	31	31	31
65+	5	24.4	242	10	10	16	39	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	7.8	53	1	1	5	11	17	26	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	331	8.8	78	1	2	6	11	19	25	45
B. *Operated*	28	15.6	131	3	4	12	26	37	48	99+
1. SINGLE DX	142	7.8	53	1	1	5	11	17	26	29
2. MULTIPLE DX	359	9.3	85	1	2	7	12	20	29	49
A. NOT OPERATED	473	8.5	70	1	1	6	11	18	25	40
B. OPERATED	28	15.6	131	3	4	12	26	37	48	99+
TOTAL 0-19 YRS	98	8.0	78	1	1	5	10	20	27	42
20-34	167	7.0	42	1	1	5	9	16	19	29
35-49	53	9.8	67	1	3	7	13	25	32	97
50-64	79	11.4	143	2	3	8	13	23	36	65
65+	104	10.4	73	2	3	8	12	22	31	42
GRAND TOTAL	**501**	**8.9**	**76**	**1**	**2**	**6**	**11**	**19**	**28**	**44**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	16.2	282	1	2	11	22	32	56	91
20-34	1376	13.5	203	1	2	9	17	31	43	81
35-49	764	13.1	130	1	2	10	18	28	36	53
50-64	365	14.5	167	2	3	10	20	29	38	59
65+	73	13.9	99	1	2	13	19	26	34	46
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	3	30.7	6	28	28	31	32	33	33	33
35-49	4	22.0	675	2	2	13	38	60	60	60
50-64	2	13.0	128	5	5	21	80	99+	99+	99+
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	23.1	310	2	5	19	32	54	60	68
20-34	367	13.6	152	2	2	10	18	30	39	60
35-49	235	14.8	166	2	4	11	20	34	43	71
50-64	198	17.0	188	2	4	13	24	37	47	61
65+	76	18.8	231	3	5	15	26	37	48	78
B. *Operated*										
0-19 YRS	3	46.7	1664	9	9	41	78	90	90	90
20-34	21	25.7	264	7	8	23	38	55	74	99+
35-49	13	28.8	280	8	11	26	34	56	64	66
50-64	15	24.2	494	4	6	19	22	62	78	83
65+	1	13.0		13	13	56	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2741	13.7	180	1	2	10	18	30	41	74
B. *Operated*	11	25.0	285	2	4	28	37	72	96	99+
2. MULTIPLE DX										
A. *Not Operated*	923	15.5	183	2	3	11	21	34	45	65
B. *Operated*	53	27.0	393	7	8	21	40	62	88	99+
1. SINGLE DX	2752	13.7	181	1	2	10	18	30	41	77
2. MULTIPLE DX	976	16.2	201	2	3	12	21	36	48	77
A. NOT OPERATED	3664	14.2	181	1	2	10	19	31	42	72
B. OPERATED	64	26.6	370	6	7	22	40	62	91	99+
TOTAL 0-19 YRS	214	18.3	319	1	2	13	24	43	63	91
20-34	1767	13.7	195	1	2	10	18	31	43	82
35-49	1016	13.7	145	2	2	10	19	29	39	62
50-64	580	15.6	185	2	3	12	21	33	45	63
65+	151	16.5	170	2	3	14	23	33	42	81
GRAND TOTAL	**3728**	**14.4**	**187**	**1**	**2**	**10**	**19**	**31**	**43**	**77**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	20.1	409	3	3	14	28	53	91	99+
20-34	106	12.0	92	3	3	10	15	24	30	53
35-49	26	10.8	50	1	1	9	16	22	23	24
50-64	13	10.2	86	3	3	7	11	25	33	35
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	13.2	49	3	5	13	17	24	25	25
20-34	30	14.4	177	1	2	11	18	28	54	57
35-49	15	15.3	52	5	5	15	19	22	31	34
50-64	8	13.4	131	3	4	9	19	32	37	37
65+	3	22.7	137	14	14	18	31	36	36	36
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	23.0	50	18	18	23	28	28	28	28
65+	1	41.0		41	41	41	41	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	13.1	147	3	3	10	16	27	35	83
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	65	14.7	120	2	5	12	19	28	36	57
B. *Operated*	3	29.0	133	18	18	28	38	41	41	41
1. SINGLE DX	177	13.1	146	3	3	10	16	27	35	83
2. MULTIPLE DX	68	15.4	128	2	5	13	20	29	37	56
A. NOT OPERATED	241	13.5	140	2	3	11	17	27	36	60
B. OPERATED	4	23.8	199	8	8	23	34	41	41	41
TOTAL 0-19 YRS	39	18.5	331	3	3	14	24	49	75	99+
20-34	136	12.6	111	2	3	10	15	26	31	55
35-49	42	12.4	53	1	3	13	16	22	23	34
50-64	23	12.4	104	3	3	9	17	29	36	37
65+	5	23.6	198	9	9	18	37	41	41	41
GRAND TOTAL	**245**	**13.7**	**141**	**3**	**3**	**11**	**18**	**28**	**36**	**59**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	18.4	325	1	2	13	25	42	60	96
20-34	2417	13.8	199	1	2	10	18	30	42	79
35-49	1334	13.3	130	1	2	10	18	28	35	56
50-64	691	14.6	158	1	2	12	20	31	38	69
65+	127	16.8	232	1	2	14	22	39	46	77
B. *Operated*										
0-19 YRS	4	33.8	536	4	4	37	51	57	57	57
20-34	5	19.4	159	5	5	19	31	33	33	33
35-49	7	33.9	332	17	18	25	42	64	69	69
50-64	3	28.3	121	17	17	29	36	39	39	39
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	19.9	404	2	3	14	27	56	83	99+
20-34	865	14.7	201	2	3	11	20	32	46	82
35-49	682	14.4	155	2	3	10	20	30	41	74
50-64	525	14.9	158	2	4	12	20	31	38	63
65+	130	16.4	178	2	3	13	22	34	42	68
B. *Operated*										
0-19 YRS	9	40.3	941	8	8	34	73	97	99+	99+
20-34	47	22.8	225	4	8	21	28	45	55	72
35-49	48	22.4	395	4	6	15	29	44	61	95
50-64	41	24.7	283	3	7	23	35	47	63	64
65+	8	24.1	102	9	10	25	33	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4980	14.2	188	1	2	10	19	30	42	75
B. *Operated*	20	28.1	296	4	6	26	39	51	63	69
2. MULTIPLE DX										
A. *Not Operated*	2359	15.1	192	2	3	11	20	32	43	84
B. *Operated*	153	24.3	336	4	8	21	32	47	64	95
1. SINGLE DX	5000	14.3	189	1	2	10	20	30	42	74
2. MULTIPLE DX	2512	15.7	205	2	3	11	21	34	45	87
A. NOT OPERATED	7339	14.5	189	1	2	11	20	31	42	77
B. OPERATED	173	24.7	331	4	8	21	34	47	64	95
TOTAL 0-19 YRS	581	19.3	363	2	3	13	26	48	73	99+
20-34	3334	14.2	201	1	2	10	19	30	43	79
35-49	2071	13.9	148	2	3	10	19	29	39	61
50-64	1260	15.1	165	2	3	12	21	32	39	64
65+	266	16.8	201	1	2	13	23	35	43	70
GRAND TOTAL	**7512**	**14.8**	**195**	**1**	**2**	**11**	**20**	**31**	**43**	**77**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	7.4	96	2	2	3	7	18	26	53
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	23.7	819	3	3	15	19	75	89	89
B. *Operated*										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	7.4	96	2	2	3	7	18	26	53
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	23.7	819	3	3	15	19	75	89	89
B. *Operated*										
1. SINGLE DX	43	7.4	96	2	2	3	7	18	26	53
2. MULTIPLE DX	10	23.7	819	3	3	15	19	75	89	89
A. NOT OPERATED	53	10.5	261	2	3	3	13	22	50	88
B. OPERATED										
TOTAL 0-19 YRS	53	10.5	261	2	3	3	13	22	50	88
GRAND TOTAL	**53**	**10.5**	**261**	**2**	**3**	**3**	**13**	**22**	**50**	**88**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	11.5	220	1	1	7	14	29	38	99
20-34	498	10.5	118	1	2	7	15	23	31	59
35-49	542	13.6	174	1	2	10	19	29	38	69
50-64	639	16.6	174	3	4	13	22	33	41	76
65+	397	18.8	194	3	4	16	25	37	48	67
B. *Operated*										
0-19 YRS										
20-34	1	34.0		34	34	34	34	34	34	34
35-49	5	25.8	666	6	6	14	44	66	66	66
50-64	9	15.9	165	5	5	9	25	36	40	40
65+	7	28.6	115	8	11	30	36	38	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	16.6	424	1	2	9	25	48	78	99+
20-34	379	10.8	143	1	2	7	13	27	38	66
35-49	548	12.7	144	2	3	8	16	29	36	59
50-64	592	15.4	193	2	4	11	20	33	43	81
65+	558	17.4	199	3	4	13	23	36	45	73
B. *Operated*										
0-19 YRS	4	36.5	232	22	22	33	46	58	58	58
20-34	19	22.9	268	2	4	19	34	47	56	59
35-49	34	24.9	298	5	7	20	42	52	60	64
50-64	45	19.8	201	4	6	17	22	47	53	66
65+	50	27.5	290	6	8	26	38	50	59	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2143	14.7	175	2	3	11	20	31	40	69
B. *Operated*	22	23.0	262	5	6	22	36	39	50	66
2. MULTIPLE DX										
A. *Not Operated*	2138	14.5	185	2	3	10	19	32	42	73
B. *Operated*	152	24.3	268	5	6	20	34	50	58	66
1. SINGLE DX	2165	14.8	176	2	3	11	21	31	40	69
2. MULTIPLE DX	2290	15.1	197	2	3	10	20	33	44	72
A. NOT OPERATED	4281	14.6	180	2	3	10	20	31	40	72
B. OPERATED	174	24.1	266	5	6	20	35	49	58	66
TOTAL 0-19 YRS	132	14.6	332	1	2	8	21	37	58	99+
20-34	897	10.9	135	1	2	7	15	26	34	61
35-49	1129	13.5	169	2	2	9	18	30	39	66
50-64	1285	16.2	184	3	4	12	22	33	43	75
65+	1012	18.6	205	3	4	15	26	37	48	72
GRAND TOTAL	**4455**	**14.9**	**187**	**2**	**3**	**11**	**20**	**33**	**42**	**71**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	20.6	358	2	3	16	28	46	66	96
20-34	643	13.9	161	1	2	10	19	31	38	71
35-49	598	13.5	121	2	3	11	18	28	34	56
50-64	395	15.0	120	2	3	13	21	29	36	52
65+	140	18.9	263	3	4	15	24	43	49	93
B. *Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	2	18.0	72	12	12	24	81	99+	99+	99+
35-49	2	10.0		10	10	10	10	10	10	10
50-64	7	23.4	300	3	4	27	32	49	53	53
65+	2	25.0	50	20	20	25	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	16.8	217	1	3	14	24	43	55	99+
20-34	255	15.3	177	2	3	11	21	35	46	70
35-49	285	14.4	141	2	3	12	20	29	38	99
50-64	322	17.1	155	3	4	14	22	34	43	58
65+	196	17.5	236	2	5	14	22	35	46	91
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	18	26.4	238	7	9	22	37	50	53	53
35-49	18	21.7	195	5	7	18	28	46	49	51
50-64	21	22.3	151	6	10	23	28	44	78	99+
65+	27	29.9	388	7	9	26	44	52	68	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1858	14.7	159	2	3	11	20	31	39	71
B. *Operated*	14	22.1	200	4	8	24	33	53	88	99+
2. MULTIPLE DX										
A. *Not Operated*	1096	16.0	174	2	4	13	21	34	44	72
B. *Operated*	85	25.6	257	7	8	22	36	50	55	95
1. SINGLE DX	1872	14.7	160	2	3	11	20	31	40	71
2. MULTIPLE DX	1181	16.7	186	2	4	13	22	36	46	82
A. NOT OPERATED	2954	15.2	165	2	3	12	21	32	41	71
B. OPERATED	99	25.1	248	6	8	22	35	50	58	99+
TOTAL 0-19 YRS	122	19.7	315	2	3	15	28	45	62	99+
20-34	918	14.5	170	1	2	11	20	33	41	72
35-49	903	14.0	129	2	3	11	19	28	36	66
50-64	745	16.2	139	2	4	14	22	32	42	59
65+	365	19.0	265	3	4	15	24	40	50	91
GRAND TOTAL	**3053**	**15.5**	**171**	**2**	**3**	**12**	**21**	**33**	**42**	**71**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	13.7	212	1	2	10	17	33	47	99+
20-34	608	11.4	152	1	2	8	14	24	39	73
35-49	457	14.4	187	1	2	10	21	32	41	67
50-64	397	14.7	186	1	2	10	20	32	41	68
65+	263	16.0	189	1	2	12	24	36	43	64
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	8.0	57	2	2	5	12	19	19	19
50-64	9	15.4	296	3	3	9	20	46	52	52
65+	12	10.7	54	3	4	8	13	22	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	11.7	119	1	2	8	17	32	41	99+
20-34	338	13.6	176	1	2	9	18	30	43	75
35-49	349	13.5	150	1	2	11	19	28	35	70
50-64	444	15.7	241	2	3	11	20	33	52	84
65+	775	14.0	162	2	3	10	18	30	42	62
B. *Operated*										
0-19 YRS	8	13.1	65	3	3	18	21	70	99+	99+
20-34	16	29.6	687	2	2	22	53	69	78	81
35-49	31	30.2	841	2	4	21	46	95	99	99+
50-64	41	18.6	395	4	5	12	20	40	69	94
65+	90	18.8	222	3	6	15	26	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	13.7	180	1	2	10	19	31	42	69
B. *Operated*	26	11.8	133	3	3	8	14	28	40	52
2. MULTIPLE DX										
A. *Not Operated*	1998	14.1	179	2	3	10	19	31	41	72
B. *Operated*	186	21.3	413	3	4	15	28	59	90	99+
1. SINGLE DX	1910	13.6	180	1	2	9	19	30	42	69
2. MULTIPLE DX	2184	14.7	202	2	3	11	19	32	44	84
A. NOT OPERATED	3882	13.9	179	1	2	10	19	31	42	70
B. OPERATED	212	20.2	388	3	4	14	26	54	87	99+
TOTAL 0-19 YRS	259	13.0	175	1	2	9	17	33	45	99+
20-34	963	12.5	175	1	2	8	16	28	42	77
35-49	841	14.6	203	1	2	11	21	31	42	91
50-64	891	15.4	224	2	3	11	20	33	43	79
65+	1140	14.8	174	2	3	11	20	33	43	65
GRAND TOTAL	**4094**	**14.2**	**192**	**1**	**2**	**10**	**19**	**31**	**43**	**78**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	4.9	85	<1	1	3	4	9	17	49
20-34	681	6.0	43	1	1	4	7	13	21	36
35-49	538	6.7	66	1	1	4	8	15	21	49
50-64	286	5.8	36	1	1	4	7	11	17	48
65+	116	5.4	18	1	1	4	7	10	15	23
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	27	4.0	32	1	2	2	2	10	15	29
35-49	22	5.1	31	2	2	4	5	8	18	28
50-64	6	8.2	120	1	1	4	7	28	30	30
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	5.0	46	1	1	3	5	9	15	38
20-34	967	6.3	41	1	2	4	8	13	18	33
35-49	1079	6.9	46	1	2	5	8	14	20	33
50-64	870	7.0	45	1	2	5	9	13	19	34
65+	565	6.5	38	1	2	5	8	12	18	30
B. *Operated*										
0-19 YRS	17	7.1	106	<1	1	3	8	19	34	41
20-34	89	6.1	54	1	1	4	8	14	19	42
35-49	72	10.0	64	2	2	7	14	23	26	37
50-64	65	11.9	78	2	2	10	16	25	29	41
65+	23	8.6	23	3	4	7	11	15	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1804	6.0	52	1	1	4	7	13	19	38
B. *Operated*	57	5.3	44	2	2	2	5	11	26	30
2. MULTIPLE DX										
A. *Not Operated*	3687	6.6	43	1	2	5	8	13	19	33
B. *Operated*	266	8.8	68	1	2	7	12	20	25	41
1. SINGLE DX	1861	6.0	51	1	1	4	7	13	19	38
2. MULTIPLE DX	3953	6.7	45	1	2	5	8	14	19	34
A. NOT OPERATED	5491	6.4	46	1	2	4	8	13	19	35
B. OPERATED	323	8.2	65	1	2	6	11	19	25	39
TOTAL 0-19 YRS	407	5.1	66	1	1	3	5	9	18	41
20-34	1764	6.2	42	1	1	4	8	13	19	34
35-49	1711	6.9	53	1	2	5	8	15	21	36
50-64	1227	6.9	46	1	2	5	9	14	20	39
65+	705	6.4	34	1	2	5	8	12	17	28
GRAND TOTAL	**5814**	**6.5**	**47**	**1**	**2**	**4**	**8**	**13**	**19**	**35**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	458	12.1	215	1	2	7	15	30	51	99+
20-34	2744	10.1	118	1	2	7	13	22	33	56
35-49	2241	11.4	119	2	2	8	15	24	32	57
50-64	1107	13.0	126	2	3	10	17	28	36	59
65+	495	12.6	92	2	3	10	17	25	33	46
B. *Operated*										
0-19 YRS	3	19.0	309	6	6	12	32	39	39	39
20-34	17	17.4	316	1	3	13	24	35	60	73
35-49	16	12.9	124	2	2	9	17	35	38	38
50-64	10	15.3	147	4	4	15	18	32	45	45
65+	2	10.0	32	6	6	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	440	12.0	161	1	2	8	17	29	38	99+
20-34	2673	10.9	115	1	2	8	14	24	32	61
35-49	2497	11.1	107	2	3	8	14	24	31	51
50-64	1870	12.3	123	3	3	9	15	27	34	59
65+	1178	13.7	164	3	4	10	17	28	39	72
B. *Operated*										
0-19 YRS	15	18.9	207	2	3	19	31	46	84	99+
20-34	193	18.5	257	3	4	14	25	39	53	84
35-49	218	20.6	211	5	6	17	29	40	54	99+
50-64	170	20.4	192	6	7	17	25	39	53	69
65+	77	22.5	351	4	5	18	29	42	63	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7045	11.3	125	1	2	8	15	25	33	59
B. *Operated*	48	15.3	195	2	3	11	18	37	40	73
2. MULTIPLE DX										
A. *Not Operated*	8658	11.7	124	2	3	8	15	25	33	61
B. *Operated*	673	20.1	235	4	6	16	27	40	54	95
1. SINGLE DX	7093	11.3	125	1	2	8	15	25	33	59
2. MULTIPLE DX	9331	12.3	137	2	3	9	16	27	35	64
A. NOT OPERATED	15703	11.5	125	2	2	8	15	25	33	60
B. OPERATED	721	19.8	234	4	5	16	27	40	53	92
TOTAL 0-19 YRS	916	12.2	189	1	2	8	16	30	43	99+
20-34	5627	10.8	124	1	2	7	14	24	33	61
35-49	4972	11.6	120	2	3	8	15	25	33	57
50-64	3157	13.0	131	2	3	9	17	28	36	59
65+	1752	13.8	155	3	4	10	17	28	38	69
GRAND TOTAL	**16424**	**11.9**	**132**	**2**	**3**	**8**	**15**	**26**	**35**	**62**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	400	8.4	179	<1	1	4	9	25	44	99+
20-34	768	8.0	117	1	1	5	9	17	25	63
35-49	370	7.5	67	1	1	5	9	17	22	42
50-64	150	6.7	55	1	1	4	9	15	22	57
65+	74	7.5	72	1	1	5	9	16	25	49
B. *Operated*										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	35	9.4	190	1	2	6	8	21	33	77
35-49	27	5.7	28	1	2	4	7	12	16	26
50-64	34	4.6	8	1	2	4	5	7	10	15
65+	11	7.5	64	2	2	6	8	19	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	10.6	205	1	1	5	13	29	46	99+
20-34	1001	9.5	121	1	2	6	11	22	31	64
35-49	652	9.4	93	1	2	6	12	21	30	53
50-64	395	9.0	86	1	2	6	11	18	26	69
65+	192	9.4	77	2	2	6	12	22	34	40
B. *Operated*										
0-19 YRS	16	9.1	91	1	2	8	9	15	34	42
20-34	107	10.1	123	<1	1	7	12	27	33	56
35-49	89	10.8	106	1	1	8	15	25	36	46
50-64	65	9.9	105	2	3	7	14	21	40	94
65+	26	11.9	125	4	5	8	11	28	41	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1762	7.9	114	1	1	4	9	18	28	69
B. *Operated*	110	6.7	79	1	2	4	7	12	21	53
2. MULTIPLE DX										
A. *Not Operated*	2612	9.5	117	1	2	6	12	22	32	69
B. *Operated*	303	10.4	112	1	1	7	12	23	35	56
1. SINGLE DX	1872	7.8	112	1	1	4	9	17	27	69
2. MULTIPLE DX	2915	9.[illegible]	117	1	2	6	12	22	32	66
A. NOT OPERATED	4374	8.8	116	1	1	5	11	21	30	69
B. OPERATED	413	9.4	105	1	2	6	10	21	32	56
TOTAL 0-19 YRS	791	9.4	190	1	1	5	10	27	44	99+
20-34	1911	8.9	121	1	1	5	10	21	29	63
35-49	1138	8.8	85	1	2	6	11	20	27	49
50-64	644	8.3	78	1	2	6	11	18	24	60
65+	303	9.1	80	1	2	6	11	22	30	45
GRAND TOTAL	**4787**	**8.9**	**115**	**1**	**1**	**5**	**11**	**21**	**30**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	7.4	135	<1	<1	1	8	28	34	46
20-34	629	8.6	96	1	1	5	13	27	30	36
35-49	1378	8.0	67	1	1	5	11	22	28	33
50-64	1116	7.5	62	1	2	4	9	21	28	31
65+	241	7.8	62	1	2	5	10	20	23	33
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	30.0		30	30	30	30	30	30	30
35-49	3	7.3	37	2	2	6	12	14	14	14
50-64	7	20.7	305	6	6	13	26	50	56	56
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	194	17.7	335	1	1	9	29	47	51	60
20-34	1501	9.7	89	1	2	6	13	24	30	40
35-49	3603	9.1	71	2	2	6	12	22	28	36
50-64	3548	9.7	76	2	2	7	13	22	28	39
65+	1184	11.2	95	2	3	8	15	25	30	44
B. *Operated*										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	81	14.9	116	2	3	13	21	29	38	50
35-49	171	15.8	111	3	5	13	22	30	37	49
50-64	196	17.3	155	3	5	14	25	33	41	69
65+	89	17.1	124	3	5	15	24	30	38	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3464	7.9	72	1	1	5	10	21	28	33
B. *Operated*	13	16.1	226	2	2	11	25	35	52	56
2. MULTIPLE DX										
A. *Not Operated*	10030	9.8	85	1	2	7	13	23	29	42
B. *Operated*	538	16.5	130	3	5	14	23	31	40	58
1. SINGLE DX	3477	7.9	73	1	1	5	10	21	28	33
2. MULTIPLE DX	10568	10.2	89	2	2	7	13	24	29	44
A. NOT OPERATED	13494	9.3	82	1	2	6	12	23	28	40
B. OPERATED	551	16.5	132	3	5	14	23	31	40	58
TOTAL 0-19 YRS	296	14.2	290	<1	1	5	24	45	50	56
20-34	2212	9.6	93	1	1	6	13	26	30	40
35-49	5155	9.1	73	1	2	6	12	22	28	35
50-64	4867	9.5	79	2	2	6	12	23	28	40
65+	1515	11.0	95	2	3	8	15	25	30	44
GRAND TOTAL	**14045**	**9.6**	**86**	**1**	**2**	**6**	**13**	**23**	**29**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	14.0	98	7	7	14	21	21	21	21
20-34	45	9.0	42	1	2	8	12	19	22	31
35-49	4	8.8	13	6	6	7	11	14	14	14
50-64	2	17.5	13	15	15	17	20	20	20	20
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	71	10.2	71	1	2	8	14	23	29	38
35-49	23	13.1	259	1	2	8	16	27	58	68
50-64	13	16.8	203	2	3	13	19	40	51	54
65+	6	11.0	28	5	5	10	11	20	21	21
B. *Operated*										
0-19 YRS										
20-34	4	11.8	62	5	5	9	17	23	23	23
35-49										
50-64	2	27.5	313	15	15	27	40	40	40	40
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	42	1	3	8	13	19	22	31
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	114	11.5	123	1	2	8	15	23	33	59
B. *Operated*	7	15.9	147	5	6	11	21	37	40	40
1. SINGLE DX	54	9.3	42	1	2	8	13	19	22	31
2. MULTIPLE DX	121	11.8	124	1	2	9	15	23	35	58
A. NOT OPERATED	167	10.9	98	1	2	8	14	21	29	54
B. OPERATED	8	14.0	154	<1	1	10	19	35	40	40
TOTAL 0-19 YRS	3	10.0	97	2	2	7	17	21	21	21
20-34	121	9.7	60	1	2	8	13	21	26	35
35-49	27	12.5	223	1	2	8	15	21	54	68
50-64	17	18.2	185	2	4	15	19	39	49	54
65+	7	10.7	24	5	6	10	11	19	21	21
GRAND TOTAL	**175**	**11.0**	**100**	**1**	**2**	**8**	**14**	**21**	**30**	**53**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	16.2	271	1	2	8	24	44	47	49
20-34	79	7.6	63	<1	1	5	9	18	28	35
35-49	18	8.3	62	<1	1	7	9	21	28	31
50-64	7	27.3	857	1	1	18	50	72	76	76
65+	7	8.1	33	1	1	8	12	16	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	26.6	281	3	5	26	44	48	52	57
20-34	166	16.5	178	1	2	12	29	37	40	50
35-49	60	13.1	105	2	3	9	19	30	36	39
50-64	49	13.3	148	3	4	10	16	29	35	65
65+	27	19.7	217	4	5	13	30	39	50	58
B. *Operated*										
0-19 YRS	4	42.3	674	5	5	51	60	61	61	61
20-34	11	19.7	215	<1	2	23	29	41	42	42
35-49	3	44.3	354	32	32	35	58	66	66	66
50-64	2	22.5	761	3	3	22	42	42	42	42
65+	3	9.7	17	5	5	11	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	11.0	174	1	1	6	13	30	43	56
B. *Operated*	3	8.0	4	6	6	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	434	18.9	225	2	3	14	30	43	48	56
B. *Operated*	23	25.8	409	2	4	25	42	59	63	66
1. SINGLE DX	155	10.9	171	1	1	6	13	29	43	56
2. MULTIPLE DX	457	19.3	236	2	3	14	31	43	48	61
A. NOT OPERATED	586	16.9	224	1	2	11	28	41	47	56
B. OPERATED	26	23.7	394	2	4	18	41	57	62	66
TOTAL 0-19 YRS	177	24.5	308	2	4	22	43	48	52	60
20-34	256	13.9	161	1	2	8	24	34	39	48
35-49	83	13.1	139	2	2	9	19	31	36	57
50-64	58	15.3	251	2	3	10	18	34	52	75
65+	38	16.4	186	2	4	12	24	37	45	58
GRAND TOTAL	**612**	**17.1**	**232**	**1**	**2**	**11**	**28**	**42**	**47**	**60**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	1.7	6	<1	<1	1	2	3	4	39
20-34	132	3.7	54	<1	<1	2	3	6	10	46
35-49	146	6.3	55	<1	1	4	7	19	27	28
50-64	89	5.7	37	1	1	4	7	11	25	27
65+	16	7.0	64	1	1	4	8	16	27	32
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.1	14	<1	<1	1	2	3	4	21
20-34	145	5.3	34	<1	1	3	7	13	18	27
35-49	285	5.0	24	1	1	3	6	11	14	25
50-64	255	5.9	22	1	1	5	7	12	15	24
65+	74	7.0	32	1	2	5	9	14	20	27
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	15	4.1	25	<1	<1	1	4	14	15	16
35-49	4	14.0	108	<1	<1	15	22	25	25	25
50-64	9	6.4	35	<1	<1	4	11	16	18	18
65+	7	13.9	33	9	9	11	18	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.4	42	<1	<1	2	5	9	21	30
B. *Operated*	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	872	5.1	26	<1	1	3	7	11	15	25
B. *Operated*	37	7.5	51	<1	<1	4	11	19	22	25
1. SINGLE DX	518	4.4	42	<1	<1	2	5	9	21	30
2. MULTIPLE DX	909	5.2	27	<1	1	4	7	12	16	25
A. NOT OPERATED	1387	4.8	32	<1	1	3	6	11	16	28
B. OPERATED	40	7.1	49	<1	<1	4	11	18	22	25
TOTAL 0-19 YRS	248	1.9	9	<1	<1	1	2	3	4	26
20-34	292	4.5	43	<1	<1	2	5	10	16	30
35-49	437	5.5	36	1	1	3	6	13	21	28
50-64	353	5.9	26	1	1	5	7	12	17	26
65+	97	7.5	39	1	2	5	10	16	21	30
GRAND TOTAL	**1427**	**4.9**	**33**	**<1**	**1**	**3**	**6**	**11**	**17**	**27**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	6.0	67	1	1	2	7	18	29	32
20-34	62	6.8	60	<1	<1	3	9	20	27	28
35-49	12	6.8	62	<1	1	4	8	21	25	26
50-64	11	7.2	17	2	3	6	9	13	17	17
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	9.9	133	1	1	5	14	28	32	55
20-34	125	7.9	88	1	1	5	9	18	29	49
35-49	44	8.5	72	1	1	6	11	23	25	42
50-64	36	10.1	92	1	1	7	14	27	33	34
65+	20	6.2	13	1	2	5	9	11	13	14
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	5	10.2	152	2	2	4	17	31	31	31
35-49	4	19.8	952	3	3	5	36	66	66	66
50-64	3	16.7	316	4	4	9	30	37	37	37
65+	3	9.0	37	5	5	6	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	6.5	58	<1	1	3	8	19	27	30
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	288	8.6	91	1	1	5	11	22	29	48
B. *Operated*	17	13.1	286	2	2	6	14	36	56	66
1. SINGLE DX	141	6.5	58	<1	1	3	8	19	27	30
2. MULTIPLE DX	305	8.8	102	1	1	5	11	23	30	50
A. NOT OPERATED	428	7.9	81	1	1	5	10	21	28	43
B. OPERATED	18	12.6	274	2	2	5	13	35	54	66
TOTAL 0-19 YRS	119	8.1	104	1	1	4	11	27	30	49
20-34	193	7.6	79	<1	1	4	9	19	28	46
35-49	60	8.9	122	1	1	5	10	24	26	64
50-64	50	9.9	86	1	1	7	11	25	34	37
65+	24	6.4	15	2	2	5	9	12	15	16
GRAND TOTAL	**446**	**8.1**	**89**	**1**	**1**	**5**	**10**	**22**	**29**	**46**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	3.8	9	1	1	3	5	7	8	23
20-34	297	4.5	13	1	2	3	5	8	11	21
35-49	200	4.7	10	1	2	4	6	9	11	16
50-64	101	4.2	7	1	1	4	6	8	9	13
65+	48	5.0	10	1	1	5	6	10	12	14
B. *Operated*										
0-19 YRS	15	4.5	8	2	2	4	5	9	11	12
20-34	23	5.5	14	2	2	4	8	11	13	15
35-49	18	5.6	23	2	2	4	7	10	18	22
50-64	11	5.9	23	1	1	5	10	13	15	15
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.4	10	1	1	4	5	9	10	15
20-34	392	5.4	16	1	2	4	7	10	13	25
35-49	404	6.4	35	2	2	5	8	11	15	24
50-64	365	6.1	18	1	2	5	7	11	16	19
65+	252	7.2	35	2	2	6	9	14	20	31
B. *Operated*										
0-19 YRS	11	4.7	11	2	2	4	5	10	14	14
20-34	53	10.2	84	2	3	8	12	20	28	53
35-49	45	9.5	41	2	2	9	13	15	17	38
50-64	37	10.0	80	2	2	7	16	24	27	41
65+	32	14.1	104	1	2	13	20	29	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	4.4	10	1	2	3	5	8	10	17
B. *Operated*	69	5.2	16	2	2	4	7	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	1563	6.0	24	1	2	5	7	11	15	25
B. *Operated*	178	10.3	75	2	2	8	14	21	29	40
1. SINGLE DX	900	4.4	11	1	2	4	6	8	11	17
2. MULTIPLE DX	1741	6.4	31	1	2	5	8	12	16	29
A. NOT OPERATED	2394	5.4	20	1	2	4	7	10	13	23
B. OPERATED	247	8.9	63	2	2	7	12	19	25	38
TOTAL 0-19 YRS	361	4.1	9	1	1	3	5	8	10	15
20-34	765	5.4	21	1	2	4	6	10	13	26
35-49	667	6.1	29	1	2	5	8	11	15	23
50-64	514	6.0	22	1	2	5	7	11	16	23
65+	334	7.5	42	2	2	5	9	15	22	34
GRAND TOTAL	**2641**	**5.8**	**25**	**1**	**2**	**4**	**7**	**11**	**15**	**26**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	795	9.9	129	1	1	6	13	23	34	62
20-34	616	5.6	41	1	1	4	7	12	17	28
35-49	327	6.0	59	1	1	4	7	12	17	45
50-64	112	5.5	23	1	1	4	7	11	16	23
65+	64	8.3	49	1	1	6	12	17	22	30
B. *Operated*										
0-19 YRS	3	8.3	140	1	1	2	17	22	22	22
20-34	5	5.0	26	<1	<1	2	8	13	13	13
35-49	4	7.5	59	1	1	7	14	16	16	16
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	502	9.8	130	1	1	6	12	26	39	99+
20-34	729	6.9	64	1	1	4	8	15	22	42
35-49	523	7.2	61	1	2	5	9	15	20	37
50-64	262	7.3	31	2	2	6	9	14	18	27
65+	173	8.3	49	1	2	6	11	17	23	34
B. *Operated*										
0-19 YRS	25	13.8	287	1	1	6	28	35	78	99+
20-34	54	7.5	66	2	2	4	10	20	27	32
35-49	33	9.5	76	<1	1	8	16	22	27	34
50-64	15	10.7	64	2	2	8	13	22	30	33
65+	6	18.7	91	6	7	17	22	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1914	7.5	84	1	1	5	9	17	24	52
B. *Operated*	13	6.4	50	<1	1	2	12	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	2189	7.8	75	1	1	5	9	17	24	50
B. *Operated*	133	10.0	116	1	2	6	16	27	33	76
1. SINGLE DX	1927	7.5	84	1	1	5	9	17	24	52
2. MULTIPLE DX	2322	7.9	77	1	1	5	10	17	25	50
A. NOT OPERATED	4103	7.7	79	1	1	5	9	17	24	51
B. OPERATED	146	9.7	111	1	1	6	15	26	32	73
TOTAL 0-19 YRS	1325	9.9	132	1	1	6	13	24	35	73
20-34	1404	6.3	54	1	1	4	8	14	20	35
35-49	887	6.9	61	1	1	5	8	14	20	38
50-64	389	6.9	31	1	2	6	9	14	18	28
65+	244	8.5	52	1	2	6	12	17	23	34
GRAND TOTAL	**4249**	**7.7**	**80**	**1**	**1**	**5**	**9**	**17**	**24**	**51**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	616	8.9	195	1	1	4	8	24	35	99
20-34	1261	7.6	86	1	2	4	8	17	25	53
35-49	863	9.5	101	1	2	6	12	21	29	52
50-64	476	11.0	103	2	2	8	15	24	32	57
65+	212	12.3	141	2	2	8	16	28	38	51
B. *Operated*										
0-19 YRS	27	3.6	15	1	1	3	4	5	11	21
20-34	40	4.9	15	<1	1	4	6	9	14	18
35-49	33	11.5	127	2	2	8	16	30	39	43
50-64	13	7.3	23	2	2	6	10	14	17	18
65+	6	6.5	28	1	1	5	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	576	9.5	191	1	2	5	10	26	50	99+
20-34	1529	7.5	62	1	2	5	9	16	23	42
35-49	1366	8.7	83	2	2	6	10	18	26	48
50-64	1014	8.9	75	2	3	6	11	18	24	46
65+	682	10.1	78	2	3	7	12	20	30	44
B. *Operated*										
0-19 YRS	34	8.5	166	<1	2	4	9	23	58	99+
20-34	147	11.4	102	3	3	8	15	26	36	99+
35-49	147	13.3	180	3	3	10	16	28	38	75
50-64	89	14.4	162	3	4	11	17	34	48	55
65+	48	13.5	210	4	5	10	15	24	35	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3428	9.1	117	1	2	5	11	21	30	61
B. *Operated*	119	6.8	56	1	2	4	8	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	5167	8.7	88	2	2	6	10	18	26	56
B. *Operated*	465	12.6	155	2	3	9	15	27	40	77
1. SINGLE DX	3547	9.0	115	1	2	5	11	21	30	59
2. MULTIPLE DX	5632	9.0	94	2	2	6	11	19	28	59
A. NOT OPERATED	8595	8.8	99	1	2	6	10	19	29	59
B. OPERATED	584	11.4	140	2	3	8	14	25	38	74
TOTAL 0-19 YRS	1253	9.0	189	1	2	4	9	24	42	99+
20-34	2977	7.7	75	1	2	5	9	17	24	46
35-49	2409	9.3	97	2	2	6	11	20	28	50
50-64	1592	9.8	90	2	3	7	12	21	29	52
65+	948	10.8	99	2	3	8	13	22	32	48
GRAND TOTAL	**9179**	**9.0**	**102**	**1**	**2**	**6**	**11**	**20**	**29**	**59**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.0	55	1	1	3	6	16	25	30
20-34	18	8.3	131	<1	1	4	9	30	35	38
35-49	10	6.3	31	1	1	4	9	15	19	19
50-64	12	5.2	7	1	2	5	7	9	9	9
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	7	2.9	4	<1	<1	2	4	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	8.7	103	1	2	6	10	20	31	53
20-34	130	10.6	106	2	2	8	13	22	30	53
35-49	55	8.3	42	2	2	6	12	16	21	34
50-64	32	8.3	27	3	3	7	12	18	21	99+
65+	19	6.7	13	1	2	6	9	11	13	15
B. *Operated*										
0-19 YRS	32	9.0	247	1	2	6	8	11	18	93
20-34	15	8.5	87	1	1	4	12	23	31	34
35-49	3	18.0	199	3	3	20	28	31	31	31
50-64	4	10.5	54	2	2	11	16	18	18	18
65+	3	30.7	297	12	12	34	43	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	6.3	61	1	1	4	8	14	28	37
B. *Operated*	9	2.8	3	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	336	9.2	82	2	2	7	11	21	26	51
B. *Operated*	57	10.6	206	1	2	7	10	22	34	90
1. SINGLE DX	75	5.9	55	1	1	3	7	13	26	36
2. MULTIPLE DX	393	9.4	100	1	2	7	11	21	28	59
A. NOT OPERATED	402	8.7	80	1	2	6	11	20	26	43
B. OPERATED	66	9.5	185	1	1	6	9	20	34	85
TOTAL 0-19 YRS	162	8.1	121	1	2	5	8	17	24	64
20-34	164	10.1	106	1	2	7	12	23	31	47
35-49	69	8.4	48	1	2	6	11	17	22	34
50-64	48	7.7	25	2	3	7	10	17	20	99+
65+	25	9.0	104	1	2	6	11	15	37	46
GRAND TOTAL	**468**	**8.8**	**94**	**1**	**2**	**6**	**11**	**20**	**27**	**48**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	625	10.5	23	2	4	11	13	16	18	24
20-34	90	8.3	49	2	2	7	10	15	18	42
35-49	71	8.8	28	2	3	8	12	16	21	24
50-64	43	10.2	189	2	2	7	13	17	20	91
65+	26	14.5	122	2	3	11	20	31	38	44
B. *Operated*										
0-19 YRS	90	15.2	101	5	8	13	16	24	38	58
20-34	38	14.1	126	2	3	11	16	30	34	56
35-49	52	12.2	127	2	2	8	18	26	38	49
50-64	42	15.2	135	2	3	12	19	38	47	99+
65+	10	10.4	39	3	3	11	13	19	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	12.4	31	3	5	12	15	18	22	36
20-34	87	11.2	111	2	3	9	14	19	29	65
35-49	81	13.3	104	2	3	11	16	24	37	50
50-64	67	16.1	158	2	2	13	20	34	44	59
65+	78	17.4	148	2	3	15	26	36	43	89
B. *Operated*										
0-19 YRS	136	17.7	140	5	9	14	22	34	39	58
20-34	37	16.8	138	3	4	15	25	38	46	99+
35-49	61	17.1	222	4	5	13	24	34	40	89
50-64	68	21.3	276	2	4	19	34	54	98	99+
65+	36	25.0	416	3	5	24	39	71	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	10.3	38	2	3	11	13	16	19	28
B. *Operated*	232	14.2	115	2	3	12	17	28	38	57
2. MULTIPLE DX										
A. *Not Operated*	752	13.2	74	2	4	12	16	22	29	47
B. *Operated*	338	19.0	215	3	5	15	26	39	49	99+
1. SINGLE DX	1087	11.1	57	2	3	11	13	18	23	45
2. MULTIPLE DX	1090	15.0	125	2	4	12	18	29	39	91
A. NOT OPERATED	1607	11.6	57	2	3	11	14	18	24	43
B. OPERATED	570	17.0	179	3	4	13	22	36	47	99+
TOTAL 0-19 YRS	1290	12.2	48	2	5	12	14	19	23	41
20-34	252	11.4	102	2	3	9	14	24	32	56
35-49	265	12.7	123	2	3	9	16	25	35	49
50-64	220	16.4	209	2	3	13	22	38	52	99+
65+	150	18.3	215	2	4	14	27	39	47	99+
GRAND TOTAL	**2177**	**13.0**	**95**	**2**	**4**	**11**	**15**	**24**	**33**	**58**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	7	6.7	9	3	3	7	9	11	11	11
35-49	21	6.5	46	1	1	5	7	11	23	33
50-64	81	8.1	35	2	3	7	10	15	17	35
65+	214	9.7	89	2	3	7	12	18	26	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64	5	5.6	16	2	2	4	8	12	12	12
65+	11	13.3	128	<1	3	9	18	29	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	6	<1	<1	4	6	6	6	6
35-49	31	10.5	231	2	3	6	10	24	45	76
50-64	234	12.0	111	3	3	9	15	25	31	78
65+	1077	11.9	89	3	4	9	15	23	29	55
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	28	11.5	53	2	4	10	15	21	29	31
65+	139	20.4	220	4	5	16	27	41	55	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	9.0	71	2	3	7	11	16	23	39
B. *Operated*	19	10.4	89	1	2	8	12	21	33	42
2. MULTIPLE DX										
A. *Not Operated*	1347	11.8	96	3	3	9	15	23	30	58
B. *Operated*	168	18.9	202	4	5	15	23	38	53	65
1. SINGLE DX	344	9.1	72	2	3	7	11	16	23	41
2. MULTIPLE DX	1515	12.6	112	3	4	10	16	25	34	63
A. NOT OPERATED	1672	11.3	92	3	3	9	14	22	29	55
B. OPERATED	187	18.0	196	3	4	14	22	38	52	64
TOTAL 0-19 YRS	3	7.3	30	2	2	7	11	13	13	13
20-34	11	5.7	9	<1	2	6	7	10	11	11
35-49	56	8.8	147	2	2	5	9	15	33	74
50-64	348	11.0	90	3	3	8	14	23	29	58
65+	1441	12.4	109	3	4	9	15	24	34	58
GRAND TOTAL	**1859**	**12.0**	**107**	**3**	**3**	**9**	**15**	**24**	**32**	**58**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	12.3	152	2	3	8	16	31	40	43
20-34	172	8.8	60	2	2	7	11	17	23	46
35-49	157	8.7	83	2	2	7	10	16	22	43
50-64	63	12.0	94	2	2	10	16	23	29	56
65+	3	5.3	6	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	29	8.9	65	2	2	6	11	19	23	40
35-49	36	8.4	35	2	2	7	12	18	22	24
50-64	14	10.0	68	1	2	7	15	22	25	26
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	16	2	2	4	5	11	15	15
20-34	128	12.7	190	2	3	8	17	29	48	99+
35-49	161	12.8	157	3	4	9	15	25	39	77
50-64	139	11.9	123	3	3	9	14	23	31	63
65+	40	10.8	83	3	4	8	13	15	34	46
B. *Operated*										
0-19 YRS										
20-34	29	21.3	529	2	2	13	26	56	69	97
35-49	51	18.4	327	2	4	11	21	48	65	68
50-64	42	12.9	157	2	3	9	17	29	48	99+
65+	12	15.4	69	3	6	13	22	27	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	9.3	78	2	2	7	11	19	25	45
B. *Operated*	84	8.6	49	2	2	6	12	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	477	12.2	148	3	3	9	14	24	38	78
B. *Operated*	134	17.0	298	2	3	12	21	41	65	97
1. SINGLE DX	493	9.2	73	2	2	7	11	19	24	44
2. MULTIPLE DX	611	13.2	184	2	3	9	16	28	44	85
A. NOT OPERATED	886	10.9	117	2	3	8	13	22	31	67
B. OPERATED	218	13.8	219	2	3	9	17	28	52	80
TOTAL 0-19 YRS	26	9.0	99	2	2	5	10	24	33	43
20-34	358	11.2	156	2	2	7	13	23	38	94
35-49	405	11.5	148	2	3	8	14	22	35	68
50-64	258	12.0	117	2	3	9	15	24	31	71
65+	57	11.2	80	3	4	9	13	23	29	46
GRAND TOTAL	**1104**	**11.4**	**138**	**2**	**3**	**8**	**14**	**23**	**34**	**69**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	819	3.7	14	1	1	3	4	7	9	18
20-34	487	3.9	13	1	1	3	5	8	10	21
35-49	287	4.2	14	1	1	3	5	7	10	19
50-64	186	5.3	35	1	1	4	6	10	15	30
65+	125	5.1	12	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	9	5.6	16	1	1	4	8	12	14	14
20-34	19	5.5	15	2	2	4	7	10	14	18
35-49	24	6.6	26	1	2	5	9	15	17	20
50-64	8	4.5	7	2	2	4	6	8	9	9
65+	4	6.0	41	1	1	4	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	638	4.6	19	1	1	3	6	9	12	20
20-34	628	5.9	29	1	2	4	7	11	15	31
35-49	539	6.2	36	1	2	4	8	12	16	29
50-64	599	7.2	51	1	2	5	9	14	17	37
65+	623	8.3	71	2	2	6	10	16	21	48
B. *Operated*										
0-19 YRS	26	11.9	475	2	2	4	6	58	72	78
20-34	48	11.3	113	1	1	8	15	26	40	45
35-49	66	10.8	60	2	2	9	14	19	28	39
50-64	65	13.2	118	2	3	10	17	31	38	47
65+	55	15.1	130	2	3	13	21	34	37	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1904	4.1	16	1	1	3	5	8	10	21
B. *Operated*	64	5.8	19	1	2	4	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	3027	6.4	43	1	2	5	8	13	17	33
B. *Operated*	260	12.5	140	2	3	9	16	28	37	62
1. SINGLE DX	1968	4.1	16	1	1	3	5	8	10	21
2. MULTIPLE DX	3287	6.9	53	1	2	5	8	14	18	38
A. NOT OPERATED	4931	5.5	34	1	1	4	7	11	15	29
B. OPERATED	324	11.2	123	2	2	8	15	25	36	52
TOTAL 0-19 YRS	1492	4.3	25	1	1	3	5	8	10	21
20-34	1182	5.3	28	1	1	4	6	11	14	30
35-49	916	5.9	33	1	2	4	7	12	16	29
50-64	858	7.2	56	1	2	5	9	14	18	40
65+	807	8.3	70	2	2	6	10	17	22	44
GRAND TOTAL	**5255**	**5.9**	**41**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	4.4	23	1	1	3	5	8	11	21
20-34	418	5.6	31	1	1	4	7	12	16	22
35-49	300	5.8	38	1	2	4	7	11	13	36
50-64	314	6.7	43	2	2	5	8	14	19	33
65+	363	8.3	65	2	2	6	10	16	22	48
B. *Operated*										
0-19 YRS	303	5.6	21	1	1	4	8	11	15	23
20-34	257	7.7	74	1	2	6	10	15	20	47
35-49	240	8.5	60	2	2	6	11	16	25	40
50-64	222	7.8	50	2	2	5	10	17	23	67
65+	216	10.5	108	2	2	7	13	24	32	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	6.8	81	1	1	4	8	15	22	56
20-34	562	9.0	132	2	2	5	10	18	28	73
35-49	549	8.9	95	2	2	6	11	18	26	60
50-64	848	11.0	112	2	3	8	14	23	33	63
65+	1935	11.8	105	3	3	9	15	24	31	55
B. *Operated*										
0-19 YRS	417	8.1	95	1	2	5	10	18	27	74
20-34	397	11.8	180	2	2	8	15	31	50	99+
35-49	379	12.9	180	2	2	8	17	33	48	99+
50-64	555	14.7	251	2	3	10	18	33	55	99+
65+	742	16.4	238	2	3	11	22	37	53	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1700	6.2	42	1	2	4	7	12	17	37
B. *Operated*	1238	7.9	62	1	2	5	10	16	23	41
2. MULTIPLE DX										
A. *Not Operated*	4383	10.4	109	2	2	7	13	22	30	60
B. *Operated*	2490	13.4	207	2	2	9	17	32	50	99+
1. SINGLE DX	29[illegible]8	6.9	51	1	2	5	9	14	20	41
2. MULTIPLE DX	6873	11.5	146	2	2	8	14	25	36	83
A. NOT OPERATED	6083	9.2	93	2	2	6	11	19	27	57
B. OPERATED	3728	11.5	166	2	2	7	14	27	40	97
TOTAL 0-19 YRS	1514	6.4	63	1	1	4	7	14	20	54
20-34	1634	8.6	113	1	2	5	10	17	27	84
3[illegible]	1468	9.2	105	2	2	6	11	20	30	71
5[illegible]	1939	11.0	141	2	2	7	14	24	35	91
6[illegible]	3256	12.4	137	2	3	9	16	26	36	65
GRAND TOTAL	**9811**	**10.1**	**122**	**2**	**2**	**7**	**12**	**22**	**32**	**72**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	359	3.2	10	1	1	3	4	5	6	13
20-34	782	3.8	8	1	1	3	5	7	9	14
35-49	538	4.2	7	1	2	3	5	8	10	14
50-64	191	4.6	8	1	2	4	6	8	10	15
65+	43	6.2	92	1	2	4	7	11	12	65
B. *Operated*										
0-19 YRS	13	4.2	7	2	2	3	5	9	10	10
20-34	85	4.7	9	2	2	4	6	8	10	18
35-49	76	5.3	15	2	2	4	7	11	12	80
50-64	26	6.5	25	2	2	5	7	13	17	25
65+	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	3.6	6	1	1	3	4	7	8	11
20-34	706	4.8	17	1	2	4	6	9	11	18
35-49	702	5.6	17	2	2	4	7	10	13	22
50-64	361	5.6	13	2	2	5	7	10	12	21
65+	122	6.2	18	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	9	6.9	6	3	3	7	9	10	10	10
20-34	75	7.8	49	2	2	6	11	16	18	40
35-49	88	8.3	43	3	3	6	10	17	23	33
50-64	62	6.4	20	2	3	5	8	11	13	29
65+	19	7.9	40	2	3	6	9	14	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1913	3.9	10	1	1	3	5	7	9	14
B. *Operated*	204	5.1	13	2	2	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	2096	5.1	16	1	2	4	6	10	12	20
B. *Operated*	253	7.6	38	2	3	6	10	15	19	34
1. SINGLE DX	2117	4.0	11	1	1	3	5	7	10	15
2. MULTIPLE DX	2349	5.4	18	1	2	4	7	10	13	22
A. NOT OPERATED	4009	4.6	13	1	2	4	6	8	11	17
B. OPERATED	457	6.5	28	2	2	5	8	12	16	31
TOTAL 0-19 YRS	586	3.4	8	1	1	3	4	6	7	12
20-34	1648	4.5	15	1	2	3	5	8	11	18
35-49	1404	5.2	16	1	2	4	6	10	12	22
50-64	640	5.4	13	2	2	4	7	10	12	18
65+	188	6.4	36	2	2	5	7	11	14	28
GRAND TOTAL	**4466**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	47	3.0	17	<1	1	2	3	7	8	27
35-49	65	3.4	11	<1	1	2	4	8	10	17
50-64	66	3.2	5	1	1	3	4	5	9	12
65+	14	3.7	10	<1	1	2	4	9	11	11
B. *Operated*										
0-19 YRS	41	2.2	1	1	1	2	2	3	4	6
20-34	728	2.6	2	1	1	2	3	4	5	9
35-49	1305	2.9	5	1	2	2	3	4	6	12
50-64	1370	2.9	4	1	2	2	3	5	6	11
65+	596	2.9	3	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	33	3.3	5	<1	1	2	5	6	7	9
35-49	51	4.7	7	2	2	4	7	9	10	11
50-64	65	4.8	15	1	2	3	6	10	14	18
65+	29	6.2	23	2	2	5	8	11	17	23
B. *Operated*										
0-19 YRS	30	3.2	3	1	1	3	4	6	7	9
20-34	196	4.4	15	1	2	3	5	9	12	19
35-49	442	4.4	21	2	2	3	5	8	12	22
50-64	587	4.8	20	2	2	3	6	10	13	20
65+	333	4.9	23	2	2	3	5	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.2	10	1	1	2	3	7	9	17
B. *Operated*	4040	2.8	4	1	2	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	180	4.7	12	1	[illegible]	4	6	9	11	18
B. *Operated*	1588	4.6	20	2	2	3	5	9	13	22
1. SINGLE DX	4236	2.8	4	1	1	2	3	4	6	11
2. MULTIPLE DX	1768	4.6	19	2	2	3	5	9	13	22
A. NOT OPERATED	376	3.9	12	1	1	3	5	8	10	17
B. OPERATED	5628	3.3	9	1	2	2	4	6	8	16
TOTAL 0-19 YRS	77	2.6	2	1	1	2	3	5	6	8
20-34	1004	3.0	6	1	1	2	3	5	7	13
35-49	1863	3.3	9	1	2	2	3	6	8	17
50-64	2088	3.5	10	1	2	2	4	6	9	16
65+	972	3.7	11	1	2	3	4	6	9	18
GRAND TOTAL	**6004**	**3.4**	**9**	**1**	**2**	**2**	**4**	**6**	**8**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	6.1	58	1	2	4	7	12	17	48
20-34	349	5.9	46	1	2	4	7	12	17	35
35-49	453	5.6	21	1	2	4	7	11	14	26
50-64	404	6.3	38	1	2	4	8	12	17	39
65+	281	6.6	31	2	2	5	8	14	18	30
B. *Operated*										
0-19 YRS	165	4.8	34	2	2	3	5	9	17	27
20-34	942	4.7	20	1	2	3	5	9	12	23
35-49	1310	5.1	24	2	2	3	6	11	14	26
50-64	1281	4.8	31	1	2	3	5	9	14	28
65+	553	5.6	47	1	2	3	6	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	6.1	37	2	2	4	7	13	20	33
20-34	314	7.4	80	1	2	5	8	14	25	82
35-49	557	6.6	31	2	2	5	8	14	18	26
50-64	804	7.3	25	2	3	6	9	14	17	30
65+	906	9.1	56	2	3	7	12	18	23	38
B. *Operated*										
0-19 YRS	86	8.1	191	2	2	3	6	20	45	95
20-34	419	6.6	45	2	2	5	8	13	17	31
35-49	684	7.7	62	2	2	5	10	16	24	44
50-64	807	8.4	84	2	2	5	10	19	24	56
65+	502	10.9	135	2	2	8	14	24	33	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1606	6.1	35	1	2	4	7	12	17	35
B. *Operated*	4251	5.0	29	1	2	3	5	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	2652	7.7	45	2	2	6	10	15	20	37
B. *Operated*	2498	8.4	87	2	2	5	10	18	25	57
1. SINGLE DX	5857	5.3	31	1	2	4	6	11	15	29
2. MULTIPLE DX	5150	8.1	65	2	2	6	10	16	23	49
A. NOT OPERATED	4258	7.1	42	2	2	5	9	14	19	36
B. OPERATED	6749	6.2	53	2	2	4	7	13	19	39
TOTAL 0-19 YRS	441	6.0	72	1	2	3	6	12	19	56
20-34	2024	5.7	40	1	2	4	7	11	16	36
35-49	3004	6.1	34	2	2	4	7	12	17	32
50-64	3296	6.5	46	2	2	4	8	13	19	38
65+	2242	8.3	72	2	2	6	10	17	24	49
GRAND TOTAL	**11007**	**6.6**	**49**	**2**	**2**	**4**	**8**	**14**	**19**	**39**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.4	4	<1	<1	1	4	5	5	5
35-49	3	3.3	6	<1	<1	3	5	6	6	6
50-64	8	4.3	5	1	1	4	6	7	7	7
65+	12	3.3	7	1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	88	5.0	6	1	3	5	6	8	10	14
20-34	139	5.6	11	1	2	5	7	10	11	17
35-49	150	4.7	6	1	2	4	6	8	9	13
50-64	628	5.0	10	1	2	4	6	9	10	15
65+	575	5.2	13	2	2	5	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	5.2	36	1	1	3	5	16	19	19
65+	13	4.5	7	1	1	5	7	8	9	9
B. *Operated*										
0-19 YRS	49	5.8	10	2	2	5	7	10	12	16
20-34	106	6.0	9	2	3	6	7	9	11	18
35-49	113	6.1	8	2	3	6	8	9	11	15
50-64	508	6.2	14	2	3	5	8	10	13	19
65+	639	6.5	18	2	3	6	8	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.3	5	<1	1	3	5	7	7	8
B. *Operated*	1580	5.1	10	1	2	5	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	29	4.2	16	1	1	3	6	8	13	19
B. *Operated*	1415	6.3	15	2	3	6	8	10	13	19
1. SINGLE DX	1609	5.1	10	1	2	5	6	9	10	16
2. MULTIPLE DX	1444	6.2	15	2	3	5	8	10	13	19
A. NOT OPERATED	58	3.8	11	1	1	3	5	7	9	19
B. OPERATED	2995	5.7	13	2	2	5	7	10	12	18
TOTAL 0-19 YRS	142	5.2	8	1	2	5	7	8	10	15
20-34	251	5.7	10	2	2	5	7	9	11	16
35-49	267	5.3	7	1	2	5	7	9	9	15
50-64	1154	5.5	12	2	2	5	7	10	11	18
65+	1239	5.8	16	2	2	5	7	10	12	19
GRAND TOTAL	**3053**	**5.6**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**18**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	4	5
20-34	7	2.0	1	1	1	2	3	4	4	4
35-49	13	3.2	4	1	1	3	4	6	8	8
50-64	25	3.1	5	1	1	3	4	5	7	11
65+	44	3.5	6	1	2	3	4	7	8	14
B. *Operated*										
0-19 YRS	18	3.8	5	2	2	3	4	6	9	11
20-34	41	4.2	8	2	2	4	5	9	10	15
35-49	99	3.6	6	1	2	3	4	7	9	13
50-64	368	3.6	5	1	2	3	4	6	9	13
65+	551	3.7	8	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	3.8	2	3	3	3	4	6	6	6
35-49	9	2.6	3	<1	<1	2	3	5	6	6
50-64	42	5.0	14	1	1	4	7	12	13	15
65+	69	4.2	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	7	5.9	21	2	2	4	7	14	15	15
20-34	10	5.6	8	2	2	5	7	10	11	11
35-49	45	4.2	12	2	2	3	5	9	12	19
50-64	205	4.8	14	1	2	4	6	9	12	20
65+	438	5.1	22	1	2	4	6	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.0	5	1	1	2	4	5	7	12
B. *Operated*	1077	3.7	7	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	128	4.3	12	1	1	3	6	9	12	16
B. *Operated*	705	5.0	19	2	2	4	6	10	12	22
1. SINGLE DX	1180	3.6	7	1	2	3	4	7	9	14
2. MULTIPLE DX	833	4.9	18	1	2	4	6	9	12	20
A. NOT OPERATED	231	3.7	9	1	1	3	5	7	11	15
B. OPERATED	1782	4.2	12	1	2	3	5	8	11	16
TOTAL 0-19 YRS	42	3.1	8	1	1	2	4	6	9	15
20-34	63	4.1	8	1	2	3	6	9	10	14
35-49	166	3.7	7	1	2	3	4	7	9	14
50-64	640	4.1	9	1	2	3	5	8	10	14
65+	1102	4.3	14	1	2	3	5	8	11	17
GRAND TOTAL	**2013**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**11**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	6	<1	<1	1	3	6	8	8
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	10	3.7	4	2	2	3	5	7	8	8
65+	31	3.6	4	1	1	3	5	6	7	9
B. *Operated*										
0-19 YRS	26	2.9	2	1	2	3	3	5	6	8
20-34	36	3.7	5	2	2	3	5	7	7	11
35-49	40	4.0	6	1	2	3	5	7	8	14
50-64	100	3.8	12	1	2	3	4	6	9	22
65+	179	3.7	7	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	15	<1	<1	1	2	9	13	13
20-34	7	4.3	2	3	3	4	4	6	7	7
35-49	7	6.6	37	1	1	4	10	17	18	18
50-64	19	4.5	11	1	1	4	5	10	13	14
65+	41	6.7	29	2	2	4	9	14	16	28
B. *Operated*										
0-19 YRS	21	4.4	21	<1	1	4	5	9	15	21
20-34	31	5.5	24	1	2	4	7	10	18	23
35-49	44	4.9	12	1	2	4	6	9	14	15
50-64	127	4.4	10	1	2	3	6	8	10	17
65+	260	5.5	31	2	2	4	6	11	14	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.5	5	1	1	3	5	7	8	9
B. *Operated*	381	3.7	8	1	2	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	84	5.5	23	1	1	4	7	12	15	25
B. *Operated*	483	5.1	23	1	2	4	6	10	13	24
1. SINGLE DX	436	3.7	7	1	2	3	4	7	8	14
2. MULTIPLE DX	567	5.2	23	1	2	4	6	10	14	24
A. NOT OPERATED	139	4.7	16	1	1	3	6	10	13	19
B. OPERATED	864	4.5	17	1	2	3	5	8	11	21
TOTAL 0-19 YRS	66	3.3	10	<1	1	2	4	6	9	20
20-34	76	4.5	13	2	2	3	6	8	10	22
35-49	94	4.6	11	1	2	4	6	8	13	17
50-64	256	4.1	11	1	2	3	5	8	10	15
65+	511	4.8	22	1	2	3	5	10	14	22
GRAND TOTAL	**1003**	**4.5**	**17**	**1**	**2**	**3**	**5**	**8**	**12**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	16	3.4	6	<1	<1	3	4	5	9	11
50-64	70	2.8	4	<1	<1	2	4	5	6	12
65+	206	3.0	5	<1	1	3	4	5	7	11
B. *Operated*										
YRS										
35-49	820	3.0	4	1	2	3	3	4	6	12
50-64	4795	3.1	5	2	2	3	4	5	6	10
65+	14966	3.2	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	24	3.0	9	<1	<1	2	4	9	9	10
50-64	127	3.5	11	<1	1	3	4	7	10	17
65+	443	3.7	11	1	1	2	4	8	10	17
B. *Operated*										
YRS										
35-49	398	3.9	6	2	2	3	4	7	9	15
50-64	3000	4.0	11	2	2	3	4	7	9	16
65+	10983	4.2	12	2	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	3.0	5	<1	1	3	4	5	7	12
B. *Operated*	20581	3.2	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	594	3.6	11	<1	1	2	4	8	10	17
B. *Operated*	14381	4.1	11	2	2	3	5	7	10	17
1. SINGLE DX	20873	3.2	5	2	2	3	4	5	6	11
2. MULTIPLE DX	14975	4.1	11	2	2	3	5	7	10	17
A. NOT OPERATED	886	3.4	9	<1	1	3	4	7	9	16
B. OPERATED	34962	3.6	8	2	2	3	4	6	8	14
TOTAL YRS										
35-49	1258	3.3	5	1	2	3	4	5	7	12
50-64	7992	3.4	8	2	2	3	4	5	7	13
65+	26598	3.6	8	2	2	3	4	6	8	14
GRAND TOTAL	**35848**	**3.6**	**8**	**2**	**2**	**3**	**4**	**6**	**8**	**14**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	4	1.3		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	152	2.5	2	1	1	2	3	4	5	11
20-34	99	2.7	2	1	2	2	3	4	6	7
35-49	134	2.8	1	1	2	3	3	4	5	6
50-64	125	2.8	4	1	1	2	3	4	5	15
65+	200	2.6	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	3	<1	<1	1	3	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	7	4.7	14	1	1	4	6	11	12	12
65+	9	2.9	10	<1	<1	2	3	8	11	11
B. *Operated*										
0-19 YRS	72	3.4	6	1	2	3	4	6	10	13
20-34	53	3.5	14	2	2	3	3	6	8	27
35-49	75	3.6	3	1	2	3	4	6	8	10
50-64	156	4.9	19	2	2	4	5	10	12	24
65+	196	4.0	7	1	2	3	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	3	1	1	2	3	5	6	6
B. *Operated*	710	2.7	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	27	3.3	11	<1	<1	2	4	10	11	12
B. *Operated*	552	4.1	10	2	2	3	5	7	10	17
1. SINGLE DX	723	2.7	2	1	1	2	3	4	5	10
2. MULTIPLE DX	579	4.0	10	1	2	3	5	7	10	17
A. NOT OPERATED	40	2.9	8	<1	1	2	3	6	11	12
B. OPERATED	1262	3.3	6	1	2	3	4	5	7	13
TOTAL 0-19 YRS	234	2.8	3	1	1	2	3	5	6	12
20-34	159	2.9	6	1	2	2	3	5	6	9
35-49	212	3.1	2	1	2	3	4	5	6	10
50-64	289	4.0	13	1	2	3	4	6	11	21
65+	408	3.3	5	1	1	3	4	6	8	13
GRAND TOTAL	**1302**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	1.8	1	<1	<1	2	2	4	4	7
20-34	21	4.2	10	1	1	3	5	8	12	14
35-49	27	3.5	6	<1	1	3	5	7	8	10
50-64	12	4.4	5	2	2	4	6	7	8	8
65+	26	3.8	5	2	2	3	4	5	10	12
B. *Operatod*										
0-19 YRS	2903	1.9	6	1	1	2	2	2	2	4
20-34	517	2.2	2	1	1	2	2	3	3	12
35-49	231	2.3	1	1	1	2	2	3	4	7
50-64	129	2.5	2	1	1	2	3	4	5	8
65+	60	3.1	12	1	1	2	3	5	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	1.8	4	<1	<1	1	2	3	6	13
20-34	27	4.0	19	<1	1	2	5	8	15	21
35-49	11	7.1	44	<1	1	5	8	15	25	26
50-64	41	5.6	19	2	2	4	7	10	15	23
65+	65	6.9	67	2	3	5	8	11	17	55
B. *Operated*										
0-19 YRS	663	2.1	5	1	1	2	2	2	3	10
20-34	172	2.6	7	1	1	2	2	4	7	12
35-49	93	2.8	5	1	2	2	3	5	6	15
50-64	99	4.0	10	1	2	3	5	8	12	15
65+	79	4.9	39	2	2	3	5	11	15	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.9	5	<1	<1	2	4	5	7	12
B. *Operated*	3840	2.0	5	1	1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	236	4.3	32	<1	<1	3	5	8	13	27
B. *Operated*	1106	2.6	9	1	1	2	2	4	7	15
1. SINGLE DX	4014	2.0	5	1	1	2	2	2	3	8
2. MULTIPLE DX	1342	2.9	13	1	1	2	2	5	8	20
A. NOT OPERATED	410	3.7	21	<1	<1	2	5	8	10	24
B. OPERATED	4946	2.1	6	1	1	2	2	2	3	11
TOTAL 0-19 YRS	3746	1.9	5	1	1	2	2	2	3	7
20-34	737	2.4	4	1	1	2	2	3	5	12
35-49	362	2.6	4	1	2	2	3	4	6	9
50-64	281	3.6	9	1	2	2	4	7	9	15
65+	230	4.9	38	2	2	3	5	10	14	33
GRAND TOTAL	**5356**	**2.3**	**7**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	2.2	4	<1	<1	1	3	5	7	10
20-34	99	3.8	10	<1	1	3	5	7	9	18
35-49	65	4.8	30	1	1	3	5	13	17	28
50-64	75	4.6	19	1	1	3	6	9	13	23
65+	83	4.9	14	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS	485	2.2	21	<1	1	2	2	3	5	13
20-34	407	2.6	5	1	1	2	3	4	6	11
35-49	600	2.5	10	<1	1	2	2	4	5	11
50-64	770	2.5	4	1	1	2	3	4	6	13
65+	1093	2.8	6	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.9	19	<1	1	3	5	7	9	28
20-34	56	4.7	13	1	1	4	6	8	11	19
35-49	59	5.0	20	1	1	3	7	12	15	21
50-64	83	5.8	29	1	1	4	8	11	15	32
65+	172	6.4	24	1	1	5	8	13	17	24
B. *Operated*										
0-19 YRS	136	2.9	4	1	1	2	3	6	9	10
20-34	160	3.4	7	1	1	3	4	6	7	11
35-49	349	3.1	6	1	1	2	4	5	8	13
50-64	627	3.2	18	1	1	2	3	5	7	14
65+	1072	4.1	15	1	2	3	5	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	3.4	12	<1	<1	2	4	7	9	19
B. *Operated*	3355	2.5	8	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	558	5.2	22	1	1	4	7	11	14	23
B. *Operated*	2344	3.6	13	1	1	3	4	7	9	17
1. SINGLE DX	3988	2.7	9	<1	1	2	3	5	7	14
2. MULTIPLE DX	2902	3.9	16	1	1	3	4	7	10	19
A. NOT OPERATED	1191	4.2	18	<1	1	3	6	9	12	22
B. OPERATED	5699	3.0	11	1	1	2	3	5	7	14
TOTAL 0-19 YRS	1120	2.6	14	<1	<1	2	3	5	7	13
20-34	722	3.1	7	1	1	2	4	6	8	15
35-49	1073	3.0	11	<1	1	2	3	5	7	17
50-64	1555	3.0	12	1	1	2	3	6	8	15
65+	2420	3.7	13	1	1	3	4	7	10	20
GRAND TOTAL	**6890**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	3.9	6	1	1	3	5	7	9	13
20-34	156	4.7	16	1	2	4	6	8	11	24
35-49	98	4.6	9	1	2	4	6	9	11	15
50-64	96	4.9	12	1	1	4	6	10	11	19
65+	109	5.1	11	1	2	5	7	10	11	15
B. *Operated*										
0-19 YRS	109	3.7	12	1	1	3	4	7	12	18
20-34	129	4.2	36	2	2	3	5	7	9	26
35-49	112	3.8	10	1	2	3	5	7	10	18
50-64	230	3.4	5	1	1	3	4	7	8	11
65+	522	3.6	9	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	4.9	13	1	2	4	6	8	11	21
20-34	139	5.6	14	1	2	5	7	11	13	17
35-49	103	5.4	15	1	2	4	7	10	12	20
50-64	199	6.2	13	2	3	5	8	11	14	17
65+	247	6.1	20	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	129	4.8	21	1	2	3	5	10	15	23
20-34	146	6.2	44	1	2	5	7	12	14	42
35-49	175	5.7	21	1	2	4	8	12	15	23
50-64	433	5.3	19	1	2	4	7	11	13	22
65+	790	5.1	20	2	2	3	6	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	4.4	10	1	2	4	6	8	11	15
B. *Operated*	1102	3.6	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	959	5.6	15	1	2	5	7	11	14	20
B. *Operated*	1673	5.3	22	2	2	4	7	11	14	23
1. SINGLE DX	1895	4.0	11	1	1	3	5	7	10	16
2. MULTIPLE DX	2632	5.4	20	1	2	4	7	11	14	21
A. NOT OPERATED	1752	5.1	13	1	2	4	6	10	12	19
B. OPERATED	2775	4.6	19	1	2	3	6	10	13	21
TOTAL 0-19 YRS	843	4.3	11	1	1	3	5	8	11	19
20-34	570	5.2	28	1	2	4	6	9	12	24
35-49	488	5.0	15	1	2	4	6	10	12	20
50-64	958	5.0	15	1	2	4	6	10	12	19
65+	1668	4.8	17	1	2	3	6	10	13	21
GRAND TOTAL	**4527**	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**12**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	3	<1	1	2	3	5	6	9
20-34	22	3.0	2	1	1	3	4	5	6	7
35-49	25	3.2	3	1	2	3	4	5	7	9
50-64	33	3.3	4	1	1	3	4	6	7	8
65+	29	4.3	11	1	2	4	5	7	9	18
B. *Operated*										
0-19 YRS	30	2.2	2	1	1	2	2	4	5	8
20-34	28	3.8	6	2	2	3	4	7	10	11
35-49	25	3.4	4	<1	1	3	5	5	8	9
50-64	34	3.8	5	2	2	3	4	6	7	14
65+	34	3.4	9	1	1	2	4	8	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	11	1	1	2	3	6	8	21
20-34	38	4.3	14	1	2	4	5	7	10	23
35-49	63	5.0	9	2	2	4	6	9	12	14
50-64	90	5.4	13	1	2	4	7	11	12	19
65+	97	6.4	19	1	2	5	8	13	14	22
B. *Operated*										
0-19 YRS	24	2.8	2	2	2	2	3	4	6	9
20-34	40	4.1	7	2	2	3	5	9	12	99+
35-49	44	5.1	18	2	2	4	5	11	16	20
50-64	71	5.5	29	1	2	4	6	9	14	33
65+	70	5.4	34	2	2	3	5	11	14	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.3	5	1	1	3	4	6	7	10
B. *Operated*	151	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	331	5.2	15	1	2	4	7	10	13	21
B. *Operated*	249	4.9	23	2	2	3	5	9	14	35
1. SINGLE DX	290	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX	580	5.1	18	1	2	4	6	10	13	23
A. NOT OPERATED	470	4.6	13	1	2	4	6	9	12	20
B. OPERATED	400	4.3	17	1	2	3	5	8	12	27
TOTAL 0-19 YRS	127	2.7	6	1	1	2	3	5	7	12
20-34	128	3.9	8	2	2	3	5	7	10	39
35-49	157	4.5	10	1	2	4	5	8	11	16
50-64	228	4.9	16	1	2	4	6	9	12	22
65+	230	5.4	22	1	2	4	7	11	13	25
GRAND TOTAL	**870**	**4.5**	**15**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1126	2.7	4	<1	<1	2	3	5	6	11
20-34	53	4.2	15	1	1	3	6	9	11	21
35-49	33	3.8	4	1	2	4	5	6	8	10
50-64	22	3.5	6	<1	<1	3	5	6	8	11
65+	14	3.4	9	<1	1	2	5	9	10	10
B. *Operated*										
0-19 YRS	7664	1.3	4	<1	<1	1	1	2	2	5
20-34	431	2.5	3	1	1	2	3	4	5	11
35-49	378	2.9	14	1	1	2	3	4	6	11
50-64	382	2.5	2	1	1	2	3	4	5	7
65+	138	2.7	2	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3166	3.6	7	<1	1	3	4	6	8	13
20-34	100	4.6	17	1	1	4	6	7	10	27
35-49	75	5.7	13	2	3	5	7	10	11	22
50-64	86	6.3	24	2	2	5	7	12	13	30
65+	80	7.3	18	2	3	7	9	14	16	22
B. *Operated*										
0-19 YRS	5320	1.8	3	<1	<1	2	2	2	3	8
20-34	539	3.0	8	1	2	2	3	4	6	12
35-49	417	3.0	5	2	2	3	3	4	6	13
50-64	348	3.1	7	1	2	3	3	5	6	14
65+	167	3.8	14	1	2	3	4	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	2.8	5	<1	<1	2	4	5	6	11
B. *Operated*	8993	1.5	5	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	3507	3.8	9	1	1	3	5	7	8	14
B. *Operated*	6791	2.1	4	<1	<1	2	2	3	4	10
1. SINGLE DX	10241	1.7	5	<1	<1	1	2	3	4	8
2. MULTIPLE DX	10298	2.7	6	<1	1	2	3	5	7	12
A. NOT OPERATED	4755	3.6	8	<1	1	3	4	6	8	13
B. OPERATED	15784	1.8	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	17276	2.0	5	<1	<1	1	2	4	5	9
20-34	1123	3.0	8	1	1	2	3	5	7	13
35-49	903	3.2	10	1	2	3	3	5	8	13
50-64	838	3.2	7	1	1	3	3	5	7	13
65+	399	4.1	13	1	1	3	5	8	11	18
GRAND TOTAL	**20539**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.4	9	<1	1	3	4	7	9	15
20-34	88	4.0	8	1	2	3	5	7	8	18
35-49	50	5.9	96	2	2	4	6	8	11	69
50-64	31	5.4	8	2	2	5	7	9	12	12
65+	18	9.2	117	2	2	5	12	23	37	44
B. *Operated*										
0-19 YRS	1017	1.5	3	<1	<1	1	2	2	3	8
20-34	124	3.0	5	1	1	2	3	5	7	14
35-49	90	2.9	3	1	2	2	3	4	5	13
50-64	75	3.2	3	1	1	3	4	6	7	10
65+	38	2.9	7	<1	1	2	3	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	4.2	16	<1	1	3	5	7	10	15
20-34	91	4.7	11	2	2	4	5	8	10	21
35-49	63	5.5	10	2	2	5	7	10	11	17
50-64	61	6.0	22	2	3	5	7	9	11	34
65+	60	8.7	57	2	3	7	10	14	22	46
B. *Operated*										
0-19 YRS	811	2.2	4	1	1	2	2	4	6	11
20-34	113	3.9	12	2	2	3	4	7	10	22
35-49	107	4.5	21	2	2	3	5	7	12	28
50-64	93	4.9	46	1	2	3	4	7	18	41
65+	74	9.6	103	2	2	4	13	28	29	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	4.4	27	1	1	3	5	8	10	25
B. *Operated*	1344	1.9	4	<1	1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	583	5.0	21	1	2	4	6	9	11	26
B. *Operated*	1198	3.2	19	1	1	2	3	6	9	27
1. SINGLE DX	1704	2.4	10	<1	1	2	3	5	7	12
2. MULTIPLE DX	1781	3.8	20	1	1	2	4	7	10	27
A. NOT OPERATED	943	4.8	23	1	1	4	6	8	11	25
B. OPERATED	2542	2.5	11	<1	1	2	3	4	7	22
TOTAL 0-19 YRS	2309	2.3	6	<1	1	2	2	4	7	11
20-34	416	3.8	9	1	2	3	4	7	9	19
35-49	310	4.4	26	2	2	3	5	7	11	25
50-64	260	4.7	24	1	2	3	5	8	11	35
65+	190	7.9	76	1	2	5	10	22	28	41
GRAND TOTAL	**3485**	**3.1**	**16**	**<1**	**1**	**2**	**3**	**6**	**9**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.5	4	1	2	3	4	6	7	13
20-34	265	3.6	7	1	2	3	4	6	8	12
35-49	390	3.9	6	1	2	3	5	7	8	13
50-64	538	3.9	7	1	2	3	5	7	9	13
65+	417	4.2	8	1	2	3	5	8	10	14
B. *Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	82	4.0	5	2	2	3	5	6	8	13
35-49	106	4.3	6	2	2	4	5	8	10	12
50-64	134	4.8	9	2	2	4	6	8	10	18
65+	43	5.0	10	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.0	21	1	2	3	6	9	13	25
20-34	245	5.4	25	1	2	4	6	10	12	25
35-49	430	5.1	11	2	2	4	6	9	12	17
50-64	905	5.3	13	2	2	4	7	9	12	18
65+	1472	6.0	17	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	20	6.8	21	2	2	6	8	14	17	19
35-49	57	8.5	57	2	2	6	12	17	26	39
50-64	64	7.3	23	2	3	7	10	11	16	28
65+	87	9.0	29	2	3	9	12	16	17	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	3.9	7	1	2	3	5	7	9	14
B. *Operated*	370	4.5	7	2	2	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	3085	5.6	16	2	2	5	7	10	13	20
B. *Operated*	231	8.1	34	2	3	7	11	15	18	34
1. SINGLE DX	2038	4.0	7	1	2	3	5	7	9	13
2. MULTIPLE DX	3316	5.8	17	2	2	5	7	11	13	21
A. NOT OPERATED	4753	5.0	13	2	2	4	6	9	12	18
B. OPERATED	601	5.9	21	2	2	4	7	12	15	27
TOTAL 0-19 YRS	99	4.0	10	1	2	3	5	7	9	20
20-34	612	4.5	15	1	2	3	5	8	11	17
35-49	983	4.7	12	1	2	4	6	9	11	17
50-64	1641	4.9	11	1	2	4	6	9	11	18
65+	2019	5.7	17	2	2	5	7	11	13	21
GRAND TOTAL	**5354**	**5.1**	**14**	**2**	**2**	**4**	**6**	**9**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	7	2.1	1	1	1	2	3	4	4	4
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	39	2.7	1	2	2	3	3	4	4	5
20-34	271	2.8	1	2	2	3	3	4	4	5
35-49	478	2.8	2	2	2	3	3	4	4	7
50-64	559	2.9	1	2	2	3	3	4	4	8
65+	256	3.0	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	5.3	18	<1	<1	4	8	11	11	11
50-64	6	3.7	6	<1	<1	4	5	7	7	7
65+	5	5.0	18	1	1	3	9	10	10	10
B. *Operated*										
0-19 YRS	14	2.7	1	1	2	3	3	5	5	5
20-34	42	3.4	6	2	2	3	3	5	10	12
35-49	101	2.9	1	2	2	3	3	4	5	8
50-64	119	3.3	7	2	2	3	3	5	6	21
65+	53	3.8	5	2	2	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	2	1	1	2	3	4	6	7
B. *Operated*	1603	2.9	2	2	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	18	4.2	10	<1	<1	3	5	10	11	11
B. *Operated*	329	3.3	5	2	2	3	3	5	6	12
1. SINGLE DX	1621	2.9	2	2	2	3	3	4	4	7
2. MULTIPLE DX	347	3.3	5	2	2	3	3	5	7	12
A. NOT OPERATED	36	3.3	7	<1	1	3	4	7	10	11
B. OPERATED	1932	2.9	2	2	2	3	3	4	5	9
TOTAL 0-19 YRS	54	2.7	1	2	2	3	3	4	5	5
20-34	319	2.8	2	2	2	3	3	4	4	12
35-49	590	2.9	2	2	2	3	3	4	4	8
50-64	689	3.0	2	2	2	3	3	4	5	9
65+	316	3.2	2	2	2	3	3	4	6	11
GRAND TOTAL	**1968**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	4	<1	<1	2	2	5	6	12
20-34	64	3.3	6	1	1	3	4	6	7	15
35-49	85	3.8	5	1	2	3	5	7	8	13
50-64	106	3.5	4	1	2	3	4	6	7	12
65+	62	3.6	3	2	2	3	5	6	7	12
B. *Operated*										
0-19 YRS	1057	2.2	2	1	1	2	2	3	3	7
20-34	715	2.6	3	1	2	2	3	3	4	11
35-49	595	2.5	2	1	2	2	3	3	4	7
50-64	454	2.7	3	1	2	2	3	4	5	11
65+	149	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.7	20	<1	<1	2	4	7	11	25
20-34	54	3.6	6	<1	1	3	5	7	9	12
35-49	68	3.9	6	1	1	4	5	7	8	13
50-64	90	4.2	8	1	2	4	5	8	10	15
65+	79	5.9	18	1	2	5	7	11	15	21
B. *Operated*										
0-19 YRS	688	2.3	4	1	1	2	3	3	4	9
20-34	475	2.9	5	2	2	2	3	4	5	15
35-49	432	2.9	4	2	2	3	3	4	6	11
50-64	359	3.5	13	2	2	3	3	5	8	17
65+	161	3.7	13	2	2	3	4	6	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	3.4	5	1	1	3	4	6	7	13
B. *Operated*	2970	2.4	3	1	1	2	3	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	353	4.3	12	1	1	4	5	8	11	19
B. *Operated*	2115	2.9	6	1	2	2	3	4	6	15
1. SINGLE DX	3333	2.6	3	1	1	2	3	4	5	10
2. MULTIPLE DX	2468	3.1	8	1	1	2	3	5	7	15
A. NOT OPERATED	716	3.9	9	1	1	3	5	7	9	15
B. OPERATED	5085	2.6	4	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1853	2.3	4	1	1	2	2	3	4	9
20-34	1308	2.8	4	1	2	2	3	4	5	13
35-49	1180	2.8	3	1	2	2	3	4	6	10
50-64	1009	3.2	8	1	2	3	3	5	7	15
65+	451	3.8	10	1	2	3	4	7	9	18
GRAND TOTAL	**5801**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	7.7	50	2	3	6	9	14	16	33
20-34	38	6.4	12	2	3	5	7	11	15	18
35-49	13	7.7	24	2	2	7	11	16	16	16
50-64	6	5.5	4	3	3	5	7	8	8	8
65+	4	6.0	13	3	3	5	8	11	11	11
B. *Operated*										
0-19 YRS	3	10.0	117	1	1	7	18	22	22	22
20-34	4	12.3	36	8	8	10	16	21	21	21
35-49	7	6.0	20	2	2	4	11	12	12	12
50-64	8	8.0	31	2	2	7	12	16	17	17
65+	4	3.5	6	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	9.4	76	2	3	7	11	19	27	50
20-34	44	6.9	15	2	2	6	9	15	15	15
35-49	43	7.0	50	1	2	5	8	13	15	45
50-64	78	8.5	38	2	2	7	10	16	20	33
65+	72	11.0	65	3	4	9	14	19	31	88
B. *Operated*										
0-19 YRS	5	6.2	51	1	1	2	12	17	17	17
20-34	9	11.4	75	2	3	11	13	25	32	32
35-49	22	10.6	164	2	2	6	13	31	45	47
50-64	36	12.3	117	2	2	10	16	26	38	45
65+	18	14.1	94	1	2	13	21	29	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	7.3	39	2	3	6	9	13	16	30
B. *Operated*	26	7.7	35	1	2	7	12	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	310	8.8	53	2	3	7	11	17	21	47
B. *Operated*	90	11.8	115	2	2	9	16	26	34	46
1. SINGLE DX	231	7.4	39	2	2	6	9	13	16	29
2. MULTIPLE DX	400	9.5	69	2	2	7	13	19	27	46
A. NOT OPERATED	515	8.2	48	2	3	7	10	15	19	39
B. OPERATED	116	10.9	100	2	2	9	15	25	32	46
TOTAL 0-19 YRS	225	8.2	59	2	2	6	10	15	21	38
20-34	95	7.3	22	2	3	6	9	15	15	27
35-49	85	8.0	73	2	2	5	10	15	19	46
50-64	128	9.4	61	2	2	7	12	19	26	42
65+	98	11.1	70	3	3	9	15	22	31	75
GRAND TOTAL	**631**	**8.7**	**59**	**2**	**2**	**7**	**11**	**16**	**22**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	4	1	1	2	4	6	7	7
20-34	37	3.7	6	1	1	3	5	7	9	10
35-49	50	4.9	13	1	2	4	6	10	11	20
50-64	42	5.5	19	1	2	4	7	11	14	23
65+	28	6.2	15	2	2	5	8	10	13	20
B. *Operated*										
0-19 YRS	13	4.4	22	<1	<1	2	5	12	15	16
20-34	53	8.8	34	2	2	9	12	16	19	25
35-49	126	8.3	43	2	2	8	12	17	22	27
50-64	149	9.2	87	2	2	5	14	20	26	41
65+	45	9.4	116	2	2	4	13	18	35	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	7.2	68	2	2	4	10	11	25	40
20-34	135	5.6	38	1	2	4	6	9	15	35
35-49	323	6.5	24	1	2	5	8	12	15	29
50-64	438	7.9	65	2	2	6	10	14	19	43
65+	470	9.3	49	2	3	7	11	18	23	38
B. *Operated*										
0-19 YRS	13	5.7	20	2	2	3	8	10	17	18
20-34	101	8.4	56	2	2	5	13	17	20	39
35-49	282	9.0	81	2	2	6	12	17	24	48
50-64	404	11.5	153	2	2	8	16	24	37	66
65+	200	14.9	186	2	2	12	20	33	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	4.9	14	1	2	4	6	10	11	20
B. *Operated*	386	8.7	67	2	2	7	13	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	1387	7.8	49	2	2	6	9	14	20	36
B. *Operated*	1000	11.1	132	2	2	8	15	24	34	64
1. SINGLE DX	552	7.6	54	2	2	5	11	16	21	33
2. MULTIPLE DX	2387	9.2	86	2	2	6	12	18	26	51
A. NOT OPERATED	1553	7.5	46	2	2	6	9	14	19	35
B. OPERATED	1386	10.4	115	2	2	8	14	22	30	61
TOTAL 0-19 YRS	56	5.5	37	1	1	3	8	11	15	39
20-34	326	6.8	42	1	2	4	9	15	18	32
35-49	781	7.6	48	2	2	6	10	15	20	33
50-64	1033	9.4	104	2	2	6	12	19	26	55
65+	743	10.7	95	2	3	8	13	22	30	55
GRAND TOTAL	**2939**	**8.9**	**81**	**2**	**2**	**6**	**11**	**18**	**25**	**49**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.4	8	1	1	3	4	6	8	16
20-34	495	4.0	6	1	2	4	5	7	9	12
35-49	834	4.7	9	1	2	4	6	8	11	16
50-64	802	4.7	10	1	2	4	6	8	11	16
65+	455	5.2	15	2	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	19	4.8	5	2	2	4	7	8	9	9
20-34	85	4.2	12	2	2	3	5	8	10	22
35-49	99	4.6	15	1	2	3	6	10	15	18
50-64	88	5.1	18	2	2	4	6	10	16	20
65+	32	7.5	65	2	2	4	10	17	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.7	12	2	2	4	6	8	10	19
20-34	1066	5.1	11	2	2	4	6	9	11	18
35-49	3006	5.8	17	2	2	5	7	10	13	21
50-64	4480	6.4	23	2	2	5	8	12	15	26
65+	4433	7.5	37	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	23	8.2	46	2	3	7	11	17	22	31
20-34	216	6.2	25	<1	1	5	9	12	17	24
35-49	466	8.2	50	2	2	7	11	16	19	34
50-64	751	9.1	59	2	2	7	12	19	26	38
65+	518	12.8	120	2	3	10	16	24	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2702	4.6	10	1	2	4	6	8	10	16
B. *Operated*	323	4.9	20	2	2	3	6	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	13113	6.5	26	2	2	5	8	12	15	26
B. *Operated*	1974	9.5	73	2	2	7	12	19	26	44
1. SINGLE DX	3025	4.6	11	1	2	4	6	8	11	17
2. MULTIPLE DX	15087	6.9	33	2	2	5	8	13	17	31
A. NOT OPERATED	15815	6.2	24	2	2	5	8	11	15	24
B. OPERATED	2297	8.9	68	2	2	7	11	18	24	42
TOTAL 0-19 YRS	286	4.5	14	1	2	4	5	8	10	22
20-34	1862	4.9	12	1	2	4	6	9	11	19
35-49	4405	5.8	20	2	2	5	7	11	14	22
50-64	6121	6.5	27	2	2	5	8	12	16	28
65+	5438	7.8	46	2	3	6	9	15	19	35
GRAND TOTAL	**18112**	**6.5**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	9	2	2	3	5	9	10	10
20-34	23	4.7	10	1	2	4	6	10	12	14
35-49	156	5.4	14	2	2	6	8	12	14	19
50-64	271	5.5	10	2	2	5	7	9	12	17
65+	341	6.6	18	2	3	6	8	11	14	22
B. *Operated*										
0-19 YRS										
20-34	7	4.1	6	2	2	3	6	8	8	8
35-49	28	4.7	17	1	1	3	7	11	13	17
50-64	31	5.1	18	1	2	3	6	12	14	19
65+	21	7.4	61	1	2	3	9	21	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	7.8	42	1	2	7	10	13	21	32
20-34	139	6.2	15	2	2	5	8	11	13	24
35-49	787	7.2	25	2	3	6	9	13	16	26
50-64	2574	8.2	43	2	3	7	10	15	20	33
65+	5141	9.7	62	3	3	8	12	18	24	40
B. *Operated*										
0-19 YRS	3	10.7	72	2	2	11	17	19	19	19
20-34	14	6.3	31	1	2	4	11	21	80	99+
35-49	166	8.9	55	2	2	7	12	17	24	32
50-64	406	11.2	122	2	2	8	14	24	30	52
65+	562	14.4	135	2	3	12	19	28	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	6.1	15	2	2	5	8	11	13	20
B. *Operated*	87	5.4	28	1	2	3	7	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	8663	9.0	53	2	3	7	11	17	22	37
B. *Operated*	1151	12.4	122	2	2	10	16	25	34	58
1. SINGLE DX	884	6.1	16	2	2	5	8	11	13	20
2. MULTIPLE DX	9814	9.4	62	2	3	7	12	18	24	41
A. NOT OPERATED	9460	8.8	51	2	3	7	11	16	22	36
B. OPERATED	1238	11.9	118	2	2	9	16	25	32	58
TOTAL 0-19 YRS	31	7.4	39	1	2	5	10	13	19	32
20-34	183	6.0	15	2	2	5	8	11	13	24
35-49	1137	7.3	28	2	2	6	9	13	17	27
50-64	3282	8.3	51	2	3	7	10	16	21	35
65+	6065	10.0	69	3	3	8	12	19	25	44
GRAND TOTAL	**10698**	**9.1**	**59**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	6	1	1	4	6	7	7	7
20-34	22	5.7	24	1	2	4	6	14	17	19
35-49	44	6.7	23	1	2	6	10	14	15	22
50-64	64	6.7	28	1	2	5	10	13	17	25
65+	44	7.8	30	2	3	5	10	16	18	27
B. *Operated*										
0-19 YRS	4	7.8	71	1	1	5	13	20	20	20
20-34	26	8.2	86	1	2	4	9	23	32	35
35-49	49	9.8	90	1	2	7	14	21	23	53
50-64	46	11.3	83	3	3	9	12	27	32	39
65+	27	7.3	62	2	2	5	9	13	19	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.3	66	2	2	5	7	13	29	34
20-34	62	6.2	27	1	2	5	8	12	16	27
35-49	152	7.7	47	1	2	6	10	14	19	31
50-64	323	8.9	57	2	2	7	11	17	23	36
65+	481	10.9	82	2	3	9	13	22	27	47
B. *Operated*										
0-19 YRS	18	9.6	99	1	2	7	11	16	34	45
20-34	80	11.5	79	2	3	10	13	25	34	83
35-49	140	12.1	128	2	3	9	15	29	34	82
50-64	265	13.6	153	2	3	10	18	29	38	60
65+	195	14.8	134	3	3	12	19	29	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	6.8	27	1	2	5	10	14	17	25
B. *Operated*	152	9.5	82	2	2	7	11	22	30	42
2. MULTIPLE DX										
A. *Not Operated*	1032	9.5	68	2	2	8	12	19	25	40
B. *Operated*	698	13.3	134	2	3	10	17	29	33	61
1. SINGLE DX	330	8.0	54	1	2	6	10	17	22	36
2. MULTIPLE DX	1730	11.0	98	2	2	8	14	23	30	56
A. NOT OPERATED	1210	9.1	62	2	2	7	11	18	23	38
B. OPERATED	850	12.6	127	2	3	10	16	28	33	59
TOTAL 0-19 YRS	40	8.0	74	1	2	6	10	16	27	45
20-34	190	8.6	62	1	2	7	11	17	27	46
35-49	385	9.5	83	2	2	7	12	20	29	55
50-64	698	10.6	99	2	2	8	13	23	30	55
65+	747	11.6	96	2	3	9	15	23	30	55
GRAND TOTAL	**2060**	**10.5**	**92**	**2**	**2**	**8**	**13**	**22**	**30**	**53**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	10.6	22	2	3	11	14	15	18	20
20-34	114	11.5	23	3	6	11	14	18	20	24
35-49	1351	12.1	20	5	7	12	14	17	20	27
50-64	2944	12.6	22	5	7	12	15	18	21	26
65+	2348	13.4	31	6	8	13	16	19	22	32
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	8.2	33	2	2	8	14	16	18	19
35-49	111	12.0	44	2	2	12	15	19	23	35
50-64	228	12.7	43	2	3	12	16	19	23	37
65+	109	16.9	65	4	7	16	22	28	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	12.4	42	1	3	13	17	19	21	31
20-34	213	13.0	33	4	6	13	16	19	22	30
35-49	2648	12.9	31	4	7	13	15	19	22	32
50-64	8390	13.7	37	5	7	13	16	21	25	35
65+	11196	14.9	56	6	8	14	18	23	28	43
B. *Operated*										
0-19 YRS	6	21.0	115	3	4	24	30	31	31	31
20-34	44	12.4	63	2	2	12	16	25	27	35
35-49	414	13.8	97	2	2	13	18	25	30	53
50-64	1077	16.3	120	2	3	15	21	29	36	58
65+	1088	21.0	137	7	10	19	26	35	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6775	12.7	25	5	7	12	15	19	21	28
B. *Operated*	462	13.4	52	2	3	13	17	22	28	39
2. MULTIPLE DX										
A. *Not Operated*	22483	14.2	46	5	7	13	17	22	26	39
B. *Operated*	2629	17.8	130	2	4	16	23	31	39	62
1. SINGLE DX	7237	12.8	27	5	7	13	15	19	21	29
2. MULTIPLE DX	25112	14.6	56	5	7	13	17	23	28	42
A. NOT OPERATED	29258	13.9	42	5	7	13	16	21	25	37
B. OPERATED	3091	17.1	121	2	4	15	22	30	37	60
TOTAL 0-19 YRS	61	12.7	49	2	3	12	17	21	27	31
20-34	384	12.3	34	2	5	12	15	19	23	30
35-49	4524	12.7	34	3	6	12	15	19	22	32
50-64	12639	13.7	41	5	7	13	16	21	25	36
65+	14741	15.1	61	6	8	14	18	24	29	44
GRAND TOTAL	**32349**	**14.2**	**50**	**5**	**7**	**13**	**17**	**22**	**27**	**40**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	38	4.6	7	2	2	4	5	9	10	13
35-49	420	4.4	8	1	2	4	6	8	9	14
50-64	875	4.8	12	1	2	4	6	9	11	16
65+	735	5.2	13	1	2	4	7	9	11	19
B. *Operated*										
0-19 YRS										
20-34	11	4.7	12	1	2	4	5	11	12	12
35-49	123	4.6	16	1	2	3	6	11	13	18
50-64	249	4.4	16	2	2	3	5	10	14	19
65+	71	5.5	23	2	2	4	7	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.5	10	1	2	3	6	9	11	13
20-34	142	5.5	15	2	2	5	7	10	13	23
35-49	1955	5.2	12	1	2	4	7	9	11	18
50-64	5935	6.1	18	2	2	5	7	11	14	22
65+	7429	6.8	22	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	48	6.3	23	2	2	5	9	14	15	19
35-49	794	7.3	44	2	2	5	11	15	19	30
50-64	2259	8.1	56	2	2	6	11	16	21	36
65+	955	10.9	85	2	2	9	15	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2069	4.8	11	1	2	4	6	9	10	18
B. *Operated*	454	4.6	17	2	2	3	6	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	15486	6.3	19	2	2	5	8	11	14	23
B. *Operated*	4057	8.6	62	2	2	7	12	18	22	38
1. SINGLE DX	2523	4.8	12	1	2	4	6	9	11	18
2. MULTIPLE DX	19543	6.8	29	2	2	5	9	13	16	27
A. NOT OPERATED	17555	6.1	19	2	2	5	8	11	14	23
B. OPERATED	4511	8.2	59	2	2	6	12	17	21	36
TOTAL 0-19 YRS	27	4.6	10	1	2	3	6	9	10	13
20-34	239	5.5	15	2	2	4	7	10	13	19
35-49	3292	5.6	20	2	2	4	7	11	14	22
50-64	9318	6.4	28	2	2	5	8	12	16	26
65+	9190	7.1	30	2	2	6	9	13	17	28
GRAND TOTAL	**22066**	**6.5**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	22	5.2	8	1	1	5	6	8	11	13
35-49	258	5.2	12	1	2	4	7	10	12	19
50-64	589	5.6	11	2	2	5	7	10	13	16
65+	620	6.2	14	2	3	5	8	11	14	18
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	6.0	23	2	2	3	10	13	13	13
35-49	49	8.5	20	2	2	9	12	14	15	16
50-64	138	10.2	38	2	2	9	12	18	23	30
65+	61	11.1	31	2	3	11	15	19	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.8	26	2	2	5	8	13	20	21
20-34	62	6.7	15	2	3	6	9	13	14	17
35-49	911	6.9	24	2	3	6	9	12	15	22
50-64	3282	7.3	25	2	3	6	9	13	16	24
65+	4809	8.1	29	3	3	7	10	15	18	28
B. *Operated*										
0-19 YRS										
20-34	14	9.1	53	1	2	8	12	19	24	26
35-49	296	10.7	51	2	2	10	14	19	24	36
50-64	797	11.8	67	2	2	11	15	21	27	41
65+	454	14.9	103	3	4	13	19	28	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1491	5.8	13	2	2	5	7	11	13	17
B. *Operated*	254	10.0	33	2	2	10	13	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	9076	7.7	27	2	3	6	10	14	17	26
B. *Operated*	1561	12.5	77	2	3	11	15	23	29	44
1. SINGLE DX	1745	6.4	18	2	2	5	8	12	14	21
2. MULTIPLE DX	10637	8.4	37	2	3	7	11	15	19	31
A. NOT OPERATED	10567	7.4	26	2	3	6	9	13	16	25
B. OPERATED	1815	12.1	71	2	3	11	15	22	28	43
TOTAL 0-19 YRS	15	6.5	22	2	2	6	8	10	18	21
20-34	103	6.7	19	1	2	6	9	13	15	22
35-49	1514	7.4	31	2	2	6	10	14	17	26
50-64	4806	7.9	34	2	3	7	10	15	18	29
65+	5944	8.5	37	3	3	7	11	16	19	31
GRAND TOTAL	**12382**	**8.1**	**35**	**2**	**3**	**7**	**10**	**15**	**19**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	5	1	1	3	5	6	6	6
20-34	35	4.1	7	1	2	3	5	9	9	11
35-49	306	5.2	19	1	1	4	7	10	13	20
50-64	779	5.2	16	1	2	4	7	10	13	20
65+	825	6.5	24	2	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	23	3.9	17	1	1	2	3	11	13	14
20-34	78	6.0	37	2	2	3	10	13	15	35
35-49	1524	6.7	26	2	2	5	10	13	15	21
50-64	3316	7.9	36	2	2	8	12	15	18	27
65+	1073	9.1	54	2	2	9	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.2	20	2	2	6	11	14	15	16
20-34	129	5.5	12	2	2	5	8	10	13	15
35-49	2101	6.5	27	2	2	5	8	12	15	25
50-64	7953	7.2	27	2	2	6	9	14	17	26
65+	16418	9.0	49	2	3	7	11	16	22	37
B. *Operated*										
0-19 YRS	18	10.4	109	1	2	6	17	29	30	30
20-34	142	6.6	79	2	2	3	9	13	16	80
35-49	2411	6.8	41	2	2	4	10	14	18	31
50-64	6365	8.5	61	2	2	7	12	17	22	36
65+	3508	12.6	107	2	2	11	17	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1949	5.7	20	1	2	5	7	11	14	21
B. *Operated*	6014	7.7	37	2	2	8	12	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	26644	8.2	41	2	3	7	10	15	20	34
B. *Operated*	12444	9.3	75	2	2	8	13	19	25	41
1. SINGLE DX	7963	7.2	34	2	2	6	11	14	17	26
2. MULTIPLE DX	39088	8.6	52	2	2	7	11	16	22	36
A. NOT OPERATED	28593	8.1	40	2	3	6	10	15	19	33
B. OPERATED	18458	8.8	63	2	2	8	12	18	23	37
TOTAL 0-19 YRS	88	6.8	41	1	2	4	10	14	17	30
20-34	384	5.9	42	2	2	4	8	12	15	40
35-49	6342	6.6	32	2	2	5	10	13	16	27
50-64	18413	7.7	40	2	2	6	11	15	19	30
65+	21824	9.5	59	2	3	8	12	18	24	39
GRAND TOTAL	**47051**	**8.4**	**49**	**2**	**2**	**7**	**11**	**16**	**21**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	7.5	17	1	2	8	11	13	14	14
20-34	231	9.7	27	2	4	9	12	16	18	34
35-49	289	10.8	25	3	5	10	13	17	21	26
50-64	320	11.3	27	4	6	11	14	17	19	30
65+	301	12.3	26	5	7	11	15	18	22	26
B. *Operated*										
0-19 YRS	2	15.0	32	11	11	15	19	19	19	19
20-34	36	12.0	14	6	7	12	15	17	19	19
35-49	40	12.7	26	5	7	12	15	20	22	25
50-64	54	13.8	83	4	6	12	16	22	30	58
65+	43	14.3	67	3	6	13	16	22	35	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.4	13	2	3	8	11	14	15	16
20-34	255	10.9	37	3	5	10	13	17	21	35
35-49	513	11.8	30	4	5	11	15	19	22	31
50-64	970	12.9	38	5	6	12	15	20	24	33
65+	1528	14.5	63	5	7	13	18	23	29	42
B. *Operated*										
0-19 YRS	4	20.8	58	16	16	18	25	32	32	32
20-34	62	16.6	75	7	8	14	22	26	34	46
35-49	116	15.8	87	5	6	13	20	28	33	54
50-64	210	18.2	134	6	8	15	22	30	40	59
65+	217	19.1	97	8	9	17	23	33	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	11.1	27	4	5	10	13	17	20	27
B. *Operated*	175	13.3	51	4	6	12	15	20	23	41
2. MULTIPLE DX										
A. *Not Operated*	3288	13.3	50	5	6	12	16	21	26	38
B. *Operated*	609	17.9	106	6	9	15	22	31	37	57
1. SINGLE DX	1329	11.3	31	4	5	11	14	18	20	31
2. MULTIPLE DX	3897	14.0	61	5	7	12	17	23	28	44
A. NOT OPERATED	4442	12.7	45	5	6	11	15	20	24	36
B. OPERATED	784	16.9	98	6	8	14	20	30	36	56
TOTAL 0-19 YRS	41	9.6	34	2	3	8	12	16	19	32
20-34	584	11.1	40	3	5	10	13	18	22	35
35-49	958	12.0	37	4	5	11	15	20	23	32
50-64	1554	13.3	54	5	6	12	16	21	26	42
65+	2089	14.6	64	5	7	13	18	24	31	45
GRAND TOTAL	**5226**	**13.3**	**55**	**5**	**6**	**12**	**16**	**22**	**26**	**41**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	17.4	225	2	2	21	27	39	41	41
20-34	14	20.0	175	4	5	18	30	41	43	43
35-49	2	26.5	1013	4	4	26	49	49	49	49
50-64	7	18.0	320	3	3	13	29	46	50	50
65+	6	20.0	120	6	7	20	29	32	32	32
B. *Operated*										
0-19 YRS										
20-34	2	53.0	288	41	41	53	65	65	65	65
35-49	2	28.0	800	8	8	28	48	48	48	48
50-64	1	20.0		20	20	20	20	20	20	20
65+	2	43.5	1	43	43	43	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	29.1	238	3	7	29	42	49	52	52
20-34	45	24.0	195	4	8	24	32	45	48	54
35-49	28	27.2	164	10	12	25	34	44	48	63
50-64	53	29.3	239	5	11	30	34	44	53	95
65+	78	27.1	199	3	6	28	37	46	52	87
B. *Operated*										
0-19 YRS										
20-34	21	37.0	316	6	10	34	48	62	70	75
35-49	20	34.1	251	9	10	36	43	54	61	66
50-64	30	37.7	240	10	20	37	51	63	64	99+
65+	26	42.4	273	20	25	40	52	56	77	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	19.5	209	3	3	18	30	41	47	50
B. *Operated*	7	38.4	354	8	10	43	47	62	65	65
2. MULTIPLE DX										
A. *Not Operated*	214	27.1	205	4	7	28	36	45	51	75
B. *Operated*	97	38.1	268	10	19	37	49	61	66	96
1. SINGLE DX	43	22.6	274	3	3	21	32	45	49	65
2. MULTIPLE DX	311	30.5	250	5	10	30	41	51	57	93
A. NOT OPERATED	250	26.0	212	3	6	27	35	45	50	63
B. OPERATED	104	38.1	270	9	19	38	48	62	66	96
TOTAL 0-19 YRS	17	24.3	253	2	3	23	36	45	50	52
20-34	82	27.3	272	4	7	27	40	48	56	72
35-49	52	29.8	227	8	10	29	41	48	56	66
50-64	91	31.1	268	3	9	31	39	54	63	98
65+	112	30.6	255	4	7	31	41	51	54	95
GRAND TOTAL	**354**	**29.6**	**259**	**4**	**8**	**30**	**40**	**50**	**57**	**91**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.9	5	<1	1	2	4	6	8	11
20-34	110	3.0	11	1	1	2	4	6	7	18
35-49	205	2.5	3	<1	1	2	3	5	6	8
50-64	239	3.3	19	1	1	2	4	6	7	31
65+	152	3.8	8	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	4	5.3	5	3	3	5	7	8	8	8
50-64	7	4.1	2	2	2	4	6	6	6	6
65+	6	6.5	9	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.6	14	<1	1	2	4	8	10	21
20-34	127	3.7	7	1	1	3	5	7	8	14
35-49	292	4.7	13	1	1	4	6	9	12	18
50-64	581	5.1	18	1	2	4	6	9	12	19
65+	700	6.6	38	2	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	7	8.1	60	2	2	5	8	22	25	25
35-49	24	7.6	28	2	2	7	10	13	20	24
50-64	56	7.5	33	2	2	6	10	12	18	34
65+	42	14.2	76	2	4	13	18	26	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	3.1	11	1	1	2	4	6	7	13
B. *Operated*	18	5.2	6	2	3	5	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1741	5.5	25	1	2	4	7	10	14	24
B. *Operated*	131	9.6	56	2	2	8	12	19	25	36
1. SINGLE DX	765	3.2	11	1	1	2	4	6	7	13
2. MULTIPLE DX	1872	5.8	28	1	2	4	7	11	15	27
A. NOT OPERATED	2488	4.8	22	1	1	4	6	9	13	22
B. OPERATED	149	9.1	52	2	2	7	11	18	24	35
TOTAL 0-19 YRS	85	3.3	9	<1	1	2	4	7	9	17
20-34	244	3.5	11	1	1	3	5	7	8	16
35-49	525	4.0	11	1	1	3	5	8	11	18
50-64	883	4.8	20	1	1	4	6	9	11	22
65+	900	6.5	38	1	2	5	8	13	17	31
GRAND TOTAL	**2637**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.6	4	<1	1	4	4	6	8	8
20-34	99	3.0	6	1	1	2	3	5	7	15
35-49	206	3.0	4	1	1	3	4	6	7	9
50-64	504	3.8	10	1	1	3	5	7	10	17
65+	550	4.6	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS										
20-34	5	5.0	8	2	2	5	7	9	9	9
35-49	12	6.8	87	1	1	2	8	21	30	32
50-64	18	4.9	10	1	2	4	6	10	11	12
65+	26	8.0	16	2	4	7	10	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	18	1	1	4	6	11	16	17
20-34	126	4.4	10	1	2	3	6	9	11	16
35-49	413	5.3	20	1	1	4	7	10	12	23
50-64	1817	5.9	26	1	2	5	7	11	14	26
65+	4390	7.7	43	2	2	6	10	14	19	35
B. *Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	10	7.6	37	1	1	6	12	17	18	18
35-49	38	7.6	57	2	2	5	7	21	27	31
50-64	165	9.1	48	2	2	7	13	18	22	34
65+	421	15.0	129	4	5	12	19	28	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1377	3.9	10	1	1	3	5	8	10	17
B. *Operated*	61	6.6	28	1	2	5	9	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	6774	7.0	37	2	2	5	9	13	17	30
B. *Operated*	637	12.9	111	2	3	10	17	24	32	53
1. SINGLE DX	1438	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX	7411	7.5	46	2	2	6	9	14	19	34
A. NOT OPERATED	8151	6.5	34	1	2	5	8	13	16	29
B. OPERATED	698	12.4	107	2	3	10	16	24	31	50
TOTAL 0-19 YRS	49	4.4	12	1	1	4	5	8	11	17
20-34	240	4.0	10	1	1	3	5	8	10	17
35-49	669	4.7	20	1	1	4	6	9	12	27
50-64	2504	5.7	26	1	2	4	7	11	14	26
65+	5387	8.0	51	2	2	6	10	15	20	39
GRAND TOTAL	**8849**	**7.0**	**42**	**1**	**2**	**5**	**9**	**14**	**18**	**33**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.3	4	1	1	3	4	6	8	9
20-34	223	3.6	6	1	1	3	4	6	8	14
35-49	361	4.1	9	1	1	3	5	8	10	16
50-64	507	4.6	16	1	1	4	5	9	11	17
65+	586	5.3	17	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	7	3.9	7	2	2	2	6	8	8	8
20-34	22	4.3	6	1	2	4	6	7	8	10
35-49	89	5.4	25	1	2	4	7	11	16	26
50-64	192	6.7	22	2	2	6	9	13	16	25
65+	697	8.2	26	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	4.3	20	1	1	3	5	9	12	28
20-34	472	4.7	15	1	2	4	6	9	11	17
35-49	999	5.3	17	1	2	4	7	10	12	22
50-64	2567	6.6	30	2	2	5	8	12	16	26
65+	4872	8.1	40	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	25	7.2	40	2	2	5	9	14	22	28
20-34	68	8.6	56	2	2	6	10	18	24	37
35-49	220	8.1	74	2	2	7	10	16	23	57
50-64	844	9.9	58	2	2	8	13	20	24	41
65+	2826	11.8	68	3	4	10	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	4.6	14	1	1	4	6	8	11	18
B. *Operated*	1007	7.5	25	2	2	7	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	9040	7.1	35	2	2	6	9	14	18	30
B. *Operated*	3983	11.1	67	2	3	9	14	21	26	42
1. SINGLE DX	2737	5.7	20	1	2	4	7	11	14	23
2. MULTIPLE DX	13023	8.3	48	2	2	7	11	16	21	35
A. NOT OPERATED	10770	6.7	32	2	2	5	8	13	17	29
B. OPERATED	4990	10.4	61	2	3	9	13	20	25	39
TOTAL 0-19 YRS	215	4.4	19	1	1	3	5	8	12	27
20-34	785	4.7	17	1	2	4	6	9	12	21
35-49	1669	5.4	24	1	2	4	7	10	14	24
50-64	4110	7.0	36	2	2	5	9	14	18	30
65+	8981	9.1	50	2	3	7	11	17	22	36
GRAND TOTAL	**15760**	**7.9**	**44**	**2**	**2**	**6**	**10**	**15**	**20**	**34**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.5	39	1	1	8	13	17	18	18
20-34	13	8.8	183	1	1	4	9	21	46	52
35-49	82	6.3	15	2	3	5	7	11	15	21
50-64	431	7.3	35	2	2	6	9	13	17	30
65+	1664	8.1	48	2	3	6	10	15	19	36
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	4.3	15	2	2	3	6	10	10	10
35-49	5	6.4	25	2	2	4	10	14	14	14
50-64	21	10.4	75	1	2	11	16	19	27	36
65+	46	15.6	156	5	6	13	17	24	49	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	7.8	37	1	2	7	10	14	17	33
20-34	168	9.1	90	2	3	7	10	16	23	88
35-49	966	8.5	46	2	3	7	10	15	21	34
50-64	5439	9.1	47	3	3	7	11	16	21	36
65+	21006	10.3	63	3	4	8	13	19	25	41
B. *Operated*										
0-19 YRS	4	9.3	55	1	1	8	14	19	19	19
20-34	45	13.0	176	1	2	8	17	27	48	58
35-49	142	11.2	93	2	2	8	15	24	31	43
50-64	531	15.3	146	2	3	12	21	31	40	67
65+	1609	18.0	150	5	6	15	23	34	43	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2198	7.9	45	2	3	6	10	14	18	35
B. *Operated*	78	12.7	129	2	2	11	15	22	36	62
2. MULTIPLE DX										
A. *Not Operated*	27699	10.0	59	3	4	8	12	19	24	39
B. *Operated*	2331	16.9	149	3	5	14	22	33	42	63
1. SINGLE DX	2276	8.1	48	2	3	6	10	15	19	37
2. MULTIPLE DX	30030	10.5	70	3	4	8	13	20	26	43
A. NOT OPERATED	29897	9.8	58	3	3	8	12	18	24	39
B. OPERATED	2409	16.7	149	3	5	14	21	33	42	63
TOTAL 0-19 YRS	134	7.8	37	1	2	7	10	14	18	31
20-34	230	9.7	112	2	3	7	11	20	27	66
35-49	1195	8.7	50	2	3	7	11	16	22	36
50-64	6422	9.5	57	2	3	7	12	18	23	39
65+	24325	10.7	72	3	4	8	13	20	27	44
GRAND TOTAL	**32306**	**10.4**	**69**	**3**	**3**	**8**	**13**	**20**	**26**	**43**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	4.9	23	1	1	4	6	10	13	29
20-34	358	5.4	24	1	2	4	7	10	12	32
35-49	346	5.2	18	1	2	4	7	10	12	20
50-64	344	5.9	21	2	2	5	8	12	15	23
65+	255	8.4	55	2	2	6	10	16	23	42
B. *Operated*										
0-19 YRS	60	5.6	29	1	2	3	9	13	15	25
20-34	116	5.9	70	1	2	3	8	13	15	47
35-49	308	5.6	27	2	2	3	8	13	15	24
50-64	472	6.7	45	2	2	3	11	16	20	30
65+	248	8.1	55	2	2	5	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	7.8	63	1	2	5	9	18	22	40
20-34	474	6.7	39	2	2	5	8	13	17	35
35-49	945	7.2	35	2	2	6	9	15	18	29
50-64	1998	8.2	42	2	3	7	10	15	20	35
65+	2783	9.2	47	2	3	7	12	17	23	35
B. *Operated*										
0-19 YRS	40	8.4	75	1	2	5	11	19	28	38
20-34	198	8.2	61	2	2	6	11	16	24	42
35-49	514	8.6	77	2	2	6	12	19	28	47
50-64	1189	10.2	105	2	2	7	14	23	29	49
65+	993	13.1	115	2	2	11	18	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	6.0	29	1	2	5	7	11	15	32
B. *Operated*	1204	6.6	45	2	2	3	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	6342	8.4	44	2	3	7	10	16	21	35
B. *Operated*	2934	10.7	103	2	2	8	15	23	30	49
1. SINGLE DX	2591	6.3	36	2	2	4	8	14	17	31
2. MULTIPLE DX	9276	9.1	64	2	2	7	12	18	24	41
A. NOT OPERATED	7729	7.9	42	2	2	6	10	15	20	34
B. OPERATED	4138	9.5	90	2	2	7	13	21	27	46
TOTAL 0-19 YRS	326	6.7	49	1	2	4	9	14	20	37
20-34	1146	6.5	42	2	2	5	8	13	17	36
35-49	2113	7.0	43	2	2	5	9	15	19	32
50-64	4003	8.4	61	2	2	6	11	17	23	40
65+	4279	10.0	67	2	3	8	13	20	25	41
GRAND TOTAL	**11867**	**8.5**	**59**	**2**	**2**	**6**	**11**	**17**	**23**	**38**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	15	4.5	10	1	1	4	6	11	11	11
50-64	38	6.7	19	1	2	6	8	14	16	18
65+	143	7.8	27	2	2	7	10	15	20	36
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	19	5.8	33	2	2	3	8	14	19	22
50-64	49	5.4	25	2	2	2	9	13	15	22
65+	27	8.8	96	2	2	5	11	25	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	9	2	2	5	7	9	10	10
20-34	26	5.1	14	2	2	4	5	8	12	21
35-49	276	7.2	36	2	2	5	10	14	17	29
50-64	1397	7.9	41	2	3	6	10	15	19	32
65+	4607	10.1	71	2	3	8	13	20	26	44
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	8	4.9	29	2	2	3	4	14	18	18
35-49	99	7.6	37	2	2	6	11	14	20	31
50-64	379	11.2	130	2	2	9	14	22	32	72
65+	731	15.3	157	2	3	12	20	32	40	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	7.3	25	2	2	6	10	14	18	30
B. *Operated*	96	6.5	48	2	2	3	9	15	21	36
2. MULTIPLE DX										
A. *Not Operated*	6313	9.5	63	2	3	7	12	18	24	41
B. *Operated*	1219	13.3	145	2	3	10	17	28	36	72
1. SINGLE DX	294	7.0	32	2	2	6	10	14	18	30
2. MULTIPLE DX	7532	10.1	78	2	3	8	13	20	26	47
A. NOT OPERATED	6511	9.4	62	2	3	7	12	18	24	41
B. OPERATED	1315	12.8	141	2	2	10	16	27	35	70
TOTAL 0-19 YRS	9	6.0	16	2	2	5	8	12	14	14
20-34	37	5.1	16	2	2	4	6	9	15	21
35-49	409	7.1	35	2	2	5	10	14	17	29
50-64	1863	8.5	60	2	2	7	11	16	21	36
65+	5508	10.7	84	2	3	8	13	21	28	52
GRAND TOTAL	**7826**	**10.0**	**77**	**2**	**3**	**8**	**13**	**20**	**26**	**46**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	12	4.8	25	<1	<1	2	8	13	14	14
35-49	16	3.7	13	<1	<1	2	6	10	10	10
50-64	16	9.1	98	1	1	4	11	28	30	30
65+	7	21.9	256	1	1	26	34	39	40	40
B. *Operated*										
0-19 YRS	7	16.6	91	2	3	18	24	27	28	28
20-34	37	19.8	283	2	4	17	25	35	46	95
35-49	64	19.5	209	2	6	17	24	36	42	87
50-64	75	18.7	155	3	5	14	29	36	38	58
65+	31	25.5	366	2	7	21	36	58	69	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	5	4	4	4	7	8	8	8
20-34	9	11.1	132	2	2	5	16	30	37	37
35-49	11	6.4	53	<1	<1	2	11	18	23	23
50-64	21	13.7	152	<1	2	8	24	33	38	38
65+	58	22.4	198	2	6	19	32	42	49	56
B. *Operated*										
0-19 YRS	4	18.3	102	8	8	17	26	30	30	30
20-34	26	24.7	405	2	5	23	32	48	99	99+
35-49	71	26.3	390	3	5	22	40	66	78	99+
50-64	88	28.7	401	5	9	25	39	58	78	99+
65+	51	29.9	274	9	10	27	44	58	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	8.1	102	<1	1	3	10	27	33	40
B. *Operated*	214	20.1	223	2	5	17	27	37	44	78
2. MULTIPLE DX										
A. *Not Operated*	102	17.4	196	[illegible]	2	15	27	38	43	57
B. *Operated*	240	27.6	365	5	8	24	39	59	80	99+
1. SINGLE DX	267	17.7	221	1	2	15	25	36	43	70
2. MULTIPLE DX	342	24.6	336	2	4	22	35	53	75	99+
A. NOT OPERATED	155	14.2	183	<1	1	10	22	35	40	57
B. OPERATED	454	24.1	312	3	6	21	33	50	68	99+
TOTAL 0-19 YRS	16	13.6	91	2	2	10	23	28	29	30
20-34	84	18.3	307	1	2	15	26	37	48	99+
35-49	162	20.0	312	1	2	16	27	43	66	99
50-64	200	21.8	300	3	4	18	31	44	58	99
65+	147	25.6	268	3	7	23	35	52	68	99+
GRAND TOTAL	**609**	**21.5**	**297**	**2**	**3**	**18**	**30**	**44**	**59**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	20.9	633	1	1	10	29	62	81	81
65+	4	30.5	355	14	14	25	43	57	57	57
B. *Operated*										
0-19 YRS										
20-34	2	79.0	2	78	78	79	80	80	80	80
35-49	7	24.1	403	3	4	29	63	99+	99+	99+
50-64	7	32.6	153	8	12	37	42	44	44	44
65+	7	36.4	709	11	12	33	47	81	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	23.8	532	1	1	15	31	62	77	81
B. *Operated*	23	35.2	561	4	8	37	51	88	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	36	31.1	566	2	6	29	50	81	95	99+
A. NOT OPERATED	13	23.8	532	1	1	15	31	62	77	81
B. OPERATED	23	35.2	561	4	8	37	51	88	99+	99+
TOTAL 0-19 YRS										
20-34	2	79.0	2	78	78	79	80	80	80	80
35-49	7	24.1	403	3	4	29	63	99+	99+	99+
50-64	16	26.0	435	1	2	28	37	44	70	81
65+	11	34.3	541	11	13	30	47	69	86	88
GRAND TOTAL	**36**	**31.1**	**566**	**2**	**6**	**29**	**50**	**81**	**95**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	14	<1	<1	4	6	11	11	11
20-34	9	12.0	258	1	1	7	11	39	53	53
35-49	11	10.4	220	<1	<1	7	11	31	50	52
50-64	20	13.4	250	<1	1	10	18	47	82	99+
65+	64	11.9	75	1	2	10	18	28	30	90
B. *Operated*										
0-19 YRS	15	13.9	50	5	6	11	20	21	27	29
20-34	19	13.7	77	5	6	11	19	28	34	35
35-49	27	14.1	111	3	5	12	19	22	30	56
50-64	59	16.6	141	6	7	12	20	34	45	96
65+	127	16.0	111	5	7	13	21	30	35	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	19.8	1025	3	3	7	10	77	85	85
20-34	5	5.2	10	2	2	5	7	10	10	10
35-49	19	14.5	156	<1	1	12	25	33	36	37
50-64	83	13.7	120	2	2	11	19	32	40	82
65+	242	17.0	246	3	4	12	21	37	52	85
B. *Operated*										
0-19 YRS	12	21.6	330	3	7	20	58	99+	99+	99+
20-34	23	25.0	366	3	7	19	31	47	68	88
35-49	56	22.2	306	4	7	18	30	50	84	99+
50-64	102	23.7	326	6	7	19	31	55	68	99+
65+	148	25.0	231	8	9	21	35	46	55	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	11.7	130	1	1	9	17	29	34	99+
B. *Operated*	247	15.6	111	5	6	13	20	31	35	64
2. MULTIPLE DX										
A. *Not Operated*	355	16.0	222	2	3	11	21	35	47	85
B. *Operated*	341	24.0	282	7	8	19	33	51	65	99+
1. SINGLE DX	356	14.4	120	2	4	12	20	30	35	67
2. MULTIPLE DX	696	19.9	267	3	5	16	27	45	60	99+
A. NOT OPERATED	464	15.0	203	1	2	11	19	32	47	96
B. OPERATED	588	20.5	227	6	7	16	27	43	57	99+
TOTAL 0-19 YRS	38	16.1	288	2	4	11	21	71	99+	99+
20-34	56	17.3	257	2	3	13	21	36	51	86
35-49	113	17.8	241	1	2	13	24	39	55	99+
50-64	264	18.2	232	2	5	13	24	41	63	99+
65+	581	18.3	211	3	5	14	23	39	48	82
GRAND TOTAL	**1052**	**18.1**	**224**	**2**	**5**	**14**	**23**	**39**	**53**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	31.5	221	21	21	31	42	42	42	42
35-49	13	21.9	317	1	3	22	30	73	94	99+
50-64	28	22.8	322	2	4	17	35	45	55	75
65+	84	22.0	155	5	7	21	28	40	48	87
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	68.3	1094	31	31	80	90	94	94	94
35-49	15	33.5	441	7	11	31	53	97	99+	99+
50-64	15	38.7	334	12	16	39	55	76	93	99+
65+	23	34.9	302	7	16	31	50	66	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	127	22.3	205	4	6	21	30	43	53	99+
B. *Operated*	57	36.9	422	10	12	36	54	82	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	184	26.8	316	5	8	24	38	56	78	99+
A. NOT OPERATED	127	22.3	205	4	6	21	30	43	53	99+
B. OPERATED	57	36.9	422	10	12	36	54	82	99+	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	53.6	1009	21	21	42	83	94	94	94
35-49	28	28.1	404	3	9	28	42	90	99+	99+
50-64	43	28.3	378	3	6	26	42	57	76	99+
65+	107	24.7	213	5	7	23	32	48	56	99+
GRAND TOTAL	**184**	**26.8**	**316**	**5**	**8**	**24**	**38**	**56**	**78**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	10	4.3	8	1	1	4	6	8	9	9
50-64	49	5.7	54	<1	1	3	7	11	23	40
65+	65	7.1	57	1	2	4	8	20	27	30
B. *Operated*										
0-19 YRS	2	10.0	98	3	3	10	17	17	17	17
20-34	5	4.2	16	1	1	3	6	11	11	11
35-49	77	7.9	75	2	2	6	9	14	15	60
50-64	561	8.0	37	2	2	7	10	14	17	30
65+	822	8.4	33	2	2	7	11	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	13	12.1	312	2	3	7	10	24	61	70
50-64	118	7.0	32	1	2	5	9	14	21	25
65+	257	10.1	103	2	3	7	12	24	33	56
B. *Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	10	9.6	61	2	2	7	12	21	28	28
35-49	116	10.0	57	2	3	8	14	20	27	64
50-64	1072	11.2	89	2	3	9	14	21	26	58
65+	1480	11.6	81	2	3	9	15	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	6.3	51	1	1	4	7	13	24	32
B. *Operated*	1467	8.2	37	2	2	7	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	390	9.2	90	2	2	6	11	21	27	53
B. *Operated*	2682	11.3	84	2	3	9	14	22	28	51
1. SINGLE DX	1593	8.1	38	2	2	7	10	15	18	30
2. MULTIPLE DX	3072	11.0	85	2	3	9	14	22	28	51
A. NOT OPERATED	516	8.5	82	1	2	6	10	20	27	46
B. OPERATED	4149	10.2	69	2	3	8	13	20	25	44
TOTAL 0-19 YRS	6	5.2	35	2	2	3	5	16	17	17
20-34	19	7.3	42	1	2	5	11	14	22	28
35-49	216	9.1	77	2	2	7	11	17	24	70
50-64	1800	9.8	71	2	3	8	12	19	24	45
65+	2624	10.3	70	2	3	8	13	20	27	43
GRAND TOTAL	**4665**	**10.0**	**71**	**2**	**3**	**8**	**12**	**20**	**25**	**45**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	11	19.5	132	2	3	22	30	32	32	32
65+	31	14.6	92	3	3	12	19	30	32	36
B. *Operated*										
0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34										
35-49	9	9.3	29	2	3	8	15	16	17	17
50-64	51	18.4	246	3	4	12	26	49	57	99
65+	88	17.3	185	3	5	14	22	32	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	45	15.8	109	3	3	12	25	32	32	36
B. *Operated*	150	17.3	198	3	4	13	24	34	52	81
1. SINGLE DX										
2. MULTIPLE DX	195	16.9	178	3	4	13	24	32	48	72
A. NOT OPERATED	45	15.8	109	3	3	12	25	32	32	36
B. OPERATED	150	17.3	198	3	4	13	24	34	52	81
TOTAL 0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	1	32.0		32	32	32	32	32	32	32
35-49	11	8.5	27	2	3	7	14	16	17	17
50-64	62	18.6	223	3	4	14	27	47	56	95
65+	119	16.6	161	3	4	14	21	31	39	66
GRAND TOTAL	**195**	**16.9**	**178**	**3**	**4**	**13**	**24**	**32**	**48**	**72**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	8	24.1	929	2	2	8	41	76	85	85
35-49	27	11.0	103	1	1	6	16	27	33	35
50-64	134	9.8	66	2	3	7	14	20	28	38
65+	395	12.3	102	3	3	9	15	25	33	56
B. *Operated*										
0-19 YRS										
20-34	16	8.1	70	2	2	7	9	13	30	37
35-49	26	9.3	156	2	2	6	8	22	36	62
50-64	92	10.7	156	2	2	7	13	22	40	71
65+	86	10.6	83	3	3	8	12	20	28	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.1	38	2	2	10	12	17	22	22
20-34	26	7.8	81	1	2	5	8	16	32	42
35-49	131	11.4	108	2	3	9	14	21	36	75
50-64	668	13.2	131	3	4	9	17	27	39	60
65+	2496	14.5	140	3	4	11	18	29	38	70
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	14	10.0	38	4	4	9	11	22	23	23
35-49	59	14.5	136	3	4	10	19	31	44	48
50-64	235	16.0	286	3	3	10	20	39	54	99+
65+	364	18.3	233	3	5	13	25	44	55	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	11.8	120	2	3	8	15	24	33	54
B. *Operated*	220	10.3	120	2	2	7	12	20	31	56
2. MULTIPLE DX										
A. *Not Operated*	3331	14.0	137	3	4	11	17	28	38	68
B. *Operated*	674	17.0	241	3	4	11	22	41	51	96
1. SINGLE DX	786	11.4	121	2	3	8	14	23	33	54
2. MULTIPLE DX	4005	14.5	156	3	4	11	18	30	41	70
A. NOT OPERATED	3897	13.7	135	3	4	10	17	28	37	67
B. OPERATED	894	15.3	219	3	3	10	20	36	49	93
TOTAL 0-19 YRS	14	8.4	30	2	2	8	11	14	20	22
20-34	64	10.4	188	2	2	6	10	24	38	81
35-49	243	11.9	121	2	3	9	15	25	37	62
50-64	1129	13.2	161	2	3	9	16	28	41	88
65+	3341	14.5	149	3	4	11	18	29	39	68
GRAND TOTAL	**4791**	**14.0**	**151**	**3**	**4**	**10**	**18**	**29**	**40**	**70**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	17.5	226	<1	<1	16	29	36	36	36
20-34	6	10.8	106	2	2	7	11	29	31	31
35-49	37	16.0	276	2	3	13	21	30	38	97
50-64	272	18.4	289	4	5	13	22	39	58	94
65+	1074	18.7	204	5	6	15	23	36	49	91
B. *Operated*										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	4	15.0	89	6	6	14	23	25	25	25
35-49	16	12.1	100	2	2	8	21	34	78	99+
50-64	48	24.6	490	5	6	18	30	59	74	95
65+	109	22.6	205	5	8	20	29	44	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1393	18.5	222	4	6	15	23	36	50	92
B. *Operated*	178	22.1	279	5	7	19	28	45	58	98
1. SINGLE DX										
2. MULTIPLE DX	1571	18.9	230	4	6	15	24	38	50	93
A. NOT OPERATED	1393	18.5	222	4	6	15	23	36	50	92
B. OPERATED	178	22.1	279	5	7	19	28	45	58	98
TOTAL 0-19 YRS	5	21.4	245	<1	<1	22	36	37	37	37
20-34	10	12.5	93	2	4	8	21	28	31	31
35-49	53	14.8	223	2	3	12	21	30	41	99+
50-64	320	19.3	323	4	5	13	24	43	61	95
65+	1183	19.1	206	5	7	15	24	37	49	91
GRAND TOTAL	**1571**	**18.9**	**230**	**4**	**6**	**15**	**24**	**38**	**50**	**93**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	1	1	1	2	3	3	3	3
20-34	27	3.7	5	1	2	3	5	7	9	9
35-49	112	4.8	13	1	2	4	6	9	11	19
50-64	406	4.7	10	1	2	4	6	9	10	16
65+	1062	5.2	15	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	5	3.8	12	2	2	2	5	10	10	10
35-49	78	5.9	28	2	2	4	7	11	15	32
50-64	303	6.4	25	2	2	5	8	12	15	31
65+	307	6.5	30	2	2	5	8	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.5	11	1	2	5	6	11	12	13
20-34	40	4.7	9	1	2	4	6	9	12	13
35-49	246	5.9	13	2	2	5	8	10	11	17
50-64	1468	6.3	26	2	2	5	8	12	14	25
65+	6705	7.4	35	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	3	9.7	12	6	6	10	12	13	13	13
20-34	14	9.8	77	1	2	7	12	24	28	29
35-49	133	7.5	35	2	3	6	10	13	20	60
50-64	688	8.6	47	2	3	7	11	16	19	34
65+	1175	11.0	87	2	3	8	14	22	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1613	5.0	13	1	2	4	6	9	12	18
B. *Operated*	695	6.4	28	2	2	5	8	12	15	30
2. MULTIPLE DX										
A. *Not Operated*	8481	7.1	33	2	2	6	9	13	17	29
B. *Operated*	2013	10.0	71	2	3	8	13	19	26	44
1. SINGLE DX	2308	5.4	18	1	2	4	7	10	13	20
2. MULTIPLE DX	10494	7.7	41	2	3	6	9	14	19	34
A. NOT OPERATED	10094	6.8	30	2	2	5	8	13	16	29
B. OPERATED	2708	9.0	62	2	2	7	11	18	23	41
TOTAL 0-19 YRS	33	5.3	13	1	2	5	7	11	13	13
20-34	86	5.2	22	1	2	4	6	10	13	27
35-49	569	6.1	21	2	2	5	8	11	13	23
50-64	2865	6.6	30	2	2	5	8	12	16	28
65+	9249	7.6	41	2	2	6	9	14	19	34
GRAND TOTAL	**12802**	**7.3**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**32**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.6	86	1	1	4	5	21	31	31
20-34	23	6.7	48	1	2	5	8	12	21	35
35-49	63	9.0	57	2	3	7	9	21	29	37
50-64	354	9.7	77	2	3	7	13	19	25	56
65+	1480	12.4	113	2	3	10	16	24	33	56
B. *Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	11	6.3	30	1	1	4	9	16	17	17
35-49	37	10.3	84	2	3	8	13	19	33	45
50-64	97	11.7	122	2	3	9	13	23	35	57
65+	110	15.2	260	2	2	10	20	35	48	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.4	78	1	4	8	14	24	34	37
20-34	31	8.9	94	2	2	5	9	25	29	45
35-49	236	11.0	96	2	3	8	13	23	31	51
50-64	1554	12.9	125	3	4	10	16	26	35	69
65+	6928	14.7	134	3	4	12	19	29	38	67
B. *Operated*										
0-19 YRS	4	4.8	38	<1	<1	2	8	14	14	14
20-34	17	12.2	163	2	2	9	15	24	43	54
35-49	74	14.3	147	2	2	10	22	31	47	88
50-64	335	16.9	236	3	4	12	21	39	57	96
65+	717	22.0	268	5	7	18	31	47	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1929	11.7	105	2	3	9	15	23	30	55
B. *Operated*	257	12.7	175	2	2	9	14	29	39	67
2. MULTIPLE DX										
A. *Not Operated*	8774	14.2	132	3	4	11	18	28	37	67
B. *Operated*	1147	19.8	257	3	5	15	27	45	58	99+
1. SINGLE DX	2186	11.8	114	2	3	9	15	24	32	57
2. MULTIPLE DX	9921	14.9	150	3	4	12	19	30	40	75
A. NOT OPERATED	10703	13.8	128	3	4	11	17	27	36	66
B. OPERATED	1404	18.5	249	3	4	14	25	43	54	99+
TOTAL 0-19 YRS	40	9.6	79	1	2	7	13	21	32	37
20-34	82	8.6	88	2	2	5	9	21	28	51
35-49	410	11.2	100	2	3	8	14	24	33	51
50-64	2340	13.0	138	2	3	10	16	26	37	70
65+	9235	14.9	148	3	4	12	19	30	40	75
GRAND TOTAL	**12107**	**14.3**	**145**	**3**	**4**	**11**	**18**	**29**	**39**	**73**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	10.8	45	2	3	10	12	21	25	25
20-34	14	14.1	134	3	3	9	21	34	36	37
35-49	109	17.1	231	3	4	12	23	42	51	99+
50-64	647	16.7	187	4	5	13	21	35	47	99
65+	2519	18.2	184	4	6	15	23	35	45	77
B. *Operated*										
0-19 YRS	2	26.0	882	5	5	26	47	47	47	47
20-34	3	20.3	152	10	10	17	30	34	34	34
35-49	19	18.2	441	2	3	8	26	47	72	83
50-64	118	24.8	360	5	7	19	36	52	69	99
65+	249	26.8	337	6	8	21	37	51	68	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3297	17.9	186	4	5	14	23	35	46	84
B. *Operated*	391	25.7	349	5	7	20	36	51	69	85
1. SINGLE DX										
2. MULTIPLE DX	3688	18.7	209	4	5	15	24	37	49	84
A. NOT OPERATED	3297	17.9	186	4	5	14	23	35	46	84
B. OPERATED	391	25.7	349	5	7	20	36	51	69	85
TOTAL 0-19 YRS	10	13.8	174	2	3	10	13	36	47	47
20-34	17	15.2	134	3	4	10	23	34	36	37
35-49	128	17.3	259	3	4	12	23	42	55	99+
50-64	765	17.9	222	4	5	14	23	39	52	99+
65+	2768	19.0	204	4	6	15	24	37	48	81
GRAND TOTAL	**3688**	**18.7**	**209**	**4**	**5**	**15**	**24**	**37**	**49**	**84**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	4	<1	<1	3	5	6	6	6
20-34	35	3.7	12	1	1	3	4	6	9	20
35-49	73	5.4	14	2	2	4	7	10	13	20
50-64	205	5.9	45	1	2	4	7	10	13	43
65+	591	6.7	33	2	2	5	8	13	19	33
B. *Operated*										
0-19 YRS	5	5.2	46	1	1	2	8	17	17	17
20-34	23	12.3	114	2	3	10	20	28	59	99+
35-49	76	9.2	57	2	2	6	13	21	23	33
50-64	199	8.1	44	2	2	6	10	17	23	35
65+	211	9.1	57	2	2	6	13	20	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	14.2	364	1	2	8	17	26	58	88
20-34	81	7.5	69	2	2	5	9	14	25	43
35-49	317	8.5	90	2	2	6	10	16	30	65
50-64	1164	9.4	93	2	3	7	11	18	29	59
65+	6013	10.6	99	2	3	8	13	21	31	55
B. *Operated*										
0-19 YRS	12	9.9	226	2	2	6	7	30	51	55
20-34	23	14.2	196	2	3	11	17	29	42	65
35-49	89	13.2	133	2	3	10	20	35	56	99+
50-64	450	13.5	204	2	3	9	18	31	49	99+
65+	938	14.1	143	2	3	11	19	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	6.3	33	2	2	5	7	12	17	32
B. *Operated*	514	8.8	55	2	2	6	12	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	7595	10.3	98	2	3	7	12	21	30	56
B. *Operated*	1512	13.9	162	2	3	10	18	31	40	99
1. SINGLE DX	1425	7.2	43	2	2	5	9	15	21	34
2. MULTIPLE DX	9107	10.9	111	2	3	8	13	23	33	62
A. NOT OPERATED	8506	9.9	93	2	3	7	12	20	29	54
B. OPERATED	2026	12.6	140	2	3	9	17	28	37	90
TOTAL 0-19 YRS	44	10.3	241	1	2	6	10	23	37	88
20-34	162	8.3	91	2	2	5	10	20	29	62
35-49	555	9.0	87	2	2	6	11	20	32	96
50-64	2018	9.8	113	2	2	7	12	21	31	71
65+	7753	10.7	101	2	3	8	13	22	31	55
GRAND TOTAL	**10532**	**10.4**	**103**	**2**	**3**	**7**	**13**	**22**	**31**	**60**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	4.0	16	1	1	2	5	11	12	12
50-64	20	4.8	16	1	1	4	6	10	14	17
65+	114	6.5	36	2	2	4	8	13	19	34
B. *Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	4	6.3	11	3	3	6	9	10	10	10
35-49	60	9.4	43	2	2	9	12	17	21	36
50-64	228	10.2	87	2	2	10	13	19	26	48
65+	209	10.3	60	2	2	10	14	21	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	18.4	105	4	6	17	25	33	36	36
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	45	6.2	16	2	2	5	8	11	13	20
50-64	316	7.8	43	2	2	6	10	15	21	43
65+	1784	10.0	81	2	3	8	12	20	27	45
B. *Operated*										
0-19 YRS	2	23.0	32	19	19	23	27	27	27	27
20-34	13	9.2	49	2	2	8	12	20	25	26
35-49	180	12.8	155	2	2	10	14	23	33	64
50-64	982	14.0	156	2	3	11	17	28	37	77
65+	1692	18.5	223	3	4	15	23	40	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	6.1	32	1	2	4	8	12	17	34
B. *Operated*	503	10.1	70	2	2	10	13	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	2156	9.7	76	2	3	7	12	20	26	44
B. *Operated*	2869	16.6	200	2	3	13	21	35	47	77
1. SINGLE DX	646	9.2	64	2	2	8	12	18	24	36
2. MULTIPLE DX	5025	13.6	158	2	3	10	17	28	40	71
A. NOT OPERATED	2299	9.4	74	2	3	7	11	19	26	43
B. OPERATED	3372	15.6	186	2	3	12	19	32	45	75
TOTAL 0-19 YRS	12	17.3	99	3	4	17	25	30	35	36
20-34	20	7.9	38	1	2	8	10	16	22	26
35-49	294	10.8	114	2	2	9	13	20	25	59
50-64	1546	12.1	128	2	2	10	15	24	33	73
65+	3799	13.7	161	2	3	10	17	29	40	70
GRAND TOTAL	**5671**	**13.1**	**150**	**2**	**3**	**10**	**16**	**27**	**38**	**69**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.0	5	1	1	3	5	5	5	5
50-64	23	4.2	17	<1	1	2	7	11	13	15
65+	75	5.5	30	1	1	3	7	13	21	81
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	8.0	30	2	2	9	12	15	15	15
35-49	22	10.5	34	1	2	11	15	17	20	25
50-64	249	11.5	41	2	4	11	14	17	18	39
65+	440	13.3	55	2	4	12	16	21	26	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	11.8	185	2	2	8	12	31	49	49
50-64	86	8.0	51	1	2	6	11	19	21	36
65+	415	7.8	51	2	2	6	9	16	22	39
B. *Operated*										
0-19 YRS	1	53.0		53	53	53	53	53	53	53
20-34	6	13.0	125	2	2	12	15	31	33	33
35-49	29	12.6	47	4	4	13	17	21	26	28
50-64	493	15.5	105	3	7	13	18	27	35	60
65+	1113	17.4	117	3	7	15	22	31	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.1	26	1	1	3	7	13	17	60
B. *Operated*	717	12.6	50	2	4	12	15	19	24	38
2. MULTIPLE DX										
A. *Not Operated*	515	7.8	53	2	2	6	10	17	22	39
B. *Operated*	1642	16.7	114	3	6	14	20	30	37	62
1. SINGLE DX	820	11.6	53	2	2	11	15	19	24	38
2. MULTIPLE DX	2157	14.6	114	2	3	13	19	28	35	58
A. NOT OPERATED	618	7.4	50	1	2	5	9	15	21	39
B. OPERATED	2359	15.5	98	3	5	13	18	27	35	58
TOTAL 0-19 YRS	4	16.3	608	2	2	5	30	53	53	53
20-34	14	8.8	78	1	2	6	13	17	29	33
35-49	65	11.2	63	2	3	10	15	18	25	46
50-64	851	13.3	87	2	3	12	16	22	30	53
65+	2043	14.1	104	2	3	12	18	26	33	57
GRAND TOTAL	**2977**	**13.8**	**99**	**2**	**3**	**12**	**17**	**25**	**33**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.3	9	3	3	7	8	9	9	9
35-49	3	7.0	37	3	3	4	11	14	14	14
50-64	8	4.3	24	<1	<1	2	6	12	15	15
65+	8	7.1	55	<1	<1	7	8	19	24	24
B. *Operated*										
0-19 YRS	11	11.0	73	2	2	6	19	23	24	24
20-34	28	7.0	40	1	1	5	9	18	19	25
35-49	36	11.3	45	2	3	11	17	20	23	27
50-64	101	11.3	78	2	3	10	14	21	29	51
65+	90	9.8	36	2	2	10	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49	6	10.2	129	1	1	6	15	29	31	31
50-64	8	6.6	29	<1	<1	6	11	14	14	14
65+	26	7.5	36	<1	1	6	10	16	21	23
B. *Operated*										
0-19 YRS	5	14.0	539	1	1	2	21	55	55	55
20-34	14	22.5	613	3	4	10	32	62	81	87
35-49	48	15.1	215	2	3	10	17	38	43	67
50-64	140	12.7	114	2	3	11	17	22	32	99+
65+	178	17.0	189	3	4	13	21	31	45	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.0	33	<1	1	5	7	14	19	24
B. *Operated*	266	10.3	56	2	2	9	14	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	41	8.3	61	<1	1	6	11	18	27	33
B. *Operated*	385	15.4	187	2	3	12	19	31	43	91
1. SINGLE DX	288	10.0	56	1	2	9	14	20	24	32
2. MULTIPLE DX	426	14.7	179	2	3	11	19	30	42	88
A. NOT OPERATED	63	7.5	51	<1	1	6	10	15	23	33
B. OPERATED	651	13.3	139	2	3	11	17	25	35	83
TOTAL 0-19 YRS	17	13.2	208	1	2	6	20	31	47	55
20-34	45	11.8	259	1	2	7	12	27	43	87
35-49	93	13.1	140	2	3	10	16	28	39	63
50-64	257	11.7	97	2	2	10	15	22	29	84
65+	302	13.8	142	2	3	11	18	26	34	76
GRAND TOTAL	**714**	**12.8**	**134**	**2**	**2**	**10**	**16**	**25**	**33**	**73**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	128	1	1	9	17	17	17	17
20-34	13	7.1	32	1	2	4	11	16	17	17
35-49	18	5.4	13	1	2	5	8	9	14	16
50-64	46	5.2	20	1	1	3	8	12	13	20
65+	53	7.1	33	1	1	5	9	15	16	25
B. *Operated*										
0-19 YRS	7	8.7	65	2	2	7	13	22	24	24
20-34	37	6.9	45	2	2	6	9	13	17	38
35-49	184	9.7	33	2	2	10	12	18	21	25
50-64	548	10.3	49	2	2	10	13	17	19	34
65+	493	11.4	74	2	2	10	14	20	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	145	1	1	9	18	18	18	18
20-34	9	7.9	14	1	3	7	11	12	12	12
35-49	25	9.0	30	1	2	9	11	17	19	24
50-64	108	7.6	44	1	2	7	10	15	21	32
65+	184	10.3	69	2	3	8	13	19	27	41
B. *Operated*										
0-19 YRS	3	9.3	20	5	5	9	13	14	14	14
20-34	44	12.2	163	2	2	7	16	26	43	60
35-49	296	13.3	104	2	3	11	16	25	34	60
50-64	1151	14.3	121	2	3	12	17	27	36	61
65+	1363	16.4	168	2	4	13	20	32	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.2	27	1	1	4	9	14	16	25
B. *Operated*	1269	10.5	57	2	2	10	13	18	22	39
2. MULTIPLE DX										
A. *Not Operated*	328	9.2	58	2	2	7	12	18	24	39
B. *Operated*	2857	15.2	144	2	3	12	18	29	39	67
1. SINGLE DX	1401	10.1	56	2	2	9	13	18	22	38
2. MULTIPLE DX	3185	14.6	138	2	3	12	18	28	38	65
A. NOT OPERATED	460	8.4	51	1	2	7	11	17	22	31
B. OPERATED	4126	13.7	122	2	3	11	17	25	36	61
TOTAL 0-19 YRS	14	9.0	54	1	1	8	14	19	23	24
20-34	103	9.3	96	2	2	7	11	20	27	54
35-49	523	11.5	76	2	2	10	14	22	27	52
50-64	1853	12.5	99	2	2	11	15	22	31	56
65+	2093	14.4	142	2	3	12	18	28	38	66
GRAND TOTAL	**4586**	**13.2**	**117**	**2**	**3**	**11**	**16**	**25**	**34**	**60**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.4	17	1	1	5	7	11	14	18
20-34	47	5.2	24	1	2	4	5	9	15	27
35-49	66	5.2	16	1	2	4	6	10	14	19
50-64	108	5.9	52	1	1	3	6	13	19	41
65+	154	6.4	50	1	1	5	8	13	18	29
B. *Operated*										
0-19 YRS	26	5.9	20	1	2	5	8	12	16	18
20-34	61	11.1	183	1	2	8	15	23	29	87
35-49	182	7.4	47	2	2	5	10	16	19	32
50-64	413	8.7	54	2	2	8	12	16	23	36
65+	402	10.0	65	2	2	9	13	20	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.3	45	2	2	4	7	13	20	37
20-34	79	6.6	48	1	1	4	8	17	20	37
35-49	144	7.4	54	2	2	6	9	14	17	34
50-64	370	7.6	56	1	2	5	9	16	21	32
65+	788	9.0	63	2	2	7	11	18	24	46
B. *Operated*										
0-19 YRS	28	13.5	156	1	1	9	22	31	40	44
20-34	97	9.8	59	2	2	8	12	23	26	35
35-49	277	11.1	114	2	2	9	14	21	32	81
50-64	959	14.4	178	2	2	11	18	31	43	74
65+	1373	15.8	173	2	3	13	20	32	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	5.8	37	1	1	4	7	12	16	28
B. *Operated*	1084	9.0	65	2	2	7	12	19	23	39
2. MULTIPLE DX										
A. *Not Operated*	1421	8.3	60	2	2	6	10	17	22	41
B. *Operated*	2734	14.6	167	2	3	11	19	30	40	71
1. SINGLE DX	1528	8.1	59	1	2	6	11	17	22	35
2. MULTIPLE DX	4155	12.4	139	2	2	9	16	26	36	66
A. NOT OPERATED	1865	7.7	55	1	2	5	9	16	21	39
B. OPERATED	3818	13.0	144	2	2	10	17	27	36	66
TOTAL 0-19 YRS	163	7.1	56	1	2	5	9	16	22	40
20-34	284	8.4	81	1	2	5	10	20	25	37
35-49	669	8.7	77	2	2	6	11	18	23	53
50-64	1850	11.3	129	2	2	8	14	23	33	64
65+	2717	12.4	130	2	3	9	16	25	35	62
GRAND TOTAL	**5683**	**11.3**	**121**	**2**	**2**	**8**	**15**	**23**	**32**	**60**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	7.3	10	3	3	7	10	12	12	50
20-34	876	8.0	21	2	3	7	10	13	16	24
35-49	1015	8.7	19	3	4	8	11	14	17	22
50-64	1094	8.7	19	3	4	8	11	14	17	23
65+	830	9.3	22	3	4	8	12	15	18	25
B. *Operated*										
0-19 YRS	35	8.5	20	3	4	7	11	14	15	25
20-34	226	7.9	25	2	3	7	10	14	16	29
35-49	277	9.0	41	2	3	8	11	16	19	39
50-64	232	9.7	34	2	3	9	13	16	19	34
65+	159	10.8	40	3	4	10	14	20	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	9.0	39	3	4	7	11	19	22	33
20-34	692	9.0	27	3	4	8	12	14	18	28
35-49	1230	10.0	34	3	4	9	13	17	21	31
50-64	2085	10.3	37	4	5	9	13	17	20	35
65+	2535	11.1	40	4	5	10	14	19	22	35
B. *Operated*										
0-19 YRS	18	13.8	73	3	4	12	19	26	28	29
20-34	221	11.8	68	3	4	10	14	20	25	43
35-49	411	11.5	58	3	4	10	14	22	25	37
50-64	557	13.3	101	3	4	11	16	23	33	54
65+	559	14.6	99	4	5	12	18	27	35	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3924	8.7	20	3	4	8	11	14	17	23
B. *Operated*	929	9.2	35	2	3	8	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	6626	10.4	37	4	4	9	13	17	21	34
B. *Operated*	1766	13.1	87	3	4	11	16	23	31	50
1. SINGLE DX	4853	8.8	23	3	4	8	11	15	17	25
2. MULTIPLE DX	8392	11.0	49	4	4	10	14	19	23	39
A. NOT OPERATED	10550	9.8	32	3	4	9	12	16	20	30
B. OPERATED	2695	11.8	73	3	4	10	14	21	28	44
TOTAL 0-19 YRS	246	8.5	28	3	4	7	11	15	20	29
20-34	2015	8.8	30	2	3	8	11	14	18	28
35-49	2933	9.7	34	3	4	9	12	16	20	30
50-64	3968	10.3	43	3	4	9	13	17	21	38
65+	4083	11.2	47	4	5	10	14	19	24	38
GRAND TOTAL	**13245**	**10.2**	**41**	**3**	**4**	**9**	**13**	**17**	**21**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	34	4.3	10	<1	<1	4	6	9	9	15
35-49	57	6.4	30	<1	<1	5	8	13	15	31
50-64	91	10.3	79	2	3	8	12	20	24	51
65+	150	12.6	108	1	2	10	17	28	35	43
B. *Operated*										
0-19 YRS	50	4.0	4	1	2	4	5	7	8	10
20-34	841	4.9	27	2	2	4	5	7	9	17
35-49	1195	5.4	16	2	3	4	6	9	11	24
50-64	992	6.9	35	2	3	5	8	12	18	34
65+	403	12.3	119	3	4	8	16	29	36	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.3	77	1	1	4	9	22	27	27
20-34	45	4.6	24	<1	<1	3	7	10	15	24
35-49	107	7.6	54	<1	1	5	10	16	22	37
50-64	203	10.0	55	2	3	8	13	18	26	37
65+	578	14.0	110	3	4	11	18	26	31	57
B. *Operated*										
0-19 YRS	8	7.0	43	2	2	4	8	18	22	22
20-34	233	6.0	26	1	2	5	7	11	13	31
35-49	532	7.8	55	2	3	5	9	15	20	39
50-64	629	10.1	95	3	3	7	12	21	30	55
65+	492	18.0	210	4	4	15	24	38	50	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	10.0	84	1	1	7	12	21	31	42
B. *Operated*	3481	6.5	41	2	3	5	7	11	18	36
2. MULTIPLE DX										
A. *Not Operated*	941	11.9	95	2	3	10	15	24	29	50
B. *Operated*	1894	11.0	124	3	3	7	13	24	33	60
1. SINGLE DX	3818	6.8	46	2	3	5	7	13	20	37
2. MULTIPLE DX	2835	11.3	114	2	3	8	14	24	31	56
A. NOT OPERATED	1278	11.4	93	1	3	9	15	23	29	48
B. OPERATED	5375	8.1	75	2	3	5	8	17	25	46
TOTAL 0-19 YRS	71	4.6	17	1	2	4	5	8	10	26
20-34	1153	5.1	27	2	2	4	6	8	10	21
35-49	1891	6.2	31	2	3	5	7	11	16	27
50-64	1915	8.4	61	2	3	6	10	16	24	39
65+	1623	14.7	147	3	4	11	20	30	39	62
GRAND TOTAL	**6653**	**8.7**	**80**	**2**	**3**	**6**	**10**	**19**	**26**	**47**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	3	1	1	2	3	5	6	7
20-34	161	3.0	4	1	1	3	4	5	7	12
35-49	238	3.2	5	1	1	3	4	6	7	11
50-64	157	3.4	4	1	1	3	4	6	8	11
65+	84	4.1	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	60	4.7	6	1	1	5	6	8	9	11
20-34	935	5.3	5	3	3	5	6	8	9	12
35-49	1125	5.6	6	3	3	5	7	8	9	14
50-64	701	6.1	19	3	3	5	7	9	11	15
65+	218	6.3	13	2	3	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	8	1	1	3	5	8	9	13
20-34	277	4.1	6	1	2	4	5	7	9	14
35-49	489	4.4	8	1	2	4	5	8	10	17
50-64	561	4.8	10	1	2	4	6	9	11	16
65+	504	5.8	26	2	2	4	7	11	14	25
B. *Operated*										
0-19 YRS	125	5.4	11	2	3	5	6	8	9	20
20-34	3080	5.8	10	3	3	5	7	9	10	15
35-49	4509	6.3	9	3	4	6	7	10	11	17
50-64	3160	6.8	12	3	4	6	8	11	13	19
65+	1303	8.3	27	3	4	7	10	14	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	3.3	5	1	1	3	4	6	8	12
B. *Operated*	3039	5.6	9	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1862	4.8	14	1	2	4	6	9	11	18
B. *Operated*	12177	6.5	12	3	4	6	8	10	12	19
1. SINGLE DX	3709	5.2	9	2	2	5	6	8	10	14
2. MULTIPLE DX	14039	6.3	13	3	3	6	8	10	12	19
A. NOT OPERATED	2532	4.4	12	1	2	4	5	8	10	17
B. OPERATED	15216	6.3	12	3	3	6	7	10	12	19
TOTAL 0-19 YRS	246	4.7	9	1	2	4	6	8	9	15
20-34	4453	5.5	9	2	3	5	7	8	10	14
35-49	6361	5.9	9	2	3	5	7	9	11	16
50-64	4579	6.4	13	2	3	6	8	10	13	18
65+	2109	7.3	26	2	3	6	9	13	16	27
GRAND TOTAL	**17748**	**6.1**	**12**	**2**	**3**	**5**	**7**	**10**	**12**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.3	7	1	2	4	6	8	10	12
20-34	119	6.1	20	2	2	5	8	11	14	26
35-49	143	7.1	26	1	2	6	9	12	16	30
50-64	176	7.5	57	1	2	6	9	15	19	43
65+	229	7.8	35	2	2	6	11	15	22	29
B. *Operated*										
0-19 YRS	139	3.4	7	1	2	3	4	5	7	18
20-34	449	4.0	21	1	1	3	4	8	12	16
35-49	238	6.2	66	<1	1	4	8	13	18	37
50-64	198	8.5	50	1	2	7	11	17	20	39
65+	142	10.1	55	2	2	9	14	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.7	16	1	1	4	6	10	13	22
20-34	246	6.6	35	1	2	5	8	12	16	28
35-49	413	7.5	30	2	2	6	10	14	18	27
50-64	787	8.2	64	2	2	6	10	15	21	45
65+	1587	8.9	42	2	3	7	11	17	22	33
B. *Operated*										
0-19 YRS	66	5.5	32	1	1	4	7	12	16	34
20-34	670	3.9	35	<1	1	2	4	8	12	36
35-49	441	7.1	67	1	1	4	10	16	24	34
50-64	453	12.4	115	2	2	10	16	23	33	52
65+	606	15.4	162	3	4	12	19	32	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	721	7.1	35	1	2	6	9	13	18	29
B. *Operated*	1166	5.9	43	1	1	4	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	3104	8.2	46	2	2	7	11	16	20	34
B. *Operated*	2236	9.4	114	1	1	6	13	21	31	57
1. SINGLE DX	1887	6.4	40	1	2	4	8	13	18	29
2. MULTIPLE DX	5340	8.7	75	1	2	6	11	18	24	44
A. NOT OPERATED	3825	8.0	44	2	2	6	10	15	20	32
B. OPERATED	3402	8.2	92	1	1	5	11	19	26	49
TOTAL 0-19 YRS	330	4.3	14	1	1	3	5	8	11	20
20-34	1484	4.5	31	1	1	3	6	10	13	28
35-49	1235	7.1	50	1	1	5	10	15	20	32
50-64	1614	9.3	80	2	2	7	12	19	24	48
65+	2564	10.4	78	2	3	8	13	20	27	48
GRAND TOTAL	**7227**	**8.1**	**67**	**1**	**2**	**6**	**10**	**17**	**23**	**42**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5488	3.0	5	1	1	3	4	5	6	9
20-34	892	3.5	5	1	2	3	4	6	7	12
35-49	334	4.1	6	2	2	3	5	7	9	13
50-64	214	4.2	5	2	2	4	5	7	8	11
65+	190	4.9	12	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	1743	2.2	3	1	1	2	2	3	4	8
20-34	688	2.6	7	1	2	2	3	4	5	9
35-49	110	3.1	5	1	1	2	4	6	8	13
50-64	62	3.9	11	1	2	2	5	8	10	19
65+	40	4.4	25	1	2	2	5	9	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7675	3.6	9	1	1	3	4	6	8	12
20-34	1698	4.4	8	1	2	4	5	8	10	15
35-49	1007	5.5	15	2	2	5	7	10	12	19
50-64	1175	6.4	19	2	3	5	8	11	14	23
65+	1504	7.6	31	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	978	2.8	7	1	1	2	2	5	8	16
20-34	274	4.6	13	2	2	3	6	9	11	20
35-49	144	6.9	33	2	2	5	9	15	17	29
50-64	155	8.1	46	1	2	6	10	17	20	36
65+	117	9.3	44	2	2	8	12	18	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7118	3.2	6	1	1	3	4	5	7	11
B. *Operated*	2643	2.4	5	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	13059	4.6	15	1	2	4	6	8	11	19
B. *Operated*	1668	4.4	22	1	2	2	5	10	14	23
1. SINGLE DX	9761	3.0	6	1	1	2	4	5	6	10
2. MULTIPLE DX	14727	4.6	16	1	2	4	5	8	11	19
A. NOT OPERATED	20177	4.1	12	1	1	3	5	7	9	17
B. OPERATED	4311	3.2	13	1	1	2	3	6	9	20
TOTAL 0-19 YRS	15884	3.2	7	1	1	3	4	6	7	11
20-34	3552	3.8	8	1	2	3	5	7	8	14
35-49	1595	5.2	15	2	2	4	6	9	12	19
50-64	1606	6.2	21	2	2	5	8	11	14	23
65+	1851	7.3	31	2	3	6	9	14	18	27
GRAND TOTAL	**24488**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4523	3.9	6	1	2	3	5	7	8	11
20-34	493	4.5	6	2	2	4	5	7	9	15
35-49	444	5.3	21	2	2	4	6	9	11	25
50-64	520	5.6	9	2	3	5	7	9	11	15
65+	523	6.4	18	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	29	6.4	15	2	2	5	9	12	14	17
20-34	24	4.5	10	1	1	4	6	10	11	13
35-49	28	6.2	24	1	2	5	8	13	14	23
50-64	44	5.6	10	2	3	5	7	9	11	17
65+	22	5.7	8	2	3	5	7	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4150	4.6	8	2	2	4	6	8	9	14
20-34	984	5.4	11	2	2	5	7	9	11	17
35-49	1532	6.6	20	2	3	6	8	11	15	23
50-64	3302	7.4	22	2	3	6	9	13	16	24
65+	5202	8.5	33	3	4	7	10	15	18	29
B. *Operated*										
0-19 YRS	54	8.7	61	1	3	6	10	17	22	40
20-34	109	8.3	29	2	3	7	11	16	18	26
35-49	176	8.6	32	2	3	7	11	17	20	26
50-64	337	10.0	53	2	3	8	13	18	23	36
65+	321	13.7	107	3	5	11	18	27	34	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6503	4.4	9	1	2	4	5	7	9	14
B. *Operated*	147	5.7	13	2	2	5	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	15170	6.8	24	2	3	6	8	12	15	24
B. *Operated*	997	10.7	69	2	3	9	14	21	26	42
1. SINGLE DX	6650	4.4	9	1	2	4	5	8	9	14
2. MULTIPLE DX	16167	7.0	27	2	3	6	9	13	16	27
A. NOT OPERATED	21673	6.1	20	2	2	5	7	11	14	23
B. OPERATED	1144	10.1	64	2	3	8	13	19	26	41
TOTAL 0-19 YRS	8756	4.2	8	1	2	4	5	7	9	14
20-34	1610	5.3	12	2	2	4	7	9	12	18
35-49	2180	6.5	21	2	3	5	8	11	15	24
50-64	4203	7.3	23	2	3	6	9	13	17	25
65+	6068	8.6	38	3	3	7	10	15	19	32
GRAND TOTAL	**22817**	**6.3**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	3	3	3	3
20-34	23	2.5	2	<1	1	2	3	4	5	6
35-49	19	1.9		<1	1	2	2	3	3	3
50-64	10	2.0		1	1	2	2	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	713	2.6	3	1	2	2	3	4	4	6
20-34	1676	2.7	3	1	2	2	3	4	4	8
35-49	791	2.7	3	1	2	3	3	4	4	6
50-64	388	3.0	4	1	2	3	3	5	5	10
65+	104	2.9	2	1	2	3	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.0	2	<1	<1	2	2	5	6	6
20-34	42	2.5	2	<1	<1	2	3	5	6	7
35-49	21	7.0	389	<1	<1	3	4	5	45	93
50-64	21	4.1	10	1	1	3	6	9	11	11
65+	4	5.0	5	3	3	4	6	8	8	8
B. *Operated*										
0-19 YRS	854	2.8	2	1	2	3	3	4	5	7
20-34	2367	3.0	3	2	2	3	3	4	5	10
35-49	1317	3.1	3	2	2	3	3	4	5	11
50-64	732	3.5	9	2	2	3	4	5	6	13
65+	181	3.4	6	2	2	3	4	5	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.1	1	<1	1	2	3	3	4	6
B. *Operated*	3672	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	100	3.9	85	<1	1	3	3	6	8	52
B. *Operated*	5451	3.0	4	2	2	3	3	4	5	11
1. SINGLE DX	3737	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX	5551	3.1	5	2	2	3	3	4	5	11
A. NOT OPERATED	165	3.2	53	<1	1	2	3	5	6	11
B. OPERATED	9123	2.9	3	1	2	3	3	4	5	9
TOTAL 0-19 YRS	1591	2.7	2	1	2	2	3	4	4	7
20-34	4108	2.9	3	1	2	3	3	4	5	8
35-49	2148	3.0	7	1	2	3	3	4	5	10
50-64	1151	3.4	7	2	2	3	4	5	6	11
65+	290	3.2	5	1	2	3	4	5	6	14
GRAND TOTAL	**9288**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	49	2.1	1	1	1	2	2	3	4	7
20-34	90	2.2	1	1	1	2	2	4	5	7
35-49	96	2.3	1	<1	1	2	3	4	5	6
50-64	144	2.5	2	1	1	2	3	4	5	8
65+	78	2.9	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	9	2.7	3	<1	<1	3	4	5	6	6
35-49	11	4.5	13	1	1	3	6	10	13	13
50-64	9	2.2	1	<1	<1	2	3	4	4	4
65+	8	7.5	15	3	3	7	10	13	14	14
B. *Operated*										
0-19 YRS	90	3.0	3	1	1	3	4	5	5	10
20-34	187	3.3	3	1	2	3	4	5	6	12
35-49	215	3.3	3	1	2	3	4	6	7	10
50-64	254	3.6	8	1	2	3	4	5	7	13
65+	131	3.8	10	2	2	3	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.0	3	1	1	2	4	6	6	6
B. *Operated*	457	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	40	4.1	11	<1	1	3	5	9	12	14
B. *Operated*	877	3.4	5	1	2	3	4	5	7	13
1. SINGLE DX	469	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	917	3.4	6	1	2	3	4	5	7	13
A. NOT OPERATED	52	3.8	9	1	1	3	5	8	11	14
B. OPERATED	1334	3.1	5	1	1	3	4	5	6	12
TOTAL 0-19 YRS	144	2.7	2	1	1	2	3	5	5	9
20-34	289	2.9	3	1	1	3	4	5	6	9
35-49	324	3.0	3	1	1	3	4	5	7	10
50-64	410	3.1	6	1	2	3	4	5	6	11
65+	219	3.6	9	1	2	3	4	6	10	16
GRAND TOTAL	**1386**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**13**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	2.1	11	<1	<1	2	2	3	4	8
20-34	116	2.1	1	<1	1	2	2	3	4	7
35-49	16	1.6		<1	<1	2	2	2	3	3
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	23263	2.0	2	1	1	2	2	2	3	4
20-34	6270	2.3	2	1	2	2	2	3	4	5
35-49	602	2.5	2	1	1	2	3	4	4	11
50-64	125	2.4	2	1	1	2	3	3	5	10
65+	63	2.8	9	1	1	2	2	3	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	1.7	4	<1	<1	1	2	3	4	11
20-34	65	2.4	8	<1	<1	2	3	4	5	19
35-49	7	4.0	18	1	1	3	5	11	13	13
50-64	4	7.0	35	1	1	7	12	13	13	13
65+	6	5.7	5	4	4	5	8	9	9	9
B. *Operated*										
0-19 YRS	15918	2.0	5	1	1	2	2	2	3	5
20-34	1019	2.6	2	1	2	2	3	4	5	9
35-49	184	3.5	10	1	2	2	4	6	9	22
50-64	66	3.4	29	1	2	2	3	5	7	39
65+	51	2.9	7	1	1	2	2	5	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	2.1	9	<1	<1	2	2	3	4	7
B. *Operated*	30323	2.0	2	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	815	1.8	4	<1	<1	1	2	3	5	12
B. *Operated*	17238	2.0	5	1	1	2	2	2	3	6
1. SINGLE DX	30976	2.0	2	1	1	2	2	3	3	5
2. MULTIPLE DX	18053	2.0	5	1	1	2	2	2	3	7
A. NOT OPERATED	1468	2.0	7	<1	<1	1	2	3	4	11
B. OPERATED	47561	2.0	3	1	1	2	2	3	3	5
TOTAL 0-19 YRS	40429	2.0	3	1	1	2	2	2	3	5
20-34	7470	2.3	2	1	2	2	2	3	4	6
35-49	809	2.7	4	1	1	2	3	4	5	15
50-64	198	2.9	12	1	1	2	3	5	7	13
65+	123	2.9	8	1	1	2	3	5	9	17
GRAND TOTAL	**49029**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	638	3.3	22	1	1	3	4	5	7	12
20-34	454	3.4	6	1	2	3	4	5	7	14
35-49	257	3.6	10	1	1	3	4	7	9	18
50-64	164	3.6	13	1	1	2	4	7	9	17
65+	90	4.0	16	1	2	3	4	8	11	23
B. *Operated*										
0-19 YRS	706	2.8	15	1	1	2	3	4	5	11
20-34	1355	2.8	4	1	1	2	3	5	6	10
35-49	1214	2.7	5	1	1	2	3	4	6	13
50-64	1142	2.6	3	1	1	2	3	4	6	10
65+	499	2.9	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.0	8	1	1	3	5	7	9	15
20-34	475	4.6	17	1	2	4	6	8	9	17
35-49	461	5.2	18	1	2	4	6	10	12	22
50-64	353	5.4	15	2	2	4	7	10	13	22
65+	311	6.6	37	2	2	5	8	12	13	29
B. *Operated*										
0-19 YRS	640	3.1	10	1	1	2	3	6	8	13
20-34	1104	3.6	12	1	2	3	4	6	8	19
35-49	964	4.1	30	1	2	3	4	7	12	23
50-64	1004	4.7	26	1	2	3	5	9	13	29
65+	531	5.8	42	2	2	3	7	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	3.5	14	1	1	3	4	6	8	17
B. *Operated*	4916	2.7	6	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2221	5.0	18	1	2	4	6	9	12	19
B. *Operated*	4243	4.2	23	1	2	3	4	8	11	25
1. SINGLE DX	6519	2.9	8	1	1	2	3	5	6	12
2. MULTIPLE DX	6464	4.4	22	1	2	3	5	8	12	23
A. NOT OPERATED	3824	4.3	17	1	1	3	5	8	11	18
B. OPERATED	9159	3.4	14	1	1	2	4	6	9	19
TOTAL 0-19 YRS	2605	3.3	14	1	1	2	4	6	7	14
20-34	3388	3.4	9	1	2	3	4	6	8	14
35-49	2896	3.7	17	1	1	3	4	7	9	19
50-64	2663	3.8	15	1	1	2	4	7	10	20
65+	1431	4.8	29	1	2	3	6	10	14	29
GRAND TOTAL	**12983**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11964	4.7	8	2	2	4	6	8	9	14
20-34	2504	5.6	10	2	3	5	7	9	11	17
35-49	1743	6.5	16	2	3	6	8	11	13	20
50-64	1871	7.2	18	3	3	6	9	12	14	22
65+	2413	8.3	26	3	4	7	10	14	17	26
B. *Operated*										
0-19 YRS	87	7.0	27	2	2	5	10	16	18	20
20-34	65	8.8	30	2	3	7	13	16	20	23
35-49	152	10.6	60	2	3	9	14	21	23	42
50-64	241	9.6	45	1	2	9	13	17	20	32
65+	189	10.8	56	2	3	10	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9554	5.5	14	2	2	5	7	10	12	20
20-34	2137	6.9	23	2	3	6	8	12	15	23
35-49	2727	8.1	28	3	3	7	10	14	17	27
50-64	5437	9.3	35	3	4	8	11	16	20	31
65+	13144	11.4	61	4	5	9	14	20	26	42
B. *Operated*										
0-19 YRS	267	11.9	81	3	4	10	16	21	28	42
20-34	229	13.7	85	3	4	12	18	25	32	50
35-49	419	15.8	168	4	5	13	19	30	42	81
50-64	896	15.3	107	4	5	13	20	29	35	58
65+	1413	18.5	166	5	7	16	23	33	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20495	5.6	14	2	2	5	7	10	12	19
B. *Operated*	734	9.8	49	2	2	9	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	32999	8.8	44	2	3	7	11	16	21	35
B. *Operated*	3224	16.4	141	4	6	14	21	30	40	73
1. SINGLE DX	21229	5.8	15	2	2	5	7	10	13	20
2. MULTIPLE DX	36223	9.4	58	2	3	7	12	18	23	40
A. NOT OPERATED	53494	7.6	35	2	3	6	9	14	18	31
B. OPERATED	3958	15.2	131	3	5	13	19	28	36	67
TOTAL 0-19 YRS	21872	5.1	12	2	2	4	6	9	11	18
20-34	4935	6.6	22	2	3	5	8	11	15	25
35-49	5041	8.3	42	3	3	7	10	14	19	34
50-64	8445	9.5	44	3	4	8	12	17	22	36
65+	17159	11.5	70	4	4	9	14	21	27	46
GRAND TOTAL	**57452**	**8.1**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	3.3	5	1	1	3	4	6	7	10
20-34	269	3.5	4	1	1	3	4	6	8	9
35-49	166	4.4	8	1	2	4	6	8	10	17
50-64	126	5.0	9	2	2	4	7	9	12	15
65+	164	5.4	13	2	2	5	7	9	11	20
B. *Operated*										
0-19 YRS	7	2.6	1	2	2	2	3	4	4	4
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	4	4.8		4	4	5	5	5	5	5
50-64	3	6.3	16	2	2	7	9	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	410	3.7	5	1	2	3	4	6	7	11
20-34	454	4.8	11	2	2	4	6	8	10	19
35-49	344	5.6	13	2	2	5	7	9	11	22
50-64	449	6.8	21	2	3	6	8	12	15	27
65+	725	7.6	24	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	10	7.9	57	1	1	6	7	21	26	26
20-34	13	8.5	99	3	4	5	8	16	36	41
35-49	12	11.4	48	3	6	9	13	21	29	30
50-64	24	11.0	37	5	5	10	12	21	24	29
65+	38	11.2	65	4	5	9	14	18	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	4.0	7	1	2	3	5	7	9	14
B. *Operated*	17	4.1	6	2	2	4	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2382	6.0	18	2	2	5	7	11	14	24
B. *Operated*	97	10.5	59	4	4	8	12	18	28	43
1. SINGLE DX	1089	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX	2479	6.1	21	2	2	5	8	11	14	26
A. NOT OPERATED	3454	5.4	16	2	2	4	7	10	13	23
B. OPERATED	114	9.5	56	2	3	8	12	16	25	42
TOTAL 0-19 YRS	774	3.6	6	1	2	3	4	6	7	12
20-34	739	4.4	11	1	2	4	5	8	10	16
35-49	526	5.4	13	2	2	5	7	9	11	21
50-64	602	6.5	21	2	3	5	8	12	15	27
65+	927	7.4	25	2	3	6	9	13	17	27
GRAND TOTAL	**3568**	**5.5**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**24**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2102	3.8	10	1	2	3	5	7	8	13
20-34	309	4.5	7	1	2	4	6	8	9	13
35-49	383	5.6	23	2	2	4	7	10	12	25
50-64	665	6.5	23	2	3	6	8	12	14	20
65+	584	6.8	16	2	3	6	9	12	14	19
B. *Operated*										
0-19 YRS	38	4.0	21	1	1	2	4	9	15	23
20-34	70	3.8	6	1	2	3	4	7	9	13
35-49	110	5.2	22	1	2	3	7	10	13	27
50-64	187	4.6	12	1	2	3	6	9	12	20
65+	105	5.8	32	1	2	4	7	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1665	4.5	9	2	2	4	5	8	10	14
20-34	636	5.5	16	2	2	5	7	10	13	22
35-49	1087	6.4	24	2	2	5	8	11	14	29
50-64	2414	8.0	36	2	3	7	10	14	18	30
65+	3713	8.8	34	3	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	53	6.1	10	2	3	6	8	10	13	15
20-34	106	7.0	38	2	2	5	9	13	19	34
35-49	266	7.9	45	1	2	6	10	15	22	32
50-64	540	9.7	89	2	2	7	12	20	29	49
65+	517	11.9	120	2	3	9	14	22	30	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4043	4.9	15	1	2	4	6	9	11	18
B. *Operated*	510	4.8	19	1	2	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	9515	7.3	30	2	3	6	9	14	17	28
B. *Operated*	1482	9.8	89	2	2	7	12	20	26	52
1. SINGLE DX	4553	4.9	16	1	2	4	6	9	11	18
2. MULTIPLE DX	10997	7.7	39	2	3	6	9	14	19	31
A. NOT OPERATED	13558	6.6	27	2	2	5	8	12	16	26
B. OPERATED	1992	8.5	75	2	2	6	11	17	23	47
TOTAL 0-19 YRS	3858	4.1	10	1	2	3	5	7	9	14
20-34	1121	5.3	15	2	2	4	6	9	12	22
35-49	1846	6.4	27	2	2	5	8	12	15	29
50-64	3806	7.8	41	2	3	6	9	14	18	33
65+	4919	8.8	42	2	3	7	11	16	20	32
GRAND TOTAL	**15550**	**6.9**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**29**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	7	<1	<1	2	6	7	7	7
20-34	5	9.6	32	2	2	10	15	15	15	15
35-49	50	6.1	21	1	2	5	8	13	16	20
50-64	208	7.2	39	2	2	6	9	15	19	33
65+	286	8.9	70	2	2	7	11	18	22	43
B. *Operated*										
0-19 YRS	4	13.3	38	4	4	16	17	17	17	17
20-34	8	21.6	970	7	7	9	17	74	98	98
35-49	12	7.8	23	1	2	8	12	14	14	14
50-64	17	9.6	47	1	2	7	15	18	22	24
65+	8	13.3	190	3	4	9	13	37	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.7	25	1	1	6	11	14	16	16
20-34	15	4.7	5	2	3	4	6	8	10	10
35-49	200	7.2	26	2	3	6	9	13	16	35
50-64	1041	8.6	42	2	3	7	10	16	21	32
65+	1874	10.0	66	3	3	8	12	19	25	43
B. *Operated*										
0-19 YRS	3	7.0	3	6	6	6	8	9	9	9
20-34	13	14.2	167	2	4	10	19	30	47	51
35-49	46	13.0	131	2	3	10	15	35	46	99+
50-64	144	15.0	203	3	4	11	17	27	55	69
65+	188	16.1	176	3	4	12	21	32	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	8.0	54	2	2	6	10	16	20	38
B. *Operated*	49	12.0	215	2	2	9	14	18	25	98
2. MULTIPLE DX										
A. *Not Operated*	3141	9.3	56	2	3	7	11	17	23	41
B. *Operated*	394	15.2	179	3	4	11	18	31	47	73
1. SINGLE DX	604	8.3	68	2	2	6	10	17	20	40
2. MULTIPLE DX	3535	10.0	73	2	3	8	12	19	25	48
A. NOT OPERATED	3696	9.1	56	2	3	7	11	17	23	40
B. OPERATED	443	14.9	184	3	4	11	17	29	46	76
TOTAL 0-19 YRS	24	7.0	28	1	1	6	10	16	17	17
20-34	41	11.6	265	2	3	7	11	20	37	98
35-49	308	7.9	45	2	3	6	10	15	18	50
50-64	1410	9.0	62	2	3	7	11	17	23	42
65+	2356	10.4	79	2	3	8	13	20	27	48
GRAND TOTAL	**4139**	**9.7**	**73**	**2**	**3**	**7**	**12**	**18**	**25**	**47**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5171	3.6	6	1	2	3	4	6	7	10
20-34	1596	4.4	9	1	2	4	5	7	9	13
35-49	1403	5.6	14	2	2	5	7	10	12	22
50-64	1621	6.3	16	2	2	5	8	11	14	20
65+	1066	6.9	24	2	3	6	9	12	14	22
B. *Operated*										
0-19 YRS	19	5.1	17	1	2	4	6	9	15	19
20-34	31	5.1	13	2	2	4	8	9	12	17
35-49	38	6.6	28	1	1	5	9	12	20	24
50-64	39	8.1	41	2	2	6	10	18	22	31
65+	19	7.4	23	3	3	6	9	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3160	4.4	8	1	2	4	6	8	9	14
20-34	1342	5.5	16	2	2	5	7	9	11	22
35-49	1904	6.9	25	2	3	6	9	12	15	24
50-64	3492	7.8	31	2	3	7	10	14	17	29
65+	3425	8.8	37	3	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	46	7.4	21	2	3	7	9	13	14	25
20-34	82	9.6	59	2	3	7	13	16	19	48
35-49	143	10.9	63	3	4	9	14	17	24	41
50-64	214	13.1	116	3	4	10	16	25	37	89
65+	179	16.4	158	4	5	13	20	31	43	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10857	4.7	12	1	2	4	6	8	11	17
B. *Operated*	146	6.6	27	2	2	5	9	12	19	25
2. MULTIPLE DX										
A. *Not Operated*	13323	6.9	27	2	2	6	9	12	16	27
B. *Operated*	664	12.7	109	3	4	10	15	24	32	61
1. SINGLE DX	11003	4.7	13	1	2	4	6	9	11	17
2. MULTIPLE DX	13987	7.2	33	2	2	6	9	13	17	29
A. NOT OPERATED	24180	5.9	22	2	2	5	7	11	14	23
B. OPERATED	810	11.6	100	2	3	9	15	23	30	54
TOTAL 0-19 YRS	8396	3.9	7	1	2	3	5	7	8	12
20-34	3051	5.0	14	2	2	4	6	9	11	18
35-49	3488	6.5	24	2	2	5	8	12	15	24
50-64	5366	7.5	31	2	3	6	9	13	17	29
65+	4689	8.6	41	2	3	7	11	15	20	34
GRAND TOTAL	**24990**	**6.1**	**25**	**2**	**2**	**5**	**7**	**11**	**15**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.6	45	1	1	3	7	13	17	33
20-34	48	6.1	14	2	2	5	8	13	14	14
35-49	248	6.3	15	2	2	5	8	12	13	18
50-64	1063	7.8	51	2	3	6	9	14	18	35
65+	1368	8.3	39	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	19	6.7	38	1	1	3	12	14	19	23
20-34	28	7.6	22	2	2	8	11	14	16	17
35-49	57	7.2	29	1	2	6	10	16	18	23
50-64	127	7.2	43	2	2	5	9	14	16	39
65+	96	8.6	48	2	2	7	12	19	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	7.6	56	1	2	5	11	14	16	48
20-34	119	7.0	36	1	2	5	9	14	20	30
35-49	974	7.7	34	2	3	6	9	14	19	31
50-64	5446	9.0	51	2	3	7	11	17	22	39
65+	8752	9.8	57	3	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	11	7.3	21	2	2	5	10	14	16	16
20-34	46	8.7	60	1	2	6	12	20	27	33
35-49	172	11.9	119	2	3	9	16	25	35	99+
50-64	738	13.5	171	2	3	9	16	28	39	76
65+	1020	15.9	160	3	4	12	21	32	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2756	7.9	41	2	3	6	10	14	19	33
B. *Operated*	327	7.6	40	2	2	6	10	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	15351	9.3	54	3	3	8	11	17	23	38
B. *Operated*	1987	14.5	160	3	4	11	19	30	41	77
1. SINGLE DX	3083	7.9	41	2	3	6	10	14	19	33
2. MULTIPLE DX	17338	9.9	69	3	3	8	12	19	25	45
A. NOT OPERATED	18107	9.1	52	2	3	7	11	17	22	37
B. OPERATED	2314	13.5	149	2	3	10	17	28	38	73
TOTAL 0-19 YRS	119	6.9	47	1	1	4	10	14	16	39
20-34	241	7.2	35	2	2	5	10	14	19	29
35-49	1451	7.9	43	2	3	6	10	15	21	34
50-64	7374	9.2	65	2	3	7	11	17	23	45
65+	11236	10.2	68	3	3	8	12	19	26	43
GRAND TOTAL	**20421**	**9.6**	**65**	**2**	**3**	**8**	**12**	**18**	**24**	**43**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	3.3	4	1	1	3	4	6	8	10
20-34	274	4.1	8	1	1	4	5	7	9	16
35-49	88	5.0	18	1	2	4	6	8	10	28
50-64	58	6.1	16	1	2	5	8	11	14	20
65+	25	6.4	9	2	3	6	8	10	13	15
B. *Operated*										
0-19 YRS	172	6.8	21	2	3	6	8	12	15	24
20-34	705	6.5	17	2	3	5	8	11	15	21
35-49	270	7.2	28	3	3	5	9	13	18	29
50-64	118	8.1	40	3	3	6	9	17	22	32
65+	82	10.0	41	3	4	9	12	18	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	14	2	2	5	7	10	16	16
20-34	58	5.4	10	1	2	5	8	10	11	12
35-49	44	5.8	14	1	2	5	7	12	14	18
50-64	90	9.2	45	2	3	8	11	16	20	41
65+	105	10.8	65	3	4	9	13	17	25	50
B. *Operated*										
0-19 YRS	45	8.2	23	2	3	7	11	14	18	24
20-34	195	9.3	38	3	4	8	12	17	21	34
35-49	142	10.9	48	4	4	9	14	21	25	35
50-64	250	12.8	100	4	4	10	15	26	33	42
65+	254	14.5	112	4	4	12	19	28	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	4.4	11	1	1	4	6	8	10	16
B. *Operated*	1347	7.0	24	3	3	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	321	8.3	43	2	3	7	11	15	18	35
B. *Operated*	886	12.0	82	3	4	9	15	23	30	41
1. SINGLE DX	1887	6.3	21	2	2	5	8	12	16	24
2. MULTIPLE DX	1207	11.0	74	3	4	8	14	21	28	41
A. NOT OPERATED	861	5.9	26	1	2	5	7	11	15	24
B. OPERATED	2233	9.0	53	3	3	7	11	18	23	35
TOTAL 0-19 YRS	336	6.0	19	1	2	5	8	11	14	22
20-34	1232	6.4	20	2	2	5	8	12	15	22
35-49	544	7.7	34	2	3	6	9	16	20	29
50-64	516	10.3	73	3	3	8	13	20	27	39
65+	466	12.5	89	3	4	10	16	25	31	45
GRAND TOTAL	**3094**	**8.1**	**47**	**2**	**3**	**6**	**10**	**16**	**21**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	3.8	11	1	1	3	5	7	9	16
20-34	389	4.3	10	1	1	3	5	9	11	16
35-49	381	5.2	17	1	2	4	6	10	13	22
50-64	431	5.6	20	1	2	4	7	11	13	23
65+	527	6.8	23	1	2	6	9	13	17	23
B. *Operated*										
0-19 YRS	86	7.3	55	1	1	5	11	14	18	41
20-34	197	8.2	58	1	2	7	11	16	20	32
35-49	342	9.3	65	2	2	8	12	18	24	44
50-64	501	9.5	67	2	2	7	13	19	24	40
65+	411	9.5	71	2	2	7	13	20	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	681	4.8	19	1	2	4	6	9	12	25
20-34	593	5.6	20	1	2	4	7	11	14	24
35-49	959	6.9	36	2	2	5	9	13	17	32
50-64	2226	7.9	41	2	3	6	10	15	19	33
65+	4543	10.0	60	2	3	8	13	18	24	41
B. *Operated*										
0-19 YRS	139	10.3	178	1	2	7	14	23	43	99+
20-34	295	11.1	109	2	2	8	14	23	29	67
35-49	528	13.1	146	2	3	10	16	27	40	63
50-64	1117	13.0	128	2	3	10	17	26	36	61
65+	1383	14.5	135	2	3	11	19	28	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2209	5.2	18	1	2	4	7	10	13	21
B. *Operated*	1537	9.2	66	2	2	7	12	18	25	40
2. MULTIPLE DX										
A. *Not Operated*	9002	8.5	50	2	3	7	11	16	21	37
B. *Operated*	3462	13.4	135	2	3	10	18	27	36	62
1. SINGLE DX	3746	6.8	41	1	2	5	9	14	18	33
2. MULTIPLE DX	12464	9.8	79	2	3	7	12	20	26	47
A. NOT OPERATED	11211	7.8	46	2	2	6	10	15	20	34
B. OPERATED	4999	12.1	118	2	2	9	16	25	33	58
TOTAL 0-19 YRS	1387	5.2	38	1	1	4	6	10	14	32
20-34	1474	6.7	46	1	2	5	8	14	18	30
35-49	2210	8.5	71	2	2	6	10	17	24	49
50-64	4275	9.2	71	2	2	7	11	18	24	45
65+	6864	10.6	78	2	3	8	14	21	27	45
GRAND TOTAL	**16210**	**9.1**	**72**	**2**	**2**	**7**	**12**	**18**	**25**	**45**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.3	5	<1	<1	2	3	4	6	10
20-34	148	2.5	3	<1	1	2	3	5	7	9
35-49	68	3.6	11	<1	1	3	4	7	12	19
50-64	43	2.8	5	<1	<1	2	4	5	8	12
65+	25	3.6	6	<1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	5133	1.9	2	1	1	2	2	2	3	6
20-34	3801	2.2	3	1	1	2	2	3	4	7
35-49	1282	2.4	2	1	1	2	3	4	5	9
50-64	858	2.7	6	1	1	2	3	4	5	12
65+	243	2.8	10	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.6	4	<1	<1	2	4	5	7	9
20-34	176	4.3	25	<1	1	3	5	8	11	31
35-49	141	6.0	36	1	1	4	7	12	19	30
50-64	129	5.5	33	1	2	4	6	11	13	34
65+	84	5.5	27	1	1	4	7	11	13	27
B. *Operated*										
0-19 YRS	1659	2.4	6	1	1	2	2	4	5	11
20-34	2208	2.8	6	1	1	2	3	5	6	15
35-49	1414	3.0	8	1	2	2	3	5	8	14
50-64	1362	3.3	10	2	2	2	3	6	8	18
65+	654	4.0	17	2	2	3	4	8	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	11317	2.2	3	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	703	4.6	25	<1	1	3	6	9	12	29
B. *Operated*	7297	3.0	8	1	1	2	3	5	7	15
1. SINGLE DX	11763	2.2	3	1	1	2	2	3	4	8
2. MULTIPLE DX	8000	3.1	10	1	1	2	3	5	8	17
A. NOT OPERATED	1149	3.8	18	<1	1	2	4	8	11	26
B. OPERATED	18614	2.5	5	1	1	2	2	4	5	12
TOTAL 0-19 YRS	7127	2.0	3	1	1	2	2	3	4	8
20-34	6333	2.5	5	1	1	2	2	4	5	11
35-49	2905	2.9	8	1	1	2	3	5	7	14
50-64	2392	3.2	10	1	2	2	3	5	8	17
65+	1006	3.8	16	1	2	2	4	7	11	22
GRAND TOTAL	**19763**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	3.5	4	1	1	3	4	6	7	10
20-34	65	4.4	7	1	2	4	5	7	8	18
35-49	43	3.8	4	1	1	4	5	6	7	10
50-64	51	4.1	8	1	1	4	5	8	9	18
65+	49	5.4	12	1	2	4	7	10	13	15
B. *Operated*										
0-19 YRS	248	2.6	5	<1	1	2	3	5	7	10
20-34	277	3.7	20	1	1	3	4	6	9	15
35-49	239	3.4	6	1	2	3	4	6	7	16
50-64	276	3.1	2	1	2	3	4	5	6	8
65+	208	3.7	7	1	2	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	4.1	6	1	2	4	5	7	9	16
20-34	64	5.4	21	2	2	4	6	10	19	89
35-49	66	7.0	36	1	2	5	9	13	19	33
50-64	94	5.7	15	2	2	5	8	10	13	22
65+	140	8.8	85	2	3	6	11	17	22	48
B. *Operated*										
0-19 YRS	143	3.2	6	1	1	3	4	5	9	14
20-34	212	4.4	19	1	2	3	5	8	12	28
35-49	180	4.5	18	2	2	3	5	8	12	23
50-64	282	5.3	35	2	2	4	6	10	13	30
65+	264	6.5	50	2	2	4	7	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.0	7	1	2	4	5	7	9	15
B. *Operated*	1248	3.3	8	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	534	6.1	37	1	2	5	7	12	16	34
B. *Operated*	1081	5.0	30	1	2	3	6	9	13	31
1. SINGLE DX	1585	3.5	8	1	1	3	4	6	8	13
2. MULTIPLE DX	1615	5.4	33	1	2	4	6	11	14	31
A. NOT OPERATED	871	5.3	26	1	2	4	6	10	14	28
B. OPERATED	2329	4.1	19	1	2	3	4	7	10	23
TOTAL 0-19 YRS	690	3.3	5	1	1	3	4	6	8	13
20-34	618	4.2	19	1	2	3	4	7	10	26
35-49	528	4.3	15	1	2	3	5	7	11	23
50-64	703	4.4	19	1	2	3	5	8	10	24
65+	661	6.0	44	1	2	4	7	12	17	35
GRAND TOTAL	**3200**	**4.4**	**21**	**1**	**2**	**3**	**5**	**8**	**12**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	3.8	7	1	1	3	5	7	9	13
20-34	377	4.0	9	1	2	3	5	7	9	15
35-49	514	4.0	7	1	1	3	5	7	9	15
50-64	443	4.3	9	1	1	4	5	8	10	14
65+	306	4.8	15	1	2	4	6	9	11	24
B. *Operated*										
0-19 YRS	73	5.4	29	1	1	3	8	12	15	28
20-34	153	5.9	21	1	1	5	8	12	15	23
35-49	237	6.5	28	1	2	5	9	14	16	26
50-64	290	6.5	50	1	1	4	9	14	18	33
65+	303	7.4	51	1	2	5	10	15	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	6.0	57	1	2	4	7	11	15	29
20-34	749	5.2	13	1	2	4	7	9	12	19
35-49	1432	5.3	13	2	2	4	7	9	11	17
50-64	1722	6.0	17	2	2	5	8	11	14	21
65+	1733	6.8	28	2	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	91	7.0	121	1	1	4	9	14	22	89
20-34	320	8.3	42	2	2	6	10	16	23	33
35-49	624	8.7	53	2	2	7	11	17	22	34
50-64	909	9.7	77	2	2	7	12	20	28	45
65+	1096	11.3	113	2	2	9	14	23	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1861	4.2	9	1	1	3	5	8	9	16
B. *Operated*	1056	6.6	40	1	2	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	5854	6.0	21	2	2	5	7	11	14	22
B. *Operated*	3040	9.8	84	2	2	7	12	20	27	47
1. SINGLE DX	2917	5.0	22	1	1	4	6	10	13	25
2. MULTIPLE DX	8894	7.3	46	2	2	5	9	14	19	35
A. NOT OPERATED	7715	5.5	19	1	2	4	7	10	13	21
B. OPERATED	4096	9.0	75	1	2	7	11	19	25	44
TOTAL 0-19 YRS	603	5.3	46	1	1	4	6	10	14	27
20-34	1599	5.6	21	1	2	4	7	10	14	25
35-49	2807	5.9	25	1	2	5	7	11	15	25
50-64	3364	6.8	39	1	2	5	8	13	18	32
65+	3438	8.1	61	2	2	6	10	16	22	40
GRAND TOTAL	**11811**	**6.7**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.6	9	1	2	4	6	8	8	18
20-34	220	5.5	40	1	2	4	6	10	13	24
35-49	401	5.2	19	1	2	4	7	9	11	16
50-64	382	5.6	13	1	2	5	7	10	13	18
65+	287	6.5	23	1	2	6	8	12	14	25
B. *Operated*										
0-19 YRS	4	8.5	11	4	4	9	11	12	12	12
20-34	87	8.3	20	2	3	8	11	14	16	22
35-49	240	8.5	27	1	2	8	11	15	18	26
50-64	241	9.3	41	1	2	8	13	17	20	32
65+	195	10.0	62	2	3	9	12	19	22	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.5	26	2	2	4	7	8	11	31
20-34	243	6.1	21	2	2	5	8	12	14	25
35-49	581	6.8	25	2	3	6	8	12	16	29
50-64	889	7.0	24	2	3	6	9	13	16	24
65+	1138	8.6	31	3	3	7	11	15	19	29
B. *Operated*										
0-19 YRS	8	9.4	38	3	4	8	11	20	23	23
20-34	121	10.0	55	2	3	8	13	18	26	41
35-49	372	10.6	51	3	4	9	13	19	24	34
50-64	587	11.1	62	3	4	9	14	21	28	43
65+	598	11.6	72	3	4	9	15	22	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1326	5.6	21	1	2	5	7	10	13	20
B. *Operated*	767	9.1	39	2	3	8	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	2886	7.5	28	2	3	6	9	14	17	28
B. *Operated*	1686	11.1	63	3	4	9	14	21	26	41
1. SINGLE DX	2093	6.9	31	1	2	6	9	13	17	25
2. MULTIPLE DX	4572	8.8	44	2	3	7	11	17	21	33
A. NOT OPERATED	4212	6.9	26	2	2	6	9	13	16	25
B. OPERATED	2453	10.4	56	2	3	9	13	19	24	38
TOTAL 0-19 YRS	83	5.6	21	1	2	5	7	9	12	28
20-34	671	6.9	36	2	2	5	9	13	16	28
35-49	1594	7.5	34	2	2	6	10	14	18	29
50-64	2099	8.2	39	2	3	7	10	16	19	33
65+	2218	9.3	47	2	3	8	12	17	21	33
GRAND TOTAL	**6665**	**8.2**	**40**	**2**	**3**	**7**	**10**	**16**	**19**	**31**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.7	8	2	3	5	7	10	12	12
20-34	48	6.0	9	3	3	6	7	9	12	17
35-49	111	6.3	16	2	3	6	7	10	13	22
50-64	158	6.9	14	2	3	6	8	13	15	19
65+	179	7.7	13	3	4	7	9	13	14	19
B. *Operated*										
0-19 YRS	7	7.7	10	<1	1	9	9	10	10	10
20-34	35	12.4	88	4	5	9	14	29	36	41
35-49	83	10.8	35	5	6	10	13	16	20	40
50-64	139	10.7	42	4	5	9	13	17	23	33
65+	144	12.2	56	4	5	11	15	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.2	12	2	2	5	9	11	12	12
20-34	60	6.0	11	2	2	6	7	11	12	16
35-49	123	7.3	11	3	4	7	9	12	15	16
50-64	314	8.0	22	3	4	7	10	14	17	27
65+	622	10.1	41	4	5	8	12	18	22	37
B. *Operated*										
0-19 YRS	5	8.8	18	4	4	10	12	14	14	14
20-34	35	10.5	30	3	6	10	13	20	26	99+
35-49	109	13.4	110	4	5	10	15	26	32	57
50-64	249	14.1	103	4	5	11	18	27	32	54
65+	434	16.3	133	5	6	13	21	32	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	6.9	14	3	3	6	8	12	14	18
B. *Operated*	408	11.3	49	4	5	10	14	18	25	39
2. MULTIPLE DX										
A. *Not Operated*	1132	8.9	32	3	4	7	11	16	19	33
B. *Operated*	832	15.0	118	4	6	12	19	29	39	66
1. SINGLE DX	918	8.9	34	3	4	7	11	15	18	32
2. MULTIPLE DX	1964	11.5	78	3	4	9	14	22	29	48
A. NOT OPERATED	1642	8.3	27	3	4	7	10	14	18	28
B. OPERATED	1240	13.8	98	4	5	11	17	26	34	59
TOTAL 0-19 YRS	39	6.6	11	2	2	6	9	11	12	14
20-34	178	8.1	36	2	3	7	10	14	19	40
35-49	426	9.3	50	3	4	7	11	15	20	43
50-64	860	10.0	55	3	4	8	12	18	25	40
65+	1379	12.0	78	4	5	9	14	22	29	51
GRAND TOTAL	**2882**	**10.7**	**65**	**3**	**4**	**8**	**13**	**20**	**26**	**45**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	4.2	10	1	2	3	5	7	9	15
20-34	1420	4.5	10	1	2	4	6	8	10	15
35-49	1486	4.8	11	2	2	4	6	8	10	17
50-64	1024	5.1	10	2	2	4	6	9	11	17
65+	519	5.8	11	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	19	10.0	16	4	5	10	12	15	18	20
20-34	193	10.8	35	4	6	9	12	19	22	31
35-49	283	10.8	36	3	5	10	13	18	20	26
50-64	171	10.8	32	3	4	10	13	18	21	31
65+	75	11.2	42	3	4	10	14	22	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	5.1	12	2	2	5	6	9	11	20
20-34	1318	5.6	22	2	2	5	7	10	12	19
35-49	2016	5.9	17	2	2	5	7	11	14	21
50-64	2365	6.4	17	2	3	5	8	11	14	22
65+	2215	7.4	28	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	19	8.8	23	2	3	8	12	16	18	19
20-34	252	10.5	57	3	4	9	13	18	23	38
35-49	504	11.6	72	3	4	10	14	21	28	50
50-64	554	12.3	78	4	4	10	15	23	28	51
65+	396	14.3	105	3	5	11	18	26	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4845	4.8	11	2	2	4	6	8	10	16
B. *Operated*	741	10.8	35	3	5	10	13	19	22	29
2. MULTIPLE DX										
A. *Not Operated*	8143	6.4	21	2	3	5	8	11	14	22
B. *Operated*	1725	12.3	80	3	4	10	15	23	28	51
1. SINGLE DX	5586	5.6	18	2	2	4	7	10	14	21
2. MULTIPLE DX	9868	7.4	37	2	3	6	9	14	18	30
A. NOT OPERATED	12988	5.8	18	2	2	5	7	10	13	21
B. OPERATED	2466	11.8	67	3	4	10	15	21	26	45
TOTAL 0-19 YRS	663	4.8	13	1	2	4	6	8	11	19
20-34	3183	5.8	24	2	2	5	7	11	14	23
35-49	4289	6.5	28	2	2	5	8	12	16	27
50-64	4114	7.1	30	2	3	6	9	13	17	28
65+	3205	8.1	41	2	3	7	10	15	20	35
GRAND TOTAL	**15454**	**6.8**	**31**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	5.1	9	2	2	4	7	9	11	16
20-34	435	5.2	8	2	2	5	7	9	10	14
35-49	501	5.4	7	2	3	5	7	8	10	15
50-64	615	6.1	10	2	3	6	8	10	12	16
65+	456	7.1	10	3	4	7	9	11	13	18
B. *Operated*										
0-19 YRS	18	8.5	14	1	3	8	10	14	15	15
20-34	171	9.4	21	5	6	8	11	15	19	30
35-49	204	9.9	20	5	6	9	12	15	17	22
50-64	224	10.7	21	5	6	10	13	16	19	24
65+	206	12.9	45	5	7	11	16	20	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.1	9	3	3	5	8	9	11	19
20-34	263	5.8	13	2	3	5	7	9	11	27
35-49	479	6.6	16	2	3	6	8	11	14	21
50-64	826	7.5	23	3	3	7	9	12	16	26
65+	1294	9.4	41	3	4	8	11	16	21	32
B. *Operated*										
0-19 YRS	13	14.3	125	2	2	11	23	30	35	36
20-34	83	14.5	126	4	6	11	17	29	38	62
35-49	176	13.8	80	5	6	12	16	22	35	50
50-64	332	15.3	128	5	6	12	18	29	43	60
65+	469	17.8	144	5	7	15	22	32	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2081	5.9	9	2	3	5	7	10	11	16
B. *Operated*	823	10.7	28	5	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2914	8.0	31	3	3	7	10	14	18	29
B. *Operated*	1073	16.1	129	5	6	13	20	30	40	59
1. SINGLE DX	2904	7.3	19	2	3	6	9	13	15	22
2. MULTIPLE DX	3987	10.2	70	3	4	8	12	19	26	46
A. NOT OPERATED	4995	7.2	23	2	3	6	9	12	15	25
B. OPERATED	1896	13.8	92	5	6	11	16	24	32	54
TOTAL 0-19 YRS	157	6.6	25	2	2	5	8	11	15	29
20-34	952	7.0	29	2	3	6	8	12	15	33
35-49	1360	7.6	29	2	3	6	9	14	17	32
50-64	1997	8.7	47	3	3	7	10	15	20	42
65+	2425	10.9	69	3	4	9	13	20	26	46
GRAND TOTAL	**6891**	**9.0**	**51**	**3**	**3**	**7**	**11**	**16**	**22**	**40**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	4	2	2	4	6	7	7	7
20-34	28	5.9	20	2	3	5	7	8	12	26
35-49	39	6.6	12	2	3	6	8	11	14	17
50-64	39	8.3	33	2	3	7	11	16	21	29
65+	51	7.6	32	2	4	6	8	13	15	32
B. *Operated*										
0-19 YRS	3	7.3	22	2	2	9	10	11	11	11
20-34	29	10.3	22	1	3	10	14	17	18	19
35-49	72	14.3	96	4	7	12	17	23	31	65
50-64	115	16.1	132	6	7	13	18	25	37	73
65+	56	16.5	64	5	8	16	19	26	36	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	20	2	2	8	11	13	13	13
20-34	29	6.2	16	2	2	5	8	13	16	16
35-49	49	8.9	40	3	3	8	11	16	19	36
50-64	88	9.3	31	2	3	9	12	15	21	30
65+	132	10.7	43	3	4	9	14	20	24	36
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	40	15.4	167	4	6	12	19	24	44	69
35-49	80	18.4	108	7	9	15	22	32	43	52
50-64	157	19.4	146	8	9	16	23	34	43	70
65+	194	20.5	147	6	9	18	25	36	51	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	7.1	25	2	3	6	8	12	16	30
B. *Operated*	275	15.0	100	5	7	13	18	24	31	69
2. MULTIPLE DX										
A. *Not Operated*	302	9.5	38	2	3	8	12	17	21	33
B. *Operated*	473	19.3	143	7	9	16	23	34	44	67
1. SINGLE DX	438	12.1	86	3	4	10	15	22	27	49
2. MULTIPLE DX	775	15.5	125	3	5	13	20	29	37	57
A. NOT OPERATED	465	8.7	34	2	3	7	11	16	21	31
B. OPERATED	748	17.7	131	6	8	15	21	31	42	69
TOTAL 0-19 YRS	15	5.9	13	<1	2	6	8	11	12	13
20-34	126	10.0	81	2	3	8	13	19	21	63
35-49	240	13.3	95	3	4	11	16	25	31	47
50-64	399	15.1	125	3	5	13	18	27	36	65
65+	433	15.5	116	4	5	13	20	30	37	56
GRAND TOTAL	**1213**	**14.3**	**113**	**3**	**5**	**12**	**18**	**26**	**35**	**57**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1093	3.0	5	1	1	3	4	5	6	11
20-34	2114	3.6	6	1	1	3	4	6	8	12
35-49	1613	4.0	8	1	2	3	5	7	9	15
50-64	1003	4.2	8	1	2	3	5	7	9	13
65+	576	4.6	9	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	16	7.4	36	3	3	5	8	16	23	25
20-34	103	6.2	18	2	2	5	8	13	15	20
35-49	160	7.2	29	2	2	6	9	13	18	26
50-64	109	7.8	37	2	2	7	10	15	21	31
65+	82	8.3	36	1	2	7	11	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1346	3.7	13	1	2	3	4	6	8	13
20-34	3406	4.7	10	1	2	4	6	8	11	17
35-49	3943	5.3	13	2	2	4	7	9	12	19
50-64	3791	5.8	16	2	2	5	7	11	14	22
65+	3460	6.9	26	2	3	6	8	12	15	26
B. *Operated*										
0-19 YRS	59	7.7	37	2	3	6	10	14	18	94
20-34	462	8.2	37	2	3	7	10	15	18	35
35-49	654	9.8	77	2	3	8	12	18	24	46
50-64	737	10.1	71	3	3	8	12	19	26	49
65+	624	10.9	74	3	4	9	13	20	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6399	3.8	7	1	1	3	5	7	8	13
B. *Operated*	470	7.3	30	2	2	6	9	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	15946	5.5	17	2	2	4	7	10	13	21
B. *Operated*	2536	9.8	67	2	3	8	12	18	24	45
1. SINGLE DX	6869	4.0	9	1	2	3	5	7	9	16
2. MULTIPLE DX	18482	6.1	26	2	2	5	7	11	15	26
A. NOT OPERATED	22345	5.0	15	1	2	4	6	9	12	19
B. OPERATED	3006	9.4	62	2	3	8	11	17	23	43
TOTAL 0-19 YRS	2514	3.5	11	1	1	3	4	6	8	15
20-34	6085	4.6	12	1	2	4	6	8	11	18
35-49	6370	5.5	21	2	2	4	7	10	13	23
50-64	5640	6.1	25	2	2	5	7	11	15	27
65+	4742	7.2	33	2	2	6	9	13	17	30
GRAND TOTAL	**25351**	**5.6**	**22**	**2**	**2**	**4**	**7**	**10**	**14**	**24**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	451	3.3	5	1	1	3	4	5	7	12
20-34	800	3.7	6	1	2	3	4	7	8	13
35-49	664	4.1	8	1	2	3	5	7	9	16
50-64	388	4.2	8	1	2	3	5	7	9	15
65+	212	5.6	21	1	2	4	7	10	16	24
B. *Operated*										
0-19 YRS	134	4.6	7	2	2	4	6	7	9	16
20-34	62	10.2	58	1	2	9	13	20	26	37
35-49	98	9.9	66	1	3	8	13	20	26	42
50-64	78	12.3	94	2	3	11	16	21	27	61
65+	61	13.2	78	1	2	12	17	28	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	4.0	6	1	2	3	5	7	9	14
20-34	1010	4.5	8	2	2	4	6	8	10	14
35-49	1152	5.3	14	2	2	4	6	9	12	20
50-64	1078	5.8	18	2	2	5	7	11	13	20
65+	939	7.3	38	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	49	6.6	20	2	2	6	9	11	23	99+
20-34	166	10.4	76	3	3	8	14	19	26	46
35-49	230	12.5	129	2	4	9	15	23	34	66
50-64	279	14.9	134	3	4	12	19	29	37	85
65+	287	19.2	186	4	6	16	25	37	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2515	4.0	8	1	2	3	5	7	9	16
B. *Operated*	433	9.2	63	2	2	7	12	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	4575	5.5	19	2	2	4	7	10	13	22
B. *Operated*	1011	14.4	145	3	4	11	19	29	39	67
1. SINGLE DX	2948	4.7	20	1	2	3	5	9	13	23
2. MULTIPLE DX	5586	7.1	53	2	2	5	8	14	20	39
A. NOT OPERATED	7090	5.0	16	1	2	4	6	9	12	20
B. OPERATED	1444	12.9	126	2	3	10	17	27	35	61
TOTAL 0-19 YRS	1030	3.9	7	1	2	3	5	7	9	14
20-34	2038	4.8	18	1	2	4	6	9	12	23
35-49	2144	5.9	33	2	2	4	7	11	15	30
50-64	1823	7.1	50	2	2	5	9	14	19	37
65+	1499	9.6	89	2	2	7	11	21	28	46
GRAND TOTAL	**8534**	**6.3**	**43**	**2**	**2**	**4**	**7**	**12**	**18**	**35**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.6	7	1	1	3	4	6	7	18
20-34	96	3.5	3	1	1	3	4	6	6	10
35-49	21	3.5	3	1	1	3	5	6	7	8
50-64	10	6.8	24	<1	1	5	11	14	17	17
65+	3	4.3	9	1	1	5	6	7	7	7
B. *Operated*										
0-19 YRS	6102	3.8	4	2	2	3	4	6	7	11
20-34	3648	4.1	5	2	2	4	5	6	7	12
35-49	1000	4.8	13	2	3	4	6	7	9	14
50-64	495	5.6	9	2	3	5	7	9	10	17
65+	155	6.9	27	2	3	5	8	12	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.1	5	1	2	4	5	7	8	10
20-34	29	3.2	4	<1	1	3	4	6	8	9
35-49	11	4.2	9	<1	1	4	5	8	12	12
50-64	6	8.5	130	1	1	4	9	29	31	31
65+	5	13.0	168	2	2	9	18	35	35	35
B. *Operated*										
0-19 YRS	870	5.6	18	2	3	4	6	10	13	24
20-34	642	6.1	13	2	3	5	7	11	14	21
35-49	268	8.0	33	3	3	6	9	14	21	33
50-64	191	8.9	31	3	4	7	11	16	19	31
65+	144	12.3	130	4	5	9	14	21	31	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.7	6	1	1	3	5	6	7	13
B. *Operated*	11400	4.1	6	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	78	4.7	28	1	1	3	5	9	11	34
B. *Operated*	2115	6.8	30	2	3	5	8	12	16	27
1. SINGLE DX	11634	4.1	6	2	2	4	5	6	8	12
2. MULTIPLE DX	2193	6.7	31	2	3	5	8	12	16	28
A. NOT OPERATED	312	3.9	12	1	1	3	5	6	8	20
B. OPERATED	13515	4.5	11	2	2	4	5	7	9	17
TOTAL 0-19 YRS	7103	4.0	6	2	2	4	5	6	7	13
20-34	4415	4.4	7	2	2	4	5	7	8	14
35-49	1300	5.5	19	2	3	5	6	9	11	22
50-64	702	6.5	18	2	3	5	8	11	15	22
65+	307	9.5	84	3	4	7	10	17	22	50
GRAND TOTAL	**13827**	**4.5**	**11**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	6.6	15	2	3	6	8	11	14	21
20-34	20	7.4	12	2	3	7	10	12	13	14
35-49	15	6.6	21	1	2	6	8	12	18	20
50-64	12	6.7	9	1	2	7	9	10	10	10
65+	6	9.8	116	<1	<1	7	12	28	30	30
B. *Operated*										
0-19 YRS	1411	7.3	22	2	3	7	9	12	15	25
20-34	756	6.8	17	2	3	6	9	12	14	22
35-49	375	8.3	21	3	4	8	10	14	17	25
50-64	336	9.9	26	4	5	9	13	17	20	27
65+	198	11.3	31	4	6	10	14	19	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	38	3	3	9	13	20	21	21
20-34	12	8.0	34	1	2	8	10	17	20	21
35-49	9	12.3	46	2	3	11	19	21	22	22
50-64	16	10.7	52	2	4	8	14	22	25	26
65+	11	11.1	13	6	8	10	13	17	19	19
B. *Operated*										
0-19 YRS	467	12.4	81	4	5	10	15	22	28	50
20-34	290	10.9	34	4	5	10	14	20	24	30
35-49	229	13.4	61	5	6	11	16	23	28	44
50-64	271	15.2	78	6	7	13	19	26	32	48
65+	293	18.4	119	7	9	16	23	35	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	7.1	21	1	2	6	9	12	14	27
B. *Operated*	3076	7.8	23	2	3	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	54	10.4	37	2	3	9	13	21	22	26
B. *Operated*	1550	13.9	82	4	6	11	17	25	31	56
1. SINGLE DX	3155	7.8	23	2	3	7	10	13	16	26
2. MULTIPLE DX	1604	13.8	81	4	6	11	17	25	31	53
A. NOT OPERATED	133	8.4	30	1	3	8	10	15	21	27
B. OPERATED	4626	9.9	51	3	3	8	12	18	23	38
TOTAL 0-19 YRS	1910	8.5	41	2	3	7	10	15	20	33
20-34	1078	7.9	25	2	3	7	10	14	18	27
35-49	628	10.2	42	3	4	9	13	18	22	33
50-64	635	12.1	56	4	5	10	15	22	26	42
65+	508	15.4	94	5	7	13	19	28	35	60
GRAND TOTAL	**4759**	**9.8**	**51**	**3**	**3**	**8**	**12**	**18**	**23**	**37**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.4	7	1	1	2	3	4	5	12
20-34	104	2.5	3	<1	1	2	3	5	6	9
35-49	24	3.8	9	1	1	3	5	8	11	12
50-64	18	4.4	26	1	1	3	5	8	17	23
65+	8	3.1	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	924	4.1	9	2	2	4	5	6	8	12
20-34	584	4.7	7	2	3	4	5	7	9	14
35-49	134	5.6	8	3	3	5	7	9	11	16
50-64	61	8.1	143	2	3	6	8	13	15	87
65+	33	7.0	8	3	4	6	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.1	12	1	1	2	4	5	6	23
20-34	49	3.4	7	1	1	3	4	7	8	15
35-49	19	3.6	4	1	1	3	5	7	8	8
50-64	13	5.2	28	2	2	4	5	9	20	22
65+	11	8.4	24	1	2	8	[illegible]	15	16	16
B. *Operated*										
0-19 YRS	356	5.3	9	2	3	5	7	9	11	16
20-34	295	6.3	14	3	3	5	7	10	14	20
35-49	93	7.8	18	3	4	7	10	13	16	21
50-64	68	12.4	106	3	4	9	16	23	36	53
65+	47	11.3	41	4	5	10	13	17	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.7	7	1	1	2	3	5	6	12
B. *Operated*	1736	4.6	13	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	164	3.8	13	1	1	3	4	7	11	22
B. *Operated*	859	6.8	25	3	3	5	8	12	16	28
1. SINGLE DX	2039	4.3	13	1	2	4	5	7	9	14
2. MULTIPLE DX	1023	6.3	25	2	2	5	8	12	15	25
A. NOT OPERATED	467	3.1	9	1	1	2	4	6	8	20
B. OPERATED	2595	5.3	18	2	2	4	6	9	12	20
TOTAL 0-19 YRS	1501	4.2	9	1	2	4	5	7	9	14
20-34	1032	4.9	10	1	2	4	6	8	10	16
35-49	270	6.0	13	2	3	5	7	11	13	19
50-64	160	9.3	112	2	2	6	11	18	23	53
65+	99	8.9	31	2	3	8	11	15	17	31
GRAND TOTAL	**3062**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	1.6	1	<1	<1	1	2	3	5	6
20-34	34	3.4	18	<1	<1	2	4	8	11	22
35-49	26	3.3	7	<1	<1	2	5	8	9	11
50-64	34	3.2	5	<1	<1	3	4	6	8	11
65+	61	4.0	9	<1	1	3	6	9	10	11
B. *Operated*										
0-19 YRS	5398	2.4	6	1	1	2	3	4	5	7
20-34	4411	4.2	4	2	3	4	5	6	7	10
35-49	4218	4.6	5	2	3	4	5	7	8	11
50-64	5861	5.0	6	3	3	5	6	7	8	12
65+	4140	5.7	8	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	1.7	3	<1	<1	1	2	3	4	11
20-34	42	2.3	3	<1	<1	2	3	4	6	9
35-49	58	4.0	13	<1	1	3	5	8	14	15
50-64	88	4.9	15	1	1	4	7	10	12	18
65+	194	5.4	28	1	1	4	6	11	16	30
B. *Operated*										
0-19 YRS	2889	2.5	3	<1	1	2	3	4	5	9
20-34	1331	5.1	21	2	3	4	6	8	9	18
35-49	2006	5.8	17	3	3	5	7	9	11	19
50-64	3573	6.5	15	3	3	6	8	10	13	22
65+	3931	7.9	26	3	4	7	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	3.0	8	<1	<1	2	4	7	9	11
B. *Operated*	24028	4.3	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	594	3.7	17	<1	<1	2	4	8	11	20
B. *Operated*	13730	5.8	20	1	2	5	7	10	13	23
1. SINGLE DX	24252	4.3	7	1	2	4	5	7	8	12
2. MULTIPLE DX	14324	5.7	20	1	2	5	7	10	13	22
A. NOT OPERATED	818	3.5	15	<1	<1	2	4	8	11	19
B. OPERATED	37758	4.9	12	1	2	4	6	8	10	17
TOTAL 0-19 YRS	8568	2.4	5	1	1	2	3	4	5	8
20-34	5818	4.4	8	2	3	4	5	6	8	12
35-49	6308	5.0	9	2	3	4	6	7	9	15
50-64	9556	5.6	10	3	3	5	6	8	10	17
65+	8326	6.7	18	3	3	6	8	11	14	23
GRAND TOTAL	**38576**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.0	11	1	1	2	5	8	8	8
65+	18	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	302	2.5	2	1	1	2	3	4	5	8
20-34	144	4.4	3	2	2	4	5	7	8	9
35-49	116	5.2	8	2	3	5	6	8	10	18
50-64	198	5.6	6	3	3	5	7	9	11	14
65+	333	7.0	13	3	3	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	2	<1	<1	1	3	4	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	5	7.4	38	1	1	5	14	14	14	14
50-64	7	4.0	19	1	1	2	5	12	13	13
65+	38	7.6	50	1	2	5	10	16	24	34
B. *Operated*										
0-19 YRS	151	3.3	5	1	1	3	4	6	8	11
20-34	46	5.4	14	2	3	4	5	9	13	21
35-49	57	7.4	31	3	3	6	8	11	21	32
50-64	160	9.1	46	3	3	7	11	16	22	38
65+	453	10.7	59	4	5	9	13	19	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.4	4	<1	<1	2	3	6	7	8
B. *Operated*	1093	5.0	10	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	62	6.1	40	1	1	4	8	14	17	33
B. *Operated*	867	8.6	51	2	3	7	11	16	21	40
1. SINGLE DX	1124	4.9	10	1	2	4	6	9	10	15
2. MULTIPLE DX	929	8.5	50	1	2	7	10	16	21	38
A. NOT OPERATED	93	4.9	31	<1	1	3	6	12	15	31
B. OPERATED	1960	6.6	31	1	2	5	8	12	16	31
TOTAL 0-19 YRS	468	2.7	3	1	1	2	3	5	6	10
20-34	195	4.6	6	2	2	4	5	7	8	15
35-49	179	5.9	17	2	3	5	7	9	14	24
50-64	369	7.1	27	2	3	6	8	13	16	30
65+	842	8.9	43	3	4	7	10	15	20	37
GRAND TOTAL	**2053**	**6.5**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4	1	<1	<1	1	2	3	3	3
20-34	6	2.3	4	1	1	1	5	5	5	5
35-49	9	4.2	8	1	1	3	5	9	10	10
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
0-19 YRS	1477	2.4	7	1	1	2	3	4	4	6
20-34	369	3.8	4	2	2	3	4	6	7	9
35-49	334	4.2	5	2	2	4	5	7	8	13
50-64	225	4.9	7	2	2	4	7	8	9	14
65+	109	5.8	9	2	3	5	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	1.8	3	<1	<1	1	2	3	5	9
20-34	19	3.5	8	<1	1	2	5	8	10	10
35-49	10	3.3	2	1	1	3	4	5	5	5
50-64	24	5.8	55	<1	<1	4	6	9	20	38
65+	19	7.2	49	1	2	5	7	20	26	26
B. *Operated*										
0-19 YRS	331	3.1	5	1	2	2	4	5	8	11
20-34	209	5.4	11	2	2	5	7	8	10	15
35-49	246	5.6	10	2	3	5	7	10	11	18
50-64	276	7.5	25	3	3	6	9	12	17	28
65+	174	9.1	40	3	4	7	11	14	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.1	8	<1	<1	2	4	8	10	10
B. *Operated*	2514	3.2	7	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	137	3.6	22	<1	<1	2	5	7	9	28
B. *Operated*	1236	5.8	20	2	2	5	7	11	13	27
1. SINGLE DX	2545	3.2	7	1	2	2	4	6	7	10
2. MULTIPLE DX	1373	5.6	21	1	2	5	7	10	13	27
A. NOT OPERATED	168	3.5	20	<1	<1	2	5	7	9	26
B. OPERATED	3750	4.1	13	1	2	3	5	8	10	18
TOTAL 0-19 YRS	1886	2.5	7	1	1	2	3	4	5	8
20-34	603	4.3	7	2	2	4	5	7	8	13
35-49	599	4.8	7	2	2	4	6	8	10	15
50-64	526	6.3	20	2	3	5	8	10	13	25
65+	304	7.8	31	3	3	7	9	13	18	32
GRAND TOTAL	**3918**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	1	3	3	3	3
20-34	18	3.1	8	<1	<1	2	4	6	10	12
35-49	17	2.8	3	<1	1	3	4	5	6	6
50-64	20	3.4	5	<1	<1	3	5	7	7	8
65+	26	3.6	4	1	1	3	5	7	7	8
B. *Operated*										
0-19 YRS	209	2.6	2	1	1	2	3	5	6	8
20-34	469	4.8	8	2	2	4	6	8	9	17
35-49	810	6.1	10	2	3	5	8	10	11	19
50-64	932	6.9	13	3	3	6	9	11	13	19
65+	590	7.6	14	3	4	7	9	12	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	6	1	1	1	5	6	6	6
20-34	20	4.3	19	<1	<1	3	5	12	14	16
35-49	40	4.6	10	1	1	4	6	9	10	15
50-64	83	5.6	17	1	1	4	8	12	13	19
65+	118	6.0	17	2	2	5	8	11	15	19
B. *Operated*										
0-19 YRS	54	3.3	10	1	1	2	4	6	7	21
20-34	298	6.5	16	2	3	6	8	10	12	26
35-49	630	8.1	31	3	3	7	10	14	18	31
50-64	906	9.9	47	3	4	8	12	17	21	33
65+	771	11.1	54	4	5	9	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.2	5	<1	1	3	5	6	7	11
B. *Operated*	3010	6.2	13	2	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	268	5.4	16	1	1	4	7	11	15	18
B. *Operated*	2659	9.3	44	3	4	8	11	16	20	35
1. SINGLE DX	3096	6.1	13	2	2	6	8	10	12	18
2. MULTIPLE DX	2927	9.0	43	2	3	8	11	15	20	33
A. NOT OPERATED	354	4.9	14	1	1	4	6	10	13	18
B. OPERATED	5669	7.7	30	2	3	7	9	13	17	28
TOTAL 0-19 YRS	275	2.7	4	1	1	2	3	5	6	9
20-34	805	5.4	12	2	2	5	7	9	11	21
35-49	1497	6.9	20	2	3	6	8	11	15	24
50-64	1941	8.2	32	3	4	7	10	13	17	28
65+	1505	9.2	39	3	4	8	11	15	19	34
GRAND TOTAL	**6023**	**7.5**	**29**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	3	1	1	3	4	5	7	7
20-34	183	3.9	9	1	2	3	5	6	8	16
35-49	501	4.1	7	2	2	3	5	7	9	12
50-64	631	4.1	7	1	2	3	5	7	8	14
65+	410	4.5	8	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	11	4.5	15	1	1	3	5	10	15	15
20-34	64	7.5	21	2	3	6	10	15	17	19
35-49	127	8.3	24	2	2	8	10	15	17	26
50-64	136	9.1	24	2	3	9	12	15	18	24
65+	66	14.1	123	3	5	11	16	25	30	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.2	16	<1	1	4	7	11	15	18
20-34	620	4.6	11	1	2	4	6	8	10	15
35-49	1987	5.0	10	2	2	4	6	9	11	16
50-64	3097	5.4	16	2	2	4	7	9	12	19
65+	3667	6.2	18	2	3	5	8	11	14	22
B. *Operated*										
0-19 YRS	20	12.9	503	1	2	6	9	31	73	98
20-34	248	9.7	40	3	3	9	12	18	21	31
35-49	752	10.0	46	2	3	9	12	17	22	38
50-64	1029	10.4	49	2	3	9	13	18	23	38
65+	782	11.0	67	2	3	9	15	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1736	4.2	7	1	2	3	5	7	9	14
B. *Operated*	404	9.3	44	2	3	9	11	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	9409	5.6	16	2	2	5	7	10	12	20
B. *Operated*	2831	10.4	56	2	3	9	13	19	23	38
1. SINGLE DX	2140	5.1	18	2	2	4	6	10	13	22
2. MULTIPLE DX	12240	6.7	29	2	2	5	8	13	16	27
A. NOT OPERATED	11145	5.4	15	2	2	4	7	9	12	19
B. OPERATED	3235	10.3	54	2	3	9	13	18	23	38
TOTAL 0-19 YRS	80	6.7	144	1	1	4	7	11	16	83
20-34	1115	5.8	22	1	2	4	8	11	14	25
35-49	3367	6.1	23	2	2	5	8	11	15	23
50-64	4893	6.4	27	2	2	5	8	12	16	25
65+	4925	7.0	31	2	3	5	9	13	17	28
GRAND TOTAL	**14380**	**6.5**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	4.9	10	3	3	4	4	10	12	12
35-49	13	5.6	13	1	2	5	7	11	13	14
50-64	10	4.0	5	1	1	4	6	7	7	7
65+	9	4.9	22	<1	<1	3	7	12	15	15
B. *Operated*										
0-19 YRS	39	3.6	10	1	1	3	4	7	12	16
20-34	85	4.4	3	2	3	4	5	7	8	10
35-49	145	5.1	7	2	3	4	6	8	9	14
50-64	192	5.8	9	3	3	5	7	9	12	17
65+	141	6.5	11	3	3	6	7	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	16	1	1	4	8	9	9	9
20-34	4	6.3	14	3	3	6	9	10	10	10
35-49	18	5.2	16	1	2	4	6	12	14	16
50-64	28	6.3	13	2	2	5	8	13	13	15
65+	35	7.1	40	1	1	5	8	13	22	31
B. *Operated*										
0-19 YRS	23	5.1	40	1	1	3	6	8	17	32
20-34	53	6.6	26	2	3	5	7	12	14	31
35-49	106	7.7	43	3	3	6	8	13	18	39
50-64	128	8.4	24	4	4	7	10	14	19	27
65+	180	9.4	70	3	4	7	11	17	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.8	12	1	1	4	7	9	13	15
B. *Operated*	602	5.5	9	2	3	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	88	6.3	24	1	2	5	8	12	15	29
B. *Operated*	490	8.3	47	3	3	7	10	14	21	32
1. SINGLE DX	642	5.4	9	2	3	5	7	9	11	17
2. MULTIPLE DX	578	8.0	44	2	3	6	9	13	20	32
A. NOT OPERATED	128	5.8	21	1	1	5	7	12	14	26
B. OPERATED	1092	6.7	28	2	3	5	8	11	15	27
TOTAL 0-19 YRS	66	4.2	20	1	1	3	5	8	11	29
20-34	149	5.2	13	2	3	4	6	9	10	24
35-49	282	6.1	23	2	3	5	7	10	13	27
50-64	358	6.7	16	3	3	6	8	11	14	22
65+	365	7.9	45	2	3	6	9	13	19	31
GRAND TOTAL	**1220**	**6.6**	**27**	**2**	**3**	**5**	**8**	**11**	**15**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	9	2.7	2	<1	<1	3	4	5	5	5
50-64	33	4.1	5	<1	1	4	6	7	8	9
65+	29	4.5	7	1	1	4	6	9	10	11
B. *Operated*										
0-19 YRS	79	3.0	6	1	1	2	4	5	7	14
20-34	133	4.7	8	2	2	4	6	8	9	17
35-49	193	6.0	14	2	3	5	7	11	14	19
50-64	272	7.3	24	2	3	6	9	12	17	29
65+	329	9.4	33	3	4	8	11	17	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.0	140	1	1	2	5	28	31	31
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	42	6.0	37	1	2	4	6	9	19	33
50-64	70	5.7	17	1	2	5	7	10	14	25
65+	139	7.4	29	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	20	5.2	13	2	2	4	6	9	13	17
20-34	96	9.0	55	2	3	7	11	17	25	40
35-49	200	10.4	72	3	4	8	12	18	26	51
50-64	356	11.7	78	3	4	9	14	22	27	55
65+	542	12.8	77	4	5	11	15	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.9	6	<1	1	3	5	7	9	11
B. *Operated*	1006	7.0	26	2	2	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	261	6.7	29	2	2	5	8	13	17	31
B. *Operated*	1214	11.7	76	3	4	9	14	22	27	49
1. SINGLE DX	1083	6.8	25	2	2	6	9	12	16	27
2. MULTIPLE DX	1475	10.8	71	3	3	8	13	20	26	46
A. NOT OPERATED	338	6.1	25	1	2	5	8	10	16	28
B. OPERATED	2220	9.6	58	2	3	8	12	18	24	40
TOTAL 0-19 YRS	107	3.6	15	1	1	2	4	6	10	23
20-34	237	6.4	31	2	2	5	8	12	17	30
35-49	444	7.9	47	2	3	6	9	15	19	34
50-64	731	9.2	56	2	3	7	11	17	24	36
65+	1039	10.8	60	3	4	9	13	19	25	39
GRAND TOTAL	**2558**	**9.1**	**55**	**2**	**3**	**7**	**11**	**17**	**23**	**38**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.3	9	1	1	3	4	6	8	20
20-34	304	4.9	12	1	2	4	6	9	11	21
35-49	427	5.3	10	2	2	5	7	10	12	15
50-64	560	5.6	14	1	2	5	7	10	13	18
65+	680	6.7	25	2	2	6	8	12	15	30
B. *Operated*										
0-19 YRS	173	7.4	16	2	3	7	10	12	16	21
20-34	254	10.2	31	4	5	9	12	16	23	33
35-49	357	11.4	51	5	6	10	13	18	20	38
50-64	407	13.4	71	5	6	11	16	23	29	47
65+	465	14.3	56	7	8	13	16	24	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.4	9	1	1	4	7	8	10	14
20-34	206	6.1	37	1	2	4	8	11	13	25
35-49	412	6.7	18	2	2	6	8	12	14	23
50-64	748	7.2	22	2	3	6	9	13	16	27
65+	1669	9.1	55	2	3	7	11	17	23	42
B. *Operated*										
0-19 YRS	145	9.8	48	3	4	8	12	16	21	99+
20-34	338	13.9	112	6	7	11	16	24	34	66
35-49	500	15.5	105	6	7	13	18	28	38	60
50-64	825	17.7	151	6	8	14	22	32	41	70
65+	1428	19.6	158	7	9	16	23	35	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2095	5.7	17	1	2	5	7	10	13	21
B. *Operated*	1656	12.1	55	4	6	10	15	20	26	40
2. MULTIPLE DX										
A. *Not Operated*	3097	8.0	42	2	3	6	10	15	20	35
B. *Operated*	3236	17.5	145	6	7	14	21	31	43	69
1. SINGLE DX	3751	8.5	44	2	2	7	11	16	21	34
2. MULTIPLE DX	6333	12.9	117	3	4	10	16	25	34	59
A. NOT OPERATED	5192	7.1	33	2	2	6	9	13	17	30
B. OPERATED	4892	15.7	121	5	7	13	19	28	38	65
TOTAL 0-19 YRS	504	6.7	29	1	2	6	9	12	16	31
20-34	1102	9.1	66	2	3	7	11	16	23	47
35-49	1696	9.9	66	2	3	8	12	18	24	47
50-64	2540	11.3	96	2	3	9	14	22	29	58
65+	4242	12.8	113	3	3	10	16	25	32	56
GRAND TOTAL	**10084**	**11.2**	**94**	**2**	**3**	**9**	**14**	**22**	**29**	**53**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7896	3.3	7	1	1	3	4	6	7	11
20-34	3840	3.3	10	1	1	3	4	6	7	11
35-49	1955	3.7	8	1	1	3	5	7	8	12
50-64	1559	4.2	9	1	1	3	5	8	10	16
65+	1283	4.6	12	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	261	4.0	11	1	1	3	5	7	8	16
20-34	244	5.4	20	2	2	4	6	9	12	25
35-49	118	6.1	25	2	2	5	7	11	17	30
50-64	92	6.8	27	2	2	5	9	12	16	29
65+	58	8.9	84	2	2	6	11	20	24	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8824	4.2	10	1	2	3	5	7	9	16
20-34	3563	4.1	9	1	2	3	5	7	9	15
35-49	2790	5.1	11	2	2	4	6	9	11	18
50-64	3592	5.8	17	2	2	5	7	10	13	22
65+	5840	7.2	32	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	394	5.9	48	1	2	4	7	10	14	44
20-34	318	7.8	37	2	2	6	10	14	18	28
35-49	302	9.3	57	2	3	8	11	17	21	38
50-64	407	11.0	81	3	3	8	14	21	26	59
65+	568	12.2	81	3	4	10	15	22	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16533	3.5	9	1	1	3	4	6	8	13
B. *Operated*	773	5.4	25	1	2	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	24609	5.2	18	1	2	4	6	10	13	22
B. *Operated*	1989	9.6	69	2	3	7	12	19	24	48
1. SINGLE DX	17306	3.6	10	1	1	3	4	6	8	14
2. MULTIPLE DX	26598	5.5	23	2	2	4	7	10	14	25
A. NOT OPERATED	41142	4.5	15	1	2	4	6	8	11	19
B. OPERATED	2762	8.4	60	2	2	6	10	17	22	44
TOTAL 0-19 YRS	17375	3.8	10	1	1	3	5	7	8	15
20-34	7965	3.9	12	1	1	3	5	7	9	16
35-49	5165	4.9	15	1	2	4	6	9	11	18
50-64	5650	5.7	22	1	2	5	7	11	14	24
65+	7749	7.2	36	2	2	6	9	14	18	31
GRAND TOTAL	**43904**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	2	1	1	2	4	5	5	5
20-34	99	4.7	9	1	2	4	6	9	12	15
35-49	690	4.8	8	2	2	4	6	8	10	15
50-64	1384	5.2	12	1	2	4	7	9	11	18
65+	1831	5.5	19	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	6	5.2	13	2	2	4	6	11	12	12
20-34	43	8.5	18	2	4	8	10	13	18	22
35-49	165	10.8	28	4	4	10	13	18	20	28
50-64	389	12.6	37	4	6	12	15	19	22	34
65+	320	14.1	76	3	5	12	17	24	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.8	11	2	3	5	7	9	14	16
20-34	88	5.2	11	2	2	4	6	9	10	20
35-49	809	5.4	11	2	2	5	7	9	12	18
50-64	2864	6.0	17	2	2	5	7	11	14	23
65+	7092	7.2	30	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	5	23.2	1178	<1	<1	8	36	83	83	83
20-34	48	17.0	354	4	5	11	15	36	54	98
35-49	396	13.8	81	4	5	12	16	24	31	51
50-64	1093	14.2	96	3	5	12	17	26	34	55
65+	1753	16.2	139	4	5	13	21	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4011	5.3	14	1	2	4	7	9	11	17
B. *Operated*	923	12.6	50	4	5	12	16	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	10869	6.7	25	2	3	5	8	12	15	26
B. *Operated*	3295	15.2	123	3	5	13	19	28	37	58
1. SINGLE DX	4934	6.6	29	2	2	5	8	13	16	27
2. MULTIPLE DX	14164	8.7	61	2	3	7	11	17	23	42
A. NOT OPERATED	14880	6.3	23	2	2	5	8	11	14	24
B. OPERATED	4218	14.7	108	3	5	12	18	27	35	55
TOTAL 0-19 YRS	34	7.6	195	1	2	5	7	12	20	83
20-34	278	7.6	90	1	2	5	9	13	17	48
35-49	2060	7.3	37	2	2	5	9	14	18	31
50-64	5730	7.8	45	2	2	6	10	15	20	36
65+	10996	8.5	60	2	3	6	10	17	23	42
GRAND TOTAL	**19098**	**8.2**	**54**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.1	2	1	1	3	4	5	6	8
20-34	115	2.9	4	<1	1	2	4	5	7	12
35-49	71	3.8	5	1	1	3	5	7	8	11
50-64	41	4.6	11	1	1	4	6	10	12	14
65+	22	6.0	14	1	1	5	8	12	14	15
B. *Operated*										
0-19 YRS	308	3.7	8	1	1	3	4	6	8	13
20-34	1776	4.1	14	1	2	4	5	6	8	13
35-49	1442	4.3	7	2	2	4	5	7	8	14
50-64	757	4.6	10	2	2	4	5	8	9	19
65+	252	5.8	23	2	2	4	7	9	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	4	1	1	3	4	5	7	10
20-34	106	5.3	18	1	1	4	7	10	15	21
35-49	125	5.9	63	1	2	4	7	10	13	39
50-64	113	5.3	11	1	2	4	7	9	11	16
65+	109	8.6	71	2	2	6	10	19	25	48
B. *Operated*										
0-19 YRS	123	4.9	20	1	2	4	5	8	11	33
20-34	1277	5.0	9	2	3	4	6	8	10	17
35-49	1425	5.4	12	2	3	5	6	9	11	20
50-64	1119	6.2	34	2	3	5	7	11	14	23
65+	522	8.6	61	3	3	6	10	15	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	3.6	6	1	1	3	4	6	9	13
B. *Operated*	4535	4.3	12	2	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	499	5.9	40	1	2	4	7	11	16	29
B. *Operated*	4466	5.8	24	2	3	5	7	10	13	25
1. SINGLE DX	4843	4.2	11	1	2	4	5	7	9	15
2. MULTIPLE DX	4965	5.8	26	2	3	5	7	10	13	25
A. NOT OPERATED	807	5.0	29	1	1	4	6	9	13	23
B. OPERATED	9001	5.1	18	2	2	4	6	8	11	21
TOTAL 0-19 YRS	536	3.9	10	1	1	3	5	7	9	13
20-34	3274	4.4	12	2	2	4	5	7	9	16
35-49	3063	4.8	12	2	2	4	6	8	10	19
50-64	2030	5.5	24	2	2	4	6	9	12	22
65+	905	7.7	52	2	3	6	9	14	20	39
GRAND TOTAL	**9808**	**5.1**	**19**	**2**	**2**	**4**	**6**	**9**	**11**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1205	3.5	9	1	1	3	4	7	9	15
20-34	2520	4.5	10	1	2	4	6	8	11	17
35-49	1860	4.7	14	1	2	4	6	9	11	18
50-64	1293	4.7	15	1	2	4	6	9	11	20
65+	1056	5.4	22	1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	436	5.5	30	1	1	4	7	11	14	33
20-34	898	7.8	54	1	2	6	10	15	21	36
35-49	723	8.3	59	1	2	6	11	17	23	40
50-64	687	9.0	68	2	2	7	13	18	23	47
65+	567	9.7	94	2	2	7	12	19	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	932	4.5	17	1	1	3	5	8	10	21
20-34	2652	5.2	18	2	2	4	6	10	12	23
35-49	2942	5.7	19	2	2	4	7	11	14	21
50-64	3215	6.0	27	2	2	5	7	11	14	26
65+	4731	7.0	35	2	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	393	8.9	100	1	2	6	10	20	32	63
20-34	1594	10.2	98	2	3	7	12	20	28	57
35-49	1661	10.6	109	3	3	8	12	20	29	63
50-64	1803	11.5	119	2	3	8	14	24	32	63
65+	1964	14.3	148	3	4	11	17	29	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7934	4.6	14	1	2	4	6	9	11	19
B. *Operated*	3311	8.2	63	1	2	6	11	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	14472	6.0	26	2	2	5	7	11	15	27
B. *Operated*	7415	11.6	122	2	3	8	14	24	34	64
1. SINGLE DX	11245	5.6	31	1	2	4	7	11	15	28
2. MULTIPLE DX	21887	7.9	66	2	2	5	9	16	22	45
A. NOT OPERATED	22406	5.5	22	1	2	4	7	10	14	25
B. OPERATED	10726	10.6	106	2	3	8	13	21	30	58
TOTAL 0-19 YRS	2966	4.8	30	1	1	3	6	9	13	32
20-34	7664	6.3	41	1	2	4	7	12	17	34
35-49	7186	6.8	48	2	2	5	8	13	18	37
50-64	6998	7.5	59	2	2	5	9	15	20	42
65+	8318	8.7	75	2	2	6	11	17	24	48
GRAND TOTAL	**33132**	**7.1**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**40**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	41	8.6	61	1	2	6	10	17	29	36
35-49	140	8.6	67	2	2	6	10	16	26	42
50-64	121	11.6	112	2	3	9	14	22	30	56
65+	52	10.3	95	2	4	7	11	23	28	59
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	17.7	526	2	3	9	21	40	77	88
35-49	43	9.7	50	2	2	7	15	20	25	27
50-64	39	8.4	39	1	2	6	13	17	21	25
65+	8	10.6	38	3	4	8	16	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.0	94	3	3	11	20	27	28	28
20-34	170	10.2	75	2	3	8	14	21	28	63
35-49	695	12.5	114	3	4	9	16	25	35	53
50-64	854	12.6	107	3	4	10	16	26	32	55
65+	325	13.1	103	3	4	10	16	27	33	49
B. *Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	52	17.7	168	2	5	14	23	36	43	69
35-49	215	16.7	165	4	6	13	23	32	42	82
50-64	292	16.2	119	3	5	14	21	30	39	52
65+	96	17.8	164	5	6	15	22	35	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	9.8	87	2	3	7	12	21	28	48
B. *Operated*	105	10.3	112	2	2	7	15	20	25	59
2. MULTIPLE DX										
A. *Not Operated*	2050	12.4	106	3	4	9	16	25	33	54
B. *Operated*	656	16.8	144	4	5	14	22	32	41	62
1. SINGLE DX	461	9.9	92	2	3	7	12	20	27	48
2. MULTIPLE DX	2706	13.5	119	3	4	10	17	27	35	55
A. NOT OPERATED	2406	12.0	104	3	3	9	15	24	32	52
B. OPERATED	761	15.9	145	3	4	13	21	31	39	61
TOTAL 0-19 YRS	10	11.8	116	1	2	7	20	29	30	30
20-34	277	11.7	122	2	3	8	15	25	34	70
35-49	1093	12.7	121	2	3	9	16	26	34	54
50-64	1306	13.2	111	3	4	11	17	27	34	54
65+	481	13.7	118	3	4	10	17	28	35	55
GRAND TOTAL	**3167**	**13.0**	**117**	**3**	**4**	**10**	**16**	**27**	**34**	**54**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.6	11	1	2	5	8	11	12	12
20-34	51	6.1	36	1	1	4	8	13	22	27
35-49	71	9.0	65	2	2	7	12	18	29	88
50-64	144	7.9	43	2	2	6	10	15	23	32
65+	67	8.3	42	2	2	7	11	17	18	38
B. *Operated*										
0-19 YRS	19	3.4	7	1	1	2	5	8	9	9
20-34	163	3.4	9	1	1	2	4	8	10	16
35-49	119	6.0	39	1	1	4	8	12	16	32
50-64	151	5.7	45	1	1	3	7	15	21	31
65+	86	8.6	47	1	2	7	12	18	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	8.6	128	1	1	5	10	19	26	57
20-34	92	7.8	52	1	2	5	10	18	24	34
35-49	330	10.4	74	2	3	8	13	19	25	48
50-64	662	10.3	54	2	3	8	13	19	24	36
65+	577	12.7	108	3	4	10	16	24	33	51
B. *Operated*										
0-19 YRS	26	8.3	51	1	2	5	16	19	22	22
20-34	130	9.2	95	2	2	6	13	20	23	52
35-49	241	10.9	90	2	2	9	14	21	29	46
50-64	449	12.4	130	2	3	10	16	24	34	60
65+	392	15.5	159	2	3	12	20	32	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	7.8	45	2	2	6	10	16	22	40
B. *Operated*	538	5.4	35	1	1	3	7	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	1688	11.0	79	2	3	9	14	21	27	46
B. *Operated*	1238	12.7	131	2	2	10	17	26	36	58
1. SINGLE DX	886	6.4	40	1	1	4	9	14	19	31
2. MULTIPLE DX	2926	11.7	102	2	3	9	15	23	30	51
A. NOT OPERATED	2036	10.4	75	2	3	8	13	20	26	46
B. OPERATED	1776	10.5	113	1	2	8	14	23	31	52
TOTAL 0-19 YRS	87	6.9	61	1	1	4	9	17	20	44
[illegible]4	436	6.4	53	1	1	3	8	16	20	31
[illegible]9	761	9.8	75	2	2	8	12	19	26	46
[illegible]4	1406	10.2	81	2	2	8	13	21	25	44
65+	1122	13.1	122	2	3	10	17	26	36	53
GRAND TOTAL	**3812**	**10.5**	**92**	**2**	**2**	**8**	**14**	**22**	**29**	**48**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	5.6	12	2	2	5	7	10	12	16
20-34	332	6.5	20	2	2	5	8	12	16	23
35-49	175	7.2	28	2	2	6	9	13	16	30
50-64	131	7.2	27	1	2	6	9	13	18	25
65+	82	8.2	38	2	2	6	12	16	21	30
B. *Operated*										
0-19 YRS	20	6.8	68	1	2	3	8	16	28	36
20-34	79	6.9	56	1	1	5	10	14	20	43
35-49	51	5.6	36	1	1	3	7	16	22	24
50-64	72	10.3	63	2	2	9	15	22	24	34
65+	42	11.7	50	1	2	12	17	21	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	6.9	31	2	2	6	8	14	17	33
20-34	260	7.4	27	2	2	6	9	14	18	28
35-49	284	9.1	45	3	3	7	12	19	23	33
50-64	464	10.9	100	3	3	8	13	20	29	58
65+	431	11.3	95	3	3	9	14	22	27	68
B. *Operated*										
0-19 YRS	22	13.0	128	1	2	10	13	34	40	41
20-34	84	10.2	133	2	2	6	13	20	29	68
35-49	115	14.1	150	2	3	11	17	28	47	78
50-64	196	14.4	126	2	3	12	19	30	39	64
65+	180	16.9	154	3	5	14	22	32	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	869	6.7	23	2	2	5	8	13	16	26
B. *Operated*	264	8.3	58	1	2	6	12	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	1515	9.9	75	2	3	7	12	19	25	49
B. *Operated*	597	14.4	144	2	3	12	19	30	40	66
1. SINGLE DX	1133	7.1	32	2	2	6	9	15	18	29
2. MULTIPLE DX	2112	11.2	98	2	3	8	14	22	30	56
A. NOT OPERATED	2384	8.7	58	2	3	7	11	17	22	39
B. OPERATED	861	12.6	125	2	2	10	17	26	34	62
TOTAL 0-19 YRS	267	6.7	34	2	2	5	8	12	15	37
20-34	755	7.3	40	2	2	6	9	14	18	30
35-49	625	9.2	65	2	2	7	11	19	25	47
50-64	863	11.1	96	2	3	8	14	22	31	56
65+	735	12.4	108	2	3	10	16	23	31	63
GRAND TOTAL	**3245**	**9.8**	**79**	**2**	**2**	**7**	**12**	**20**	**26**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.5	4	1	2	3	4	6	7	12
20-34	453	3.1	4	1	1	3	4	5	7	9
35-49	458	3.7	6	1	2	3	5	7	9	12
50-64	473	4.2	9	1	2	3	5	8	10	14
65+	444	5.4	15	2	2	5	7	9	12	16
B. *Operated*										
0-19 YRS	401	7.4	11	3	5	7	9	11	13	17
20-34	4313	7.7	8	5	5	7	9	11	13	18
35-49	3917	8.3	11	5	5	8	9	12	14	20
50-64	3982	9.2	14	5	6	8	11	14	16	22
65+	2336	11.2	26	6	7	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	6	1	2	3	6	7	10	10
20-34	385	4.1	7	1	1	4	5	7	9	12
35-49	544	4.9	11	2	2	4	6	9	11	16
50-64	1146	5.7	16	2	2	5	7	10	13	23
65+	2093	7.5	28	2	3	6	9	14	17	26
B. *Operated*										
0-19 YRS	208	10.1	46	5	6	8	12	16	20	34
20-34	2594	9.6	24	5	6	8	11	15	17	27
35-49	3095	10.4	26	5	6	9	12	16	20	29
50-64	4712	12.1	45	6	6	10	14	19	24	37
65+	4950	15.2	68	7	8	13	18	25	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.1	9	1	2	3	5	7	9	14
B. *Operated*	14949	8.8	15	5	5	8	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4204	6.3	22	2	2	5	8	11	15	24
B. *Operated*	15559	12.3	50	6	6	10	15	20	25	39
1. SINGLE DX	16850	8.3	16	3	4	8	10	13	15	22
2. MULTIPLE DX	19763	11.0	50	3	4	9	14	19	23	36
A. NOT OPERATED	6105	5.6	19	1	2	4	7	10	14	22
B. OPERATED	30508	10.6	36	5	6	9	12	17	21	33
TOTAL 0-19 YRS	718	7.6	24	2	3	7	9	12	14	25
20-34	7745	7.9	16	3	4	7	9	12	15	20
35-49	8014	8.6	20	3	4	8	10	14	17	24
50-64	10313	9.9	34	3	5	9	12	16	20	31
65+	9823	12.2	58	3	5	10	15	21	26	40
GRAND TOTAL	**36613**	**9.8**	**36**	**3**	**4**	**8**	**12**	**16**	**20**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.1	5	1	2	4	5	6	9	13
20-34	559	4.1	19	1	2	3	5	7	9	14
35-49	493	4.1	5	1	2	4	5	7	8	12
50-64	467	4.9	13	2	2	4	6	8	10	19
65+	415	6.0	26	2	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	56	8.0	12	3	4	7	10	13	14	20
20-34	653	8.8	13	5	5	8	11	13	15	22
35-49	685	8.9	19	4	5	8	10	13	16	23
50-64	518	10.2	20	5	6	9	12	16	18	27
65+	359	11.9	30	6	7	11	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.7	19	1	2	4	5	7	8	33
20-34	457	4.7	10	1	2	4	6	9	11	17
35-49	599	5.6	19	2	2	5	7	10	12	19
50-64	872	6.4	30	2	2	5	8	11	13	24
65+	1614	8.2	35	2	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	59	9.0	20	4	5	8	11	15	19	23
20-34	878	9.7	23	5	5	9	12	16	19	26
35-49	1169	11.0	40	5	6	9	13	18	23	37
50-64	1369	12.7	52	6	6	11	15	21	25	42
65+	1374	15.9	72	7	8	14	20	27	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2010	4.7	16	1	2	4	6	8	10	16
B. *Operated*	2271	9.6	20	5	5	9	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	3601	6.8	29	2	2	6	9	12	16	26
B. *Operated*	4849	12.6	55	5	6	11	15	21	27	40
1. SINGLE DX	4281	7.3	24	2	2	7	9	13	16	24
2. MULTIPLE DX	8450	10.2	52	3	3	9	13	19	24	37
A. NOT OPERATED	5611	6.1	26	2	2	5	8	11	14	24
B. OPERATED	7120	11.7	46	5	6	10	14	20	24	37
TOTAL 0-19 YRS	250	6.3	18	2	2	5	8	11	14	22
20-34	2547	7.3	24	2	2	7	9	13	15	23
35-49	2946	8.3	33	2	3	7	10	14	18	31
50-64	3226	9.5	45	2	3	8	12	17	21	33
65+	3762	11.1	62	3	4	9	14	21	26	38
GRAND TOTAL	**12731**	**9.2**	**45**	**2**	**3**	**8**	**12**	**17**	**21**	**34**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	31	1	1	4	6	15	16	16
20-34	39	4.1	7	1	1	3	5	8	10	11
35-49	38	4.7	7	2	2	4	6	10	10	11
50-64	48	5.4	14	1	2	4	7	10	16	16
65+	80	6.8	19	2	3	6	9	11	14	26
B. *Operated*										
0-19 YRS	16	7.9	30	2	4	6	10	15	21	24
20-34	177	9.4	31	4	5	8	11	15	18	24
35-49	141	9.4	17	5	5	8	11	15	19	23
50-64	173	11.1	34	4	5	10	14	20	23	28
65+	260	13.7	47	3	5	13	17	22	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	31	4.5	6	1	2	4	7	8	9	9
35-49	46	6.2	30	2	3	5	7	9	10	39
50-64	107	5.7	11	2	2	5	8	10	12	17
65+	196	8.1	25	2	4	7	10	14	18	27
B. *Operated*										
0-19 YRS	9	10.7	46	5	5	9	12	22	27	27
20-34	129	11.2	50	6	6	10	12	16	23	65
35-49	132	11.8	38	6	7	11	14	17	21	47
50-64	287	15.2	85	6	7	13	18	25	32	50
65+	561	18.3	107	7	9	16	22	32	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	5.6	15	1	2	5	7	10	11	18
B. *Operated*	767	11.2	38	4	5	10	14	20	23	31
2. MULTIPLE DX										
A. *Not Operated*	384	6.9	21	2	3	6	8	12	15	25
B. *Operated*	1118	15.9	94	6	7	14	19	28	35	53
1. SINGLE DX	978	10.0	38	2	3	9	13	18	22	28
2. MULTIPLE DX	1502	13.6	91	3	4	11	17	25	32	50
A. NOT OPERATED	595	6.4	19	2	2	6	8	11	14	23
B. OPERATED	1885	14.0	76	5	6	12	17	24	30	47
TOTAL 0-19 YRS	35	7.8	34	1	2	6	10	15	22	27
20-34	376	9.0	39	2	3	8	11	15	18	43
35-49	357	9.4	31	3	4	9	12	15	18	26
50-64	615	11.7	67	2	3	10	15	21	27	40
65+	1097	14.5	91	3	5	13	18	26	32	48
GRAND TOTAL	**2480**	**12.2**	**73**	**3**	**4**	**10**	**15**	**22**	**28**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	10	2	2	4	5	10	11	11
20-34	34	5.0	13	1	2	4	6	11	12	14
35-49	53	6.1	16	2	2	5	8	10	12	26
50-64	56	6.9	22	1	2	6	9	15	16	23
65+	104	6.7	13	2	2	6	9	12	13	17
B. *Operated*										
0-19 YRS	4	7.8	133	1	1	2	14	25	25	25
20-34	24	12.9	49	2	5	12	16	25	26	29
35-49	27	14.4	53	3	6	14	19	26	30	30
50-64	37	13.1	66	3	4	13	17	20	32	38
65+	54	17.1	152	4	6	15	21	30	33	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	9	2	2	5	5	10	12	12
20-34	44	6.9	34	2	3	5	8	13	15	37
35-49	70	7.2	21	2	2	6	9	14	16	21
50-64	115	8.5	36	2	3	7	11	16	18	34
65+	306	9.9	49	3	4	8	12	18	25	35
B. *Operated*										
0-19 YRS	5	11.0	153	2	2	6	17	32	32	32
20-34	48	14.1	93	2	4	12	19	25	32	49
35-49	86	14.9	128	4	6	12	17	25	35	70
50-64	165	17.4	136	4	6	15	22	31	42	59
65+	272	21.3	153	8	10	18	25	39	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	6.3	16	2	2	5	8	11	13	18
B. *Operated*	146	14.7	96	3	4	13	18	27	30	41
2. MULTIPLE DX										
A. *Not Operated*	544	8.9	42	2	3	7	11	16	22	33
B. *Operated*	576	18.6	147	4	7	16	23	34	44	63
1. SINGLE DX	400	9.4	61	2	2	8	12	18	25	34
2. MULTIPLE DX	1120	13.9	119	3	4	11	18	27	35	54
A. NOT OPERATED	798	8.1	35	2	3	7	10	15	19	31
B. OPERATED	722	17.8	139	4	6	15	22	32	40	62
TOTAL 0-19 YRS	25	6.5	54	1	2	4	6	12	27	32
20-34	150	9.7	65	2	2	8	13	21	25	37
35-49	236	10.6	78	2	3	8	13	19	26	49
50-64	373	12.7	101	2	3	10	16	24	32	54
65+	736	14.2	125	3	4	11	18	28	38	52
GRAND TOTAL	**1520**	**12.7**	**108**	**2**	**3**	**10**	**16**	**25**	**32**	**52**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	6.1	16	2	2	6	7	11	14	22
20-34	782	6.4	18	2	3	5	8	11	13	22
35-49	903	7.2	23	2	3	6	9	13	16	26
50-64	593	7.1	19	2	3	6	9	12	15	22
65+	394	8.4	28	2	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	15	11.5	46	1	3	11	15	19	26	28
20-34	56	12.1	118	2	3	10	14	22	32	65
35-49	96	13.8	178	2	3	11	16	26	37	76
50-64	89	13.5	99	2	3	11	18	28	36	44
65+	45	15.1	129	2	2	13	19	29	40	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	7.1	16	2	3	6	10	13	15	20
20-34	1060	7.9	34	3	3	7	10	14	18	28
35-49	1813	8.5	35	2	3	7	10	15	20	32
50-64	1366	8.7	31	3	4	7	11	15	19	30
65+	1206	10.4	48	3	4	9	13	18	24	33
B. *Operated*										
0-19 YRS	16	17.0	117	8	8	14	17	37	45	47
20-34	200	17.5	217	4	6	13	21	33	53	96
35-49	380	19.4	221	4	6	15	24	38	52	78
50-64	378	19.6	228	4	6	16	24	39	51	92
65+	370	21.9	237	6	8	18	28	45	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2774	7.1	22	2	3	6	9	12	16	25
B. *Operated*	301	13.5	129	2	3	11	17	27	35	61
2. MULTIPLE DX										
A. *Not Operated*	5531	8.8	37	3	3	7	11	16	20	31
B. *Operated*	1344	19.8	227	4	6	16	24	40	53	93
1. SINGLE DX	3075	7.7	36	2	3	6	9	14	18	31
2. MULTIPLE DX	6875	11.0	93	3	4	8	13	21	28	54
A. NOT OPERATED	8305	8.2	33	2	3	7	10	15	18	29
B. OPERATED	1645	18.7	215	4	5	15	23	38	50	89
TOTAL 0-19 YRS	219	7.7	33	2	3	6	10	14	17	31
20-34	2098	8.4	57	2	3	7	10	15	20	39
35-49	3192	9.6	72	2	3	7	11	18	25	47
50-64	2426	10.2	79	3	3	8	12	19	26	49
65+	2015	12.2	102	3	4	9	15	23	31	54
GRAND TOTAL	**9950**	**10.0**	**78**	**3**	**3**	**8**	**12**	**19**	**25**	**49**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.5	7	1	1	3	4	6	7	20
20-34	248	3.8	5	1	1	3	5	7	8	12
35-49	284	4.9	10	1	2	4	6	9	11	16
50-64	328	4.9	8	1	2	4	6	8	11	14
65+	502	6.1	16	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	20	5.5	13	1	1	5	8	11	12	12
20-34	28	8.4	28	3	4	6	11	16	20	23
35-49	26	7.3	24	2	2	6	10	14	18	22
50-64	57	9.9	48	2	2	8	13	20	24	31
65+	62	10.0	52	2	2	9	12	21	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	4.2	11	1	2	3	5	8	10	16
20-34	584	5.3	21	1	2	4	6	9	12	26
35-49	882	6.3	22	2	2	5	8	12	14	29
50-64	1605	7.0	26	2	3	6	9	13	16	29
65+	3385	8.7	39	3	3	7	11	15	20	35
B. *Operated*										
0-19 YRS	26	8.7	37	2	3	8	11	18	21	27
20-34	109	9.6	39	2	3	8	13	18	22	28
35-49	192	10.3	70	2	3	8	12	20	28	53
50-64	411	12.1	93	3	4	9	15	23	32	50
65+	800	13.9	118	4	5	11	17	25	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1524	5.0	11	1	2	4	6	9	11	19
B. *Operated*	193	8.9	41	2	2	7	11	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	6674	7.5	33	2	3	6	9	14	18	32
B. *Operated*	1538	12.6	101	3	4	10	16	24	31	60
1. SINGLE DX	1717	5.4	16	1	2	4	7	10	13	21
2. MULTIPLE DX	8212	8.5	49	2	3	7	10	16	21	37
A. NOT OPERATED	8198	7.1	30	2	2	6	9	13	17	30
B. OPERATED	1731	12.2	95	3	4	10	15	23	30	57
TOTAL 0-19 YRS	426	4.3	13	1	1	3	5	8	11	19
20-34	969	5.5	22	1	2	4	7	10	15	25
35-49	1384	6.6	29	2	2	5	8	12	16	31
50-64	2401	7.7	40	2	3	6	9	14	19	35
65+	4749	9.3	55	2	3	7	11	17	23	42
GRAND TOTAL	**9929**	**8.0**	**45**	**2**	**2**	**6**	**10**	**15**	**20**	**35**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.5	9	1	2	4	6	8	9	17
20-34	28	6.1	13	1	2	6	8	11	13	16
35-49	25	5.7	17	1	2	4	8	13	14	18
50-64	22	7.4	22	2	2	6	12	14	17	18
65+	17	8.6	53	2	3	8	9	14	27	34
B. *Operated*										
0-19 YRS	6	12.8	412	1	1	5	8	49	54	54
20-34	18	7.6	28	2	2	7	11	16	17	17
35-49	15	9.7	34	1	2	8	14	16	20	22
50-64	10	11.7	67	3	3	11	15	24	30	30
65+	11	10.5	49	2	3	10	16	20	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	6.6	39	2	2	5	8	12	15	40
20-34	33	6.2	16	2	2	5	8	11	13	21
35-49	63	8.4	45	2	3	7	10	16	20	39
50-64	72	9.3	52	2	3	7	10	18	24	36
65+	85	10.2	52	2	3	8	14	22	26	32
B. *Operated*										
0-19 YRS	13	6.4	74	1	1	4	8	15	30	33
20-34	36	12.9	68	3	4	11	17	24	28	39
35-49	40	14.8	103	4	5	12	19	24	29	60
50-64	49	11.9	78	3	4	10	15	23	32	99+
65+	37	17.7	249	5	6	14	22	29	37	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	5.7	18	1	2	4	7	11	13	18
B. *Operated*	60	9.8	73	2	2	8	14	17	23	52
2. MULTIPLE DX										
A. *Not Operated*	364	8.2	45	2	2	6	10	16	22	35
B. *Operated*	175	13.6	123	2	4	11	18	25	32	87
1. SINGLE DX	240	6.7	35	1	2	5	8	13	17	30
2. MULTIPLE DX	539	10.0	77	2	3	8	13	20	26	42
A. NOT OPERATED	544	7.4	38	2	2	6	9	15	18	34
B. OPERATED	235	12.6	113	2	3	11	17	24	30	65
TOTAL 0-19 YRS	218	5.9	39	1	2	4	7	10	13	39
20-34	115	8.5	42	2	2	7	11	17	21	33
35-49	143	9.9	65	2	3	8	13	20	23	42
50-64	153	10.0	59	2	3	8	13	18	26	51
65+	150	11.9	110	2	3	9	15	23	29	38
GRAND TOTAL	**779**	**9.0**	**66**	**2**	**2**	**7**	**11**	**18**	**24**	**39**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	6.8	23	2	2	6	9	13	16	24
20-34	49	5.6	20	1	2	4	7	12	16	22
35-49	35	6.5	32	2	2	5	8	10	15	32
50-64	26	5.7	17	1	2	5	7	11	16	17
65+	18	7.8	23	1	2	7	11	14	17	18
B. *Operated*										
0-19 YRS	58	4.9	15	2	2	4	6	10	14	19
20-34	51	5.4	16	2	2	4	9	10	15	18
35-49	36	6.1	20	2	2	5	8	12	15	23
50-64	27	6.1	24	1	2	5	10	14	16	19
65+	16	8.0	32	1	2	7	13	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	7.5	88	2	2	5	9	14	18	59
20-34	90	7.3	42	1	2	6	9	14	21	35
35-49	87	6.7	29	1	1	5	8	13	16	75
50-64	159	8.9	41	2	3	7	12	18	22	30
65+	219	11.3	84	3	4	9	15	19	26	46
B. *Operated*										
0-19 YRS	53	9.6	156	1	1	5	13	19	29	78
20-34	122	10.3	123	1	2	7	13	25	36	54
35-49	115	9.7	73	2	2	8	13	21	26	42
50-64	128	11.7	111	2	2	9	15	22	28	56
65+	112	14.8	137	3	4	12	20	26	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	6.5	23	2	2	6	8	13	16	24
B. *Operated*	188	5.7	19	2	2	4	8	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	653	9.0	64	2	2	7	12	17	22	35
B. *Operated*	530	11.4	118	2	2	8	15	23	31	53
1. SINGLE DX	479	6.2	22	2	2	5	8	12	16	22
2. MULTIPLE DX	1183	10.1	90	2	2	8	13	20	27	47
A. NOT OPERATED	944	8.2	53	2	2	6	10	16	20	33
B. OPERATED	718	9.9	99	2	2	7	13	21	28	49
TOTAL 0-19 YRS	372	7.1	59	2	2	5	9	14	19	32
20-34	312	7.9	70	1	2	5	9	16	25	43
35-49	273	7.8	49	1	2	6	10	16	24	40
50-64	340	9.5	68	2	2	7	13	18	23	42
65+	365	12.0	99	3	3	10	16	22	28	54
GRAND TOTAL	**1662**	**9.0**	**73**	**2**	**2**	**7**	**12**	**18**	**24**	**41**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	5.4	14	1	2	5	7	10	12	19
20-34	20	4.8	13	1	1	4	7	9	12	15
35-49	6	5.7	9	2	2	5	8	10	10	10
50-64	5	9.0	27	2	2	12	13	14	14	14
65+	3	15.0	247	4	4	8	27	33	33	33
B. *Operated*										
0-19 YRS	17	6.6	31	2	2	4	9	13	20	24
20-34	10	4.3	14	1	1	2	8	10	12	12
35-49	6	8.5	63	2	2	6	16	20	20	20
50-64	7	7.3	41	2	2	4	11	18	19	19
65+	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	7.7	52	2	3	7	10	12	13	50
20-34	16	5.1	8	1	2	5	7	9	10	11
35-49	10	7.6	15	1	2	8	9	12	15	15
50-64	14	7.0	30	<1	2	6	7	17	20	21
65+	23	10.1	78	2	2	8	15	22	32	33
B. *Operated*										
0-19 YRS	13	6.5	89	1	1	3	8	16	32	36
20-34	15	9.8	33	2	2	9	14	18	19	19
35-49	12	9.3	112	1	2	5	10	28	35	36
50-64	21	12.8	42	6	6	10	17	23	24	25
65+	16	15.9	175	2	3	15	21	37	42	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	5.6	19	1	2	5	7	11	13	21
B. *Operated*	42	6.5	31	2	2	4	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	137	7.7	47	2	2	6	9	13	17	37
B. *Operated*	77	11.2	92	2	2	8	16	24	36	42
1. SINGLE DX	204	5.8	21	1	2	5	8	12	14	22
2. MULTIPLE DX	214	9.0	66	2	2	7	10	17	24	40
A. NOT OPERATED	299	6.6	33	1	2	6	8	12	15	32
B. OPERATED	119	9.6	75	2	2	7	12	21	25	39
TOTAL 0-19 YRS	232	6.3	32	2	2	5	8	12	13	26
20-34	61	6.0	21	1	1	5	8	12	16	19
35-49	34	8.0	54	1	2	6	9	16	24	36
50-64	47	9.8	42	2	2	8	14	21	23	25
65+	44	12.5	121	2	3	8	17	33	36	44
GRAND TOTAL	**418**	**7.4**	**46**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	24	5.3	124	<1	<1	2	4	11	28	55
35-49	37	3.5	12	1	2	2	4	6	9	21
50-64	104	3.4	23	1	1	2	4	7	13	26
65+	84	8.3	155	1	1	3	11	22	27	64
B. *Operated*										
0-19 YRS	14	8.7	104	<1	1	3	14	25	32	34
20-34	43	7.2	38	1	2	4	11	16	20	26
35-49	76	7.8	96	<1	1	4	9	22	32	48
50-64	179	5.4	50	1	1	3	7	13	16	29
65+	114	5.9	60	1	1	3	6	14	19	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.8	12	1	1	3	5	8	14	15
20-34	106	4.6	21	<1	1	3	6	10	14	25
35-49	194	7.1	100	1	1	4	8	14	25	48
50-64	398	8.0	87	1	1	5	10	16	24	52
65+	584	10.1	74	1	2	8	13	21	30	40
B. *Operated*										
0-19 YRS	41	17.6	312	1	2	11	23	45	64	69
20-34	276	11.9	189	1	2	7	14	28	41	89
35-49	448	10.4	103	1	2	7	14	22	30	55
50-64	727	11.6	145	2	2	8	15	24	32	68
65+	539	14.7	173	2	2	11	20	32	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	5.2	79	1	1	2	5	13	21	57
B. *Operated*	426	6.2	62	1	1	3	7	14	22	39
2. MULTIPLE DX										
A. *Not Operated*	1314	8.4	79	1	1	6	11	18	26	43
B. *Operated*	2031	12.3	155	2	2	8	16	27	39	69
1. SINGLE DX	677	5.9	68	1	1	3	7	14	21	46
2. MULTIPLE DX	3345	10.8	129	1	2	7	14	24	33	63
A. NOT OPERATED	1565	7.9	80	1	1	5	10	17	25	45
B. OPERATED	2457	11.3	144	1	2	7	15	26	35	67
TOTAL 0-19 YRS	89	10.9	203	1	1	5	15	27	44	68
20-34	449	9.3	142	1	1	6	11	21	32	83
35-49	755	8.9	100	1	2	5	11	21	29	53
50-64	1408	9.2	115	1	1	6	12	20	28	58
65+	1321	11.5	127	1	2	8	15	27	35	59
GRAND TOTAL	**4022**	**10.0**	**122**	**1**	**2**	**7**	**13**	**22**	**32**	**59**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	28	3	3	4	9	14	14	14
20-34	9	3.0	3	<1	<1	4	4	5	5	5
35-49	10	3.6	6	<1	<1	3	6	7	7	7
50-64	34	2.9	6	<1	1	2	4	7	8	9
65+	43	7.8	54	1	1	6	12	19	26	99+
B. *Operated*										
0-19 YRS	5	7.0	13	2	2	8	9	11	11	11
20-34	9	7.6	37	<1	<1	9	11	16	18	18
35-49	14	8.7	62	2	2	6	15	19	26	28
50-64	29	6.3	45	1	1	3	8	17	21	28
65+	18	7.3	45	2	2	4	10	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.5	69	1	2	6	10	24	28	33
20-34	45	6.3	54	1	2	4	7	13	17	45
35-49	72	7.8	48	1	2	6	10	15	24	33
50-64	201	10.2	63	1	2	8	13	20	25	37
65+	610	13.3	109	2	4	11	17	25	33	50
B. *Operated*										
0-19 YRS	9	15.8	398	1	2	7	21	48	65	65
20-34	38	11.1	188	2	2	8	15	23	58	99+
35-49	86	14.5	126	2	4	11	21	30	35	53
50-64	152	17.8	243	2	4	13	23	37	55	99
65+	227	19.8	169	4	5	17	27	39	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	5.2	32	<1	1	3	7	13	18	68
B. *Operated*	75	7.2	44	1	2	4	11	18	21	28
2. MULTIPLE DX										
A. *Not Operated*	952	11.8	95	2	3	10	15	23	31	48
B. *Operated*	512	17.6	194	2	4	14	24	37	50	94
1. SINGLE DX	175	6.1	38	1	1	4	8	15	20	35
2. MULTIPLE DX	1464	13.8	137	2	3	11	18	29	38	57
A. NOT OPERATED	1052	11.2	93	1	2	9	15	22	31	48
B. OPERATED	587	16.3	187	2	3	13	22	33	47	88
TOTAL 0-19 YRS	42	9.7	131	1	2	6	11	23	29	65
20-34	101	7.9	104	1	1	5	11	17	23	91
35-49	182	10.8	96	1	2	8	14	24	31	49
50-64	416	12.1	145	1	2	9	17	26	35	72
65+	898	14.6	131	2	4	12	19	30	39	55
GRAND TOTAL	**1639**	**13.0**	**133**	**2**	**2**	**10**	**17**	**28**	**37**	**57**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	4.1	6	2	2	4	5	6	7	10
20-34	630	4.6	10	2	2	4	5	7	8	12
35-49	178	4.8	6	2	2	4	6	8	9	14
50-64	111	5.6	12	2	3	5	7	9	9	21
65+	134	6.6	17	2	3	6	8	10	14	20
B. *Operated*										
0-19 YRS	43	5.3	5	2	3	5	6	8	9	13
20-34	49	5.6	6	2	3	6	7	8	10	15
35-49	19	5.8	8	2	2	6	8	10	11	11
50-64	15	8.9	17	5	5	7	10	17	18	18
65+	12	8.4	48	1	2	6	12	18	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	4.9	12	2	2	4	6	8	9	17
20-34	631	5.4	10	2	2	5	6	9	11	16
35-49	317	6.7	17	3	3	6	8	11	14	22
50-64	411	7.8	27	3	3	7	9	14	16	30
65+	765	9.9	51	3	4	8	12	17	23	36
B. *Operated*										
0-19 YRS	53	6.5	27	1	2	5	8	11	13	28
20-34	155	7.5	33	2	4	6	9	12	14	54
35-49	96	10.9	61	4	4	9	14	21	26	44
50-64	120	11.2	55	4	4	9	14	20	24	46
65+	132	15.4	118	5	7	13	18	25	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1507	4.7	10	2	2	4	6	7	9	15
B. *Operated*	138	6.2	12	2	3	6	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	2483	7.3	31	2	3	6	9	13	17	30
B. *Operated*	556	10.7	72	3	4	8	13	20	25	50
1. SINGLE DX	1645	4.8	10	2	2	4	6	8	9	15
2. MULTIPLE DX	3039	7.9	40	2	3	6	9	14	19	35
A. NOT OPERATED	3990	6.3	24	2	3	5	7	11	15	27
B. OPERATED	694	9.8	63	3	4	7	12	18	23	49
TOTAL 0-19 YRS	909	4.6	10	2	2	4	5	7	9	14
20-34	1465	5.3	13	2	2	5	6	8	10	17
35-49	610	6.8	24	2	3	6	8	12	15	27
50-64	657	8.1	32	3	3	7	9	14	17	31
65+	1043	10.2	60	3	4	8	12	18	23	43
GRAND TOTAL	**4684**	**6.8**	**32**	**2**	**3**	**5**	**8**	**12**	**16**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	4.1	7	1	2	4	5	7	7	12
20-34	663	4.4	6	2	2	4	5	7	8	12
35-49	202	4.9	7	2	2	4	6	8	10	14
50-64	145	5.5	10	2	3	5	7	9	11	13
65+	140	6.5	19	2	3	5	8	12	15	26
B. *Operated*										
0-19 YRS	70	5.1	64	1	1	4	6	8	11	56
20-34	109	5.4	15	2	2	4	6	10	13	20
35-49	70	6.4	21	1	2	5	9	12	15	23
50-64	67	10.6	122	3	3	7	13	20	26	75
65+	31	7.5	31	2	2	6	10	14	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	4.7	29	2	2	4	5	7	9	15
20-34	693	5.2	9	2	2	5	6	9	11	16
35-49	333	7.0	29	2	3	6	8	13	17	30
50-64	455	7.6	30	2	3	6	9	13	17	35
65+	848	9.5	46	3	4	8	12	16	21	39
B. *Operated*										
0-19 YRS	131	5.9	18	1	2	5	8	11	14	19
20-34	267	8.2	50	2	2	6	10	15	21	42
35-49	229	10.6	79	2	3	8	13	23	30	46
50-64	307	11.8	65	2	3	10	16	23	28	36
65+	298	14.5	123	2	3	12	19	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1582	4.7	8	2	2	4	6	7	9	15
B. *Operated*	347	6.8	52	1	2	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	2697	7.1	33	2	3	6	9	13	16	30
B. *Operated*	1232	10.8	81	2	3	8	14	23	29	44
1. SINGLE DX	1929	5.1	17	2	2	4	6	8	11	20
2. MULTIPLE DX	3929	8.3	51	2	3	6	10	16	22	38
A. NOT OPERATED	4279	6.2	25	2	2	5	7	11	14	26
B. OPERATED	1579	9.9	77	2	2	8	13	20	27	43
TOTAL 0-19 YRS	1001	4.7	21	1	2	4	6	7	10	16
20-34	1732	5.4	16	2	2	4	6	9	12	22
35-49	834	7.4	41	2	2	6	9	14	21	35
50-64	974	8.8	49	2	3	7	11	17	22	35
65+	1317	10.3	66	3	3	8	13	19	26	43
GRAND TOTAL	**5858**	**7.2**	**42**	**2**	**2**	**5**	**9**	**14**	**19**	**33**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.8	4	1	1	2	3	5	7	12
20-34	675	2.3	3	1	1	2	3	4	6	10
35-49	736	2.6	5	1	1	2	3	5	6	12
50-64	488	2.9	4	1	1	2	4	5	7	11
65+	157	3.8	9	1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	57	6.9	11	2	2	7	9	11	12	15
20-34	431	8.4	21	2	3	8	10	13	16	25
35-49	562	8.2	19	2	2	8	10	12	16	24
50-64	529	9.2	24	2	3	9	11	14	18	22
65+	219	9.4	21	2	3	9	12	15	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.7	9	1	1	3	4	7	7	20
20-34	380	3.6	7	1	1	3	4	6	8	14
35-49	521	3.9	9	1	1	3	5	7	10	15
50-64	590	4.5	12	1	1	4	5	9	11	17
65+	473	5.9	18	1	2	5	8	12	15	20
B. *Operated*										
0-19 YRS	42	8.9	36	1	2	8	10	16	21	29
20-34	368	9.5	49	2	2	9	12	16	20	33
35-49	635	9.5	40	2	2	9	12	17	20	32
50-64	874	11.0	72	2	3	10	13	20	25	42
65+	655	11.8	67	2	3	10	15	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2166	2.7	5	1	1	2	3	5	7	12
B. *Operated*	1798	8.7	21	2	3	8	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	2020	4.5	12	1	1	4	6	9	11	18
B. *Operated*	2574	10.6	60	2	3	9	13	19	24	40
1. SINGLE DX	3964	5.4	21	1	1	4	8	11	13	20
2. MULTIPLE DX	4594	7.9	48	1	2	6	11	16	20	34
A. NOT OPERATED	4186	3.5	9	1	1	3	4	7	9	16
B. OPERATED	4372	9.8	45	2	3	9	12	17	21	35
TOTAL 0-19 YRS	265	4.8	17	1	1	3	7	10	12	21
20-34	1854	5.4	27	1	1	3	8	11	14	22
35-49	2454	5.9	27	1	1	4	9	12	15	24
50-64	2481	7.5	45	1	2	6	10	15	19	31
65+	1504	8.8	48	1	2	7	12	17	21	35
GRAND TOTAL	**8558**	**6.7**	**37**	**1**	**1**	**5**	**9**	**14**	**17**	**28**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	2.6	12	1	1	2	3	4	6	15
20-34	3542	2.3	6	1	1	2	3	4	5	8
35-49	3547	2.3	4	1	1	2	3	4	5	8
50-64	2127	2.5	3	1	1	2	3	5	6	9
65+	533	3.1	6	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	260	5.9	12	2	2	5	8	11	13	17
20-34	2257	6.0	20	2	2	5	8	11	13	18
35-49	2620	6.3	15	2	2	6	8	11	13	20
50-64	1945	6.9	20	2	2	6	9	12	14	23
65+	689	8.2	24	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.5	2	1	1	2	3	4	5	9
20-34	814	3.0	7	1	1	2	4	5	6	16
35-49	1067	3.1	12	1	1	2	4	6	7	12
50-64	1084	3.4	7	1	1	3	4	6	8	13
65+	573	4.7	18	1	1	4	6	9	12	24
B. *Operated*										
0-19 YRS	80	6.1	22	2	2	5	8	11	13	29
20-34	781	7.0	21	2	2	6	9	13	15	22
35-49	1091	7.5	24	2	3	7	10	14	17	26
50-64	1364	9.2	36	2	3	8	12	16	20	30
65+	948	10.7	47	3	3	9	14	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10181	2.4	5	1	1	2	3	4	5	8
B. *Operated*	7771	6.5	19	2	2	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	3629	3.4	10	1	1	3	4	6	8	14
B. *Operated*	4264	8.6	34	2	3	8	11	16	19	30
1. SINGLE DX	17952	4.2	15	1	1	3	5	9	11	17
2. MULTIPLE DX	7893	6.2	30	1	2	4	8	13	17	27
A. NOT OPERATED	13810	2.7	7	1	1	2	3	5	6	11
B. OPERATED	12035	7.3	25	2	2	6	9	13	16	25
TOTAL 0-19 YRS	863	3.9	14	1	1	3	5	8	11	17
20-34	7394	4.0	15	1	1	3	5	8	11	17
35-49	8325	4.3	16	1	1	3	6	9	12	18
50-64	6520	5.4	23	1	1	4	7	11	14	23
65+	2743	7.3	36	1	2	6	10	15	18	30
GRAND TOTAL	**25845**	**4.8**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	3.0	16	1	1	2	4	6	7	19
20-34	90	3.3	7	1	1	2	4	7	9	15
35-49	103	3.3	8	1	1	3	4	6	9	16
50-64	93	3.5	10	1	1	3	4	6	9	19
65+	83	4.4	14	1	2	3	5	9	12	21
B. *Operated*										
0-19 YRS	649	5.7	22	1	1	5	9	12	14	20
20-34	320	7.4	29	1	2	7	10	14	16	25
35-49	312	7.5	41	1	2	6	10	15	18	30
50-64	346	6.3	29	1	1	4	9	13	16	28
65+	261	6.6	31	1	2	5	9	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	4.6	34	1	1	3	5	10	12	22
20-34	152	4.7	19	1	2	3	6	8	11	23
35-49	146	5.5	16	1	2	4	7	10	15	19
50-64	272	7.3	33	2	2	6	9	14	19	23
65+	564	9.4	68	2	3	7	11	19	24	45
B. *Operated*										
0-19 YRS	727	6.0	32	1	1	3	9	13	16	24
20-34	508	9.3	79	1	2	8	12	17	22	48
35-49	560	9.1	43	2	2	8	13	18	21	32
50-64	738	10.0	69	2	2	8	13	20	26	40
65+	847	11.3	98	2	3	9	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	3.5	11	1	1	3	4	7	9	19
B. *Operated*	1888	6.5	29	1	1	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1299	7.3	49	1	2	5	9	15	20	39
B. *Operated*	3380	9.2	69	1	2	8	12	18	23	39
1. SINGLE DX	2378	5.9	27	1	1	4	9	12	16	23
2. MULTIPLE DX	4679	8.7	64	1	2	7	11	18	23	39
A. NOT OPERATED	1789	6.3	41	1	1	4	8	13	18	33
B. OPERATED	5268	8.3	56	1	1	7	11	16	22	35
TOTAL 0-19 YRS	1662	5.5	28	1	1	3	9	12	15	22
20-34	1070	7.6	54	1	2	6	10	15	18	30
35-49	1121	7.6	39	1	2	6	10	16	19	29
50-64	1449	8.2	53	1	2	6	11	17	22	34
65+	1755	9.7	78	2	2	7	13	20	26	44
GRAND TOTAL	**7057**	**7.8**	**53**	**1**	**1**	**6**	**10**	**16**	**21**	**35**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.4	2	1	1	2	3	4	5	5
20-34	300	2.3	2	<1	1	2	3	4	5	7
35-49	265	2.3	2	1	1	2	3	4	5	7
50-64	178	2.7	5	<1	1	2	3	5	6	10
65+	49	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	26	4.2	11	<1	1	3	6	10	10	11
20-34	136	6.2	15	2	2	5	8	12	13	18
35-49	168	6.2	19	2	2	5	8	11	14	24
50-64	153	6.5	37	2	2	5	9	12	14	60
65+	136	7.1	37	1	2	6	10	14	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	1	1	1	2	3	4	5	5
20-34	93	3.1	5	1	1	2	4	6	7	13
35-49	123	3.7	13	1	1	3	4	6	8	20
50-64	145	4.1	13	1	1	3	5	7	9	21
65+	84	7.1	116	1	2	5	8	12	16	73
B. *Operated*										
0-19 YRS	26	5.2	13	2	2	4	7	13	29	99+
20-34	115	7.5	29	1	2	6	10	15	17	27
35-49	115	7.3	20	2	2	7	10	13	16	22
50-64	249	8.0	46	2	2	6	11	15	21	30
65+	383	10.5	58	2	3	9	13	20	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	2.4	3	1	1	2	3	4	5	8
B. *Operated*	619	6.4	26	1	2	5	9	12	14	27
2. MULTIPLE DX										
A. *Not Operated*	456	4.3	32	1	1	3	5	8	10	20
B. *Operated*	888	8.8	47	2	2	7	12	16	22	32
1. SINGLE DX	1451	4.1	17	1	1	3	5	9	11	17
2. MULTIPLE DX	1344	7.3	46	1	2	5	10	14	19	32
A. NOT OPERATED	1288	3.1	14	1	1	2	4	6	7	13
B. OPERATED	1507	7.8	40	2	2	6	10	15	19	32
TOTAL 0-19 YRS	103	3.5	8	1	1	3	5	7	10	55
20-34	644	4.2	15	1	1	3	5	9	12	17
35-49	671	4.4	15	1	1	3	6	9	12	17
50-64	725	5.6	32	1	1	4	7	12	15	28
65+	652	8.8	61	2	2	7	11	17	23	35
GRAND TOTAL	**2795**	**5.7**	**33**	**1**	**1**	**4**	**8**	**12**	**15**	**29**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.8	3	1	1	2	3	5	6	10
20-34	198	2.9	3	1	1	3	4	5	7	8
35-49	86	3.5	12	1	1	3	4	6	8	74
50-64	87	4.4	9	1	1	4	6	8	10	15
65+	106	5.2	13	1	2	4	6	10	12	20
B. *Operated*										
0-19 YRS	484	2.4	4	1	1	2	3	4	5	10
20-34	728	3.2	12	1	1	2	3	6	7	14
35-49	556	3.4	7	1	1	3	4	6	8	14
50-64	628	3.4	8	1	1	3	4	6	7	13
65+	540	4.3	11	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.7	8	1	1	3	4	6	7	18
20-34	338	4.4	9	1	2	4	5	8	10	15
35-49	266	5.4	15	1	2	5	7	10	12	22
50-64	313	6.3	23	2	2	5	8	11	15	28
65+	750	8.3	42	2	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	686	3.0	16	1	1	2	4	6	7	13
20-34	1316	3.9	15	1	1	3	5	8	10	18
35-49	1088	4.9	24	1	2	3	6	10	14	23
50-64	1179	5.4	30	1	2	4	7	11	14	28
65+	1536	7.4	43	2	2	5	9	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	3.5	7	1	1	3	4	6	8	14
B. *Operated*	2936	3.3	9	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1909	6.3	28	2	2	5	8	11	15	27
B. *Operated*	5805	5.2	29	1	1	3	6	11	14	28
1. SINGLE DX	3620	3.4	9	1	1	3	4	6	8	14
2. MULTIPLE DX	7714	5.5	29	1	2	4	7	11	15	28
A. NOT OPERATED	2593	5.5	24	1	2	4	7	10	14	25
B. OPERATED	8741	4.6	23	1	1	3	5	9	13	24
TOTAL 0-19 YRS	1619	2.9	9	1	1	2	3	5	7	12
20-34	2580	3.7	13	1	1	3	4	7	10	16
35-49	1996	4.5	18	1	1	3	5	9	12	22
50-64	2207	4.9	23	1	2	4	6	10	13	24
65+	2932	6.9	37	2	2	5	9	14	18	31
GRAND TOTAL	**11334**	**4.8**	**24**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.9	3	<1	<1	1	2	3	6	10
20-34	14	2.8	7	<1	1	2	3	7	9	10
35-49	19	2.5	2	1	1	2	3	4	6	7
50-64	14	3.5	5	1	1	3	6	7	7	7
65+	31	4.5	7	1	1	4	6	7	8	13
B. *Operated*										
0-19 YRS	2103	1.8	2	<1	1	2	2	3	4	7
20-34	779	3.3	11	1	1	2	4	6	9	20
35-49	513	3.7	26	1	1	2	4	7	11	18
50-64	579	4.0	12	1	1	3	5	8	11	17
65+	489	4.7	14	1	2	3	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	2.9	13	<1	1	2	3	5	12	20
20-34	42	4.3	9	1	1	4	7	8	9	12
35-49	33	5.2	14	1	1	5	7	10	15	16
50-64	53	6.8	127	1	2	4	7	10	16	81
65+	128	7.2	54	1	2	6	9	12	16	46
B. *Operated*										
0-19 YRS	1736	2.2	6	1	1	2	2	4	5	11
20-34	1371	3.7	14	1	1	3	4	7	10	17
35-49	1015	4.5	16	1	1	3	5	9	12	23
50-64	1228	5.2	21	1	2	4	7	10	14	22
65+	1388	7.4	45	2	2	5	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.9	5	<1	<1	2	4	6	7	11
B. *Operated*	4463	2.9	10	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	311	5.8	51	1	1	4	7	11	14	30
B. *Operated*	6738	4.5	23	1	1	3	5	10	13	23
1. SINGLE DX	4594	2.9	10	1	1	2	3	6	8	16
2. MULTIPLE DX	7049	4.5	25	1	1	3	5	10	13	23
A. NOT OPERATED	442	4.9	39	<1	1	3	6	10	12	22
B. OPERATED	11201	3.9	19	1	1	2	4	8	11	21
TOTAL 0-19 YRS	3947	2.0	4	1	1	2	2	3	5	9
20-34	2206	3.6	13	1	1	3	4	7	9	19
35-49	1580	4.2	19	1	1	3	5	9	12	21
50-64	1874	4.9	22	1	2	3	6	10	13	21
65+	2036	6.7	39	1	2	5	9	13	18	33
GRAND TOTAL	**11643**	**3.9**	**20**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1358	3.3	6	1	1	3	4	6	7	13
20-34	828	3.7	8	1	1	3	5	6	7	11
35-49	405	4.2	8	1	1	4	5	7	9	14
50-64	428	4.8	14	1	2	4	6	9	11	17
65+	794	5.9	21	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	1682	2.4	8	1	1	2	3	4	7	14
20-34	1232	3.2	8	1	1	2	4	6	8	14
35-49	1009	3.7	10	1	1	3	5	8	10	15
50-64	988	3.8	10	1	1	3	5	8	10	17
65+	961	5.3	26	1	2	4	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1748	4.1	7	1	2	4	5	7	9	13
20-34	1774	4.8	13	1	2	4	6	9	11	20
35-49	1319	5.8	30	2	2	5	7	10	13	23
50-64	2127	7.0	30	2	3	6	9	12	16	26
65+	6890	9.4	53	3	3	8	12	17	22	40
B. *Operated*										
0-19 YRS	2321	3.0	11	1	1	2	3	6	9	15
20-34	2239	4.5	27	1	1	3	6	9	12	23
35-49	2080	5.2	28	1	1	3	6	10	15	28
50-64	2650	6.5	40	1	2	5	8	13	17	30
65+	3920	9.5	77	2	2	7	12	19	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3813	4.2	12	1	1	3	5	8	10	16
B. *Operated*	5872	3.5	13	1	1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	13858	7.4	41	2	2	6	9	14	18	33
B. *Operated*	13210	6.2	48	1	1	4	8	14	18	34
1. SINGLE DX	9685	3.8	12	1	1	3	5	7	10	17
2. MULTIPLE DX	27068	6.8	44	1	2	5	9	14	18	34
A. NOT OPERATED	17671	6.7	36	1	2	5	8	13	17	31
B. OPERATED	19082	5.4	38	1	1	3	7	12	16	31
TOTAL 0-19 YRS	7109	3.2	9	1	1	2	4	6	8	14
20-34	6073	4.2	17	1	1	3	5	8	10	20
35-49	4813	4.9	24	1	1	4	6	10	13	23
50-64	6193	6.1	31	1	2	5	8	12	15	27
65+	12565	8.9	58	2	3	7	11	17	22	41
GRAND TOTAL	**36753**	**6.0**	**38**	**1**	**1**	**4**	**8**	**12**	**17**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	3.8	4	2	2	3	5	7	7	7
35-49	7	2.7	4	1	1	2	4	6	6	6
50-64	81	3.9	6	1	1	3	5	7	9	11
65+	163	4.6	17	1	1	3	7	9	12	18
B. *Operated*										
0-19 YRS	12	4.9	19	1	1	4	7	11	15	16
20-34	30	3.5	7	1	1	3	4	8	9	10
35-49	277	4.1	8	1	1	3	6	8	10	14
50-64	3053	6.5	14	2	2	6	8	11	12	17
65+	5451	7.8	19	2	3	7	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	29	<1	<1	8	11	14	14	14
20-34	11	3.2	4	<1	<1	3	5	6	6	6
35-49	21	5.7	26	1	2	4	6	14	19	20
50-64	290	5.2	20	1	2	4	6	10	14	23
65+	873	7.3	43	1	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	19	7.6	28	1	1	9	10	12	18	22
20-34	44	5.3	19	1	2	4	7	12	15	20
35-49	365	6.0	18	1	2	5	8	11	13	22
50-64	4020	8.0	27	2	3	7	10	14	17	25
65+	10036	10.5	48	3	4	9	13	18	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	4.3	13	1	1	3	6	9	11	14
B. *Operated*	8823	7.2	17	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1199	6.7	37	1	2	5	9	13	17	31
B. *Operated*	14484	9.6	43	2	3	8	12	17	21	34
1. SINGLE DX	9083	7.1	18	2	2	7	9	12	14	21
2. MULTIPLE DX	15683	9.4	43	2	3	8	12	17	21	34
A. NOT OPERATED	1459	6.3	34	1	2	5	8	12	16	30
B. OPERATED	23307	8.7	35	2	3	8	11	15	19	30
TOTAL 0-19 YRS	38	6.3	25	1	1	6	9	12	15	22
20-34	91	4.3	13	1	1	3	5	9	12	18
35-49	670	5.1	15	1	1	4	7	10	12	20
50-64	7444	7.2	22	2	2	7	9	12	15	23
65+	16523	9.4	40	2	3	8	11	16	20	33
GRAND TOTAL	**24766**	**8.6**	**35**	**2**	**3**	**7**	**10**	**15**	**19**	**30**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.5	5	1	1	3	4	6	7	13
20-34	147	3.5	4	1	1	3	4	6	8	10
35-49	150	4.5	33	1	2	4	5	6	9	22
50-64	160	4.5	3	2	2	4	6	7	7	11
65+	85	4.8	11	1	2	4	5	8	10	20
B. *Operated*										
0-19 YRS	40	2.8	4	1	1	2	3	5	6	11
20-34	404	2.4	3	1	1	2	3	5	6	8
35-49	407	2.4	3	1	1	2	3	5	5	9
50-64	274	3.1	5	1	1	2	4	6	8	10
65+	134	4.7	15	1	1	3	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	3	1	2	3	5	5	7	8
20-34	223	4.7	10	2	2	4	6	7	9	17
35-49	232	4.8	7	2	2	4	6	8	11	15
50-64	355	5.7	12	2	2	5	7	10	12	19
65+	290	6.6	26	2	2	6	8	10	14	25
B. *Operated*										
0-19 YRS	56	3.1	8	1	1	2	4	8	9	14
20-34	457	3.2	8	1	1	2	4	7	9	14
35-49	603	3.8	11	1	1	3	5	8	11	16
50-64	624	5.6	28	1	2	4	7	12	15	29
65+	483	8.0	43	2	2	7	10	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	4.2	13	1	2	4	5	7	8	13
B. *Operated*	1259	2.8	5	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1127	5.5	15	2	2	5	7	9	12	22
B. *Operated*	2223	5.0	25	1	1	3	7	11	14	26
1. SINGLE DX	1829	3.2	8	1	1	2	4	6	8	12
2. MULTIPLE DX	3350	5.2	22	1	2	4	7	10	13	24
A. NOT OPERATED	1697	5.1	14	2	2	4	6	9	11	19
B. OPERATED	3482	4.2	19	1	1	3	5	9	12	23
TOTAL 0-19 YRS	151	3.2	5	1	1	2	4	6	8	13
20-34	1231	3.2	7	1	1	2	4	6	8	13
35-49	1392	3.6	11	1	1	3	5	7	9	15
50-64	1413	5.0	18	1	2	4	6	9	12	23
65+	992	6.8	33	2	2	5	9	13	16	28
GRAND TOTAL	**5179**	**4.5**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6	1	<1	<1	1	2	3	3	3
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	450	2.6	4	1	1	2	3	4	5	8
20-34	195	3.7	3	2	2	3	4	6	7	10
35-49	186	3.8	3	2	2	3	4	6	7	11
50-64	329	4.1	4	2	2	4	5	7	8	12
65+	210	4.8	10	2	2	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	12	<1	<1	1	3	7	11	16
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	5.5	11	2	2	5	8	10	10	10
50-64	11	4.3	6	<1	1	5	6	7	8	8
65+	13	5.9	46	<1	1	3	8	15	23	25
B. *Operated*										
0-19 YRS	397	3.1	12	1	1	3	3	5	6	12
20-34	106	4.9	14	2	2	4	5	9	11	24
35-49	133	4.4	9	2	2	4	5	8	9	17
50-64	261	5.2	10	2	3	4	6	9	11	18
65+	266	7.1	28	2	3	5	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.8	1	<1	<1	1	3	3	4	4
B. *Operated*	1370	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	52	4.0	20	<1	<1	2	5	9	12	25
B. *Operated*	1163	4.8	17	2	2	4	5	9	12	21
1. SINGLE DX	1397	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX	1215	4.8	17	1	2	4	5	9	12	21
A. NOT OPERATED	79	3.3	14	<1	<1	2	4	7	11	22
B. OPERATED	2533	4.2	11	1	2	3	5	7	10	16
TOTAL 0-19 YRS	886	2.8	8	1	1	2	3	4	6	11
20-34	306	4.1	7	2	2	4	5	6	9	15
35-49	325	4.0	5	2	2	4	5	6	8	12
50-64	602	4.6	7	2	2	4	5	8	10	15
65+	493	6.0	22	2	2	5	7	11	14	25
GRAND TOTAL	**2612**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	4.6	8	1	2	4	6	8	10	14
20-34	420	4.4	6	1	2	4	6	7	9	12
35-49	191	5.3	7	2	2	5	7	9	10	14
50-64	148	5.8	7	2	3	5	7	10	11	14
65+	88	6.1	9	2	3	5	8	11	11	15
B. *Operated*										
0-19 YRS	68	3.8	4	1	2	3	5	6	9	9
20-34	161	5.1	9	2	2	4	6	9	11	18
35-49	110	4.4	9	1	2	4	5	7	10	17
50-64	98	5.3	8	2	3	5	7	9	11	15
65+	64	5.1	5	2	3	5	7	9	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.2	7	2	2	4	7	9	10	13
20-34	130	5.1	7	2	2	4	7	9	10	13
35-49	116	6.6	19	2	3	6	8	11	14	27
50-64	173	7.0	17	2	3	6	9	12	14	20
65+	199	7.7	26	3	3	7	10	13	14	43
B. *Operated*										
0-19 YRS	55	5.3	13	1	2	4	7	11	14	95
20-34	101	6.6	28	2	2	5	8	13	18	27
35-49	98	6.9	20	2	2	6	9	13	16	21
50-64	161	7.8	23	3	3	7	10	14	17	29
65+	189	10.9	83	3	4	8	13	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	5.0	7	2	2	4	6	9	10	13
B. *Operated*	501	4.8	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	669	6.6	18	2	3	6	8	11	14	20
B. *Operated*	604	8.2	45	2	3	7	10	15	20	36
1. SINGLE DX	1555	4.9	7	2	2	4	6	8	10	14
2. MULTIPLE DX	1273	7.4	31	2	3	6	9	13	16	32
A. NOT OPERATED	1723	5.6	12	2	2	5	7	10	11	16
B. OPERATED	1105	6.7	31	2	2	5	8	12	16	30
TOTAL 0-19 YRS	381	4.6	8	1	2	4	6	9	10	14
20-34	812	4.9	10	1	2	4	6	8	11	17
35-49	515	5.7	13	2	2	5	7	10	12	18
50-64	580	6.6	16	2	3	6	8	11	14	19
65+	540	8.3	45	3	3	7	10	14	19	40
GRAND TOTAL	**2828**	**6.0**	**20**	**2**	**2**	**5**	**7**	**11**	**13**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	725	1.9	1	<1	1	2	2	2	3	5
20-34	344	2.2	1	1	1	2	2	3	4	6
35-49	95	2.3	2	<1	1	2	2	3	5	9
50-64	45	2.2	4	1	1	2	2	3	4	14
65+	28	3.0	5	1	1	2	3	6	8	10
B. *Operated*										
0-19 YRS	2134	1.9	2	1	1	2	2	2	3	4
20-34	916	2.2	2	1	1	2	2	3	3	6
35-49	282	2.3	4	1	1	2	2	3	4	6
50-64	129	2.4	3	1	1	2	2	3	7	11
65+	94	2.9	9	1	1	2	3	4	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	1.8	1	<1	<1	2	2	3	4	7
20-34	115	2.7	4	1	1	2	3	5	7	12
35-49	77	3.9	17	1	1	3	4	8	11	25
50-64	55	3.5	8	1	2	2	4	7	9	18
65+	36	4.2	15	1	1	4	5	7	10	23
B. *Operated*										
0-19 YRS	663	2.3	2	1	1	2	2	3	5	8
20-34	637	2.7	5	1	2	2	3	4	6	12
35-49	349	3.4	7	1	1	2	4	7	9	12
50-64	246	3.5	8	1	2	2	4	7	9	15
65+	195	4.8	21	2	2	3	6	10	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1237	2.1	1	1	1	2	2	3	3	6
B. *Operated*	3555	2.0	2	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	484	2.8	7	<1	1	2	3	5	7	13
B. *Operated*	2090	3.0	7	1	1	2	3	5	8	15
1. SINGLE DX	4792	2.0	2	1	1	2	2	3	3	6
2. MULTIPLE DX	2574	2.9	7	1	1	2	3	5	8	14
A. NOT OPERATED	1721	2.2	3	<1	1	2	2	3	5	10
B. OPERATED	5645	2.4	4	1	1	2	2	3	5	11
TOTAL 0-19 YRS	3723	1.9	2	1	1	2	2	3	3	6
20-34	2012	2.4	3	1	1	2	2	3	4	10
35-49	803	2.9	7	1	1	2	3	5	7	12
50-64	475	3.1	6	1	1	2	3	6	8	14
65+	353	4.1	17	1	2	3	5	8	11	23
GRAND TOTAL	**7366**	**2.3**	**4**	**1**	**1**	**2**	**2**	**3**	**5**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	2.2	3	<1	1	2	3	4	5	10
20-34	142	2.5	2	1	1	2	3	4	5	7
35-49	65	2.9	4	<1	1	2	4	5	7	10
50-64	38	3.0	5	1	1	2	3	7	8	11
65+	31	3.9	8	1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	867	2.6	3	1	1	2	3	4	5	9
20-34	818	2.9	5	1	1	2	3	5	6	11
35-49	420	3.2	6	1	1	3	4	5	7	13
50-64	351	4.0	6	2	2	3	5	7	9	14
65+	132	4.4	11	2	2	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.5	10	1	1	2	4	9	9	16
20-34	96	4.0	17	1	1	3	5	8	10	23
35-49	84	3.9	7	1	2	3	5	8	9	14
50-64	74	4.2	16	1	1	3	5	9	10	24
65+	66	8.0	75	2	2	5	10	15	24	52
B. *Operated*										
0-19 YRS	345	3.4	9	1	2	3	4	6	7	18
20-34	566	4.1	17	1	2	3	5	7	11	24
35-49	421	4.7	24	1	2	3	6	9	12	27
50-64	400	5.9	29	2	2	4	7	11	15	31
65+	231	8.2	65	2	2	6	10	16	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	2.6	4	1	1	2	3	5	6	11
B. *Operated*	2588	3.1	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	374	4.7	26	1	1	3	6	9	14	25
B. *Operated*	1963	4.9	27	1	2	3	6	10	13	30
1. SINGLE DX	2979	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	2337	4.9	27	1	2	3	6	9	13	28
A. NOT OPERATED	765	3.6	16	1	1	2	4	7	10	20
B. OPERATED	4551	3.9	15	1	2	3	4	7	10	21
TOTAL 0-19 YRS	1381	2.8	5	1	1	2	3	5	6	10
20-34	1622	3.4	10	1	1	2	4	6	8	16
35-49	990	3.8	14	1	1	3	4	8	10	20
50-64	863	4.9	18	1	2	4	6	9	11	26
65+	460	6.8	50	2	2	4	8	13	20	35
GRAND TOTAL	**5316**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	<1	1	2	3	4	5	6
20-34	59	2.4	2	<1	1	2	3	4	5	7
35-49	99	2.6	2	<1	<1	2	3	4	6	8
50-64	44	3.2	6	<1	<1	2	4	6	9	13
65+	16	3.3	6	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	381	2.1	1	1	1	2	2	3	3	5
20-34	2802	2.5	3	1	1	2	3	4	5	10
35-49	5396	2.6	4	1	2	2	3	4	5	8
50-64	2049	2.7	4	1	2	2	3	4	5	9
65+	710	3.1	9	2	2	3	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	48	3.7	9	1	1	3	4	7	12	14
35-49	74	4.6	13	1	1	3	6	10	11	17
50-64	47	4.4	11	1	1	4	5	7	11	19
65+	22	5.7	26	1	2	4	6	9	16	26
B. *Operated*										
0-19 YRS	101	2.9	3	1	2	2	4	5	7	10
20-34	1241	3.3	10	1	2	2	4	6	8	15
35-49	2560	3.7	10	2	2	3	4	7	9	15
50-64	1263	3.9	8	2	2	3	5	7	10	15
65+	586	4.6	21	2	2	3	5	8	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	11338	2.6	4	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	195	4.4	13	1	1	3	5	9	11	18
B. *Operated*	5751	3.7	10	2	2	3	4	7	9	16
1. SINGLE DX	11570	2.6	4	1	2	2	3	4	5	8
2. MULTIPLE DX	5946	3.7	10	2	2	3	4	7	9	16
A. NOT OPERATED	427	3.5	8	1	1	3	4	7	9	15
B. OPERATED	17089	3.0	7	1	2	2	3	5	7	12
TOTAL 0-19 YRS	500	2.3	2	1	1	2	3	3	4	8
20-34	4150	2.7	5	1	1	2	3	4	6	12
35-49	8129	3.0	6	1	2	2	3	5	7	11
50-64	3403	3.2	6	1	2	2	3	5	7	13
65+	1334	3.8	15	2	2	3	4	7	8	19
GRAND TOTAL	**17516**	**3.0**	**7**	**1**	**2**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.9	4	<1	1	3	3	5	8	10
20-34	116	3.6	34	1	1	3	4	5	6	35
35-49	62	3.9	9	<1	1	3	5	7	10	16
50-64	40	2.6	5	<1	<1	2	4	6	6	11
65+	25	4.2	11	<1	1	3	5	11	12	13
B. *Operated*										
0-19 YRS	646	3.0	16	1	2	2	3	5	6	9
20-34	1327	3.0	4	1	1	2	4	5	7	10
35-49	902	3.0	5	1	1	2	4	5	6	11
50-64	587	3.3	4	1	2	3	4	6	7	12
65+	323	3.5	7	1	2	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.8	4	2	2	3	5	7	7	9
20-34	74	4.5	12	1	1	4	6	9	10	19
35-49	83	3.9	10	<1	1	3	5	8	11	15
50-64	74	4.9	16	1	1	4	6	9	10	26
65+	56	5.5	17	1	1	5	7	13	15	16
B. *Operated*										
0-19 YRS	141	3.5	17	1	1	3	4	5	7	19
20-34	598	3.9	12	1	2	3	5	7	8	19
35-49	654	4.3	14	1	2	3	5	8	10	16
50-64	499	4.8	14	2	2	4	6	9	12	22
65+	290	5.7	27	2	2	4	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	3.5	18	<1	1	3	4	6	8	15
B. *Operated*	3785	3.1	7	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	315	4.5	13	1	1	4	6	9	11	16
B. *Operated*	2182	4.4	16	1	2	3	5	8	11	20
1. SINGLE DX	4078	3.1	8	1	1	2	4	5	7	12
2. MULTIPLE DX	2497	4.4	16	1	2	3	5	8	11	20
A. NOT OPERATED	608	4.0	15	1	1	3	5	8	10	16
B. OPERATED	5967	3.6	10	1	2	3	4	6	8	15
TOTAL 0-19 YRS	865	3.1	15	1	1	3	4	5	6	10
20-34	2115	3.4	9	1	1	3	4	6	7	13
35-49	1701	3.6	9	1	1	3	4	7	9	15
50-64	1200	4.0	10	1	2	3	5	7	10	18
65+	694	4.6	17	1	2	3	5	9	13	20
GRAND TOTAL	**6575**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	2.6	2	1	1	2	3	5	5	7
20-34	565	2.9	7	1	1	2	3	6	7	11
35-49	126	3.5	8	1	1	3	4	6	8	17
50-64	13	4.5	6	2	2	4	6	9	9	9
65+	6	4.5	8	2	2	4	5	9	10	10
B. *Operated*										
0-19 YRS	576	5.1	7	2	2	5	6	8	9	14
20-34	1987	5.3	12	1	2	5	7	8	9	15
35-49	531	6.8	10	2	3	6	8	10	12	18
50-64	89	8.1	7	4	5	8	10	12	13	14
65+	29	9.8	23	5	6	9	12	15	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.5	9	1	1	3	4	6	8	21
20-34	411	3.6	7	1	1	3	5	7	8	13
35-49	100	5.0	11	1	2	4	7	10	11	15
50-64	18	5.0	10	1	2	4	8	9	11	12
65+	18	10.1	193	1	2	6	9	22	46	61
B. *Operated*										
0-19 YRS	486	5.6	8	2	2	5	7	9	11	16
20-34	3253	6.6	14	2	3	6	8	10	12	19
35-49	1441	8.4	22	3	5	7	9	13	16	26
50-64	199	10.4	42	5	6	9	11	17	21	45
65+	78	12.7	49	6	7	10	15	22	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	2.9	6	1	1	2	3	5	7	10
B. *Operated*	3212	5.7	11	1	2	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	677	4.0	14	1	1	3	5	7	9	17
B. *Operated*	5457	7.2	19	2	3	7	8	11	14	23
1. SINGLE DX	4216	5.0	11	1	1	5	7	8	10	16
2. MULTIPLE DX	6134	6.8	19	2	2	6	8	11	14	22
A. NOT OPERATED	1681	3.4	9	1	1	3	4	6	8	13
B. OPERATED	8669	6.6	16	2	2	6	8	11	13	21
TOTAL 0-19 YRS	1486	4.6	8	1	2	4	6	8	10	14
20-34	6216	5.7	13	1	2	5	7	9	11	18
35-49	2198	7.6	20	2	3	7	9	12	15	24
50-64	319	9.2	32	3	4	8	10	14	18	32
65+	131	11.3	63	4	5	9	13	20	26	44
GRAND TOTAL	**10350**	**6.1**	**17**	**1**	**2**	**6**	**8**	**10**	**12**	**20**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1487	4.6	14	2	2	4	6	7	9	14
20-34	3115	4.5	8	2	2	4	6	7	9	12
35-49	368	5.4	9	2	2	5	7	9	11	18
50-64	31	6.1	12	2	2	6	7	12	14	14
65+	12	4.5	5	1	2	4	5	8	9	9
B. *Operated*										
0-19 YRS	369	5.6	13	1	2	5	7	9	12	23
20-34	1978	5.5	13	1	2	5	7	9	12	18
35-49	476	7.2	18	1	2	7	9	12	14	27
50-64	80	7.7	14	2	3	7	10	11	14	20
65+	21	9.8	34	2	3	8	14	16	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	756	4.8	6	2	2	4	6	8	9	15
20-34	2024	5.4	11	2	2	5	7	9	11	17
35-49	403	6.4	14	2	3	6	8	11	13	21
50-64	58	7.0	22	2	3	6	8	12	14	28
65+	21	8.2	31	3	4	7	9	16	23	24
B. *Operated*										
0-19 YRS	587	6.8	17	2	2	6	8	12	15	22
20-34	5163	6.7	18	1	2	6	8	11	14	22
35-49	1742	8.5	24	2	4	7	10	14	17	26
50-64	243	10.8	50	3	5	9	12	19	23	35
65+	74	13.0	79	3	5	11	15	23	32	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5013	4.6	10	2	2	4	6	7	9	13
B. *Operated*	2924	5.9	15	1	2	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	3262	5.4	11	2	2	5	7	9	11	17
B. *Operated*	7809	7.3	22	2	2	7	9	12	15	24
1. SINGLE DX	7937	5.1	12	2	2	4	6	9	10	16
2. MULTIPLE DX	11071	6.8	19	2	2	6	8	11	14	23
A. NOT OPERATED	8275	4.9	10	2	2	4	6	8	10	16
B. OPERATED	10733	6.9	20	1	2	6	8	12	15	24
TOTAL 0-19 YRS	3199	5.2	13	2	2	4	6	9	11	17
20-34	12280	5.7	14	1	2	5	7	10	12	20
35-49	2989	7.6	21	2	3	7	9	13	15	25
50-64	412	9.3	40	2	4	8	11	17	21	31
65+	128	10.9	64	2	3	9	14	22	26	44
GRAND TOTAL	**19008**	**6.1**	**17**	**2**	**2**	**5**	**8**	**10**	**13**	**21**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7	2	<1	1	3	3	5	5	5
20-34	106	3.1	4	1	1	3	4	6	7	9
35-49	42	4.7	7	1	2	4	6	9	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	86	3.5	5	1	1	3	5	6	7	9
20-34	1781	5.0	8	1	1	6	7	8	9	12
35-49	882	6.5	6	2	2	7	8	9	10	15
50-64	54	6.5	8	2	2	7	8	10	11	13
65+	13	6.2	44	1	2	5	6	13	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.4	9	2	2	5	7	8	12	13
20-34	166	4.5	14	<1	1	4	6	8	10	21
35-49	[illegible]	5.9	10	1	2	6	8	9	11	16
50-64	[illegible]	7.1	9	2	2	7	9	11	11	11
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	91	4.8	7	1	2	5	6	8	8	14
20-34	4325	6.3	11	1	2	6	8	9	11	16
35-49	3659	7.7	9	4	5	7	9	11	13	18
50-64	441	8.3	10	5	6	8	9	12	13	23
65+	51	10.0	30	2	4	9	11	17	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.5	5	1	1	3	5	7	8	10
B. *Operated*	2816	5.5	8	1	2	6	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	275	5.1	13	1	1	5	7	9	11	20
B. *Operated*	8567	7.0	11	2	2	7	8	10	12	18
1. SINGLE DX	2980	5.4	8	1	1	6	7	8	9	13
2. MULTIPLE DX	8842	6.9	11	2	2	7	8	10	12	18
A. NOT OPERATED	439	4.5	10	1	1	4	6	8	9	18
B. OPERATED	11383	6.6	11	1	2	7	8	10	11	17
TOTAL 0-19 YRS	206	4.2	6	1	1	4	6	7	8	13
20-34	6378	5.8	11	1	2	6	7	9	10	15
35-49	4668	7.4	9	2	5	7	8	10	12	18
50-64	505	8.1	10	3	5	8	9	11	13	21
65+	65	9.2	34	2	2	8	10	17	21	32
GRAND TOTAL	**11822**	**6.5**	**11**	**1**	**2**	**7**	**8**	**10**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	34	3.5	4	<1	1	3	5	6	8	8
35-49	9	3.2	8	1	1	2	5	8	9	9
50-64	3	6.0	28	2	2	4	10	12	12	12
65+										
B. *Operated*										
0-19 YRS	35	2.6	1	1	2	2	3	4	5	7
20-34	494	3.0	6	1	1	2	3	6	7	10
35-49	241	3.0	4	1	1	2	3	6	7	9
50-64	117	3.0	4	1	1	2	3	5	7	12
65+	38	3.0	4	1	2	3	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	3.5	6	1	1	3	6	7	7	7
20-34	65	4.0	8	1	2	3	5	8	9	17
35-49	24	3.9	5	1	2	3	5	7	9	10
50-64	9	5.3	9	2	2	5	8	9	9	9
65+	4	4.5	11	2	2	4	7	9	9	9
B. *Operated*										
0-19 YRS	75	3.4	11	1	2	2	3	6	7	21
20-34	1594	5.0	11	1	2	5	7	8	10	15
35-49	1318	6.0	16	2	2	6	8	10	12	17
50-64	365	5.6	13	2	2	5	8	10	12	17
65+	133	6.5	42	2	2	5	8	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.6	6	1	1	3	5	7	8	12
B. *Operated*	925	3.0	5	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	108	4.1	7	1	2	3	6	8	9	13
B. *Operated*	3485	5.4	15	1	2	5	7	9	11	17
1. SINGLE DX	976	3.0	5	1	1	2	3	6	7	10
2. MULTIPLE DX	3593	5.4	14	1	2	5	7	9	11	17
A. NOT OPERATED	159	3.9	7	1	1	3	5	8	9	12
B. OPERATED	4410	4.9	14	1	2	4	7	9	11	16
TOTAL 0-19 YRS	121	3.2	7	1	2	2	3	6	7	17
20-34	2187	4.5	10	1	2	3	6	8	10	14
35-49	1592	5.5	15	1	2	5	8	9	11	16
50-64	494	5.0	12	1	2	4	8	9	11	17
65+	175	5.7	35	2	2	4	8	10	15	24
GRAND TOTAL	**4569**	**4.9**	**13**	**1**	**2**	**4**	**7**	**9**	**11**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.2	5	1	1	3	4	6	7	12
20-34	253	3.6	5	1	1	3	4	6	8	12
35-49	59	4.4	15	<1	1	4	6	7	12	24
50-64	11	4.0	3	<1	1	4	5	7	7	7
65+	13	5.5	9	1	2	5	6	9	12	13
B. *Operated*										
0-19 YRS	257	2.6	2	1	1	2	3	4	5	10
20-34	1413	2.4	2	<1	1	2	3	4	5	8
35-49	601	2.7	6	<1	1	2	3	4	6	14
50-64	190	2.9	4	1	1	2	4	5	6	10
65+	46	3.5	5	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	11	1	2	4	5	7	9	17
20-34	313	5.7	65	1	2	4	6	9	12	26
35-49	81	5.9	14	2	2	5	7	11	13	19
50-64	63	7.2	22	2	3	7	8	12	16	29
65+	64	8.1	23	2	3	7	10	13	18	25
B. *Operated*										
0-19 YRS	144	3.7	10	1	1	3	4	7	11	26
20-34	860	4.3	20	1	1	3	6	8	10	17
35-49	448	4.6	14	1	2	3	7	9	12	18
50-64	125	5.3	26	1	2	3	7	13	18	46
65+	76	9.1	112	1	2	6	11	22	29	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	470	3.7	6	1	1	3	5	7	8	13
B. *Operated*	2507	2.6	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	645	5.9	41	1	2	5	7	10	12	24
B. *Operated*	1653	4.6	23	1	1	3	6	9	12	23
1. SINGLE DX	2977	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2298	5.0	28	1	2	4	6	9	12	23
A. NOT OPERATED	1115	4.9	27	1	1	4	6	9	11	19
B. OPERATED	4160	3.4	12	1	1	2	4	7	9	17
TOTAL 0-19 YRS	659	3.3	7	1	1	3	4	6	8	13
20-34	2839	3.4	16	1	1	3	4	6	8	14
35-49	1189	3.8	11	1	1	3	5	8	10	18
50-64	389	4.4	17	1	2	3	5	9	12	23
65+	199	7.3	57	1	2	5	9	14	20	40
GRAND TOTAL	**5275**	**3.7**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	6.2	8	<1	2	6	7	10	12	13
35-49	23	4.7	17	<1	<1	3	8	10	12	14
50-64	21	4.6	10	<1	1	4	7	9	11	12
65+	24	4.5	9	<1	1	4	8	9	9	9
B. *Operated*										
0-19 YRS	9	6.8	14	1	2	7	8	12	14	14
20-34	1015	6.6	5	4	4	6	8	9	10	14
35-49	1299	7.6	9	4	5	7	9	11	13	20
50-64	1420	8.0	8	4	5	8	9	12	13	18
65+	938	8.7	11	4	6	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	101	5.6	13	<1	1	6	7	9	12	18
35-49	138	6.0	16	1	1	6	8	9	13	21
50-64	144	6.0	22	1	2	5	8	11	13	25
65+	163	6.8	46	1	2	5	8	14	18	41
B. *Operated*										
0-19 YRS	21	8.4	28	1	2	7	12	15	18	21
20-34	3211	7.3	9	4	5	7	8	10	12	18
35-49	4804	8.2	13	5	5	8	9	12	14	20
50-64	3096	9.2	20	5	6	8	11	14	16	23
65+	2275	10.2	21	5	6	9	12	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.9	11	<1	1	4	7	9	11	14
B. *Operated*	4681	7.7	9	4	5	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	546	6.1	26	1	1	5	8	10	14	27
B. *Operated*	13407	8.5	16	4	5	8	10	13	15	23
1. SINGLE DX	4766	7.7	9	4	5	7	9	11	13	18
2. MULTIPLE DX	13953	8.4	17	4	5	8	10	13	15	23
A. NOT OPERATED	631	6.0	24	1	1	5	8	10	14	27
B. OPERATED	18088	8.3	14	4	5	8	10	12	15	22
TOTAL 0-19 YRS	30	7.9	24	1	2	7	10	15	15	21
20-34	4344	7.1	9	4	5	7	8	10	12	18
35-49	6264	8.0	12	4	5	7	9	12	14	20
50-64	4681	8.7	17	4	5	8	10	13	15	22
65+	3400	9.6	21	4	5	9	11	14	18	28
GRAND TOTAL	**18719**	**8.2**	**15**	**4**	**5**	**8**	**9**	**12**	**15**	**22**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	25	2.2	1	<1	1	2	3	4	4	5
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64										
B. *Operated*										
0-19 YRS	34	1.7		<1	1	2	2	2	2	3
20-34	415	2.2	2	<1	1	2	2	4	6	8
35-49	375	2.2	4	<1	1	2	2	3	5	11
50-64	60	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	6	<1	<1	2	4	7	7	7
20-34	28	2.9	3	<1	1	2	4	5	6	7
35-49	21	5.3	74	<1	1	3	4	10	24	41
50-64	3	4.7	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS	32	2.9	4	1	1	2	3	5	8	10
20-34	578	4.0	10	1	1	3	6	8	9	14
35-49	617	4.4	13	1	1	2	7	9	10	17
50-64	84	4.7	14	1	1	3	7	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.9	1	<1	<1	2	3	4	4	5
B. *Operated*	884	2.1	3	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	60	3.8	29	<1	1	2	5	6	8	38
B. *Operated*	1311	4.2	12	1	1	2	6	8	10	15
1. SINGLE DX	921	2.1	3	<1	1	2	2	3	5	8
2. MULTIPLE DX	1371	4.2	12	1	1	2	6	8	10	15
A. NOT OPERATED	97	3.1	19	<1	1	2	4	5	7	27
B. OPERATED	2195	3.4	9	<1	1	2	5	7	9	14
TOTAL 0-19 YRS	79	2.3	3	<1	1	2	2	4	6	9
20-34	1046	3.2	7	<1	1	2	4	7	8	13
35-49	1020	3.6	12	<1	1	2	5	8	10	15
50-64	147	3.5	10	<1	1	2	5	8	9	16
GRAND TOTAL	**2292**	**3.4**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.4	3	<1	1	2	3	4	5	10
20-34	450	2.4	3	<1	1	2	3	4	6	11
35-49	162	2.1	2	<1	<1	2	2	4	6	8
50-64	20	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*										
0-19 YRS	822	2.0	2	1	1	2	2	3	4	7
20-34	7506	2.3	5	<1	1	2	2	5	6	9
35-49	5493	2.5	7	<1	1	2	2	6	7	10
50-64	641	2.2	3	<1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.8	3	1	1	2	4	5	6	9
20-34	595	3.3	7	<1	1	3	4	7	8	13
35-49	355	4.0	10	<1	1	3	6	8	10	16
50-64	48	4.2	12	1	1	2	7	10	11	12
B. *Operated*										
0-19 YRS	568	3.1	20	1	1	2	3	6	7	13
20-34	9581	4.5	12	1	1	3	7	8	9	14
35-49	10335	5.1	15	1	1	5	7	9	11	17
50-64	1136	4.8	21	1	1	3	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	14462	2.4	5	<1	1	2	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	1171	3.5	8	<1	1	3	5	7	9	13
B. *Operated*	21620	4.7	14	1	1	4	7	9	10	16
1. SINGLE DX	15259	2.4	5	<1	1	2	2	5	7	10
2. MULTIPLE DX	22791	4.7	14	1	1	4	7	9	10	16
A. NOT OPERATED	1968	3.0	6	<1	1	2	4	6	8	12
B. OPERATED	36082	3.8	12	1	1	2	6	8	9	14
TOTAL 0-19 YRS	1728	2.5	8	1	1	2	3	4	6	9
20-34	18132	3.5	10	1	1	2	5	7	9	13
35-49	16345	4.2	14	<1	1	2	7	8	10	15
50-64	1845	3.8	16	<1	1	2	6	9	10	16
GRAND TOTAL	**38050**	**3.7**	**12**	**1**	**1**	**2**	**6**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	35	2.9	7	<1	<1	2	3	6	8	13
50-64	45	2.8	5	<1	1	2	3	5	9	10
65+	25	2.6	3	1	1	2	4	5	6	6
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	17	2.2	2	<1	<1	2	2	3	6	7
35-49	542	2.1	9	<1	1	2	2	3	4	9
50-64	1899	2.2	7	1	1	2	2	3	4	10
65+	409	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.8	5	2	2	3	5	7	7	7
35-49	71	5.4	10	1	2	5	8	9	12	15
50-64	109	4.5	17	1	1	3	6	10	12	22
65+	74	4.6	19	<1	1	4	5	9	14	22
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	19	4.5	12	1	1	3	6	9	13	15
35-49	638	3.9	19	1	1	2	5	8	10	22
50-64	2332	3.7	11	1	1	2	4	8	10	17
65+	842	4.6	24	1	2	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.8	5	<1	1	2	4	6	8	11
B. *Operated*	2869	2.2	7	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	259	4.8	15	1	1	4	6	9	12	22
B. *Operated*	3833	3.9	15	1	1	2	5	8	11	19
1. SINGLE DX	2978	2.2	7	1	1	2	2	3	4	10
2. MULTIPLE DX	4092	4.0	15	1	1	2	5	8	11	19
A. NOT OPERATED	368	4.2	13	1	1	3	5	9	11	19
B. OPERATED	6702	3.2	12	1	1	2	3	7	9	16
TOTAL 0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	45	3.4	7	<1	1	2	5	7	8	15
35-49	1286	3.2	15	<1	1	2	3	7	9	15
50-64	4385	3.1	10	1	1	2	3	7	9	15
65+	1350	3.9	18	1	2	2	4	8	11	19
GRAND TOTAL	**7070**	**3.2**	**13**	**1**	**1**	**2**	**3**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.7	3	<1	1	2	3	6	7	8
20-34	238	3.0	6	<1	1	2	4	6	7	13
35-49	94	3.2	8	<1	1	2	4	7	9	14
50-64	45	4.2	33	<1	<1	2	4	7	14	34
65+	24	3.3	5	1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	347	2.7	5	1	1	2	3	5	6	12
20-34	3305	3.4	9	1	1	2	4	7	8	14
35-49	1967	3.7	11	1	1	2	5	8	9	17
50-64	1263	3.6	11	1	1	2	4	8	10	16
65+	385	4.0	15	1	2	3	4	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.3	8	<1	1	3	4	7	7	17
20-34	284	3.3	6	<1	1	3	4	7	8	12
35-49	142	3.9	11	<1	1	3	6	8	10	99+
50-64	88	6.8	59	1	1	4	9	16	21	41
65+	93	7.4	59	1	2	6	9	14	21	46
B. *Operated*										
0-19 YRS	310	3.8	9	1	1	3	5	7	9	13
20-34	3901	5.0	12	1	1	5	7	8	10	17
35-49	3972	5.7	17	1	2	6	8	9	12	20
50-64	2241	5.9	26	1	2	5	8	11	13	24
65+	869	6.9	48	2	2	5	9	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	3.1	8	<1	1	2	4	6	7	14
B. *Operated*	7267	3.5	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	681	4.4	24	<1	1	3	6	9	13	29
B. *Operated*	11293	5.5	20	1	2	5	7	10	12	21
1. SINGLE DX	7767	3.5	10	1	1	2	4	7	9	15
2. MULTIPLE DX	11974	5.4	20	1	2	5	7	10	12	21
A. NOT OPERATED	1181	3.9	18	<1	1	3	5	7	10	22
B. OPERATED	18560	4.7	17	1	1	3	7	9	11	19
TOTAL 0-19 YRS	830	3.2	7	1	1	2	4	6	7	12
20-34	7728	4.2	11	1	1	3	6	8	9	15
35-49	6175	4.9	15	1	1	4	7	9	11	19
50-64	3637	5.1	23	1	1	3	7	10	12	22
65+	1371	6.1	41	1	2	4	8	13	17	34
GRAND TOTAL	**19741**	**4.7**	**17**	**1**	**1**	**3**	**7**	**9**	**11**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	2.2	2	1	1	2	3	4	5	7
20-34	505	2.4	3	<1	1	2	3	5	6	9
35-49	114	3.1	5	<1	1	2	4	6	8	11
50-64	24	5.2	16	1	1	5	9	11	35	99+
65+	12	4.8	26	1	1	2	8	12	16	17
B. *Operated*										
0-19 YRS	231	3.0	6	1	1	2	4	6	7	16
20-34	2295	3.4	8	<1	1	2	5	7	8	12
35-49	817	7.1	34	1	2	7	9	11	13	18
50-64	475	8.5	14	2	3	9	10	13	15	21
65+	213	9.7	21	2	3	9	12	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	3.1	6	1	1	3	4	5	6	13
20-34	569	3.5	14	1	1	3	4	6	8	14
35-49	175	4.0	8	<1	1	3	5	8	9	13
50-64	85	6.1	32	1	2	5	8	10	15	35
65+	39	7.6	34	2	2	6	10	17	21	26
B. *Operated*										
0-19 YRS	296	3.6	9	1	1	3	5	7	9	14
20-34	5229	5.2	12	1	1	5	7	9	10	16
35-49	2418	7.6	19	2	2	7	9	12	14	22
50-64	805	9.4	22	2	4	9	11	15	18	25
65+	329	11.2	35	3	5	10	14	19	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	4031	5.1	20	1	1	4	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1063	3.9	14	1	1	3	5	7	10	17
B. *Operated*	9077	6.4	19	1	2	6	8	11	14	21
1. SINGLE DX	4996	4.6	18	1	1	3	7	10	11	17
2. MULTIPLE DX	10140	6.1	19	1	1	6	8	11	13	21
A. NOT OPERATED	2028	3.2	10	1	1	2	4	6	9	14
B. OPERATED	13108	6.0	19	1	1	6	8	11	13	20
TOTAL 0-19 YRS	1032	3.0	6	1	1	2	4	6	7	13
20-34	8598	4.4	11	<1	1	4	6	8	10	15
35-49	3524	7.1	23	1	2	7	9	11	13	21
50-64	1389	8.8	21	2	3	9	11	14	17	24
65+	593	10.3	31	2	3	10	13	18	21	30
GRAND TOTAL	**15136**	**5.6**	**19**	**1**	**1**	**5**	**8**	**10**	**13**	**20**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	5	5	5	5
20-34	38	3.6	6	1	1	3	5	7	8	11
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	132	5.3	3	3	3	5	6	7	8	12
20-34	1630	5.7	4	3	4	5	6	8	9	12
35-49	151	6.1	6	3	4	6	7	8	10	18
50-64	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	3	1	1	3	4	5	5	5
20-34	19	4.8	8	<1	1	5	6	8	10	11
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
B. *Operated*										
0-19 YRS	110	5.8	14	3	4	5	6	7	9	23
20-34	1352	6.1	5	4	4	6	7	9	10	15
35-49	187	7.0	9	4	4	6	8	10	12	20
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.6	6	1	1	3	5	7	7	11
B. *Operated*	1915	5.7	4	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	27	4.5	8	1	1	5	6	8	10	11
B. *Operated*	1650	6.2	7	4	4	6	7	9	10	15
1. SINGLE DX	1962	5.6	4	3	4	5	6	8	9	13
2. MULTIPLE DX	1677	6.2	7	4	4	6	7	9	10	15
A. NOT OPERATED	74	3.9	7	1	1	4	5	7	8	11
B. OPERATED	3565	5.9	5	3	4	6	7	8	10	14
TOTAL 0-19 YRS	255	5.4	8	2	3	5	6	7	8	12
20-34	3039	5.8	5	3	4	6	7	8	9	14
35-49	342	6.6	8	4	4	6	7	9	12	18
50-64	3	4.7	6	2	2	5	6	7	7	7
GRAND TOTAL	**3639**	**5.9**	**6**	**3**	**4**	**6**	**7**	**8**	**10**	**14**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.0	1	<1	1	2	2	3	4	7
20-34	84	2.0	1	<1	<1	2	2	4	5	6
35-49	11	2.8	12	1	1	2	3	7	13	13
50-64										
B. *Operated*										
0-19 YRS	1661	1.8	2	<1	<1	2	2	3	4	6
20-34	2479	1.8	4	<1	<1	1	2	3	4	7
35-49	260	1.8	5	<1	<1	1	2	3	4	8
50-64	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	3	<1	<1	1	2	5	6	7
20-34	68	2.0	2	<1	<1	2	2	4	5	8
35-49	16	2.2	5	<1	<1	2	2	3	8	10
50-64										
B. *Operated*										
0-19 YRS	890	2.1	5	1	1	2	2	3	5	9
20-34	2793	2.4	8	<1	<1	2	2	5	7	10
35-49	718	2.7	7	<1	<1	2	3	6	7	11
50-64	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.1	2	<1	<1	2	2	3	5	7
B. *Operated*	4403	1.8	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	111	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	4402	2.4	7	<1	<1	2	2	5	6	10
1. SINGLE DX	4558	1.8	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	4513	2.4	7	<1	<1	2	2	5	6	10
A. NOT OPERATED	266	2.0	2	<1	<1	2	2	4	5	8
B. OPERATED	8805	2.1	5	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	2638	1.9	3	<1	1	2	2	3	4	7
20-34	5424	2.1	6	<1	<1	2	2	4	5	9
35-49	1005	2.5	7	<1	<1	2	3	5	7	11
50-64	4	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**9071**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
B. *Operated*										
0-19 YRS	5	3.6	1	2	2	4	4	5	5	5
20-34	5	2.4	1	<1	<1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	11	2.8	2	<1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	5.4	20	<1	<1	5	7	13	14	14
1. SINGLE DX	13	2.9	2	<1	1	3	4	5	5	5
2. MULTIPLE DX	7	5.4	20	<1	<1	5	7	13	14	14
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	18	3.8	10	<1	<1	3	5	7	12	14
TOTAL 0-19 YRS	7	4.9	17	2	2	4	5	12	14	14
20-34	8	3.3	6	<1	<1	3	4	7	8	8
35-49	5	3.2	3	1	1	3	5	5	5	5
50-64										
GRAND TOTAL	**20**	**3.8**	**9**	**<1**	**1**	**3**	**5**	**7**	**11**	**14**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	2.0	10	<1	1	1	2	4	4	7
20-34	1234	1.9	3	<1	1	1	2	3	4	7
35-49	99	1.8	1	1	1	1	2	4	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	3016	1.8	3	<1	1	1	2	3	4	7
20-34	12108	1.6	2	<1	1	1	2	3	4	6
35-49	1256	1.7	3	<1	<1	1	2	3	4	7
50-64	7	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.4	2	<1	1	2	3	4	5	8
20-34	244	2.7	5	1	1	2	3	5	7	12
35-49	28	2.1	1	1	1	2	3	4	4	6
50-64										
B. *Operated*										
0-19 YRS	413	2.7	5	1	1	2	3	5	8	11
20-34	1925	2.7	7	1	1	2	3	5	7	11
35-49	396	2.6	5	1	1	2	3	5	7	10
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1840	1.9	5	<1	1	1	2	3	4	7
B. *Operated*	16387	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	353	2.6	4	1	1	2	3	5	6	12
B. *Operated*	2735	2.7	6	1	1	2	3	5	7	11
1. SINGLE DX	18227	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	3088	2.6	6	1	1	2	3	5	7	11
A. NOT OPERATED	2193	2.0	5	<1	1	2	2	4	5	8
B. OPERATED	19122	1.8	3	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	4016	1.9	4	<1	1	1	2	3	4	8
20-34	15511	1.8	3	<1	1	1	2	3	4	8
35-49	1779	1.9	3	<1	1	1	2	3	5	9
50-64	9	1.6	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**21315**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.8	4	<1	<1	2	4	5	6	12
20-34	217	2.2	2	<1	1	2	3	4	5	10
35-49	14	2.9	6	<1	1	2	3	6	9	10
50-64										
B. *Operated*										
0-19 YRS	243	2.2	2	<1	1	2	3	4	5	7
20-34	1896	2.0	2	<1	1	2	2	3	4	8
35-49	177	1.9	2	<1	1	2	2	3	4	8
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	9	1	1	3	4	6	11	15
20-34	85	3.9	18	1	1	3	5	8	9	26
35-49	6	3.0	3	1	1	3	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	78	4.1	14	1	1	3	5	8	11	20
20-34	448	3.3	10	<1	1	2	4	7	9	15
35-49	100	3.2	7	<1	1	2	4	6	8	15
50-64	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	2.4	3	<1	1	2	3	5	6	11
B. *Operated*	2317	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	115	3.8	15	1	1	3	4	8	9	23
B. *Operated*	628	3.4	10	<1	1	2	4	7	9	16
1. SINGLE DX	2627	2.0	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	743	3.4	11	1	1	2	4	7	9	18
A. NOT OPERATED	425	2.8	7	<1	1	2	3	5	7	13
B. OPERATED	2945	2.3	4	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	424	2.7	6	<1	1	2	3	5	6	14
20-34	2646	2.3	4	<1	1	2	2	4	6	11
35-49	297	2.4	4	<1	1	2	3	4	6	11
50-64	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**3370**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	388	2.4	3	<1	1	2	3	4	6	8
20-34	1658	2.6	4	1	1	2	3	5	6	10
35-49	83	2.9	4	<1	1	2	4	5	7	10
50-64										
B. *Operated*										
0-19 YRS	13	3.0	5	<1	1	2	4	6	8	9
20-34	58	2.8	3	<1	1	2	4	5	6	9
35-49	5	2.4	1	2	2	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.1	5	1	1	3	3	5	6	14
20-34	266	3.4	5	1	1	3	4	7	8	12
35-49	16	3.8	10	1	1	3	5	8	11	13
50-64										
B. *Operated*										
0-19 YRS	11	3.3	6	1	1	2	6	7	7	7
20-34	41	6.9	129	1	1	5	8	10	11	75
35-49	4	3.8	7	1	1	4	6	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2129	2.6	4	1	1	2	3	5	6	9
B. *Operated*	76	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	349	3.4	5	1	1	3	4	6	8	13
B. *Operated*	56	5.9	98	1	1	4	7	10	11	71
1. SINGLE DX	2205	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	405	3.7	19	1	1	3	4	7	9	13
A. NOT OPERATED	2478	2.7	4	1	1	2	3	5	6	10
B. OPERATED	132	4.1	45	1	1	3	5	8	10	23
TOTAL 0-19 YRS	479	2.5	3	1	1	2	3	5	6	9
20-34	2023	2.8	7	1	1	2	3	5	7	10
35-49	108	3.0	5	1	1	2	4	6	7	11
50-64										
GRAND TOTAL	**2610**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.1	6	<1	<1	1	2	4	7	14
20-34	111	2.5	6	1	1	2	3	5	8	14
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	2	4	4	4
20-34	36	3.1	5	1	1	2	4	6	8	10
35-49	4	3.8	10	<1	<1	3	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	3.3	10	1	1	2	3	8	11	13
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.4	5	<1	1	2	3	5	7	14
B. *Operated*	6	2.8	5	<1	<1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	46	3.0	5	<1	1	2	4	6	7	10
B. *Operated*	22	3.0	8	1	1	2	3	7	11	13
1. SINGLE DX	156	2.5	5	<1	1	2	3	5	7	14
2. MULTIPLE DX	68	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	196	2.6	5	<1	1	2	3	5	7	14
B. OPERATED	28	3.0	7	1	1	2	3	6	9	13
TOTAL 0-19 YRS	42	2.1	5	<1	<1	1	2	4	6	14
20-34	168	2.7	6	1	1	2	3	6	8	13
35-49	14	2.9	4	<1	1	2	4	6	7	7
50-64										
GRAND TOTAL	**224**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	397	3.9	8	1	1	3	5	7	9	16
20-34	1387	3.7	7	1	1	3	4	7	8	14
35-49	111	4.2	16	1	2	3	5	7	11	23
50-64	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	30	5.7	26	1	2	4	6	12	20	22
20-34	72	5.1	43	1	1	3	6	9	12	41
35-49	8	8.0	9	4	5	7	9	13	14	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.8	15	1	2	4	6	9	14	21
20-34	399	4.2	12	1	1	3	5	8	10	22
35-49	48	4.2	7	1	2	4	5	8	11	12
50-64										
B. *Operated*										
0-19 YRS	22	5.7	10	2	3	5	7	12	13	13
20-34	71	5.4	11	2	2	4	7	11	13	14
35-49	8	7.9	92	<1	<1	4	9	24	30	30
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1897	3.8	8	1	1	3	4	7	9	16
B. *Operated*	110	5.5	36	1	1	4	7	9	16	38
2. MULTIPLE DX										
A. *Not Operated*	531	4.3	12	1	2	3	5	8	10	22
B. *Operated*	101	5.7	17	1	2	5	7	11	13	22
1. SINGLE DX	2007	3.9	10	1	1	3	5	7	9	16
2. MULTIPLE DX	632	4.5	13	1	2	4	5	9	11	22
A. NOT OPERATED	2428	3.9	9	1	1	3	5	7	9	16
B. OPERATED	211	5.6	27	1	2	4	7	11	13	32
TOTAL 0-19 YRS	533	4.2	10	1	2	3	5	8	10	18
20-34	1929	3.9	10	1	1	3	5	7	9	16
35-49	175	4.5	17	1	2	3	5	8	11	25
50-64	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**2639**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	3.4	17	1	2	3	4	5	6	10
20-34	1371	3.8	6	1	2	3	5	7	8	12
35-49	31	4.0	4	2	2	4	5	7	9	9
50-64	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	10	3.0	7	1	1	2	4	7	9	9
20-34	46	2.1	5	<1	1	1	2	4	6	14
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.0	17	1	1	3	4	7	10	28
20-34	427	4.2	10	1	2	4	5	7	9	17
35-49	11	3.9	5	<1	1	3	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	8	3.8	2	2	2	4	5	6	6	6
20-34	34	7.1	41	1	2	6	9	11	19	35
35-49	3	6.0	13	2	2	7	8	9	9	9
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1731	3.8	8	1	2	3	4	6	8	12
B. *Operated*	59	2.2	5	<1	1	1	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	566	4.2	11	1	2	3	5	7	9	19
B. *Operated*	45	6.4	33	1	2	5	8	10	17	35
1. SINGLE DX	1790	3.7	8	1	2	3	4	6	8	12
2. MULTIPLE DX	611	4.3	13	1	2	3	5	8	10	20
A. NOT OPERATED	2297	3.9	9	1	2	3	5	7	8	13
B. OPERATED	104	4.0	22	1	1	2	6	9	10	27
TOTAL 0-19 YRS	474	3.6	16	1	2	3	4	6	8	18
20-34	1878	3.9	8	1	2	3	5	7	9	15
35-49	48	4.0	4	<1	2	4	5	7	9	9
50-64	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**2401**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2079	1.3	4	<1	<1	1	1	2	3	6
20-34	7129	1.4	5	<1	<1	1	1	2	3	6
35-49	369	1.4	4	<1	<1	1	1	2	3	13
50-64	3	10.3	234	<1	<1	2	21	28	28	28
B. *Operated*										
0-19 YRS	86	1.4	1	<1	<1	1	1	2	3	7
20-34	294	1.4	1	<1	<1	1	1	2	4	6
35-49	12	1.6	2	<1	<1	1	2	3	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	1.9	3	<1	<1	1	2	4	5	8
20-34	647	2.0	4	<1	<1	1	2	4	5	9
35-49	43	1.9	2	<1	<1	1	2	3	5	8
50-64										
B. *Operated*										
0-19 YRS	10	2.5	5	1	1	2	3	6	8	8
20-34	50	2.7	6	<1	<1	2	3	6	8	13
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9580	1.4	5	<1	<1	1	1	2	3	6
B. *Operated*	392	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	902	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	63	2.6	6	<1	<1	2	3	6	8	12
1. SINGLE DX	9972	1.4	5	<1	<1	1	1	2	3	6
2. MULTIPLE DX	965	2.0	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	10482	1.4	5	<1	<1	1	1	2	3	7
B. OPERATED	455	1.6	2	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	2387	1.4	4	<1	<1	1	1	2	3	7
20-34	8120	1.4	5	<1	<1	1	1	2	3	7
35-49	427	1.5	4	<1	<1	1	1	2	3	10
50-64	3	10.3	234	<1	<1	2	21	28	28	28
GRAND TOTAL	**10937**	**1.4**	**5**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.9	4	1	1	2	4	6	8	10
20-34	543	3.4	8	1	1	3	4	6	7	16
35-49	52	3.3	8	1	1	3	4	6	7	19
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	26	5.2	25	1	1	4	5	12	17	23
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	6	1	1	3	4	8	9	9
20-34	120	4.2	15	<1	1	3	5	8	10	23
35-49	7	4.9	9	1	1	4	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	14	6.9	40	1	2	4	9	17	20	21
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	3.3	8	1	1	3	4	6	7	16
B. *Operated*	30	4.9	22	1	1	4	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	138	4.2	14	<1	1	3	5	8	10	21
B. *Operated*	17	7.2	37	1	2	4	10	17	20	21
1. SINGLE DX	696	3.4	8	1	1	3	4	6	8	17
2. MULTIPLE DX	155	4.5	17	1	1	3	6	9	14	21
A. NOT OPERATED	804	3.5	9	1	1	3	4	6	8	17
B. OPERATED	47	5.7	28	1	1	4	7	15	18	23
TOTAL 0-19 YRS	86	3.1	6	1	1	2	4	7	8	13
20-34	703	3.7	11	1	1	3	4	7	9	18
35-49	61	3.6	8	1	1	3	4	6	8	18
50-64	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**851**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	2.2	3	<1	1	2	3	4	5	9
20-34	617	2.6	13	<1	1	2	3	4	6	13
35-49	33	2.1	4	<1	1	1	2	4	8	9
50-64										
B. *Operated*										
0-19 YRS	8	2.5	3	1	1	2	4	5	5	5
20-34	35	2.7	4	<1	<1	2	4	5	6	9
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.5	4	<1	<1	2	3	4	5	14
20-34	148	2.7	3	<1	1	2	3	5	6	10
35-49	11	2.8	1	2	2	3	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	26	4.3	33	<1	<1	3	5	8	13	30
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	2.5	10	<1	1	2	3	4	5	11
B. *Operated*	43	2.7	4	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	208	2.6	3	<1	1	2	3	5	6	11
B. *Operated*	29	4.3	30	<1	<1	3	5	8	9	30
1. SINGLE DX	879	2.5	10	<1	1	2	3	4	6	11
2. MULTIPLE DX	237	2.8	7	<1	1	2	3	6	6	16
A. NOT OPERATED	1044	2.5	9	<1	1	2	3	4	6	11
B. OPERATED	72	3.3	15	<1	<1	2	4	6	8	25
TOTAL 0-19 YRS	246	2.3	3	<1	1	2	3	5	5	9
20-34	826	2.7	11	<1	1	2	3	5	6	13
35-49	44	2.3	3	<1	1	2	3	4	6	9
50-64										
GRAND TOTAL	**1116**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	446	3.4	4	<1	1	3	4	6	7	11
20-34	739	3.3	4	1	1	3	4	6	6	10
35-49	20	3.2	4	<1	1	3	4	6	7	7
50-64										
B. *Operated*										
0-19 YRS	24	4.0	3	2	2	4	5	6	7	9
20-34	63	3.9	6	1	1	3	6	7	8	11
35-49	4	2.3		2	2	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	3.7	5	1	1	3	5	6	7	12
20-34	639	3.7	5	1	1	3	5	6	8	11
35-49	27	3.8	7	<1	1	4	5	6	8	13
50-64										
B. *Operated*										
0-19 YRS	29	5.0	8	1	2	5	6	8	11	14
20-34	115	5.8	16	2	2	5	7	9	11	24
35-49	8	5.8	5	2	3	6	7	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1205	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	91	3.8	5	1	1	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1035	3.7	5	1	1	3	5	6	7	12
B. *Operated*	153	5.6	14	2	2	5	7	9	11	17
1. SINGLE DX	1296	3.4	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	1188	3.9	7	1	1	4	5	7	8	13
A. NOT OPERATED	2240	3.5	5	1	1	3	4	6	7	11
B. OPERATED	244	5.0	11	1	2	4	6	8	10	14
TOTAL 0-19 YRS	868	3.6	5	1	1	3	5	6	7	12
20-34	1557	3.7	6	1	1	3	5	6	8	11
35-49	59	3.7	6	<1	1	3	5	7	8	13
50-64										
GRAND TOTAL	**2484**	**3.6**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	4.5	17	<1	1	3	6	8	11	25
20-34	477	4.5	14	<1	1	3	6	9	11	20
35-49	36	5.7	18	1	1	5	7	11	13	21
50-64	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	9	4.1	5	1	1	4	6	7	8	8
20-34	31	3.6	5	<1	<1	3	5	7	8	9
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	3.9	12	1	1	3	5	7	10	20
20-34	838	4.6	20	1	1	3	6	9	12	22
35-49	59	5.4	18	1	2	4	6	9	12	28
50-64										
B. *Operated*										
0-19 YRS	20	5.7	33	1	2	4	6	17	20	20
20-34	79	5.8	23	<1	1	4	8	12	17	23
35-49	7	6.0	14	2	2	4	9	12	12	12
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	4.6	15	<1	1	3	6	9	11	21
B. *Operated*	45	3.6	5	<1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	1069	4.5	19	1	1	3	6	9	12	22
B. *Operated*	106	5.8	24	1	1	4	7	12	17	22
1. SINGLE DX	667	4.5	14	<1	1	3	6	9	11	21
2. MULTIPLE DX	1175	4.7	19	1	1	3	6	9	12	22
A. NOT OPERATED	1691	4.6	17	1	1	3	6	9	12	21
B. OPERATED	151	5.1	19	<1	1	4	6	11	15	20
TOTAL 0-19 YRS	308	4.2	15	1	1	3	5	7	11	21
20-34	1425	4.6	18	1	1	3	6	9	12	21
35-49	107	5.4	17	1	1	4	7	10	12	24
50-64	2	5.5	5	4	4	5	7	7	7	7
GRAND TOTAL	**1842**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	462	2.6	7	<1	<1	2	3	6	8	14
20-34	1536	2.9	22	<1	<1	2	3	6	7	21
35-49	79	2.6	5	<1	<1	2	4	6	8	9
50-64	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	90	3.4	7	1	1	3	4	6	9	15
20-34	817	3.4	7	1	1	3	4	6	7	13
35-49	58	3.4	4	<1	1	3	4	7	8	10
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	3.4	10	<1	1	2	4	6	9	16
20-34	815	3.4	13	<1	1	3	4	6	8	21
35-49	52	5.0	25	<1	<1	3	7	12	15	25
50-64	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	68	5.9	18	1	2	5	7	11	13	23
20-34	382	5.2	24	1	2	4	6	8	11	25
35-49	31	5.6	5	2	3	6	7	9	10	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2079	2.9	18	<1	<1	2	3	6	7	20
B. *Operated*	966	3.4	7	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	1107	3.4	13	<1	1	3	4	6	9	22
B. *Operated*	481	5.3	22	1	2	4	6	9	11	24
1. SINGLE DX	3045	3.0	14	<1	<1	2	4	6	7	15
2. MULTIPLE DX	1588	4.0	16	<1	1	3	5	7	10	23
A. NOT OPERATED	3186	3.1	16	<1	<1	2	4	6	8	21
B. OPERATED	1447	4.0	13	1	1	3	5	7	9	17
TOTAL 0-19 YRS	857	3.2	10	<1	<1	2	4	6	9	16
20-34	3550	3.4	17	<1	1	3	4	6	8	21
35-49	220	3.8	11	<1	1	3	5	8	10	16
50-64	6	2.5	1	1	1	2	3	4	4	4
GRAND TOTAL	**4633**	**3.4**	**15**	**<1**	**1**	**3**	**4**	**6**	**8**	**20**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.4	11	2	2	3	3	4	7	21
20-34	242	3.4	4	1	2	3	4	5	7	13
35-49	9	4.6	6	2	2	4	5	8	10	10
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	32	4.3	25	2	2	3	4	7	17	26
20-34	138	5.9	40	2	2	4	6	9	17	39
35-49	11	5.1	3	3	3	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.4	5	1	2	3	4	5	9	52
20-34	332	3.9	11	2	2	3	4	6	8	20
35-49	16	5.4	40	1	2	3	6	11	22	27
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	105	7.3	99	2	2	4	8	15	22	84
20-34	637	7.0	51	2	3	5	8	13	20	40
35-49	71	8.4	84	2	3	5	8	20	26	53
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	3.4	6	2	2	3	4	5	7	18
B. *Operated*	181	5.6	35	2	2	4	6	9	15	37
2. MULTIPLE DX										
A. *Not Operated*	453	3.8	11	2	2	3	4	6	8	24
B. *Operated*	813	7.2	60	2	2	5	8	14	22	43
1. SINGLE DX	532	4.1	17	2	2	3	4	7	9	26
2. MULTIPLE DX	1266	6.0	45	2	2	4	6	11	18	40
A. NOT OPERATED	804	3.6	9	2	2	3	4	5	8	19
B. OPERATED	994	6.9	56	2	2	5	7	13	21	42
TOTAL 0-19 YRS	340	4.7	40	2	2	3	4	9	15	60
20-34	1349	5.5	35	2	2	4	6	10	15	36
35-49	107	7.3	64	2	2	5	8	15	26	44
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**1798**	**5.4**	**38**	**2**	**2**	**4**	**6**	**10**	**16**	**37**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-13 YRS	15627	2.8	4	1	2	3	3	4	4	6
20-34	59164	2.9	3	1	2	3	3	4	4	6
35-49	2289	2.9	2	1	2	3	3	4	4	7
50-64	30	2.7	1	1	2	3	3	4	5	5
B. *Operated*										
0-19 YRS	2531	2.9	1	1	2	3	3	4	4	6
20-34	10363	3.1	3	2	2	3	3	4	5	7
35-49	427	3.3	4	2	2	3	4	5	5	7
50-64	8	3.9	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	915	3.4	3	2	2	3	4	5	7	10
20-34	3028	3.4	6	2	2	3	4	5	6	11
35-49	171	3.5	4	2	2	3	4	5	7	13
50-64	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	496	3.7	14	2	2	3	4	5	6	12
20-34	11147	3.7	6	2	2	3	4	5	6	9
35-49	1211	4.0	9	2	3	4	4	5	6	9
50-64	6	3.7	1	2	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77110	2.9	3	1	2	3	3	4	4	6
B. *Operated*	13329	3.0	3	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4118	3.4	6	2	2	3	4	5	6	11
B. *Operated*	12860	3.8	6	2	2	3	4	5	6	9
1. SINGLE DX	90439	2.9	3	1	2	3	3	4	4	6
2. MULTIPLE DX	16978	3.7	6	2	2	3	4	5	6	10
A. NOT OPERATED	81228	2.9	4	1	2	3	3	4	4	6
B. OPERATED	26189	3.4	5	2	2	3	4	5	5	8
TOTAL 0-19 YRS	19569	2.9	4	1	2	3	3	4	4	7
20-34	83702	3.0	4	2	2	3	3	4	5	7
35-49	4098	3.3	5	2	2	3	4	5	5	8
50-64	48	3.1	1	2	2	3	4	5	5	6
GRAND TOTAL	**107417**	**3.0**	**4**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	3	1	1	3	4	6	7	7
20-34	69	3.0	2	1	2	3	4	5	5	8
35-49	5	5.6	52	1	1	2	9	18	18	18
50-64										
B. *Operated*										
0-19 YRS	31	5.7	6	2	3	5	6	8	11	15
20-34	289	7.1	35	3	4	6	7	10	17	38
35-49	21	7.5	62	2	3	6	7	12	25	40
50-64	1	44.0		44	44	44	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	2	2	2	3	4	6	6	6
20-34	53	5.9	103	1	2	3	5	10	25	67
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	51	7.7	23	3	3	6	9	14	21	23
20-34	497	8.1	59	3	4	6	8	14	23	39
35-49	77	10.5	104	3	4	7	9	27	39	45
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.2	5	1	1	3	4	5	6	15
B. *Operated*	342	7.1	38	3	4	6	7	10	16	41
2. MULTIPLE DX										
A. *Not Operated*	61	5.6	90	1	2	3	5	8	20	64
B. *Operated*	625	8.3	62	3	4	6	8	14	24	42
1. SINGLE DX	430	6.3	33	2	2	5	6	9	15	40
2. MULTIPLE DX	686	8.1	65	2	3	6	8	14	24	42
A. NOT OPERATED	149	4.2	41	1	1	3	4	6	9	28
B. OPERATED	967	7.9	54	3	4	6	8	13	22	41
TOTAL 0-19 YRS	102	6.2	17	2	3	5	7	11	15	22
20-34	908	7.3	51	2	3	6	7	12	20	39
35-49	105	9.5	93	3	4	6	9	19	38	44
50-64	1	44.0		44	44	44	44	44	44	44
GRAND TOTAL	**1116**	**7.4**	**54**	**2**	**3**	**6**	**7**	**12**	**21**	**41**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.8	1	1	2	3	3	4	5	6
20-34	279	3.0	2	1	1	3	3	5	6	9
35-49	10	2.6	1	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	71	4.9	4	2	2	5	6	7	7	12
20-34	298	4.7	6	2	2	5	6	7	7	12
35-49	16	7.4	61	3	3	6	7	10	28	36
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	2.7	1	1	2	2	3	4	6	6
20-34	168	3.6	6	1	2	3	4	6	9	14
35-49	8	2.9	2	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	163	5.2	10	2	2	4	6	9	12	18
20-34	675	5.2	14	2	3	5	6	8	10	20
35-49	60	7.3	45	2	3	5	7	13	22	38
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	372	2.9	2	1	1	3	3	4	6	8
B. *Operated*	385	4.9	8	2	3	5	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	232	3.3	5	1	2	3	4	5	7	14
B. *Operated*	898	5.4	16	2	3	5	6	8	11	21
1. SINGLE DX	757	3.9	6	1	2	3	5	6	7	10
2. MULTIPLE DX	1130	5.0	14	2	2	4	6	8	10	19
A. NOT OPERATED	604	3.1	3	1	2	3	3	5	6	11
B. OPERATED	1283	5.2	13	2	3	5	6	8	10	20
TOTAL 0-19 YRS	372	4.3	7	2	2	4	6	7	9	16
20-34	1420	4.5	10	2	2	4	5	7	9	14
35-49	94	6.4	42	2	2	5	6	10	19	38
50-64	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1887**	**4.5**	**11**	**2**	**2**	**4**	**6**	**7**	**9**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	2	2	2	2	3	5	6	6
20-34	56	3.1	10	<1	1	3	3	4	5	24
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	98	2.8	1	1	2	3	3	4	4	6
20-34	477	2.9	2	1	1	3	3	4	5	8
35-49	25	3.3	4	<1	1	3	4	6	7	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	2	2	2	4	5	5	5
20-34	20	3.0	2	1	1	3	4	5	5	6
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	45	3.8	8	2	2	3	4	6	10	17
20-34	280	3.8	6	2	2	3	4	5	7	14
35-49	33	4.4	10	2	2	3	5	9	12	13
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.1	9	1	1	3	3	4	5	22
B. *Operated*	600	2.9	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	28	2.9	2	1	1	3	4	5	5	6
B. *Operated*	358	3.9	7	2	2	3	4	5	9	15
1. SINGLE DX	665	2.9	2	1	1	3	3	4	5	8
2. MULTIPLE DX	386	3.8	7	2	2	3	4	5	8	14
A. NOT OPERATED	93	3.0	7	1	1	3	4	4	5	17
B. OPERATED	958	3.3	4	1	2	3	4	5	6	12
TOTAL 0-19 YRS	157	3.1	3	1	2	3	4	4	5	12
20-34	833	3.2	4	1	2	3	4	5	5	12
35-49	61	3.8	7	1	2	3	4	8	10	13
50-64										
GRAND TOTAL	**1051**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	1	2	2	3	4	4	5	5
20-34	150	3.5	59	1	2	3	3	4	5	9
35-49	9	3.2	1	2	2	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	29	3.1	1	1	2	3	4	4	5	5
20-34	140	3.3	3	1	1	3	4	5	6	11
35-49	7	3.0	3	1	1	2	4	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	2	2	2	3	4	5	5	7
20-34	70	3.2	2	2	2	3	3	5	5	9
35-49	4	4.3	15	2	2	3	6	10	10	10
50-64										
B. *Operated*										
0-19 YRS	44	4.4	14	2	2	4	5	7	8	26
20-34	157	3.9	5	2	2	3	4	6	8	16
35-49	10	3.8	2	1	2	4	5	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.4	45	1	2	3	3	4	5	8
B. *Operated*	176	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	105	3.2	2	2	2	3	4	5	6	9
B. *Operated*	211	4.0	7	2	2	3	4	6	8	16
1. SINGLE DX	374	3.3	25	1	2	3	4	5	5	9
2. MULTIPLE DX	316	3.7	6	2	2	3	4	5	7	14
A. NOT OPERATED	303	3.3	30	1	2	3	4	4	5	9
B. OPERATED	387	3.7	5	1	2	3	4	5	7	12
TOTAL 0-19 YRS	143	3.5	5	2	2	3	4	5	6	9
20-34	517	3.5	20	1	2	3	4	5	6	12
35-49	30	3.5	4	1	2	3	5	6	6	10
50-64										
GRAND TOTAL	**690**	**3.5**	**16**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	2	2	2	3	3	5	6	8
20-34	177	3.9	13	2	2	3	4	5	6	29
35-49	14	2.7	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	15	4.0	7	2	2	3	4	6	11	13
20-34	122	5.2	22	2	2	4	6	8	14	53
35-49	5	5.0	1	4	4	5	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	5	2	2	3	4	5	8	13
20-34	160	3.9	6	2	2	3	5	6	7	13
35-49	16	4.2	9	1	2	3	5	9	12	13
50-64										
B. *Operated*										
0-19 YRS	124	5.4	40	2	2	4	6	9	12	73
20-34	825	5.3	24	2	3	4	6	8	10	23
35-49	57	5.8	30	2	2	5	7	9	11	40
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.7	11	2	2	3	4	5	6	22
B. *Operated*	142	5.1	20	2	2	4	6	8	13	40
2. MULTIPLE DX										
A. *Not Operated*	210	3.9	6	2	2	3	4	6	7	13
B. *Operated*	1006	5.3	26	2	3	4	6	8	11	27
1. SINGLE DX	365	4.3	15	2	2	3	5	6	8	33
2. MULTIPLE DX	1216	5.1	23	2	2	4	6	8	10	23
A. NOT OPERATED	433	3.8	8	2	2	3	4	6	7	14
B. OPERATED	1148	5.3	26	2	3	4	6	8	11	30
TOTAL 0-19 YRS	205	4.7	27	2	2	3	5	8	11	43
20-34	1284	4.9	20	2	2	4	5	8	10	24
35-49	92	5.0	22	2	2	4	6	8	11	30
50-64										
GRAND TOTAL	**1581**	**4.9**	**21**	**2**	**2**	**4**	**5**	**8**	**10**	**26**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.0	2	1	2	3	3	5	5	9
20-34	401	3.0	2	1	2	3	3	4	5	6
35-49	34	3.0	1	2	2	3	4	4	5	6
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	480	4.8	22	2	2	4	5	7	7	11
20-34	2304	4.8	10	2	3	5	6	6	7	10
35-49	90	4.5	3	2	2	5	6	7	7	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.8	5	1	2	3	5	8	9	10
20-34	146	3.1	2	1	1	3	4	5	6	7
35-49	11	3.5	1	2	2	4	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	485	5.6	9	2	3	5	7	8	10	17
20-34	2695	5.5	9	2	3	5	6	8	9	16
35-49	237	5.9	10	3	3	5	7	9	11	19
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	3.0	2	1	2	3	3	4	5	6
B. *Operated*	2874	4.8	12	2	3	5	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	200	3.3	3	1	2	3	4	5	6	9
B. *Operated*	3418	5.6	9	2	3	5	6	8	10	16
1. SINGLE DX	3387	4.5	10	2	2	4	5	6	7	9
2. MULTIPLE DX	3618	5.4	9	2	3	5	6	8	10	16
A. NOT OPERATED	713	3.0	2	1	2	3	4	5	5	8
B. OPERATED	6292	5.2	11	2	3	5	6	7	8	15
TOTAL 0-19 YRS	1085	5.0	15	2	2	5	6	7	9	15
20-34	5546	5.0	9	2	3	5	6	7	8	14
35-49	372	5.2	8	2	3	5	6	8	10	16
50-64	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**7005**	**5.0**	**10**	**2**	**3**	**5**	**6**	**7**	**8**	**14**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.0	2	1	2	3	4	4	5	9
20-34	412	3.0	1	2	2	3	3	4	5	6
35-49	22	3.3	1	2	2	3	4	5	6	6
50-64										
B. *Operated*										
0-19 YRS	378	4.0	14	2	2	3	5	6	7	11
20-34	1762	4.0	3	2	3	4	5	6	7	10
35-49	79	4.6	4	2	2	4	6	7	8	12
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.2	2	2	2	3	4	4	5	11
20-34	206	3.6	4	2	2	3	4	6	6	12
35-49	18	3.2	2	<1	1	3	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	730	4.7	9	2	3	4	6	7	9	14
20-34	3146	4.8	11	2	3	4	6	7	8	15
35-49	239	6.2	33	3	3	6	7	9	10	24
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	3.0	1	2	2	3	3	4	5	6
B. *Operated*	2220	4.1	5	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	268	3.5	3	2	2	3	4	6	6	11
B. *Operated*	4116	4.9	12	2	3	4	6	7	8	15
1. SINGLE DX	2738	3.9	5	2	2	3	5	6	7	10
2. MULTIPLE DX	4384	4.8	11	2	3	4	6	7	8	15
A. NOT OPERATED	786	3.2	2	2	2	3	4	5	6	9
B. OPERATED	6336	4.6	10	2	3	4	5	7	8	14
TOTAL 0-19 YRS	1236	4.3	10	2	2	4	5	7	8	13
20-34	5526	4.4	8	2	2	4	5	7	8	13
35-49	358	5.5	24	2	3	5	7	8	10	19
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**7122**	**4.4**	**9**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.6	9	2	2	4	6	7	13	15
20-34	179	3.9	26	2	2	3	4	6	6	21
35-49	9	3.7	3	1	1	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	1316	5.7	4	4	4	5	6	7	8	12
20-34	4432	5.6	3	4	4	5	6	7	8	10
35-49	119	5.8	3	3	4	6	7	7	8	12
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	7	2	2	5	6	8	9	15
20-34	106	4.5	4	2	2	5	6	7	7	10
35-49	3	5.7	16	2	2	5	9	10	10	10
50-64										
B. *Operated*										
0-19 YRS	1568	6.7	11	4	4	6	7	10	12	17
20-34	5394	6.1	9	4	4	6	7	8	10	16
35-49	333	6.3	8	4	4	6	7	8	11	23
50-64	3	7.7	4	6	6	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.0	23	2	2	3	5	6	7	19
B. *Operated*	5867	5.6	3	4	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	139	4.7	5	2	2	5	6	7	8	13
B. *Operated*	7298	6.2	9	4	4	6	7	8	10	16
1. SINGLE DX	6085	5.5	4	3	4	5	6	7	8	11
2. MULTIPLE DX	7437	6.2	9	4	4	6	7	8	10	16
A. NOT OPERATED	357	4.3	16	2	2	4	5	6	7	15
B. OPERATED	13165	6.0	7	4	4	6	7	8	9	14
TOTAL 0-19 YRS	2944	6.2	8	4	4	6	7	8	10	16
20-34	10111	5.8	7	3	4	5	6	8	9	13
35-49	464	6.2	7	3	4	6	7	8	10	17
50-64	3	7.7	4	6	6	7	9	10	10	10
GRAND TOTAL	**13522**	**5.9**	**7**	**3**	**4**	**6**	**7**	**8**	**9**	**14**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	1	2	2	3	4	5	5	6
20-34	405	3.3	1	2	2	3	4	5	5	8
35-49	10	2.5	2	<1	<1	3	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	171	4.3	3	2	2	4	5	7	7	8
20-34	707	4.5	4	2	3	4	6	7	7	10
35-49	24	4.9	2	2	3	5	6	6	7	7
50-64	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.7	5	2	2	3	4	5	7	15
20-34	213	3.6	9	2	2	3	4	5	6	26
35-49	9	2.9	1	1	1	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	412	5.0	7	2	2	5	6	8	10	15
20-34	1465	5.0	10	2	3	5	6	7	9	14
35-49	121	5.7	8	3	3	5	7	8	9	19
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.3	1	2	2	3	4	5	5	7
B. *Operated*	903	4.4	4	2	3	4	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	302	3.6	7	2	2	3	4	5	6	20
B. *Operated*	1999	5.0	9	2	3	5	6	8	9	14
1. SINGLE DX	1423	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	2301	4.8	9	2	3	4	6	7	9	14
A. NOT OPERATED	822	3.4	4	2	2	3	4	5	5	10
B. OPERATED	2902	4.8	7	2	3	4	6	7	8	13
TOTAL 0-19 YRS	767	4.5	6	2	2	4	5	7	9	14
20-34	2790	4.5	7	2	2	4	6	7	8	13
35-49	164	5.2	8	2	3	5	6	8	9	15
50-64	3	7.3	26	3	3	6	11	13	13	13
GRAND TOTAL	**3724**	**4.5**	**7**	**2**	**2**	**4**	**6**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	5	1	1	3	4	6	9	11
20-34	95	3.1	2	2	2	3	3	4	5	10
35-49	6	2.7	1	1	1	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	67	5.0	13	2	2	4	5	8	9	24
20-34	383	4.8	4	2	3	5	6	7	8	10
35-49	16	4.2	3	<1	1	4	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.0	3	2	2	3	5	7	8	8
20-34	84	5.4	56	1	2	4	6	7	10	51
35-49	9	4.8	5	2	2	4	6	8	9	9
50-64										
B. *Operated*										
0-19 YRS	145	6.2	10	2	3	6	8	10	12	17
20-34	895	6.0	12	3	3	6	7	8	10	21
35-49	87	6.4	30	3	3	5	7	8	10	38
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.2	2	1	2	3	3	4	6	12
B. *Operated*	466	4.8	5	2	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	110	5.2	44	2	2	4	6	7	9	42
B. *Operated*	1127	6.1	13	3	3	6	7	9	11	20
1. SINGLE DX	584	4.5	5	2	2	4	6	7	8	11
2. MULTIPLE DX	1237	6.0	16	2	3	6	7	9	11	22
A. NOT OPERATED	228	4.1	23	2	2	3	4	6	7	23
B. OPERATED	1593	5.7	11	2	3	5	7	8	10	18
TOTAL 0-19 YRS	246	5.5	10	2	2	5	7	10	11	20
20-34	1457	5.5	12	2	3	5	6	8	9	18
35-49	118	5.8	24	2	3	5	7	8	9	28
50-64										
GRAND TOTAL	**1821**	**5.5**	**13**	**2**	**3**	**5**	**6**	**8**	**10**	**18**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.9	2	3	3	5	6	7	7	7
20-34	76	5.3	4	2	3	5	6	7	7	15
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64										
B. *Operated*										
0-19 YRS	588	5.7	2	4	4	6	6	7	8	10
20-34	5292	5.8	2	4	4	6	7	7	8	9
35-49	207	6.0	2	4	4	6	7	8	8	10
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	70	5.4	3	3	3	5	6	7	8	14
35-49	5	5.8	3	3	3	7	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	509	6.1	4	4	4	6	7	8	10	15
20-34	6572	6.3	8	4	4	6	7	8	9	16
35-49	524	6.6	5	4	5	6	7	8	9	16
50-64	3	6.0	16	2	2	6	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.2	4	2	3	5	6	7	7	15
B. *Operated*	6088	5.8	2	4	4	6	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	78	5.4	3	3	3	5	6	7	8	13
B. *Operated*	7608	6.3	8	4	4	6	7	8	9	16
1. SINGLE DX	6177	5.8	2	4	4	6	6	7	8	9
2. MULTIPLE DX	7686	6.3	8	4	4	6	7	8	9	16
A. NOT OPERATED	167	5.3	4	2	3	5	6	7	7	14
B. OPERATED	13696	6.1	5	4	4	6	7	8	8	13
TOTAL 0-19 YRS	1111	5.9	3	4	4	6	6	8	9	13
20-34	12010	6.0	6	4	4	6	7	8	8	13
35-49	738	6.4	5	4	5	6	7	8	9	15
50-64	4	6.0	11	2	2	6	8	10	10	10
GRAND TOTAL	**13863**	**6.1**	**5**	**4**	**4**	**6**	**7**	**8**	**8**	**13**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	407	3.1	3	1	1	3	4	5	6	9
20-34	1692	3.4	12	1	2	3	4	5	6	11
35-49	73	3.8	6	1	2	3	4	6	8	14
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	233	3.8	5	2	2	3	4	6	8	13
20-34	1058	4.0	5	2	2	3	5	6	7	11
35-49	57	4.2	3	2	2	4	5	7	7	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	3.8	22	2	2	3	4	6	7	13
20-34	730	3.8	6	1	2	3	4	6	7	14
35-49	63	3.4	10	1	1	3	4	5	7	23
50-64										
B. *Operated*										
0-19 YRS	525	4.5	9	2	2	4	5	7	8	13
20-34	2695	4.7	7	2	3	4	6	7	9	15
35-49	226	5.2	6	2	3	5	6	8	9	15
50-64	4	11.5	226	3	3	4	19	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2173	3.4	10	1	2	3	4	5	6	10
B. *Operated*	1348	4.0	5	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	998	3.8	10	1	2	3	4	6	7	14
B. *Operated*	3450	4.7	8	2	3	4	6	7	9	15
1. SINGLE DX	3521	3.6	8	1	2	3	4	5	7	11
2. MULTIPLE DX	4448	4.5	8	2	2	4	5	7	8	15
A. NOT OPERATED	3171	3.5	10	1	2	3	4	5	7	12
B. OPERATED	4798	4.5	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	1370	3.9	9	2	2	3	4	6	8	12
20-34	6175	4.1	8	2	2	4	5	6	8	13
35-49	419	4.6	7	2	2	4	6	7	9	14
50-64	5	9.8	184	3	3	4	12	34	34	34
GRAND TOTAL	**7969**	**4.1**	**8**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	594	2.8	2	2	2	3	3	4	4	6
20-34	2753	3.0	6	2	2	3	3	4	4	7
35-49	100	3.0	1	1	2	3	3	4	5	6
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	303	3.1	1	2	2	3	4	4	5	6
20-34	1392	3.2	3	2	2	3	4	4	5	8
35-49	53	3.6	2	2	2	3	4	5	6	8
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	3.0	5	2	2	3	3	4	5	13
20-34	572	3.0	2	2	2	3	3	4	5	8
35-49	24	3.1	1	1	2	3	3	4	5	6
50-64										
B. *Operated*										
0-19 YRS	353	3.6	9	2	2	3	4	6	6	14
20-34	2144	3.6	3	2	2	3	4	5	6	10
35-49	153	3.9	2	2	2	4	5	6	7	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3448	2.9	5	2	2	3	3	4	4	7
B. *Operated*	1749	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	736	3.0	2	2	2	3	3	4	5	8
B. *Operated*	2650	3.6	4	2	2	3	4	5	6	10
1. SINGLE DX	5197	3.0	4	2	2	3	3	4	5	7
2. MULTIPLE DX	3386	3.5	3	2	2	3	4	5	6	10
A. NOT OPERATED	4184	3.0	5	2	2	3	3	4	4	7
B. OPERATED	4399	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	1390	3.1	4	2	2	3	3	4	5	8
20-34	6861	3.2	4	2	2	3	4	5	5	8
35-49	330	3.5	2	2	2	3	4	5	6	8
50-64	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**8583**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.6	1	1	2	3	3	4	4	6
20-34	762	2.6	1	1	1	3	3	4	4	6
35-49	22	2.5	1	<1	1	2	3	5	5	5
50-64										
B. *Operated*										
0-19 YRS	1506	2.9	8	2	2	3	3	4	4	7
20-34	6270	2.9	4	1	2	3	3	4	4	7
35-49	342	3.0	5	1	2	3	3	4	5	23
50-64	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	4	2	2	3	3	5	6	13
20-34	172	2.9	2	1	2	3	3	4	5	7
35-49	13	2.8	1	2	2	3	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	516	3.2	2	2	2	3	3	4	5	9
20-34	3094	3.5	7	2	2	3	4	5	6	11
35-49	251	3.8	5	2	2	3	4	5	6	14
50-64	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	2.6	1	1	1	3	3	4	4	6
B. *Operated*	8122	2.9	5	1	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	225	3.0	2	2	2	3	3	4	5	8
B. *Operated*	3863	3.5	6	2	2	3	4	5	6	11
1. SINGLE DX	9107	2.8	4	1	2	3	3	4	4	7
2. MULTIPLE DX	4088	3.5	6	2	2	3	4	5	6	11
A. NOT OPERATED	1210	2.7	1	1	2	3	3	4	4	6
B. OPERATED	11985	3.1	5	2	2	3	3	4	5	8
TOTAL 0-19 YRS	2263	2.9	6	2	2	3	3	4	5	7
20-34	10298	3.0	5	1	2	3	3	4	5	8
35-49	628	3.3	5	1	2	3	4	5	5	14
50-64	6	2.3	2	1	1	2	2	5	5	5
GRAND TOTAL	**13195**	**3.0**	**5**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.9	1	2	2	3	3	4	4	6
20-34	542	3.0	1	2	2	3	3	4	4	6
35-49	11	2.9	1	1	1	3	3	4	5	5
50-64	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	1783	3.1	6	2	2	3	3	4	4	7
20-34	4794	3.2	1	2	2	3	4	4	5	6
35-49	109	3.4	1	2	2	3	4	5	5	7
50-64	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.8	10	1	2	3	4	6	6	23
20-34	135	3.4	2	2	2	3	4	5	5	11
35-49	6	3.7	1	3	3	4	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	1043	3.5	4	2	2	3	4	5	6	11
20-34	3215	3.6	5	2	2	3	4	5	6	11
35-49	95	3.9	2	2	3	4	4	6	6	11
50-64	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	2.9	1	2	2	3	3	4	4	6
B. *Operated*	6688	3.2	3	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	187	3.5	4	2	2	3	4	5	6	13
B. *Operated*	4355	3.6	5	2	2	3	4	5	6	11
1. SINGLE DX	7419	3.1	3	2	2	3	4	4	5	6
2. MULTIPLE DX	4542	3.6	5	2	2	3	4	5	6	11
A. NOT OPERATED	918	3.1	2	2	2	3	3	4	5	7
B. OPERATED	11043	3.3	4	2	2	3	4	4	5	8
TOTAL 0-19 YRS	3048	3.2	5	2	2	3	4	4	5	9
20-34	8686	3.3	3	2	2	3	4	5	5	8
35-49	221	3.6	2	2	2	3	4	5	6	8
50-64	6	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**11961**	**3.3**	**4**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.1	6	2	2	3	3	4	5	17
20-34	252	2.9	3	2	2	3	3	4	4	7
35-49	6	2.7		2	2	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	601	2.9	1	2	2	3	3	4	4	6
20-34	1897	3.1	2	2	2	3	4	4	5	7
35-49	46	3.3	2	2	2	3	4	4	5	10
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	4	1	2	3	4	5	6	13
20-34	93	3.5	21	2	2	3	3	5	6	30
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	407	3.4	3	2	2	3	4	5	6	10
20-34	1440	3.8	9	2	2	3	4	5	6	12
35-49	81	3.8	2	2	3	3	5	6	7	8
50-64	2	6.5	13	4	4	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	3.0	4	2	2	3	3	4	4	12
B. *Operated*	2545	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	134	3.4	16	2	2	3	3	5	6	18
B. *Operated*	1930	3.7	8	2	2	3	4	5	6	11
1. SINGLE DX	2927	3.1	2	2	2	3	3	4	5	7
2. MULTIPLE DX	2064	3.7	8	2	2	3	4	5	6	11
A. NOT OPERATED	516	3.1	7	2	2	3	3	4	5	13
B. OPERATED	4475	3.3	4	2	2	3	4	5	5	9
TOTAL 0-19 YRS	1171	3.1	2	2	2	3	3	4	5	9
20-34	3682	3.4	5	2	2	3	4	5	6	9
35-49	135	3.6	2	2	2	3	4	5	6	8
50-64	3	5.3	10	3	3	4	8	9	9	9
GRAND TOTAL	**4991**	**3.3**	**5**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1837	3.2	5	1	2	3	3	5	6	13
20-34	5412	3.0	5	1	1	3	3	4	6	10
35-49	243	3.1	4	1	1	3	3	5	7	10
50-64	6	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	8886	3.3	5	2	2	3	4	4	5	10
20-34	33692	3.5	4	2	2	3	4	5	6	9
35-49	1140	3.6	2	2	2	3	4	5	6	9
50-64	13	3.6	4	<1	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	891	3.5	5	1	2	3	4	6	8	12
20-34	2402	3.7	9	1	2	3	4	6	8	17
35-49	167	3.8	12	1	1	3	4	7	10	18
50-64	6	5.0	5	3	3	4	6	9	9	9
B. *Operated*										
0-19 YRS	4217	4.6	17	2	2	4	5	8	10	20
20-34	20032	4.6	12	2	2	4	5	7	9	18
35-49	1630	5.1	14	2	3	4	6	8	10	20
50-64	5	5.4	23	3	3	3	6	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7498	3.1	5	1	1	3	3	5	6	10
B. *Operated*	43731	3.4	4	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3466	3.6	8	1	2	3	4	6	8	15
B. *Operated*	25884	4.6	13	2	2	4	5	7	9	18
1. SINGLE DX	51229	3.4	4	2	2	3	4	5	6	9
2. MULTIPLE DX	29350	4.5	13	2	2	4	5	7	9	18
A. NOT OPERATED	10964	3.3	6	1	1	3	4	5	7	12
B. OPERATED	69615	3.9	8	2	2	3	4	6	7	14
TOTAL 0-19 YRS	15831	3.7	9	2	2	3	4	6	7	14
20-34	61538	3.8	7	2	2	3	4	6	7	13
35-49	3180	4.3	10	2	2	4	5	7	8	16
50-64	30	4.0	7	2	2	3	4	7	9	14
GRAND TOTAL	**80579**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.5	5	2	2	4	6	7	8	13
20-34	161	4.4	6	2	2	4	5	7	9	15
35-49	8	3.5	3	1	1	3	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	11	4.8	9	2	2	4	5	10	12	12
20-34	28	5.2	11	2	2	4	7	11	12	15
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.6	12	2	2	4	5	7	7	21
20-34	65	5.4	18	2	2	4	6	10	14	28
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	12	7.1	44	2	3	5	7	15	25	27
20-34	51	5.7	26	2	2	5	6	8	16	32
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	4.4	6	2	2	4	5	7	9	13
B. *Operated*	42	5.1	9	2	2	4	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	97	5.1	16	2	2	4	6	7	13	26
B. *Operated*	65	5.9	29	2	2	5	6	9	18	31
1. SINGLE DX	298	4.5	6	2	2	4	5	7	10	14
2. MULTIPLE DX	162	5.4	21	2	2	4	6	8	14	30
A. NOT OPERATED	353	4.6	8	2	2	4	5	7	10	16
B. OPERATED	107	5.6	21	2	2	5	6	9	12	29
TOTAL 0-19 YRS	141	4.8	10	2	2	4	5	7	9	22
20-34	305	4.9	13	2	2	4	5	8	11	21
35-49	14	3.6	2	1	2	4	5	6	6	6
50-64										
GRAND TOTAL	**460**	**4.8**	**12**	**2**	**2**	**4**	**5**	**7**	**11**	**21**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.9	1	<1	1	2	2	4	4	5
20-34	131	1.9	1	<1	1	2	2	3	4	6
35-49	7	2.0	1	1	1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	79	2.1	2	1	1	2	3	4	5	8
20-34	426	2.2	3	<1	1	2	2	4	6	11
35-49	27	2.6	4	<1	1	2	3	6	7	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.2	4	2	2	4	5	7	8	9
20-34	57	2.8	3	<1	1	2	3	5	6	11
35-49	4	2.8	2	<1	<1	3	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	41	3.1	5	1	1	2	4	5	8	12
20-34	208	3.0	5	1	1	2	4	6	7	11
35-49	9	3.1	2	1	1	3	4	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	532	2.2	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	77	3.1	4	<1	1	3	4	5	7	10
B. *Operated*	260	3.1	5	1	1	2	4	6	7	11
1. SINGLE DX	699	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	337	3.1	5	1	1	2	4	6	7	11
A. NOT OPERATED	244	2.3	2	<1	1	2	3	4	5	8
B. OPERATED	792	2.5	4	1	1	2	3	5	7	11
TOTAL 0-19 YRS	165	2.6	3	1	1	2	3	5	6	10
20-34	822	2.4	4	1	1	2	3	5	6	11
35-49	47	2.6	3	<1	1	2	3	5	6	9
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**1036**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	15	1	1	3	5	12	14	15
20-34	102	4.6	13	1	1	3	6	10	12	17
35-49	7	9.3	76	1	1	7	13	24	26	26
50-64										
B. *Operated*										
0-19 YRS	39	3.1	5	<1	<1	2	4	6	7	11
20-34	160	3.3	7	<1	1	3	4	7	8	15
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	11	1	1	3	4	10	12	12
20-34	69	5.3	18	1	1	4	7	12	14	20
35-49	3	9.7	5	7	7	11	11	11	11	11
50-64										
B. *Operated*										
0-19 YRS	28	6.8	46	1	1	4	8	20	24	25
20-34	132	4.5	21	1	1	3	5	9	12	27
35-49	9	4.1	19	1	1	3	4	11	15	15
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	4.8	18	1	1	3	6	11	14	20
B. *Operated*	204	3.2	6	<1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	85	5.3	17	1	1	4	7	11	13	20
B. *Operated*	169	4.8	26	1	1	3	5	10	15	25
1. SINGLE DX	340	3.8	11	1	1	3	4	8	11	15
2. MULTIPLE DX	254	5.0	23	1	1	3	6	11	14	24
A. NOT OPERATED	221	5.0	17	1	1	4	6	11	14	19
B. OPERATED	373	3.9	16	1	1	3	4	8	11	23
TOTAL 0-19 YRS	107	4.5	21	<1	1	3	5	10	14	24
20-34	463	4.2	14	1	1	3	5	9	12	18
35-49	24	5.8	37	1	1	3	9	14	18	26
50-64										
GRAND TOTAL	**594**	**4.3**	**17**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	943	4.5	12	2	2	4	5	7	9	14
20-34	703	4.7	8	2	2	4	6	8	10	16
35-49	515	5.4	12	2	2	5	7	9	12	19
50-64	438	6.2	16	2	3	5	8	10	13	22
65+	444	7.5	29	2	3	7	9	13	16	29
B. *Operated*										
0-19 YRS	559	4.8	17	1	1	4	6	8	11	25
20-34	530	5.8	29	1	2	4	7	10	14	30
35-49	320	6.4	30	1	2	5	8	12	15	28
50-64	278	8.5	56	2	3	6	11	16	21	39
65+	163	9.6	69	2	3	8	11	19	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	720	5.1	17	2	2	4	6	9	12	24
20-34	804	5.9	20	2	2	5	7	11	14	22
35-49	908	7.3	29	2	3	6	9	13	16	31
50-64	1283	8.6	42	3	3	7	10	15	19	36
65+	1865	9.9	46	3	4	8	12	18	23	41
B. *Operated*										
0-19 YRS	324	7.4	62	1	2	5	9	14	19	41
20-34	483	8.3	72	2	2	6	10	16	24	42
35-49	474	11.5	130	2	3	8	14	25	34	81
50-64	600	14.0	140	3	4	10	19	30	39	70
65+	620	15.7	136	4	5	13	20	31	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3043	5.4	15	2	2	4	7	9	12	19
B. *Operated*	1850	6.3	36	1	2	5	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	5580	8.0	38	2	3	6	10	14	19	33
B. *Operated*	2501	12.0	124	2	3	8	15	26	34	63
1. SINGLE DX	4893	5.7	23	2	2	5	7	10	13	24
2. MULTIPLE DX	8081	9.2	68	2	3	7	11	18	25	46
A. NOT OPERATED	8623	7.1	31	2	3	6	9	13	17	30
B. OPERATED	4351	9.6	94	2	2	7	12	21	29	54
TOTAL 0-19 YRS	2546	5.1	22	1	2	4	6	9	11	24
20-34	2520	6.0	30	2	2	5	7	11	15	27
35-49	2217	7.6	51	2	2	6	9	14	20	40
50-64	2599	9.4	68	2	3	7	11	18	25	47
65+	3092	10.7	70	3	4	9	13	20	27	51
GRAND TOTAL	**12974**	**7.9**	**54**	**2**	**2**	**6**	**9**	**15**	**21**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	4.1	7	1	2	4	5	7	8	14
20-34	179	4.9	15	1	2	4	6	8	10	19
35-49	115	5.3	13	2	2	4	6	9	14	19
50-64	79	6.6	14	2	3	6	9	12	14	18
65+	62	8.5	58	2	3	7	10	14	22	46
B. *Operated*										
0-19 YRS	313	4.0	22	1	1	2	5	8	11	26
20-34	275	5.1	33	1	2	3	6	10	15	32
35-49	164	4.6	17	1	1	3	6	9	12	20
50-64	129	6.4	53	1	1	4	8	14	23	38
65+	106	7.1	46	2	2	5	8	15	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	335	4.7	9	1	2	4	6	9	11	14
20-34	206	5.6	24	2	2	4	7	11	13	30
35-49	180	6.7	18	2	3	6	9	12	14	22
50-64	246	8.4	37	3	3	7	11	15	21	38
65+	301	9.9	43	3	4	8	13	19	23	31
B. *Operated*										
0-19 YRS	163	5.3	18	1	1	4	7	11	15	21
20-34	202	7.5	79	1	2	4	9	16	24	53
35-49	196	10.3	118	1	2	7	12	24	34	55
50-64	293	11.3	107	2	2	8	15	24	31	60
65+	264	14.7	165	3	4	11	20	31	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	5.1	16	1	2	4	6	9	12	20
B. *Operated*	987	5.1	32	1	1	3	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	1268	7.1	30	2	2	6	9	14	18	27
B. *Operated*	1118	10.4	114	1	2	7	13	24	31	57
1. SINGLE DX	1723	5.1	25	1	2	4	6	9	13	27
2. MULTIPLE DX	2386	8.6	72	2	2	6	11	18	25	45
A. NOT OPERATED	2004	6.4	26	2	2	5	8	13	16	25
B. OPERATED	2105	7.9	83	1	2	5	9	18	26	46
TOTAL 0-19 YRS	1112	4.5	14	1	1	4	6	8	11	17
20-34	862	5.7	39	1	2	4	7	11	15	33
35-49	655	7.0	52	1	2	5	8	14	20	38
50-64	747	9.0	69	2	2	7	11	19	25	46
65+	733	11.1	96	2	3	8	14	23	31	48
GRAND TOTAL	**4109**	**7.1**	**56**	**1**	**2**	**5**	**8**	**15**	**21**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	22	1	1	3	5	7	8	27
20-34	56	3.8	4	1	1	4	5	6	7	8
35-49	12	5.9	41	<1	1	4	6	14	23	25
50-64										
65+										
B. *Operated*										
0-19 YRS	1337	4.1	6	2	2	4	5	7	8	13
20-34	2289	4.3	9	2	2	4	5	7	8	13
35-49	347	4.2	5	2	2	4	5	7	9	12
50-64	76	4.6	7	2	2	4	6	9	10	12
65+	23	4.7	8	2	2	4	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	4	<1	<1	2	4	6	7	7
20-34	26	3.4	4	<1	1	3	5	6	7	8
35-49	5	6.6	5	3	3	7	8	9	9	9
50-64	5	3.8	10	1	1	3	5	9	9	9
65+										
B. *Operated*										
0-19 YRS	155	5.0	12	2	2	4	6	8	11	22
20-34	395	5.4	16	2	2	4	6	9	13	24
35-49	162	6.0	17	2	3	5	7	10	12	24
50-64	47	5.8	18	2	3	5	6	10	13	27
65+	16	10.6	46	2	3	9	16	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.2	14	1	1	4	5	7	8	26
B. *Operated*	4072	4.2	8	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	48	3.6	5	<1	1	3	5	7	8	9
B. *Operated*	775	5.6	17	2	2	4	6	10	13	24
1. SINGLE DX	4170	4.2	8	2	2	4	5	7	8	13
2. MULTIPLE DX	823	5.5	16	2	2	4	6	9	12	23
A. NOT OPERATED	146	4.0	11	1	1	3	5	7	8	25
B. OPERATED	4847	4.5	10	2	2	4	5	7	9	15
TOTAL 0-19 YRS	1534	4.2	7	2	2	4	5	7	8	14
20-34	2766	4.4	10	2	2	4	5	7	8	14
35-49	526	4.8	10	2	2	4	6	8	10	17
50-64	128	5.0	11	2	2	4	6	9	11	18
65+	39	7.1	32	2	3	5	8	16	19	25
GRAND TOTAL	**4993**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	2	<1	<1	1	3	4	5	5
20-34	17	2.4	3	<1	<1	2	3	5	7	8
35-49	7	3.6	6	<1	<1	3	6	7	7	7
50-64	11	1.5		<1	<1	1	2	3	3	3
65+	4	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	398	1.8	1	<1	1	2	2	3	3	6
20-34	452	2.2	4	<1	1	2	2	4	5	10
35-49	322	2.5	3	<1	1	2	3	4	6	11
50-64	251	2.4	3	<1	1	2	3	4	6	9
65+	116	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	9	5.3	87	<1	<1	2	3	20	30	30
35-49	12	2.3	3	<1	<1	2	3	4	7	7
50-64	18	4.6	12	1	2	4	5	10	13	15
65+	11	4.9	13	<1	<1	4	8	10	11	11
B. *Operated*										
0-19 YRS	72	3.0	15	1	1	2	3	4	7	26
20-34	207	3.4	12	1	1	2	4	6	9	23
35-49	229	3.8	10	1	1	3	5	8	9	18
50-64	194	3.9	13	1	1	3	5	8	10	21
65+	125	5.6	33	1	2	3	7	12	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	3	<1	<1	2	3	5	6	8
B. *Operated*	1539	2.2	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	54	4.1	22	<1	1	3	5	9	11	29
B. *Operated*	827	3.9	16	1	1	3	5	8	10	25
1. SINGLE DX	1589	2.2	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	881	3.9	16	1	1	3	5	8	10	26
A. NOT OPERATED	104	3.2	14	<1	<1	2	4	7	9	22
B. OPERATED	2366	2.8	8	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	485	1.9	3	<1	1	2	2	3	4	7
20-34	685	2.6	8	<1	1	2	3	5	6	14
35-49	570	3.0	6	1	1	2	3	6	8	15
50-64	474	3.1	8	1	1	2	3	6	8	15
65+	256	4.0	20	1	1	3	4	8	12	29
GRAND TOTAL	**2470**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	619	4.2	18	1	1	3	5	8	10	25
20-34	443	5.5	35	1	1	4	6	12	18	25
35-49	356	5.7	24	1	2	4	7	12	15	21
50-64	314	8.4	94	1	1	6	10	17	26	41
65+	343	9.6	74	1	2	7	12	21	25	46
B. *Operated*										
0-19 YRS	1650	2.8	15	<1	1	2	3	5	8	18
20-34	1782	4.4	32	1	1	3	4	9	14	31
35-49	1175	4.9	48	1	1	3	5	10	16	33
50-64	1136	5.3	66	1	1	3	5	11	20	46
65+	800	10.1	171	1	2	4	14	27	39	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	616	5.2	39	1	1	4	6	9	13	34
20-34	550	6.9	63	1	2	5	8	14	20	45
35-49	674	8.3	72	2	2	6	10	17	22	43
50-64	950	10.0	79	2	3	8	13	21	27	55
65+	1887	13.1	124	3	4	10	16	27	35	68
B. *Operated*										
0-19 YRS	630	5.1	52	1	1	2	5	12	21	37
20-34	1185	10.1	210	1	2	4	10	28	46	89
35-49	1217	9.4	188	1	2	4	9	25	41	89
50-64	1601	9.9	175	1	2	4	11	25	37	74
65+	1674	16.8	315	2	2	11	24	42	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2075	6.3	47	1	1	4	7	14	19	34
B. *Operated*	6543	4.9	58	1	1	2	4	11	18	43
2. MULTIPLE DX										
A. *Not Operated*	4677	10.0	97	2	2	7	12	21	29	59
B. *Operated*	6307	11.2	222	1	2	5	14	30	46	87
1. SINGLE DX	8618	5.3	56	1	1	3	5	11	19	41
2. MULTIPLE DX	10984	10.7	169	1	2	6	13	26	38	79
A. NOT OPERATED	6752	8.8	85	1	2	6	11	19	27	51
B. OPERATED	12850	8.0	149	1	1	3	8	22	34	71
TOTAL 0-19 YRS	3515	3.9	28	1	1	2	4	8	11	27
20-34	3960	6.6	96	1	1	3	6	15	24	63
35-49	3422	7.3	104	1	2	4	8	16	26	65
50-64	4001	8.5	119	1	2	4	10	21	30	62
65+	4704	13.7	203	2	2	9	18	32	45	86
GRAND TOTAL	**19602**	**8.3**	**127**	**1**	**2**	**4**	**9**	**21**	**31**	**66**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	29	1	2	5	8	15	20	20
20-34	84	6.8	23	2	2	5	8	14	16	24
35-49	95	7.9	44	2	2	6	10	16	20	39
50-64	65	8.4	44	2	3	7	12	16	24	33
65+	36	8.6	20	3	4	8	11	15	16	22
B. *Operated*										
0-19 YRS	15	9.3	45	1	3	8	10	17	26	29
20-34	46	10.7	205	2	2	7	11	19	32	86
35-49	41	8.7	40	2	2	7	13	18	22	24
50-64	24	12.7	64	3	4	13	18	28	49	99+
65+	23	14.8	121	2	3	12	20	32	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.2	65	2	3	6	9	16	30	38
20-34	226	8.5	55	2	3	6	10	16	23	41
35-49	233	10.3	91	3	3	8	12	19	25	61
50-64	224	9.7	84	2	3	7	12	20	23	58
65+	209	11.8	83	2	3	9	15	25	33	42
B. *Operated*										
0-19 YRS	22	13.2	115	2	3	11	15	29	39	47
20-34	107	14.1	225	2	3	9	17	30	45	84
35-49	121	13.5	143	2	4	11	15	28	39	67
50-64	134	15.6	163	3	4	13	19	28	40	69
65+	109	17.2	149	3	5	14	23	34	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	7.6	34	2	2	6	10	15	19	27
B. *Operated*	149	10.9	110	2	3	8	14	22	29	86
2. MULTIPLE DX										
A. *Not Operated*	951	10.0	79	2	3	8	12	19	26	44
B. *Operated*	493	15.0	167	3	4	12	18	31	40	67
1. SINGLE DX	462	8.7	61	2	2	7	11	17	22	42
2. MULTIPLE DX	1444	11.7	114	2	3	9	15	24	33	58
A. NOT OPERATED	1264	9.4	69	2	3	7	12	18	24	43
B. OPERATED	642	14.1	156	2	3	11	17	28	38	67
TOTAL 0-19 YRS	129	8.6	66	1	2	6	11	17	27	40
20-34	463	9.7	109	2	3	7	12	19	28	52
35-49	490	10.5	94	2	3	8	13	20	26	58
50-64	447	11.5	108	2	3	9	15	22	28	65
65+	377	13.3	105	2	3	11	17	27	36	49
GRAND TOTAL	**1906**	**11.0**	**103**	**2**	**3**	**8**	**14**	**22**	**30**	**53**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	5.9	16	2	2	5	8	12	14	21
20-34	115	6.7	28	2	3	5	8	12	15	31
35-49	206	7.1	26	2	2	6	9	13	20	25
50-64	333	8.3	34	2	3	7	11	15	21	29
65+	310	9.4	49	3	3	8	11	17	24	40
B. *Operated*										
0-19 YRS	33	7.2	41	2	2	5	12	19	22	99+
20-34	91	11.1	149	2	2	6	15	24	33	69
35-49	232	10.1	78	2	3	8	14	19	25	43
50-64	524	11.6	90	2	3	9	16	22	29	44
65+	297	15.4	112	3	4	15	20	30	37	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	7.3	47	2	2	6	9	12	18	43
20-34	127	7.2	18	2	3	6	9	14	15	22
35-49	391	8.8	47	3	3	7	11	16	20	46
50-64	947	9.6	54	2	3	8	12	17	23	37
65+	1161	11.2	68	3	4	9	14	21	27	44
B. *Operated*										
0-19 YRS	17	14.9	292	2	2	7	21	41	54	60
20-34	67	11.3	119	2	3	7	15	23	29	66
35-49	296	11.3	123	2	3	8	14	25	34	52
50-64	630	13.9	154	3	3	10	18	30	39	62
65+	458	16.9	168	3	5	14	22	32	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1134	7.9	35	2	3	6	10	14	20	30
B. *Operated*	1177	12.1	100	2	3	10	17	24	31	47
2. MULTIPLE DX										
A. *Not Operated*	2707	10.0	58	3	3	8	13	19	24	41
B. *Operated*	1468	14.2	156	3	3	11	18	30	39	65
1. SINGLE DX	2311	10.0	73	2	3	7	13	20	26	43
2. MULTIPLE DX	4175	11.5	97	3	3	9	14	23	31	52
A. NOT OPERATED	3841	9.4	52	2	3	8	12	18	23	37
B. OPERATED	2645	13.3	132	2	3	10	17	28	35	61
TOTAL 0-19 YRS	301	6.9	46	2	2	5	9	13	19	45
20-34	400	8.6	71	2	3	6	10	18	23	36
35-49	1125	9.4	72	2	3	7	12	18	24	43
50-64	2434	11.0	89	2	3	8	14	22	29	49
65+	2226	12.7	99	3	4	10	16	25	32	51
GRAND TOTAL	**6486**	**11.0**	**89**	**2**	**3**	**8**	**14**	**22**	**29**	**49**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	4	1	1	4	5	7	7	7
20-34	38	5.0	10	1	2	4	7	9	12	13
35-49	99	5.6	19	1	2	5	7	10	14	26
50-64	256	5.5	15	1	2	4	7	10	15	18
65+	441	7.0	26	2	2	6	9	14	18	25
B. *Operated*										
0-19 YRS	25	7.5	134	2	2	4	6	16	28	58
20-34	220	6.3	32	1	2	5	8	13	16	25
35-49	386	8.3	45	2	2	6	12	17	20	32
50-64	1332	12.0	53	2	3	12	16	21	25	34
65+	1784	16.7	59	4	8	16	20	26	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	11.6	89	2	2	9	17	27	30	30
20-34	44	5.1	14	1	2	4	6	11	12	18
35-49	302	5.7	11	2	2	5	7	10	12	17
50-64	1122	7.2	26	2	3	6	9	13	17	25
65+	2739	8.7	45	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	11	6.4	35	2	2	4	9	15	21	22
20-34	123	7.4	84	2	2	5	8	12	22	50
35-49	315	8.9	53	2	2	7	13	18	22	33
50-64	1026	13.4	97	2	3	12	18	24	30	48
65+	1632	18.7	128	4	7	17	23	32	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	843	6.3	22	1	2	5	8	12	16	23
B. *Operated*	3747	13.5	66	2	3	14	18	23	28	39
2. MULTIPLE DX										
A. *Not Operated*	4216	8.1	38	2	3	7	10	15	19	31
B. *Operated*	3107	15.4	122	3	4	14	20	28	36	58
1. SINGLE DX	4590	12.2	66	2	3	12	17	22	26	38
2. MULTIPLE DX	7323	11.2	87	2	3	8	15	22	28	46
A. NOT OPERATED	5059	7.8	36	2	3	6	10	15	18	30
B. OPERATED	6854	14.4	93	2	3	14	19	25	31	47
TOTAL 0-19 YRS	54	7.3	87	2	2	4	7	16	23	57
20-34	425	6.4	43	1	2	5	8	12	15	31
35-49	1102	7.5	37	2	2	5	10	16	19	30
50-64	3736	10.5	63	2	3	9	15	20	24	36
65+	6596	13.3	90	3	4	12	18	24	30	46
GRAND TOTAL	**11913**	**11.6**	**79**	**2**	**3**	**10**	**16**	**22**	**27**	**43**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	7.6	38	2	2	6	10	15	20	32
20-34	170	6.4	29	2	2	5	8	12	15	27
35-49	144	6.3	22	1	2	5	8	11	16	24
50-64	129	6.8	57	1	2	5	8	13	15	48
65+	162	8.2	68	1	2	7	10	15	20	42
B. *Operated*										
0-19 YRS	101	11.7	70	2	3	11	16	22	25	44
20-34	243	6.6	27	2	2	5	8	14	17	22
35-49	254	7.0	30	2	2	5	9	14	17	28
50-64	287	9.1	51	2	2	6	14	18	23	32
65+	166	14.1	78	2	3	14	18	23	26	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	9.2	60	2	3	6	12	20	24	41
20-34	191	6.5	19	2	2	5	8	13	15	23
35-49	224	7.4	48	2	2	6	9	14	20	33
50-64	401	7.9	36	2	3	7	10	14	18	31
65+	679	9.0	56	2	3	7	11	17	24	39
B. *Operated*										
0-19 YRS	62	13.3	108	2	2	11	16	27	37	48
20-34	161	10.2	101	2	3	7	13	21	29	70
35-49	180	9.9	86	2	2	7	12	21	27	53
50-64	246	14.1	171	2	3	11	18	29	41	82
65+	197	18.2	216	3	5	15	24	35	42	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	7.1	42	2	2	5	9	14	18	29
B. *Operated*	1051	9.1	53	2	2	7	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	1630	8.2	47	2	3	6	10	15	21	36
B. *Operated*	846	13.4	155	2	3	10	17	28	37	72
1. SINGLE DX	1862	8.2	50	2	2	6	11	17	21	33
2. MULTIPLE DX	2476	10.0	89	2	3	7	12	21	28	50
A. NOT OPERATED	2441	7.9	46	2	3	6	10	15	20	34
B. OPERATED	1897	11.0	103	2	2	8	15	23	29	52
TOTAL 0-19 YRS	504	9.5	63	2	2	7	13	20	24	42
20-34	765	7.3	43	2	2	5	8	14	20	37
35-49	802	7.6	48	2	2	6	9	15	21	34
50-64	1063	9.5	81	2	3	7	12	19	26	44
65+	1204	11.1	100	2	3	8	14	22	29	52
GRAND TOTAL	**4338**	**9.2**	**73**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.4	5	<1	1	3	5	6	8	10
20-34	82	3.4	4	1	1	3	5	6	7	9
35-49	39	4.3	13	<1	<1	3	6	10	12	16
50-64	28	4.7	27	<1	1	3	5	9	19	24
65+	16	5.6	21	1	1	5	7	12	16	18
B. *Operated*										
0-19 YRS	1290	4.1	7	2	2	4	5	6	8	11
20-34	2434	4.6	9	2	2	4	5	7	9	13
35-49	1209	4.8	8	2	2	4	6	8	9	15
50-64	531	5.4	8	2	3	5	7	9	11	16
65+	108	7.1	24	3	3	6	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	7	<1	<1	3	5	6	8	12
20-34	59	3.4	14	<1	<1	2	4	6	12	19
35-49	49	5.1	19	1	1	4	7	13	16	16
50-64	42	6.3	31	1	1	5	9	14	18	27
65+	23	9.1	55	2	3	7	11	16	28	33
B. *Operated*										
0-19 YRS	667	4.5	6	2	2	4	5	7	9	13
20-34	1397	5.1	15	2	2	5	6	8	10	18
35-49	830	5.7	18	2	2	5	7	9	13	21
50-64	625	6.6	20	2	3	6	8	11	15	24
65+	177	8.7	34	3	3	7	10	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	3.9	10	<1	1	3	5	8	9	18
B. *Operated*	5572	4.7	9	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	196	5.1	26	<1	1	4	6	12	16	27
B. *Operated*	3696	5.6	17	2	2	5	7	9	12	21
1. SINGLE DX	5793	4.6	9	2	2	4	5	7	9	14
2. MULTIPLE DX	3892	5.5	17	2	2	5	7	9	12	21
A. NOT OPERATED	417	4.5	18	<1	1	3	5	9	13	22
B. OPERATED	9268	5.0	12	2	2	4	6	8	10	17
TOTAL 0-19 YRS	2036	4.2	6	1	2	4	5	7	8	12
20-34	3972	4.7	11	2	2	4	6	7	9	15
35-49	2127	5.2	12	2	2	5	6	9	11	18
50-64	1226	6.0	16	2	3	5	7	10	13	22
65+	324	8.0	32	3	3	7	10	15	19	31
GRAND TOTAL	**9685**	**5.0**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	3.9	7	1	1	3	5	7	8	15
20-34	215	4.2	11	1	1	3	5	10	12	15
35-49	131	5.2	23	1	1	4	6	9	15	25
50-64	120	5.8	20	1	1	5	8	11	13	24
65+	123	7.0	29	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS	1132	4.4	16	1	2	4	5	7	9	20
20-34	1722	4.6	17	1	2	4	5	8	10	17
35-49	624	5.3	23	1	2	4	6	10	14	25
50-64	344	5.7	27	1	2	4	7	12	16	26
65+	162	8.0	57	1	2	5	11	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	4.2	12	1	1	3	5	8	11	19
20-34	253	6.1	51	1	1	4	7	11	15	36
35-49	261	6.4	44	2	2	5	8	11	16	37
50-64	254	7.8	68	2	2	5	10	15	21	30
65+	389	8.8	44	2	2	7	11	17	22	34
B. *Operated*										
0-19 YRS	362	5.0	13	2	2	4	6	9	11	22
20-34	714	5.3	17	2	2	4	6	9	12	25
35-49	429	7.6	66	2	2	5	9	15	24	43
50-64	350	8.9	81	2	2	6	11	19	26	52
65+	211	13.1	116	2	3	10	18	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	4.8	16	1	1	4	6	10	12	20
B. *Operated*	3984	4.9	21	1	2	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	1365	7.0	47	1	2	5	9	13	19	30
B. *Operated*	2066	7.1	54	2	2	5	8	15	22	41
1. SINGLE DX	4896	4.9	20	1	2	4	6	9	12	23
2. MULTIPLE DX	3431	7.1	51	2	2	5	8	14	21	38
A. NOT OPERATED	2277	6.1	36	1	2	4	8	12	16	26
B. OPERATED	6050	5.7	33	1	2	4	6	11	15	30
TOTAL 0-19 YRS	2025	4.4	14	1	2	4	5	7	10	20
20-34	2904	4.9	20	1	2	4	6	8	11	21
35-49	1445	6.2	41	1	2	4	7	12	17	35
50-64	1068	7.2	55	1	2	5	9	15	21	39
65+	885	9.5	66	2	2	7	12	20	24	40
GRAND TOTAL	**8327**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	101	2	2	11	16	28	28	28
20-34	16	7.8	55	3	3	5	7	23	27	28
35-49	27	6.9	18	2	3	6	9	12	14	21
50-64	17	6.9	27	2	2	4	10	11	18	22
65+	5	11.6	81	2	2	12	18	24	24	24
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	7	9.3	20	3	3	9	12	15	16	16
35-49	5	9.4	25	2	2	11	13	15	15	15
50-64	3	7.7	17	3	3	9	10	11	11	11
65+	3	10.7	21	8	8	8	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	14	8.5	74	1	2	5	11	25	28	29
35-49	29	5.6	11	2	3	4	8	10	11	16
50-64	28	7.2	20	2	3	6	11	15	22	99+
65+	27	11.0	87	3	3	7	14	24	34	36
B. *Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	10	15.0	27	7	7	15	17	22	25	25
35-49	12	18.8	219	3	4	14	26	45	48	48
50-64	14	18.9	464	2	3	15	22	42	76	86
65+	9	16.6	307	5	5	10	20	45	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.8	38	2	3	6	10	14	24	28
B. *Operated*	19	10.0	27	2	3	9	12	16	20	23
2. MULTIPLE DX										
A. *Not Operated*	100	7.9	46	2	2	5	10	17	25	67
B. *Operated*	47	17.1	250	3	4	14	19	35	50	86
1. SINGLE DX	89	8.2	36	2	3	7	11	16	23	28
2. MULTIPLE DX	147	10.8	128	2	3	7	14	23	34	86
A. NOT OPERATED	170	7.8	42	2	3	5	10	16	24	36
B. OPERATED	66	15.0	195	3	3	12	17	25	45	82
TOTAL 0-19 YRS	10	10.2	79	2	2	8	12	25	28	28
20-34	47	9.7	55	2	3	7	14	23	26	29
35-49	73	8.5	67	2	3	6	10	16	23	47
50-64	62	9.8	140	2	3	8	12	19	28	98
65+	44	12.2	123	3	3	8	16	24	35	60
GRAND TOTAL	**236**	**9.8**	**95**	**2**	**3**	**7**	**12**	**22**	**27**	**63**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	48	1	1	5	13	18	18	18
20-34	44	6.4	19	1	2	5	9	13	15	16
35-49	244	6.7	23	2	2	5	9	13	16	21
50-64	455	6.9	19	2	2	6	9	13	15	23
65+	393	7.0	39	2	3	6	9	12	16	24
B. *Operated*										
0-19 YRS	7	6.7	16	1	2	5	10	12	12	12
20-34	65	8.1	23	2	3	7	10	16	18	24
35-49	474	8.7	30	2	3	8	11	16	19	29
50-64	660	9.7	49	2	3	9	12	18	21	35
65+	210	12.0	77	2	3	10	16	24	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.5	38	1	1	3	5	16	21	21
20-34	72	6.3	14	2	3	5	8	11	14	20
35-49	584	6.9	20	2	3	6	9	13	16	22
50-64	1587	7.5	27	2	3	6	9	14	17	25
65+	2348	8.8	37	3	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	3	14.0	61	5	5	18	19	19	19	19
20-34	59	10.8	48	2	4	9	14	20	27	34
35-49	398	10.5	60	2	3	9	14	19	23	39
50-64	806	11.3	71	3	3	10	15	20	26	50
65+	542	14.6	140	3	4	12	19	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1144	6.9	27	2	2	6	9	13	16	23
B. *Operated*	1416	9.6	47	2	3	8	12	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	4601	8.1	32	2	3	7	10	15	19	29
B. *Operated*	1808	12.1	91	2	3	10	15	22	27	56
1. SINGLE DX	2560	8.4	40	2	3	7	11	16	20	30
2. MULTIPLE DX	6409	9.2	52	2	3	7	12	17	22	36
A. NOT OPERATED	5745	7.8	31	2	3	7	10	14	18	28
B. OPERATED	3224	11.0	73	2	3	9	14	20	26	49
TOTAL 0-19 YRS	28	7.3	40	1	1	5	11	18	19	21
20-34	240	7.9	29	2	3	7	10	15	18	29
35-49	1700	8.2	35	2	3	7	11	15	19	29
50-64	3508	8.7	43	2	3	7	11	16	20	33
65+	3493	9.7	61	2	3	8	12	19	24	42
GRAND TOTAL	**8969**	**9.0**	**49**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	8.8	35	2	3	7	12	17	21	28
20-34	987	7.7	20	2	2	7	10	14	16	22
35-49	1712	7.8	21	2	3	7	10	14	16	23
50-64	992	8.4	26	2	3	8	11	14	17	25
65+	300	8.7	28	2	3	8	11	15	18	26
B. *Operated*										
0-19 YRS	197	9.4	26	2	3	9	12	16	20	25
20-34	4071	9.7	36	2	3	9	12	17	20	29
35-49	6712	10.4	35	2	4	9	13	18	21	30
50-64	3214	11.3	39	3	4	10	14	19	23	31
65+	619	13.7	65	3	6	12	17	23	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	7.2	13	2	3	7	10	12	13	14
20-34	366	8.0	29	2	3	7	10	13	17	24
35-49	871	8.8	28	2	3	8	11	16	19	28
50-64	977	9.1	30	3	3	8	12	16	19	29
65+	768	9.8	36	3	4	9	12	17	21	30
B. *Operated*										
0-19 YRS	16	13.2	38	6	7	11	19	23	24	24
20-34	764	12.0	59	2	4	10	15	21	25	42
35-49	1846	12.9	62	3	5	11	16	22	28	43
50-64	1521	14.0	73	3	5	13	18	25	30	42
65+	603	16.2	102	4	6	14	21	29	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4054	8.0	23	2	3	7	10	14	17	24
B. *Operated*	14813	10.5	38	2	4	9	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	3004	9.0	31	3	3	8	11	16	19	28
B. *Operated*	4750	13.5	71	3	5	12	17	24	29	45
1. SINGLE DX	18867	10.0	36	2	3	9	13	17	21	30
2. MULTIPLE DX	7754	11.8	60	3	4	10	15	21	26	39
A. NOT OPERATED	7058	8.5	26	2	3	8	11	15	18	26
B. OPERATED	19563	11.2	48	2	4	10	14	20	24	35
TOTAL 0-19 YRS	298	9.3	29	2	3	9	12	16	21	25
20-34	6188	9.6	37	2	3	9	12	17	20	31
35-49	11141	10.3	39	2	3	9	13	18	22	32
50-64	6704	11.1	47	3	4	10	14	20	24	34
65+	2290	12.4	68	3	4	11	16	22	27	44
GRAND TOTAL	**26621**	**10.5**	**44**	**2**	**3**	**9**	**13**	**19**	**22**	**33**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	7.6	34	1	2	6	10	15	21	25
20-34	336	7.3	20	2	2	7	9	13	15	27
35-49	714	7.7	20	2	3	7	10	13	16	24
50-64	474	7.9	19	2	3	7	10	14	17	21
65+	133	8.2	21	3	3	7	10	15	18	23
B. *Operated*										
0-19 YRS	17	9.4	35	3	4	8	13	17	23	25
20-34	617	9.2	29	2	3	8	12	16	20	27
35-49	1660	9.5	32	2	3	9	12	17	20	29
50-64	956	10.1	35	2	3	9	13	18	21	30
65+	116	12.3	57	3	4	11	16	21	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.6	25	1	1	4	6	12	18	20
20-34	163	7.5	21	2	3	7	11	14	15	20
35-49	526	8.0	24	2	3	7	11	14	16	24
50-64	658	8.4	29	2	3	7	11	15	17	29
65+	474	9.2	34	3	4	8	12	17	21	29
B. *Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	155	11.5	45	3	4	10	15	21	23	33
35-49	583	11.7	64	2	4	10	15	20	25	38
50-64	534	12.4	61	2	4	11	16	22	28	38
65+	140	14.6	139	3	4	12	18	25	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	7.7	20	2	3	7	10	13	16	23
B. *Operated*	3366	9.7	33	2	3	9	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	1834	8.4	29	2	3	7	11	15	17	28
B. *Operated*	1414	12.2	69	3	4	10	16	22	27	40
1. SINGLE DX	5041	9.1	30	2	3	8	11	16	19	28
2. MULTIPLE DX	3248	10.1	49	2	3	9	13	18	23	35
A. NOT OPERATED	3509	8.1	25	2	3	7	10	14	17	26
B. OPERATED	4780	10.4	45	2	3	9	13	19	23	33
TOTAL 0-19 YRS	50	7.8	32	1	2	6	10	15	20	25
20-34	1271	8.8	29	2	3	8	11	16	19	27
35-49	3483	9.3	35	2	3	8	12	16	20	30
50-64	2622	9.7	38	2	3	9	12	17	21	32
65+	863	10.4	57	3	4	9	13	19	24	38
GRAND TOTAL	**8289**	**9.4**	**38**	**2**	**3**	**8**	**12**	**17**	**21**	**31**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	7.7	14	2	3	7	10	13	15	16
20-34	341	7.3	32	2	3	6	9	12	15	22
35-49	365	8.2	20	3	3	7	10	14	16	24
50-64	174	8.1	18	2	3	8	10	13	16	24
65+	43	6.6	15	2	2	6	9	12	15	18
B. *Operated*										
0-19 YRS	16	7.4	35	2	2	5	9	18	20	21
20-34	315	6.9	24	2	2	5	9	13	16	22
35-49	338	7.8	34	2	2	6	11	15	19	23
50-64	90	8.8	66	2	3	7	11	16	22	49
65+	11	9.5	73	1	1	8	12	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.9	7	3	3	6	7	10	11	11
20-34	187	8.5	35	2	3	7	11	15	18	33
35-49	278	8.4	22	3	3	8	10	14	17	26
50-64	222	8.8	26	2	3	8	12	17	19	22
65+	142	9.3	57	3	4	8	11	16	20	31
B. *Operated*										
0-19 YRS	7	7.4	13	3	3	6	10	13	13	13
20-34	144	11.0	69	2	3	10	15	19	23	46
35-49	208	9.3	35	2	3	8	13	18	21	28
50-64	96	11.0	44	3	3	10	15	21	26	29
65+	19	15.3	223	1	2	9	23	41	44	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	943	7.8	24	2	3	7	10	13	15	22
B. *Operated*	770	7.6	34	2	2	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	845	8.6	32	3	3	8	11	15	19	27
B. *Operated*	474	10.4	55	2	3	9	14	19	24	39
1. SINGLE DX	1713	7.7	29	2	3	7	10	14	17	24
2. MULTIPLE DX	1319	9.3	41	2	3	8	12	17	20	30
A. NOT OPERATED	1788	8.2	28	2	3	7	10	14	17	25
B. OPERATED	1244	8.6	44	2	2	7	12	16	20	30
TOTAL 0-19 YRS	59	7.1	17	2	3	6	9	12	16	21
20-34	987	7.9	37	2	3	7	10	14	17	30
35-49	1189	8.3	27	2	3	7	11	15	18	25
50-64	582	9.0	34	2	3	8	11	16	19	27
65+	215	9.3	68	2	3	7	11	16	23	43
GRAND TOTAL	**3032**	**8.4**	**35**	**2**	**3**	**7**	**11**	**15**	**18**	**27**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	7	2	2	6	7	9	9	9
20-34	91	6.1	14	1	2	5	8	11	14	17
35-49	149	8.0	24	2	3	7	11	15	19	24
50-64	113	8.2	28	2	3	7	11	14	17	28
65+	63	8.1	48	2	3	6	10	14	18	45
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	53	8.5	43	1	2	8	10	18	23	29
35-49	72	7.5	33	2	2	6	10	17	20	26
50-64	40	7.5	28	2	2	6	11	15	18	23
65+	11	10.5	53	<1	2	8	17	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	10	2	2	5	7	11	12	12
20-34	66	8.0	31	2	4	6	10	14	21	28
35-49	136	8.2	19	3	4	7	10	15	17	24
50-64	225	9.5	26	3	4	9	12	16	20	25
65+	288	9.7	33	3	4	8	12	17	20	28
B. *Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	35	10.9	49	2	3	9	14	18	23	36
35-49	72	12.0	71	2	3	11	16	24	31	39
50-64	65	12.0	50	3	3	11	15	23	25	32
65+	44	15.8	110	6	8	13	18	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	7.6	27	2	2	6	10	14	17	26
B. *Operated*	179	7.9	36	2	2	7	11	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	722	9.2	28	3	4	8	12	16	20	26
B. *Operated*	218	12.6	70	2	4	11	16	24	27	43
1. SINGLE DX	600	7.7	29	2	2	6	10	14	18	27
2. MULTIPLE DX	940	10.0	40	3	4	8	13	18	23	30
A. NOT OPERATED	1143	8.6	28	2	3	7	11	15	19	26
B. OPERATED	397	10.5	60	2	2	9	14	20	25	37
TOTAL 0-19 YRS	17	6.5	11	2	2	6	9	12	12	12
20-34	245	7.8	32	2	2	7	10	15	18	28
35-49	429	8.6	34	2	3	7	11	16	20	31
50-64	443	9.4	31	2	3	9	12	17	21	26
65+	406	10.2	48	3	3	9	13	18	23	36
GRAND TOTAL	**1540**	**9.1**	**37**	**2**	**3**	**8**	**12**	**17**	**21**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	4.6	13	1	1	3	6	9	13	18
20-34	1689	6.5	23	1	2	5	8	12	14	25
35-49	2130	7.1	28	2	2	6	9	13	16	26
50-64	1172	7.4	31	2	3	6	9	13	17	26
65+	423	8.0	31	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	115	5.8	21	2	2	4	8	13	17	48
20-34	1570	7.0	34	2	2	5	10	14	17	25
35-49	2077	7.6	34	2	2	6	10	15	18	27
50-64	1037	8.9	46	2	2	8	12	17	21	31
65+	250	11.4	79	2	2	10	15	21	25	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	4.7	15	1	1	4	6	9	11	18
20-34	1326	7.0	28	2	2	6	9	13	17	27
35-49	2137	7.8	32	2	3	7	10	14	18	30
50-64	1968	7.9	25	2	3	7	10	14	18	26
65+	1376	8.8	36	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	86	6.6	23	2	2	5	9	14	15	22
20-34	1110	8.4	41	2	2	7	11	16	20	31
35-49	1801	9.9	61	2	2	8	13	19	24	40
50-64	1250	11.4	75	2	3	10	14	21	27	46
65+	481	14.7	101	3	4	13	18	26	36	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5647	6.9	27	2	2	6	9	13	16	26
B. *Operated*	5049	7.8	40	2	2	6	11	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	6989	7.8	30	2	3	7	10	14	18	28
B. *Operated*	4728	10.4	67	2	3	9	13	20	25	40
1. SINGLE DX	10696	7.4	33	2	2	6	10	14	18	27
2. MULTIPLE DX	11717	8.8	47	2	3	7	11	17	21	34
A. NOT OPERATED	12636	7.4	29	2	2	6	9	14	17	27
B. OPERATED	9777	9.0	54	2	2	7	12	18	22	37
TOTAL 0-19 YRS	616	5.1	17	1	2	4	7	11	14	20
20-34	5695	7.1	31	2	2	6	9	14	17	27
35-49	8145	8.0	39	2	2	7	10	15	19	30
50-64	5427	8.8	44	2	3	7	11	16	20	33
65+	2530	10.0	57	2	3	8	13	19	24	39
GRAND TOTAL	**22413**	**8.1**	**41**	**2**	**2**	**7**	**10**	**15**	**20**	**31**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.4	13	1	1	3	5	8	11	18
20-34	177	4.5	13	1	1	4	6	8	12	20
35-49	279	5.3	13	1	2	4	7	10	12	18
50-64	300	5.4	14	1	2	4	7	10	13	17
65+	153	5.5	12	1	1	5	7	10	13	22
B. *Operated*										
0-19 YRS	360	3.0	5	1	1	2	4	5	7	12
20-34	1066	3.4	18	1	1	3	4	6	7	14
35-49	1588	3.6	8	1	2	3	4	6	9	16
50-64	1730	3.5	8	1	1	3	4	6	9	16
65+	417	3.9	9	1	1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	4.6	13	2	2	4	6	7	9	25
20-34	157	5.9	20	1	2	4	8	11	15	23
35-49	368	6.0	20	1	2	5	8	11	15	22
50-64	594	6.8	19	2	2	6	9	13	16	22
65+	474	7.8	31	2	3	6	10	15	18	28
B. *Operated*										
0-19 YRS	102	3.6	7	1	1	3	4	7	9	15
20-34	471	4.4	20	2	2	3	5	8	11	23
35-49	777	5.3	29	2	2	4	6	11	15	31
50-64	984	5.4	27	1	2	4	6	10	15	27
65+	371	7.5	42	2	2	5	9	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1150	5.0	13	1	2	4	6	10	12	19
B. *Operated*	5161	3.5	10	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	1682	6.7	23	2	2	5	8	13	16	23
B. *Operated*	2705	5.4	29	2	2	4	6	11	15	28
1. SINGLE DX	6311	3.8	11	1	1	3	5	7	10	16
2. MULTIPLE DX	4387	5.9	27	2	2	4	7	12	16	27
A. NOT OPERATED	2832	6.0	20	1	2	5	8	11	15	22
B. [illegible]RATED	7866	4.2	17	1	2	3	5	8	11	22
TC[illegible] 0-19 YRS	792	3.7	9	1	1	3	5	7	9	15
20-34	1871	4.0	19	1	2	3	4	7	10	19
35-49	3012	4.5	16	1	2	3	5	9	11	20
50-64	3608	4.7	17	1	2	3	6	9	13	21
65+	1415	6.3	28	1	2	5	8	13	18	28
GRAND TOTAL	**10698**	**4.7**	**19**	**1**	**2**	**3**	**6**	**9**	**12**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	9	3.9	3	2	2	4	5	6	7	7
35-49	14	3.8	15	<1	<1	3	4	8	14	16
50-64	19	3.6	8	<1	<1	3	5	8	10	11
65+	11	3.2	4	<1	<1	3	4	6	7	7
B. *Operated*										
0-19 YRS	220	3.9	5	2	2	4	5	6	7	11
20-34	538	4.3	6	2	2	4	5	6	8	15
35-49	600	4.5	5	2	2	4	5	7	9	12
50-64	769	4.7	6	2	2	4	6	8	9	12
65+	364	5.2	8	2	2	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	12	4.2	1	2	3	4	5	6	6	6
35-49	25	4.7	5	<1	2	5	6	8	9	10
50-64	48	4.6	9	<1	<1	4	6	8	11	14
65+	41	7.5	68	1	1	5	10	17	21	46
B. *Operated*										
0-19 YRS	161	4.5	8	2	2	4	5	7	10	17
20-34	600	4.5	6	2	2	4	5	7	9	13
35-49	936	5.0	22	2	2	4	6	8	10	19
50-64	1624	5.5	13	2	3	5	6	9	11	18
65+	945	6.6	28	2	3	5	8	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.4	7	<1	<1	3	4	7	8	16
B. *Operated*	2491	4.5	6	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	129	5.4	28	<1	1	4	7	10	14	27
B. *Operated*	4266	5.5	18	2	2	5	6	9	11	20
1. SINGLE DX	2549	4.5	6	2	2	4	5	7	9	13
2. MULTIPLE DX	4395	5.5	18	2	2	5	6	9	11	21
A. NOT OPERATED	187	4.8	22	<1	<1	4	6	8	12	22
B. OPERATED	6757	5.1	13	2	2	4	6	8	10	17
TOTAL 0-19 YRS	389	4.1	6	2	2	4	5	6	9	14
20-34	1159	4.4	6	2	2	4	5	7	9	13
35-49	1575	4.8	15	2	2	4	6	7	9	16
50-64	2460	5.2	11	2	2	5	6	8	10	16
65+	1361	6.2	24	2	3	5	7	10	13	27
GRAND TOTAL	**6944**	**5.1**	**14**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.8	1	<1	<1	2	2	3	4	5
20-34	69	2.1	3	<1	<1	2	3	4	5	10
35-49	36	2.3	2	<1	<1	2	3	4	5	5
50-64	24	2.3	2	<1	<1	2	3	5	5	5
65+	12	4.5	12	<1	1	3	6	9	12	13
B. *Operated*										
0-19 YRS	1279	2.2	11	1	1	2	2	3	4	8
20-34	2366	2.2	2	<1	1	2	3	3	4	8
35-49	1222	2.5	3	1	1	2	3	4	5	8
50-64	668	2.8	4	1	1	2	3	4	6	11
65+	214	3.2	18	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	8	<1	<1	1	2	5	10	11
20-34	21	3.0	13	<1	<1	2	3	6	12	16
35-49	14	4.1	21	<1	1	2	6	12	14	15
50-64	24	4.4	5	1	2	3	6	8	9	9
65+	7	7.1	130	1	1	2	8	28	32	32
B. *Operated*										
0-19 YRS	135	2.4	2	1	1	2	3	4	5	6
20-34	469	3.2	13	1	2	2	3	5	7	15
35-49	411	3.8	12	1	2	3	4	7	11	17
50-64	361	4.4	13	1	2	3	5	9	11	20
65+	172	5.9	44	2	2	4	6	12	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	2.3	3	<1	<1	2	3	4	5	10
B. *Operated*	5749	2.4	5	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	78	3.9	21	<1	<1	2	5	9	12	28
B. *Operated*	1548	3.9	16	1	2	3	4	7	10	20
1. SINGLE DX	5918	2.4	5	1	1	2	3	4	5	8
2. MULTIPLE DX	1626	3.9	16	1	2	3	4	7	10	20
A. NOT OPERATED	247	2.8	9	<1	<1	2	3	5	8	15
B. OPERATED	7297	2.7	8	1	1	2	3	4	6	13
TOTAL 0-19 YRS	1454	2.2	10	1	1	2	2	3	4	8
20-34	2925	2.4	4	<1	1	2	3	4	4	9
35-49	1683	2.8	6	1	1	2	3	5	6	14
50-64	1077	3.4	8	1	1	3	4	6	8	18
65+	405	4.4	32	1	2	3	5	8	13	29
GRAND TOTAL	**7544**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	12.0	70	2	2	11	18	22	27	41
20-34	57	10.8	99	1	2	7	14	23	33	47
35-49	48	9.3	58	1	2	7	13	17	31	32
50-64	52	9.9	59	2	3	8	14	18	24	43
65+	34	11.4	63	1	2	9	15	23	29	30
B. *Operated*										
0-19 YRS	147	14.8	122	2	2	12	22	29	34	51
20-34	163	12.1	144	2	2	9	15	25	31	66
35-49	126	12.7	115	2	3	10	18	27	34	57
50-64	129	13.6	138	2	3	9	19	32	39	51
65+	97	13.9	131	2	3	10	19	31	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	16.5	103	2	4	15	25	32	35	93
20-34	47	9.2	59	1	3	6	11	22	26	34
35-49	76	9.6	87	1	2	8	12	18	26	56
50-64	89	12.7	140	3	3	9	16	27	38	61
65+	115	15.9	145	3	4	13	23	36	44	48
B. *Operated*										
0-19 YRS	81	19.7	235	4	4	16	29	44	53	92
20-34	148	17.7	259	2	3	12	28	42	48	81
35-49	164	16.8	232	3	3	13	23	34	50	86
50-64	278	20.0	259	3	4	15	26	42	55	82
65+	215	22.1	270	3	6	17	31	46	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	11.0	71	2	2	9	15	22	28	41
B. *Operated*	662	13.4	131	2	3	10	18	29	35	57
2. MULTIPLE DX										
A. *Not Operated*	388	13.2	123	2	3	10	17	29	37	52
B. *Operated*	886	19.5	257	3	4	15	28	43	53	86
1. SINGLE DX	981	12.6	112	2	2	10	17	27	33	50
2. MULTIPLE DX	1274	17.6	224	3	3	13	24	39	48	82
A. NOT OPERATED	707	12.2	101	2	3	9	16	25	33	47
B. OPERATED	1548	16.9	212	2	3	13	23	37	47	76
TOTAL 0-19 YRS	417	15.1	131	2	3	12	21	30	38	58
20-34	415	13.6	178	2	2	9	17	32	42	73
35-49	414	13.4	158	2	3	10	17	29	38	65
50-64	548	16.3	206	3	3	12	21	37	46	65
65+	461	18.1	209	3	4	14	25	40	47	78
GRAND TOTAL	**2255**	**15.4**	**182**	**2**	**3**	**12**	**21**	**33**	**44**	**69**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	5.4	27	1	1	4	7	11	15	25
20-34	223	3.9	8	1	1	3	5	7	9	16
35-49	304	4.5	9	1	1	4	6	8	10	15
50-64	258	5.9	27	1	2	5	8	13	16	24
65+	404	8.6	37	2	3	7	12	16	20	28
B. *Operated*										
0-19 YRS	1072	5.1	19	1	2	4	6	9	12	23
20-34	1051	5.8	25	2	2	4	7	11	16	24
35-49	687	7.3	38	2	2	6	9	14	17	32
50-64	542	9.3	65	2	3	7	12	18	22	50
65+	381	13.3	93	3	4	11	17	25	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	6.1	34	1	1	4	8	14	21	27
20-34	281	5.1	20	1	2	4	7	9	12	21
35-49	540	5.9	24	2	2	5	7	10	16	29
50-64	925	8.1	54	2	2	6	10	16	20	42
65+	2931	11.1	67	3	4	9	14	21	26	45
B. *Operated*										
0-19 YRS	344	6.3	33	2	2	4	8	13	17	33
20-34	619	7.6	82	2	2	5	8	15	22	56
35-49	620	9.8	105	2	2	6	12	19	28	59
50-64	712	12.5	111	2	3	10	17	24	31	50
65+	894	17.5	146	3	5	15	22	32	41	70
SURTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1400	6.0	26	1	1	4	8	12	16	24
B. *Operated*	3733	7.2	45	2	2	5	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	4781	9.5	61	2	3	7	12	19	24	43
B. *Operated*	3189	11.8	122	2	3	8	16	24	33	58
1. SINGLE DX	5133	6.8	40	1	2	5	9	14	19	30
2. MULTIPLE DX	7970	10.4	87	2	3	8	14	21	28	50
A. NOT OPERATED	6181	8.7	55	2	2	7	11	17	23	38
B. OPERATED	6922	9.3	86	2	2	6	12	20	26	49
TOTAL 0-19 YRS	1731	5.4	24	1	2	4	6	11	14	27
20-34	2174	6.0	40	2	2	4	7	12	17	32
35-49	2151	7.2	53	2	2	5	9	15	19	38
50-64	2437	9.4	75	2	2	7	12	19	24	46
65+	4610	12.3	90	3	4	10	16	23	30	50
GRAND TOTAL	**13103**	**9.0**	**71**	**2**	**2**	**6**	**12**	**19**	**24**	**44**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	10	1	1	2	3	8	10	10
20-34	13	3.6	6	<1	1	3	5	7	9	9
35-49	12	5.3	29	1	1	3	9	14	17	17
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	4	5.5	27	<1	<1	5	10	10	10	10
B. *Operated*										
0-19 YRS	302	4.4	15	1	2	3	5	8	11	19
20-34	243	4.1	18	1	2	3	5	8	11	18
35-49	151	4.6	16	1	2	3	6	8	13	20
50-64	105	5.5	32	1	2	4	7	13	17	32
65+	52	6.3	32	1	2	4	7	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	3	<1	<1	1	3	5	6	6
20-34	17	4.5	13	<1	<1	4	6	9	12	14
35-49	17	6.9	21	3	3	5	8	16	18	18
50-64	14	8.0	35	1	2	7	9	17	22	23
65+	26	9.7	57	1	2	7	14	22	26	28
B. *Operated*										
0-19 YRS	158	4.6	10	1	2	4	5	8	10	14
20-34	221	5.0	15	1	2	4	6	9	14	19
35-49	154	5.8	21	2	2	4	7	12	16	24
50-64	175	7.6	38	2	2	5	10	17	21	37
65+	93	12.1	156	2	3	8	17	23	29	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.1	15	<1	1	3	5	10	12	17
B. *Operated*	853	4.6	19	1	2	3	5	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	87	6.7	36	<1	1	5	9	16	19	27
B. *Operated*	801	6.5	42	2	2	5	8	14	18	29
1. SINGLE DX	893	4.6	19	1	2	3	5	8	13	22
2. MULTIPLE DX	888	6.5	41	2	2	5	8	14	18	28
A. NOT OPERATED	127	5.9	31	<1	1	4	8	14	17	26
B. OPERATED	1654	5.5	31	1	2	4	7	11	16	26
TOTAL 0-19 YRS	481	4.4	13	1	2	4	5	8	10	18
20-34	494	4.5	16	1	2	3	6	9	12	18
35-49	334	5.3	20	2	2	4	7	11	15	21
50-64	297	6.8	37	2	2	5	8	15	20	34
65+	175	9.9	107	2	2	7	14	21	25	66
GRAND TOTAL	**1781**	**5.5**	**31**	**1**	**2**	**4**	**7**	**11**	**17**	**26**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.6	11	4	4	7	9	13	14	14
20-34	71	5.6	13	1	2	5	7	10	13	18
35-49	91	6.4	14	2	2	5	8	12	15	17
50-64	66	6.8	23	1	2	6	9	14	17	23
65+	38	9.2	50	2	3	7	12	16	24	36
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	6.7	39	1	2	4	9	15	23	26
35-49	71	8.1	32	2	2	7	11	15	20	29
50-64	43	8.2	43	2	3	6	10	16	22	35
65+	12	15.7	214	3	3	10	23	39	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	53	6.9	22	2	2	6	9	13	16	22
35-49	99	7.5	27	2	3	6	9	14	17	30
50-64	138	8.4	41	2	3	7	10	16	20	34
65+	150	9.2	71	2	3	7	11	17	21	53
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	27	8.4	29	2	2	8	11	15	17	26
35-49	50	10.1	35	2	4	9	14	17	22	28
50-64	72	9.9	50	2	3	9	13	20	23	39
65+	24	12.4	41	4	4	13	14	18	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	6.7	22	2	2	5	9	13	16	23
B. *Operated*	162	8.3	53	2	2	6	10	16	23	35
2. MULTIPLE DX										
A. *Not Operated*	443	8.3	46	2	3	7	10	15	19	34
B. *Operated*	174	10.0	41	2	3	9	14	17	22	33
1. SINGLE DX	435	7.3	34	2	2	6	9	14	17	31
2. MULTIPLE DX	617	8.8	45	2	3	7	11	16	20	34
A. NOT OPERATED	716	7.7	37	2	2	6	9	15	18	33
B. OPERATED	336	9.2	47	2	2	8	12	17	22	35
TOTAL 0-19 YRS	12	6.0	10	3	3	5	7	10	13	14
20-34	186	6.6	23	2	2	5	9	13	16	25
35-49	311	7.7	27	2	3	6	10	15	17	27
50-64	319	8.4	40	2	2	7	11	16	21	34
65+	224	9.9	74	2	3	8	12	18	24	50
GRAND TOTAL	**1052**	**8.2**	**41**	**2**	**2**	**7**	**10**	**15**	**20**	**34**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	3.5	9	1	1	3	4	6	10	17
20-34	589	4.6	10	1	1	4	6	9	11	15
35-49	625	5.0	13	1	2	4	6	10	13	17
50-64	416	5.5	14	1	2	4	7	11	13	18
65+	216	6.6	31	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	757	5.5	30	1	1	3	7	16	17	24
20-34	1120	4.3	16	1	1	3	5	9	12	20
35-49	819	4.6	20	1	2	3	5	9	12	22
50-64	856	4.2	15	1	2	3	5	8	12	22
65+	376	5.0	44	1	2	3	5	10	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	4.2	28	1	1	3	5	7	10	15
20-34	768	5.1	14	1	2	4	6	9	13	19
35-49	1119	6.2	19	2	2	5	8	12	15	22
50-64	1086	6.4	20	2	2	5	8	12	14	23
65+	930	7.9	39	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	443	4.6	29	1	2	3	4	9	16	29
20-34	1000	4.9	21	2	2	3	6	10	14	24
35-49	906	6.3	35	2	2	4	8	13	17	28
50-64	880	7.2	55	2	2	5	9	15	20	41
65+	517	10.0	120	2	2	6	12	22	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2120	5.0	14	1	2	4	6	10	12	18
B. *Operated*	3928	4.6	22	1	2	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	4115	6.3	24	2	2	5	8	12	15	24
B. *Operated*	3746	6.4	50	2	2	4	8	14	19	35
1. SINGLE DX	6048	4.7	19	1	2	3	6	10	14	21
2. MULTIPLE DX	7861	6.4	37	2	2	5	8	13	17	30
A. NOT OPERATED	6235	5.9	21	1	2	5	7	11	14	22
B. OPERATED	7674	5.5	36	1	2	3	6	12	17	30
TOTAL 0-19 YRS	1686	4.8	27	1	1	3	5	12	16	24
20-34	3477	4.7	16	1	2	3	6	9	12	20
35-49	3469	5.6	23	1	2	4	7	11	15	24
50-64	3238	5.9	29	2	2	4	7	12	15	26
65+	2039	7.7	62	2	2	5	9	16	21	41
GRAND TOTAL	**13909**	**5.7**	**30**	**1**	**2**	**4**	**7**	**12**	**16**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	1	1	3	5	7	7	7
20-34	11	5.6	7	2	3	5	7	10	12	12
35-49	4	4.8	4	2	2	5	6	7	7	7
50-64	8	4.3	7	1	1	4	5	8	10	10
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	3	5.0	28	1	1	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	6	2	2	3	4	8	10	10
20-34	25	6.2	25	1	2	5	7	13	16	25
35-49	35	5.9	14	1	2	5	7	9	16	18
50-64	22	7.9	16	2	3	7	9	15	16	17
65+	15	9.5	24	4	5	8	11	19	19	19
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	9	8.9	36	<1	1	10	12	17	19	19
50-64	9	7.9	19	4	4	8	9	15	18	18
65+	3	16.7	210	2	2	17	27	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.9	6	1	2	4	6	8	10	12
B. *Operated*	8	3.9	10	1	1	3	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	105	6.8	19	2	3	6	8	13	17	22
B. *Operated*	24	9.2	47	1	2	9	10	18	23	31
1. SINGLE DX	37	4.7	7	1	1	4	6	8	11	12
2. MULTIPLE DX	129	7.2	25	2	2	6	9	15	18	26
A. NOT OPERATED	134	6.4	17	2	2	6	8	10	16	20
B. OPERATED	32	7.9	43	1	2	7	10	17	19	31
TOTAL 0-19 YRS	16	3.9	7	1	1	3	5	9	10	10
20-34	38	6.0	19	2	2	5	7	11	13	25
35-49	50	6.3	17	1	2	5	7	10	18	19
50-64	39	7.2	16	2	3	7	9	13	17	18
65+	23	9.6	48	2	3	8	11	19	23	31
GRAND TOTAL	**166**	**6.7**	**22**	**2**	**2**	**6**	**8**	**12**	**17**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.2	40	1	1	2	4	8	11	39
20-34	4	4.8	18	2	2	3	7	11	11	11
35-49	4	7.5	82	2	2	3	12	21	21	21
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	3	2.0	3	<1	<1	<1	3	4	4	4
B. *Operated*										
0-19 YRS	100	8.0	46	2	2	6	10	16	21	38
20-34	16	7.9	23	1	2	8	11	16	17	17
35-49	14	8.9	83	2	2	4	13	24	26	27
50-64	10	15.4	144	4	4	11	20	35	38	38
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	6.1	38	1	1	4	8	13	19	35
20-34	18	8.6	72	2	3	5	10	17	29	37
35-49	10	10.9	79	3	3	7	16	25	32	32
50-64	11	10.2	60	3	3	8	15	23	25	25
65+	12	11.7	104	<1	3	7	15	29	34	35
B. *Operated*										
0-19 YRS	173	10.8	108	2	2	7	13	21	33	54
20-34	28	11.0	71	1	2	10	14	25	29	33
35-49	19	11.3	55	2	3	10	18	20	25	30
50-64	2	19.0	128	11	11	19	27	27	27	27
65+	4	10.3	22	4	4	11	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.3	37	<1	1	3	4	9	12	38
B. *Operated*	141	8.6	56	2	2	6	11	19	22	38
2. MULTIPLE DX										
A. *Not Operated*	191	7.2	51	1	1	5	9	17	21	36
B. *Operated*	226	10.9	97	2	2	8	14	21	31	54
1. SINGLE DX	219	7.0	53	1	1	5	9	16	22	39
2. MULTIPLE DX	417	9.2	79	1	2	6	12	19	28	49
A. NOT OPERATED	269	6.3	48	1	1	4	8	14	21	36
B. OPERATED	367	10.0	82	2	2	7	13	20	29	52
TOTAL 0-19 YRS	477	7.9	71	1	2	5	10	17	22	46
20-34	66	9.2	58	1	2	7	13	18	28	36
35-49	47	10.2	68	2	2	7	16	22	27	32
50-64	26	12.1	99	3	3	8	20	27	33	38
65+	20	9.5	78	<1	<1	7	12	23	31	35
GRAND TOTAL	**636**	**8.5**	**71**	**1**	**2**	**6**	**11**	**19**	**25**	**42**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	1.4	2	<1	<1	1	1	2	3	7
20-34	8	2.1	1	<1	<1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	762	2.4	4	1	1	2	3	4	5	10
20-34	226	2.9	6	1	1	2	3	4	6	14
35-49	109	3.3	9	1	2	3	4	5	5	22
50-64	191	3.1	2	2	2	3	4	5	6	9
65+	159	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	1.5	2	<1	<1	1	2	2	4	8
20-34	8	3.0	3	<1	<1	3	4	6	6	6
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	6	4.5	12	1	1	4	6	10	10	10
65+	16	3.9	7	<1	2	3	4	7	10	12
B. *Operated*										
0-19 YRS	238	2.8	15	1	1	2	3	4	5	16
20-34	64	4.5	30	2	2	3	4	6	11	38
35-49	76	4.3	19	1	2	3	5	9	11	28
50-64	167	4.2	11	2	2	3	4	8	11	22
65+	153	4.6	16	2	2	3	5	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	1.5	3	<1	<1	1	1	2	3	9
B. *Operated*	1447	2.7	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	117	2.2	4	<1	<1	1	2	5	7	11
B. *Operated*	698	3.8	17	1	2	3	4	7	11	23
1. SINGLE DX	1655	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX	815	3.6	15	1	1	3	4	6	10	20
A. NOT OPERATED	325	1.7	3	<1	<1	1	2	3	5	9
B. OPERATED	2145	3.1	9	1	1	2	3	5	7	14
TOTAL 0-19 YRS	1279	2.3	6	<1	1	2	2	4	5	12
20-34	306	3.2	11	1	2	3	4	5	6	19
35-49	189	3.7	13	1	2	3	4	6	9	23
50-64	366	3.6	7	2	2	3	4	6	9	14
65+	330	3.8	9	2	2	3	4	6	10	18
GRAND TOTAL	**2470**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.5	29	1	1	2	3	5	12	30
20-34	33	6.1	121	1	1	3	6	10	16	64
35-49	14	5.0	12	1	1	4	6	11	12	12
50-64	9	2.2		1	1	2	3	3	3	3
65+	7	3.4	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	450	5.4	27	1	2	2	9	11	12	19
20-34	132	6.3	35	2	2	4	9	12	19	30
35-49	93	6.6	37	2	2	4	9	13	16	34
50-64	54	9.6	190	2	2	7	12	17	22	95
65+	25	8.3	42	1	2	8	12	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.6	32	<1	1	3	6	9	11	30
20-34	100	5.5	23	2	2	4	7	10	12	29
35-49	79	7.9	86	1	2	5	9	14	20	56
50-64	65	7.1	43	2	2	5	9	15	18	35
65+	85	8.1	56	2	2	6	11	14	22	46
B. *Operated*										
0-19 YRS	469	6.8	66	1	2	3	9	15	21	44
20-34	175	8.4	91	2	2	5	12	18	28	46
35-49	125	8.5	63	2	2	5	13	18	23	37
50-64	124	10.5	98	2	2	9	14	20	27	76
65+	73	14.9	107	2	3	14	22	30	37	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.1	44	1	1	2	4	8	11	32
B. *Operated*	754	6.1	43	1	2	3	9	12	15	30
2. MULTIPLE DX										
A. *Not Operated*	620	5.9	43	1	2	4	7	11	15	37
B. *Operated*	966	8.4	82	2	2	5	12	19	27	48
1. SINGLE DX	914	5.8	44	1	2	3	9	12	15	31
2. MULTIPLE DX	1586	7.4	68	1	2	4	10	16	23	43
A. NOT OPERATED	780	5.5	44	1	1	4	6	11	15	36
B. OPERATED	1720	7.4	66	2	2	4	10	16	21	42
TOTAL 0-19 YRS	1307	5.6	43	1	2	3	8	11	15	38
20-34	440	6.9	62	2	2	4	9	14	21	37
35-49	311	7.6	59	1	2	5	10	16	20	39
50-64	252	9.1	103	2	2	6	13	18	24	68
65+	190	10.6	84	2	2	8	14	25	30	51
GRAND TOTAL	**2500**	**6.8**	**60**	**1**	**2**	**4**	**9**	**14**	**20**	**41**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	4	<1	<1	2	5	6	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	517	3.9	4	1	2	4	5	7	8	9
20-34	22	4.0	10	1	2	3	5	7	11	16
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	5	4.4	1	3	3	4	5	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	37	<1	<1	1	4	8	18	29
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	250	4.2	11	1	2	4	5	7	8	26
20-34	27	5.3	58	1	2	3	6	7	14	42
35-49	9	3.4	4	2	2	3	4	7	8	8
50-64	2	9.5	5	8	8	9	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	4	<1	<1	2	5	6	7	7
B. *Operated*	549	3.9	4	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	28	3.6	36	<1	<1	1	4	8	17	29
B. *Operated*	288	4.3	15	1	2	4	5	7	8	32
1. SINGLE DX	562	3.9	4	1	2	4	5	7	8	9
2. MULTIPLE DX	316	4.3	17	1	1	4	5	7	8	31
A. NOT OPERATED	41	3.4	26	<1	<1	1	4	7	12	29
B. OPERATED	837	4.1	8	1	2	4	5	7	8	12
TOTAL 0-19 YRS	807	4.0	7	1	2	4	5	7	8	12
20-34	50	4.7	36	2	2	3	5	7	9	42
35-49	13	3.3	3	2	2	3	4	6	8	8
50-64	7	5.9	8	3	3	5	7	10	11	11
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**878**	**4.0**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.1	4	1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	402	4.3	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	2	<1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	58	6.0	7	2	3	6	7	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.1	4	1	1	3	4	6	7	8
B. *Operated*	402	4.3	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	14	3.2	2	<1	1	3	4	5	6	6
B. *Operated*	58	6.0	7	2	3	6	7	9	11	14
1. SINGLE DX	434	4.2	4	2	2	4	5	7	8	12
2. MULTIPLE DX	72	5.4	7	2	2	5	7	9	10	14
A. NOT OPERATED	46	3.2	3	1	1	3	4	6	6	8
B. OPERATED	460	4.5	5	2	2	4	5	7	8	13
TOTAL 0-19 YRS	506	4.4	5	2	2	4	5	7	8	12
GRAND TOTAL	**506**	**4.4**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.3	6	<1	<1	1	3	4	7	10
20-34	19	3.1	5	1	1	2	3	6	8	10
35-49	13	5.8	34	2	2	4	6	11	22	24
50-64	20	4.7	9	1	2	4	7	10	10	11
65+	17	4.9	10	1	1	4	8	10	11	11
B. *Operated*										
0-19 YRS	332	4.4	28	<1	1	2	5	10	13	33
20-34	145	4.6	18	1	1	3	6	9	13	19
35-49	56	5.1	15	1	2	4	7	11	13	17
50-64	52	6.2	37	1	1	3	10	14	16	28
65+	26	5.6	22	1	2	4	8	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.6	15	<1	1	3	6	9	13	20
20-34	34	5.0	17	1	2	4	6	13	14	18
35-49	47	6.4	66	1	2	4	7	10	15	55
50-64	62	7.1	38	1	2	5	9	15	22	28
65+	87	7.6	43	2	2	6	10	14	17	39
B. *Operated*										
0-19 YRS	248	8.4	126	1	2	5	10	19	40	79
20-34	122	7.2	34	2	2	5	10	15	21	26
35-49	80	10.9	151	1	2	8	15	20	24	79
50-64	82	10.8	52	2	2	9	15	22	26	29
65+	74	13.4	162	2	3	11	17	26	35	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.0	9	<1	1	2	4	7	9	13
B. *Operated*	611	4.7	25	1	1	3	6	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	335	6.1	35	1	1	4	8	13	16	28
B. *Operated*	606	9.4	108	1	2	6	12	21	27	62
1. SINGLE DX	843	4.2	21	1	1	3	5	10	13	24
2. MULTIPLE DX	941	8.3	85	1	2	5	11	18	24	48
A. NOT OPERATED	567	4.8	27	1	1	3	6	10	14	25
B. OPERATED	1217	7.1	72	1	1	4	9	16	22	43
TOTAL 0-19 YRS	848	5.2	56	<1	1	3	6	12	16	43
20-34	320	5.5	25	1	2	4	7	12	16	24
35-49	196	7.8	90	1	2	5	10	17	21	51
50-64	216	8.1	45	1	2	6	11	18	23	28
65+	204	9.2	91	1	2	7	12	18	25	44
GRAND TOTAL	**1784**	**6.4**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	<1	2	4	4	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	23.0		23	23	23	23	23	23	23
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	801	3.5	3	1	2	3	4	6	7	9
20-34	82	4.4	16	2	2	4	5	6	8	28
35-49	22	3.9	3	2	2	4	5	6	7	9
50-64	5	3.0	4	1	1	3	4	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.9	1	<1	<1	1	3	4	4	5
20-34	3	7.7	22	4	4	6	11	13	13	13
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	745	3.8	6	1	2	3	5	6	8	12
20-34	87	4.9	6	2	3	4	5	8	9	17
35-49	29	4.6	7	2	2	4	5	8	12	13
50-64	14	5.6	9	1	2	5	7	11	12	12
65+	10	5.1	9	1	1	5	7	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	18	<1	<1	2	4	5	8	23
B. *Operated*	911	3.6	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	6	<1	<1	1	3	5	7	13
B. *Operated*	885	4.0	7	2	2	3	5	7	8	12
1. SINGLE DX	938	3.5	5	1	2	3	4	6	7	10
2. MULTIPLE DX	932	3.9	7	1	2	3	5	7	8	12
A. NOT OPERATED	74	2.7	10	<1	<1	2	3	5	6	21
B. OPERATED	1796	3.8	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	1612	3.6	5	1	2	3	4	6	7	10
20-34	174	4.6	11	2	2	4	5	7	9	17
35-49	52	4.7	12	2	2	4	5	7	12	23
50-64	21	5.1	9	1	2	5	6	10	11	12
65+	11	4.9	8	1	2	4	7	9	11	11
GRAND TOTAL	**1870**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.5	84	<1	<1	2	2	6	8	63
20-34	27	3.2	4	1	1	3	4	5	8	8
35-49	20	4.6	22	1	2	3	5	7	16	23
50-64	13	3.5	4	1	1	4	4	6	8	9
65+	15	3.1	6	1	1	3	4	8	8	8
B. *Operated*										
0-19 YRS	820	5.2	34	1	1	4	7	10	13	18
20-34	318	4.6	14	1	1	4	6	9	11	21
35-49	99	5.4	17	1	1	4	8	11	14	18
50-64	100	5.5	20	1	2	4	8	13	15	19
65+	51	5.5	38	1	2	3	6	13	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	9	<1	1	2	5	7	8	15
20-34	68	4.6	13	1	2	4	5	9	12	21
35-49	64	4.7	12	1	2	4	6	8	11	18
50-64	92	6.2	28	1	2	5	8	13	17	26
65+	78	6.6	19	2	2	6	9	13	15	23
B. *Operated*										
0-19 YRS	616	4.9	22	1	1	3	7	11	15	22
20-34	429	6.3	27	1	2	5	8	12	15	30
35-49	225	7.7	44	2	2	6	9	14	21	36
50-64	157	8.4	46	1	2	7	11	17	20	29
65+	135	9.1	57	2	2	7	13	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.6	37	1	1	2	4	6	8	35
B. *Operated*	1388	5.1	27	1	1	4	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	370	5.2	18	1	1	4	7	10	13	23
B. *Operated*	1562	6.4	34	1	1	5	8	14	17	31
1. SINGLE DX	1509	5.0	28	1	1	3	7	10	13	20
2. MULTIPLE DX	1932	6.2	31	1	1	5	8	13	17	29
A. NOT OPERATED	491	4.8	23	1	1	4	6	9	13	23
B. OPERATED	2950	5.8	31	1	1	4	8	12	15	27
TOTAL 0-19 YRS	1550	4.9	30	1	1	3	7	10	13	20
20-34	842	5.4	21	1	1	5	7	10	14	24
35-49	408	6.5	33	1	2	5	8	13	17	33
50-64	362	6.9	35	1	2	5	9	14	17	27
65+	279	7.4	43	1	2	6	9	16	20	36
GRAND TOTAL	**3441**	**5.7**	**30**	**1**	**1**	**4**	**8**	**12**	**15**	**27**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.9	2	<1	<1	1	2	4	5	6
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	398	4.2	15	1	2	4	5	7	8	12
20-34	22	5.0	5	1	2	5	7	7	9	11
35-49	12	5.0	3	2	3	5	6	7	7	7
50-64	8	4.6	9	<1	1	3	7	9	9	9
65+	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	10	<1	<1	1	3	6	10	14
20-34	3	10.0	133	1	1	6	19	23	23	23
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	166	4.4	4	2	2	4	5	7	8	12
20-34	61	5.8	8	2	3	5	7	10	11	17
35-49	62	5.3	4	3	3	5	6	7	9	13
50-64	44	8.4	52	3	4	7	9	12	20	47
65+	27	7.9	49	3	3	6	9	11	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	442	4.3	14	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	26	3.6	25	<1	<1	1	5	7	16	23
B. *Operated*	360	5.5	16	2	3	5	6	9	10	20
1. SINGLE DX	467	4.2	14	1	2	4	5	7	8	12
2. MULTIPLE DX	386	5.4	17	2	2	5	6	[illegible]	10	22
A. NOT OPERATED	51	2.8	14	<1	<1	1	3	6	7	23
B. OPERATED	802	4.9	15	2	2	4	6	8	10	16
TOTAL 0-19 YRS	607	4.1	12	1	2	4	5	7	8	12
20-34	86	5.8	11	2	2	5	7	10	11	21
35-49	75	5.3	4	3	3	5	6	7	8	13
50-64	53	7.8	46	3	3	6	9	11	19	46
65+	32	7.5	46	2	3	6	9	12	19	38
GRAND TOTAL	**853**	**4.8**	**16**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	2.9	19	1	1	2	3	5	9	42
20-34	88	5.2	14	<1	1	5	7	11	12	17
35-49	82	6.4	22	1	2	5	9	14	16	74
50-64	64	7.1	17	2	3	6	10	12	16	19
65+	38	6.9	15	2	3	6	10	12	15	18
B. *Operated*										
0-19 YRS	1524	4.5	17	1	2	3	6	9	12	22
20-34	704	4.4	19	<1	1	3	5	10	13	20
35-49	445	6.9	47	1	2	4	9	15	20	34
50-64	284	8.0	44	2	2	6	11	17	21	36
65+	81	8.3	80	2	2	4	10	19	26	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	4.3	22	<1	1	3	6	9	13	23
20-34	166	6.1	57	1	2	5	8	11	14	38
35-49	155	7.3	29	2	3	5	9	13	17	31
50-64	200	7.3	21	2	3	7	9	13	14	28
65+	146	8.9	31	3	3	7	12	17	22	99+
B. *Operated*										
0-19 YRS	524	5.4	28	1	2	4	7	11	16	32
20-34	367	7.0	56	1	1	5	9	14	18	36
35-49	386	8.4	59	2	2	7	11	17	23	30
50-64	300	10.5	74	2	2	8	14	21	28	40
65+	147	12.9	96	2	3	10	19	27	32	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	4.5	21	1	1	3	6	10	13	21
B. *Operated*	3038	5.3	28	1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	999	6.3	32	1	1	5	8	12	15	29
B. *Operated*	1724	7.9	60	1	2	5	10	18	23	37
1. SINGLE DX	3628	5.1	27	1	1	3	6	11	15	27
2. MULTIPLE DX	2723	7.3	50	1	2	5	9	15	21	36
A. NOT OPERATED	1589	5.6	29	1	1	4	8	12	15	29
B. OPERATED	4762	6.2	41	1	2	4	8	14	19	33
TOTAL 0-19 YRS	2698	4.5	20	1	1	3	6	9	13	25
20-34	1325	5.4	35	<1	1	3	7	11	15	30
35-49	1068	7.4	47	1	2	5	10	15	21	32
50-64	848	8.7	49	2	2	7	11	18	22	37
65+	412	10.0	67	2	3	7	13	21	28	43
GRAND TOTAL	**6351**	**6.1**	**38**	**1**	**1**	**4**	**8**	**13**	**18**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1234	5.2	38	1	1	3	5	13	18	31
B. *Operated*										
0-19 YRS	44	8.8	110	1	2	5	11	18	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	946	10.7	129	2	2	6	14	27	38	99
B. *Operated*										
0-19 YRS	123	21.7	440	2	3	22	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1234	5.2	38	1	1	3	5	13	18	31
B. *Operated*	44	8.8	110	1	2	5	11	18	27	55
2. MULTIPLE DX										
A. *Not Operated*	946	10.7	129	2	2	6	14	27	38	99
B. *Operated*	123	21.7	440	2	3	22	59	99+	99+	99+
1. SINGLE DX	1278	5.3	41	1	1	3	5	13	18	32
2. MULTIPLE DX	1069	11.9	177	2	2	7	17	35	59	99+
A. NOT OPERATED	2180	7.6	85	1	2	4	9	19	28	53
B. OPERATED	167	18.3	385	2	2	15	42	99+	99+	99+
TOTAL 0-19 YRS	2347	8.3	114	1	2	4	10	23	35	99+
GRAND TOTAL	**2347**	**8.3**	**114**	**1**	**2**	**4**	**10**	**23**	**35**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2232	3.0	5	1	1	2	4	5	7	10
20-34	940	3.9	12	1	1	3	5	7	9	17
35-49	521	4.3	16	1	1	3	5	7	10	18
50-64	380	4.5	13	1	1	4	6	8	10	22
65+	254	5.2	15	1	2	4	6	10	13	22
B. *Operated*										
0-19 YRS	32	5.5	20	1	1	4	7	11	16	20
20-34	51	5.1	10	2	2	4	6	9	12	16
35-49	44	5.7	13	2	2	5	7	8	12	20
50-64	38	6.5	19	2	2	6	9	11	15	23
65+	20	6.5	47	2	2	4	8	11	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2582	3.8	11	1	1	3	4	7	9	16
20-34	973	5.7	32	1	2	4	7	11	15	31
35-49	1022	6.1	33	1	2	5	7	12	16	32
50-64	1255	7.0	42	2	2	5	8	13	18	36
65+	1251	8.1	59	2	2	6	9	15	21	42
B. *Operated*										
0-19 YRS	70	8.4	136	1	2	5	8	17	28	77
20-34	77	9.5	76	2	2	8	12	17	20	54
35-49	126	10.4	76	2	3	8	13	18	33	45
50-64	156	13.2	116	3	4	10	17	26	35	64
65+	105	13.8	141	3	4	10	18	25	44	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4327	3.6	10	1	1	3	4	7	8	16
B. *Operated*	185	5.7	18	2	2	5	7	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	7083	5.7	34	1	2	4	7	11	15	31
B. *Operated*	534	11.5	112	2	3	8	14	22	33	57
1. SINGLE DX	4512	3.7	10	1	1	3	5	7	9	16
2. MULTIPLE DX	7617	6.1	41	1	2	4	7	12	17	35
A. NOT OPERATED	11410	4.9	26	1	1	3	6	9	13	27
B. OPERATED	719	10.0	94	2	3	7	12	20	29	50
TOTAL 0-19 YRS	4916	3.5	10	1	1	3	4	6	8	15
20-34	2041	5.0	25	1	1	4	6	9	13	27
35-49	1713	5.9	33	1	2	4	7	12	16	33
50-64	1829	7.0	46	1	2	5	8	14	19	37
65+	1630	8.0	60	2	2	6	9	15	21	46
GRAND TOTAL	**12129**	**5.2**	**31**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	990	3.3	4	1	1	3	4	6	7	11
20-34	294	4.6	8	2	2	4	6	8	10	14
35-49	169	5.7	35	2	2	4	7	10	13	19
50-64	160	5.7	11	2	2	5	8	11	12	16
65+	204	6.3	15	2	2	6	8	10	14	20
B. *Operated*										
0-19 YRS	32	6.7	25	2	2	5	9	14	15	23
20-34	27	11.5	43	4	5	10	16	20	25	28
35-49	12	9.7	30	1	2	10	14	17	18	18
50-64	25	12.7	77	5	7	9	15	21	31	45
65+	21	15.9	105	5	6	13	20	27	39	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1224	3.6	6	1	1	3	4	6	8	14
20-34	448	5.4	15	2	2	4	6	10	12	21
35-49	382	6.2	17	2	3	5	8	12	14	19
50-64	574	7.2	30	2	3	6	9	14	17	25
65+	1004	8.6	48	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	45	8.4	50	2	3	6	10	15	18	45
20-34	76	11.2	64	3	3	9	14	22	30	36
35-49	65	10.2	42	2	3	9	12	22	25	29
50-64	123	13.0	77	4	5	10	17	24	32	45
65+	189	16.4	139	5	6	14	20	29	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1817	4.3	11	1	2	4	5	8	10	15
B. *Operated*	117	11.0	63	2	3	9	15	21	25	46
2. MULTIPLE DX										
A. *Not Operated*	3632	6.1	28	2	2	5	7	12	15	26
B. *Operated*	498	13.2	99	3	4	10	17	26	31	59
1. SINGLE DX	1934	4.7	16	1	2	4	6	9	11	19
2. MULTIPLE DX	4130	6.9	42	2	2	5	8	14	19	32
A. NOT OPERATED	5449	5.5	23	1	2	4	7	11	14	23
B. OPERATED	615	12.8	93	3	4	10	17	25	30	50
TOTAL 0-19 YRS	2291	3.6	7	1	1	3	4	6	8	14
20-34	845	5.9	22	2	2	5	7	11	14	25
35-49	628	6.6	26	2	2	5	8	13	15	24
50-64	882	7.9	39	2	3	6	9	15	20	32
65+	1418	9.4	65	2	3	7	11	18	24	42
GRAND TOTAL	**6064**	**6.2**	**35**	**1**	**2**	**4**	**7**	**12**	**17**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	740	3.4	20	1	1	3	4	6	7	12
20-34	1497	4.1	10	1	2	3	5	7	9	16
35-49	863	4.7	13	1	2	4	6	9	11	15
50-64	374	4.6	16	1	2	4	5	8	11	23
65+	157	4.4	9	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	32	4.0	7	2	2	3	4	8	11	12
20-34	143	4.9	12	2	2	4	6	9	12	17
35-49	108	5.9	21	2	2	4	8	11	13	28
50-64	61	7.7	115	1	2	5	9	16	18	74
65+	22	5.5	13	2	2	4	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	3.9	7	1	2	3	5	7	8	15
20-34	1583	5.0	16	2	2	4	6	9	11	21
35-49	1226	5.6	17	2	2	5	7	10	13	22
50-64	902	5.8	16	2	2	5	7	10	13	21
65+	551	6.3	25	2	2	5	7	11	15	24
B. *Operated*										
0-19 YRS	33	4.9	6	2	2	5	6	9	10	11
20-34	204	7.8	26	3	3	7	10	13	15	27
35-49	192	8.9	39	2	3	7	11	18	20	30
50-64	169	10.1	62	2	3	9	13	18	23	47
65+	97	9.0	54	2	3	7	11	17	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3631	4.1	14	1	1	3	5	7	10	16
B. *Operated*	366	5.6	32	2	2	4	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	4853	5.3	17	2	2	4	7	10	12	22
B. *Operated*	695	8.7	42	2	3	7	11	16	21	34
1. SINGLE DX	3997	4.3	16	1	2	3	5	8	10	17
2. MULTIPLE DX	5548	5.7	21	2	2	5	7	11	14	23
A. NOT OPERATED	8484	4.8	16	1	2	4	6	9	11	20
B. OPERATED	1061	7.6	41	2	2	6	10	15	19	30
TOTAL 0-19 YRS	1396	3.6	14	1	1	3	4	6	8	13
20-34	3427	4.8	15	1	2	4	6	9	11	21
35-49	2389	5.6	19	2	2	4	7	10	14	22
50-64	1506	6.0	28	2	2	5	7	11	15	26
65+	827	6.2	27	2	2	5	7	11	14	28
GRAND TOTAL	**9545**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.3	16	<1	1	2	3	6	11	26
20-34	92	4.3	17	1	2	4	5	7	8	26
35-49	191	3.7	4	1	1	3	5	6	7	10
50-64	345	4.2	6	1	1	4	5	7	8	13
65+	301	4.1	10	1	1	4	5	7	8	17
B. *Operated*										
0-19 YRS	83	2.0	2	<1	1	1	2	4	5	9
20-34	43	4.9	8	1	1	5	7	9	11	12
35-49	96	5.0	6	2	2	5	6	7	10	15
50-64	183	5.3	7	1	2	5	7	9	10	15
65+	115	4.8	9	1	2	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.4	6	1	1	3	5	6	9	12
20-34	67	4.6	16	1	1	4	6	8	9	27
35-49	192	4.9	10	1	2	4	6	8	11	15
50-64	463	5.2	12	1	2	5	6	9	11	19
65+	604	5.8	32	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	53	3.5	9	<1	1	2	5	8	10	11
20-34	39	5.2	11	1	2	5	6	8	13	18
35-49	84	6.3	12	2	3	5	7	11	13	19
50-64	188	6.6	34	2	2	5	8	11	14	35
65+	195	8.5	44	2	3	6	11	17	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	4.0	8	1	1	4	5	7	8	13
B. *Operated*	520	4.6	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1389	5.3	21	1	2	4	6	9	12	22
B. *Operated*	559	6.8	32	1	2	5	8	13	17	28
1. SINGLE DX	1514	4.2	8	1	1	4	5	7	8	14
2. MULTIPLE DX	1948	5.7	24	1	2	5	7	10	14	25
A. NOT OPERATED	2383	4.8	16	1	2	4	6	8	11	20
B. OPERATED	1079	5.7	22	1	2	5	7	10	14	23
TOTAL 0-19 YRS	264	3.0	8	1	1	2	4	6	8	12
20-34	241	4.6	14	1	1	4	6	8	9	19
35-49	563	4.7	8	1	2	4	6	8	10	15
50-64	1179	5.1	14	1	2	5	6	9	11	18
65+	1215	5.7	28	1	2	4	7	11	14	27
GRAND TOTAL	**3462**	**5.1**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.4	8	<1	1	2	4	8	9	16
20-34	72	3.9	9	1	1	3	5	8	9	15
35-49	56	3.9	9	1	1	3	5	9	10	14
50-64	60	4.0	6	1	1	3	6	8	9	10
65+	39	3.8	14	<1	1	3	5	6	8	23
B. *Operated*										
0-19 YRS	395	2.2	2	<1	1	2	2	3	5	9
20-34	334	2.8	4	1	1	2	3	5	7	10
35-49	179	3.8	20	1	1	3	4	7	10	28
50-64	135	3.7	11	1	2	2	4	8	11	32
65+	77	4.1	11	1	2	3	5	8	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.8	7	1	1	3	5	7	8	14
20-34	143	4.4	15	1	2	3	5	7	10	28
35-49	166	5.2	16	2	2	4	6	9	11	21
50-64	213	5.9	27	1	2	5	7	11	14	32
65+	241	7.6	39	2	2	6	10	14	19	32
B. *Operated*										
0-19 YRS	101	3.8	12	1	1	2	5	8	11	19
20-34	172	5.7	63	1	2	4	7	11	14	30
35-49	131	6.1	68	1	2	4	8	11	13	47
50-64	177	6.5	50	2	2	4	7	15	20	38
65+	162	7.8	70	2	2	5	10	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.8	9	1	1	3	5	8	9	15
B. *Operated*	1120	3.0	8	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	863	5.7	26	1	2	4	7	11	14	29
B. *Operated*	743	6.2	57	1	2	4	8	12	17	36
1. SINGLE DX	1433	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	1606	5.9	40	1	2	4	7	11	15	31
A. NOT OPERATED	1176	5.2	22	1	2	4	6	10	13	25
B. OPERATED	1863	4.2	30	1	1	3	5	9	12	27
TOTAL 0-19 YRS	682	2.8	6	1	1	2	3	5	7	12
20-34	721	3.9	22	1	1	3	4	8	10	16
35-49	532	4.8	30	1	2	3	6	9	12	23
50-64	585	5.4	30	1	2	4	7	11	15	32
65+	519	6.9	45	2	2	5	8	14	19	33
GRAND TOTAL	**3039**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	34	2	2	7	12	13	13	13
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	4	3.5	6	2	2	3	5	7	7	7
50-64	5	9.8	66	4	4	6	13	24	24	24
65+	27	7.6	23	1	2	7	12	14	15	17
B. *Operated*										
0-19 YRS	31	5.5	66	<1	1	3	4	12	29	36
20-34	41	6.2	46	1	1	4	9	13	22	33
35-49	71	10.7	118	1	2	7	16	25	29	53
50-64	96	14.6	179	2	2	11	18	33	43	63
65+	276	17.7	162	4	6	14	22	38	49	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	63	2	2	6	13	22	22	22
20-34	3	5.0	12	<1	<1	7	7	7	7	7
35-49	15	15.4	411	2	3	9	13	33	70	82
50-64	53	9.5	51	2	3	8	12	18	26	36
65+	212	12.6	124	1	3	10	16	24	30	62
B. *Operated*										
0-19 YRS	21	5.9	40	1	1	3	7	19	20	21
20-34	57	13.8	172	2	3	10	15	34	44	61
35-49	98	19.7	231	4	6	16	27	41	65	99+
50-64	439	22.5	274	5	7	18	30	47	62	99+
65+	1113	22.9	241	6	8	19	29	45	58	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	7.1	27	1	2	5	12	13	16	24
B. *Operated*	515	14.5	161	2	2	11	19	32	44	66
2. MULTIPLE DX										
A. *Not Operated*	288	12.0	124	2	3	10	15	24	29	64
B. *Operated*	1728	22.1	250	5	7	18	29	45	58	99
1. SINGLE DX	558	13.9	155	2	2	11	18	30	43	64
2. MULTIPLE DX	2016	20.7	245	3	6	16	27	43	54	94
A. NOT OPERATED	331	11.4	114	2	2	9	15	22	28	61
B. OPERATED	2243	20.4	240	3	5	16	27	43	54	94
TOTAL 0-19 YRS	61	6.0	53	1	1	3	7	18	21	35
20-34	104	10.2	128	1	2	6	13	22	35	57
35-49	188	15.6	216	2	2	12	22	34	47	93
50-64	593	19.9	257	3	3	15	28	44	55	97
65+	1628	20.4	225	4	6	16	26	41	53	92
GRAND TOTAL	**2574**	**19.2**	**233**	**2**	**4**	**15**	**26**	**41**	**53**	**92**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	2.9	4	1	1	2	4	5	6	10
20-34	997	3.5	18	1	1	3	4	6	7	12
35-49	2303	3.7	10	1	1	3	5	7	8	14
50-64	1862	4.2	12	1	2	4	5	7	9	16
65+	719	4.6	13	1	2	4	6	9	11	20
B. *Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	116	4.0	10	2	2	3	5	8	11	15
35-49	646	3.4	7	2	2	2	4	7	9	14
50-64	606	3.6	9	2	2	2	4	7	10	15
65+	107	4.1	8	2	2	3	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	3.5	5	1	1	3	4	6	7	15
20-34	1541	4.3	8	1	2	3	5	8	10	15
35-49	4705	4.8	13	1	2	4	6	9	11	16
50-64	5935	5.3	13	2	2	4	7	9	11	19
65+	3883	5.8	18	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	8	7.1	44	2	2	5	8	19	22	22
20-34	219	6.2	25	2	2	5	8	12	17	25
35-49	985	5.7	25	2	2	4	8	11	15	25
50-64	1291	6.4	31	2	2	4	9	14	17	26
65+	347	7.9	36	2	2	7	10	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6041	3.9	12	1	1	3	5	7	9	15
B. *Operated*	1480	3.6	8	2	2	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	16277	5.1	14	2	2	4	6	9	12	18
B. *Operated*	2850	6.3	30	2	2	5	8	13	16	26
1. SINGLE DX	7521	3.9	11	1	2	3	5	7	9	15
2. MULTIPLE DX	19127	5.3	16	2	2	4	7	10	12	20
A. NOT OPERATED	22318	4.8	14	1	2	4	6	9	11	18
B. OPERATED	4330	5.4	24	2	2	3	7	11	15	23
TOTAL 0-19 YRS	386	3.3	6	1	1	3	4	6	7	13
20-34	2873	4.1	13	1	2	3	5	8	10	16
35-49	8639	4.5	13	1	2	4	6	8	11	16
50-64	9694	5.1	15	2	2	4	6	9	12	20
65+	5056	5.8	19	2	2	5	7	10	13	22
GRAND TOTAL	**26648**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	3.9	23	1	1	2	4	8	12	31
20-34	85	3.0	4	<1	1	2	4	6	7	12
35-49	95	4.1	17	1	1	3	5	8	10	23
50-64	118	4.9	30	<1	1	4	6	9	11	40
65+	111	5.3	12	1	2	4	7	10	12	17
B. *Operated*										
0-19 YRS	39	3.6	12	1	1	2	5	8	11	17
20-34	84	4.5	13	1	1	3	6	8	11	19
35-49	133	4.5	16	1	1	3	6	9	12	20
50-64	263	4.5	22	1	1	3	5	9	12	25
65+	151	5.2	21	1	1	4	6	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	4.5	31	1	1	3	5	9	12	30
20-34	206	4.4	12	1	1	3	5	8	11	19
35-49	321	5.7	18	2	2	4	7	12	15	22
50-64	694	6.9	34	1	2	5	9	14	18	30
65+	955	7.6	31	2	2	6	10	14	18	26
B. *Operated*										
0-19 YRS	41	6.7	25	1	2	5	10	13	16	23
20-34	94	7.8	75	2	2	4	9	19	25	47
35-49	226	7.0	63	2	2	5	9	14	17	45
50-64	501	7.3	56	2	2	5	9	14	20	42
65+	475	8.9	66	2	2	7	10	16	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	4.2	19	1	1	3	5	8	11	23
B. *Operated*	670	4.6	19	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	2460	6.5	30	1	2	5	8	13	17	26
B. *Operated*	1337	7.8	62	2	2	6	9	15	21	43
1. SINGLE DX	1269	4.4	19	1	1	3	6	9	12	22
2. MULTIPLE DX	3797	7.0	41	1	2	5	9	14	18	34
A. NOT OPERATED	3059	6.1	29	1	2	4	8	12	16	26
B. OPERATED	2007	6.8	50	1	2	5	8	13	18	39
TOTAL 0-19 YRS	554	4.4	27	1	1	3	5	9	12	27
20-34	469	4.8	26	1	1	3	6	9	14	26
35-49	775	5.7	32	1	2	4	7	11	15	30
50-64	1576	6.5	40	1	2	5	8	12	18	32
65+	1692	7.6	40	2	2	6	10	14	18	35
GRAND TOTAL	**5066**	**6.3**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.1	2	<1	1	2	3	4	5	7
20-34	429	2.5	6	<1	1	2	3	5	6	12
35-49	439	2.8	12	1	1	2	3	5	6	9
50-64	301	2.8	4	<1	1	2	4	5	7	10
65+	197	4.0	19	<1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	493	2.0	7	1	1	1	2	3	4	12
20-34	139	4.2	10	1	1	3	6	9	10	15
35-49	141	5.8	17	1	2	5	8	11	13	19
50-64	122	7.0	25	1	2	6	9	13	15	28
65+	139	7.1	29	1	2	5	10	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.0	6	1	1	2	4	5	8	14
20-34	372	3.4	6	1	1	3	4	6	8	14
35-49	430	3.7	10	1	1	3	5	7	9	18
50-64	477	4.8	18	1	1	4	6	9	13	20
65+	787	6.9	47	1	2	5	8	14	18	46
B. *Operated*										
0-19 YRS	498	2.3	6	1	1	2	2	4	5	15
20-34	208	6.0	17	1	2	5	8	11	14	19
35-49	261	7.5	29	1	2	6	10	14	19	31
50-64	404	8.4	34	2	2	7	11	16	21	27
65+	875	11.5	65	3	4	10	14	20	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1512	2.8	9	<1	1	2	3	5	7	12
B. *Operated*	1034	4.1	18	1	1	2	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	2198	5.0	26	1	1	4	6	10	14	25
B. *Operated*	2246	7.9	50	1	1	6	11	16	21	33
1. SINGLE DX	2546	3.3	13	1	1	2	4	7	9	18
2. MULTIPLE DX	4444	6.5	40	1	1	4	9	14	18	30
A. NOT OPERATED	3710	4.1	20	1	1	3	5	8	12	21
B. OPERATED	3280	6.7	43	1	1	5	9	15	19	29
TOTAL 0-19 YRS	1269	2.2	6	1	1	2	2	4	5	14
20-34	1148	3.6	10	1	1	3	5	7	10	16
35-49	1271	4.4	18	1	1	3	6	9	12	20
50-64	1304	5.7	25	1	1	4	8	12	16	24
65+	1998	8.7	58	1	2	7	11	17	21	43
GRAND TOTAL	**6990**	**5.3**	**33**	**1**	**1**	**3**	**7**	**12**	**16**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3567	2.8	6	1	1	2	3	5	6	11
20-34	3705	3.4	8	1	1	3	4	6	8	13
35-49	2143	4.1	8	1	1	3	5	7	9	15
50-64	1404	4.3	9	1	2	4	5	8	10	16
65+	960	4.9	13	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	441	4.1	8	1	2	3	5	7	9	18
20-34	689	4.9	12	1	2	4	6	9	11	17
35-49	327	5.4	13	1	2	5	7	10	12	19
50-64	153	6.6	39	2	2	6	8	11	13	32
65+	94	7.9	39	1	2	7	10	16	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2001	3.4	10	1	1	3	4	6	8	12
20-34	3472	4.3	10	1	1	4	5	8	10	16
35-49	2811	5.4	17	2	2	4	7	10	12	21
50-64	2926	5.7	15	2	2	5	7	10	13	21
65+	3100	6.6	28	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	337	5.2	13	2	2	4	6	9	12	18
20-34	950	6.8	33	1	2	5	8	13	16	29
35-49	722	8.2	38	2	3	7	10	15	20	31
50-64	552	9.4	53	2	3	8	12	18	23	36
65+	412	10.7	53	3	4	9	14	19	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11779	3.6	8	1	1	3	4	7	8	14
B. *Operated*	1704	5.1	16	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	14310	5.2	17	1	2	4	6	10	12	21
B. *Operated*	2973	8.0	41	2	2	6	10	15	19	34
1. SINGLE DX	13483	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX	17283	5.7	23	1	2	4	7	10	14	23
A. NOT OPERATED	26089	4.5	14	1	1	4	6	8	11	18
B. OPERATED	4677	6.9	34	2	2	5	9	13	17	30
TOTAL 0-19 YRS	6346	3.2	8	1	1	3	4	6	7	13
20-34	8816	4.3	13	1	1	3	5	8	10	17
35-49	6003	5.3	18	1	2	4	7	10	12	22
50-64	5035	5.8	20	2	2	5	7	10	13	23
65+	4566	6.7	29	2	2	5	8	12	16	28
GRAND TOTAL	**30766**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	3.2	6	1	1	3	4	6	8	13
20-34	272	3.7	9	1	1	3	5	7	9	16
35-49	219	4.2	10	1	1	3	5	8	11	17
50-64	175	4.5	12	1	1	3	6	10	12	15
65+	250	5.7	16	1	2	4	8	11	14	20
B. *Operated*										
0-19 YRS	40	4.2	15	<1	1	3	5	9	13	18
20-34	80	5.1	11	1	2	4	6	9	12	15
35-49	69	6.2	31	1	1	5	8	12	15	31
50-64	81	5.4	26	1	2	3	7	12	17	24
65+	58	9.7	86	2	2	9	12	19	23	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	745	3.7	7	1	1	3	4	6	8	16
20-34	581	4.5	13	1	1	3	6	9	11	19
35-49	601	5.9	32	1	2	5	7	10	16	30
50-64	818	6.9	36	2	2	5	9	13	17	31
65+	1587	7.8	49	2	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	50	6.2	31	1	2	5	8	11	14	32
20-34	204	7.8	38	2	2	7	9	13	18	37
35-49	233	9.4	59	2	2	8	12	18	24	37
50-64	328	11.1	119	2	2	8	14	23	30	55
65+	318	13.3	116	2	3	11	17	26	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1276	4.2	11	1	1	3	5	8	11	17
B. *Operated*	328	6.1	35	1	2	4	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	4332	6.2	35	1	2	5	8	12	16	30
B. *Operated*	1133	10.6	92	2	2	8	13	21	28	51
1. SINGLE DX	1604	4.6	16	1	1	3	6	9	12	20
2. MULTIPLE DX	5465	7.1	50	1	2	5	9	14	20	35
A. NOT OPERATED	5608	5.7	30	1	2	4	7	11	15	28
B. OPERATED	1461	9.6	83	2	2	7	12	19	26	49
TOTAL 0-19 YRS	1195	3.7	8	1	1	3	4	7	8	16
20-34	1137	5.0	18	1	1	4	6	10	12	20
35-49	1122	6.3	36	1	2	5	8	12	17	31
50-64	1402	7.5	56	1	2	5	9	15	21	37
65+	2213	8.4	61	2	2	6	10	16	22	37
GRAND TOTAL	**7069**	**6.5**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2559	4.1	27	1	1	3	5	8	11	25
20-34	2244	4.7	33	1	1	3	5	9	13	28
35-49	1897	5.6	49	1	1	4	6	11	17	50
50-64	2188	6.5	63	1	2	4	7	14	20	45
65+	2223	7.3	70	1	2	5	8	15	22	51
B. *Operated*										
0-19 YRS	324	4.2	38	<1	1	2	4	10	14	41
20-34	642	4.5	49	1	1	3	5	9	13	45
35-49	566	4.9	30	1	1	3	6	10	14	28
50-64	618	6.3	62	1	1	3	8	15	22	39
65+	424	7.2	58	1	2	4	9	15	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2131	5.1	30	1	2	4	6	10	15	26
20-34	2095	4.6	14	1	2	4	6	8	10	19
35-49	2513	5.4	21	2	2	4	7	10	12	21
50-64	4362	6.5	30	2	2	5	8	12	16	30
65+	8068	7.6	41	2	3	6	9	15	19	32
B. *Operated*										
0-19 YRS	174	6.2	49	1	1	3	8	15	20	43
20-34	603	5.4	48	1	2	3	6	11	15	29
35-49	667	7.0	38	2	2	5	9	14	18	35
50-64	933	8.3	74	2	2	6	10	17	24	47
65+	1174	12.0	124	2	3	9	15	24	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11111	5.6	49	1	1	4	6	11	17	41
B. *Operated*	2574	5.4	49	1	1	3	6	12	17	39
2. MULTIPLE DX										
A. *Not Operated*	19169	6.5	33	2	2	5	8	12	17	29
B. *Operated*	3551	8.7	84	2	2	6	11	18	25	50
1. SINGLE DX	13685	5.6	49	1	1	4	6	11	17	40
2. MULTIPLE DX	22720	6.8	41	2	2	5	8	13	18	33
A. NOT OPERATED	30280	6.1	39	1	2	4	7	12	17	33
B. OPERATED	6125	7.3	72	1	2	5	9	16	23	46
TOTAL 0-19 YRS	5188	4.6	30	1	1	3	5	9	13	27
20-34	5584	4.7	29	1	1	3	5	9	12	26
35-49	5643	5.6	33	1	2	4	7	11	15	33
50-64	8101	6.7	47	1	2	5	8	13	18	37
65+	11889	8.0	57	2	2	6	10	16	21	40
GRAND TOTAL	**36405**	**6.3**	**45**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	2.9	15	1	1	2	3	6	8	14
20-34	67	5.3	27	1	1	4	7	10	12	33
35-49	38	3.9	8	1	1	3	5	7	10	13
50-64	14	4.8	8	1	1	4	6	9	11	11
65+	9	4.8	22	1	1	3	6	12	16	16
B. *Operated*										
0-19 YRS	130	5.8	31	1	2	4	7	10	14	35
20-34	68	9.2	53	3	3	7	10	18	29	35
35-49	25	8.7	43	3	3	6	12	25	42	99+
50-64	11	6.9	38	1	1	5	9	15	22	23
65+	4	16.3	191	3	3	14	27	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	4.0	14	1	1	3	5	8	11	20
20-34	123	6.2	50	1	1	4	7	14	17	43
35-49	53	6.5	23	1	2	6	9	13	15	25
50-64	57	8.0	63	1	2	6	9	15	23	46
65+	56	8.3	64	2	2	6	9	23	27	34
B. *Operated*										
0-19 YRS	182	13.7	266	1	3	8	16	33	49	92
20-34	142	16.3	279	4	4	11	18	42	77	99+
35-49	64	16.6	307	2	3	12	25	37	99	99+
50-64	53	17.9	341	2	4	13	26	66	99+	99+
65+	37	17.3	248	3	4	15	24	50	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	3.3	17	1	1	2	4	7	9	17
B. *Operated*	238	7.3	44	1	2	6	8	15	23	37
2. MULTIPLE DX										
A. *Not Operated*	629	5.4	33	1	1	4	6	11	16	31
B. *Operated*	478	15.6	283	2	3	10	19	41	74	99+
1. SINGLE DX	820	4.5	28	1	1	3	6	9	13	31
2. MULTIPLE DX	1107	9.8	166	1	2	6	11	24	38	99+
A. NOT OPERATED	1211	4.4	26	1	1	3	5	9	13	26
B. OPERATED	716	12.8	219	2	3	8	16	33	53	99+
TOTAL 0-19 YRS	1106	5.4	72	1	1	3	6	11	17	48
20-34	400	10.2	150	1	2	6	12	22	37	95
35-49	180	9.9	149	1	2	6	13	25	35	99+
50-64	135	11.5	190	1	2	8	13	32	60	99+
65+	106	11.4	148	2	2	7	16	29	38	99+
GRAND TOTAL	**1927**	**7.5**	**114**	**1**	**1**	**4**	**8**	**17**	**29**	**89**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.7	5	1	1	2	3	5	6	11
20-34	70	4.5	13	1	1	3	6	10	11	18
35-49	26	4.4	17	<1	1	3	5	9	13	19
50-64	13	5.5	13	1	2	5	7	10	14	15
65+	9	7.0	34	1	1	7	9	16	20	20
B. *Operated*										
0-19 YRS	43	4.7	14	1	1	3	7	9	14	15
20-34	41	6.1	55	<1	1	4	7	11	16	46
35-49	12	7.7	47	1	2	4	14	18	20	20
50-64	4	5.0	23	2	2	3	8	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	6.1	66	1	1	4	6	12	18	43
20-34	127	7.9	80	1	2	5	11	16	20	48
35-49	57	7.5	63	1	2	4	10	20	22	44
50-64	41	7.0	39	1	1	6	9	12	14	38
65+	38	9.1	51	3	3	7	14	16	21	39
B. *Operated*										
0-19 YRS	92	10.9	173	2	2	7	14	26	68	99+
20-34	131	14.2	227	2	3	10	16	36	48	85
35-49	44	13.0	251	2	3	9	18	77	99+	99+
50-64	30	17.5	172	2	3	15	22	40	44	52
65+	16	18.3	454	1	3	10	25	58	69	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.4	10	1	1	2	4	7	9	19
B. *Operated*	101	5.6	35	<1	1	4	7	14	16	33
2. MULTIPLE DX										
A. *Not Operated*	445	7.1	66	1	2	5	9	15	20	40
B. *Operated*	313	13.6	222	2	3	9	16	39	65	99+
1. SINGLE DX	453	3.9	16	1	1	3	5	8	11	19
2. MULTIPLE DX	758	9.8	141	1	2	6	12	20	39	97
A. NOT OPERATED	797	5.5	44	1	1	3	6	12	16	33
B. OPERATED	414	11.6	188	2	2	8	15	30	50	99+
TOTAL 0-19 YRS	551	5.4	62	1	1	3	6	11	18	68
20-34	369	9.3	131	1	2	6	11	18	32	74
35-49	139	8.6	121	1	2	5	11	20	46	99+
50-64	88	10.3	106	1	2	7	14	21	38	49
65+	64	11.0	161	2	3	7	14	20	35	70
GRAND TOTAL	**1211**	**7.6**	**102**	**1**	**1**	**4**	**9**	**16**	**25**	**75**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.9	2	<1	<1	1	2	4	6	40
20-34	141	2.2	3	<1	<1	2	3	4	6	8
35-49	65	3.0	10	<1	<1	2	4	6	7	20
50-64	28	3.1	7	<1	1	2	4	8	9	9
65+	18	2.8	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1394	2.4	4	<1	1	2	3	4	6	11
20-34	1578	3.3	8	1	1	2	4	6	8	14
35-49	462	3.7	11	1	1	3	4	7	9	16
50-64	172	3.9	7	1	2	3	5	8	9	14
65+	73	5.3	14	1	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	3.4	16	<1	1	2	4	7	10	17
20-34	223	3.5	13	<1	1	3	5	7	9	30
35-49	118	4.4	18	<1	1	3	6	9	11	25
50-64	104	5.8	50	1	1	4	6	13	19	40
65+	146	8.0	61	2	2	6	10	15	18	49
B. *Operated*										
0-19 YRS	964	4.6	39	1	1	3	5	8	11	35
20-34	1580	5.7	39	1	2	4	7	11	16	31
35-49	613	6.5	57	2	2	4	8	12	18	37
50-64	298	8.5	74	2	2	6	11	17	21	55
65+	185	11.6	140	2	2	8	14	26	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	2.4	4	<1	<1	2	3	5	6	10
B. *Operated*	3679	3.1	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	732	4.8	32	1	1	3	6	10	15	32
B. *Operated*	3640	6.1	52	1	2	4	7	12	17	38
1. SINGLE DX	4045	3.0	7	1	1	2	4	6	8	13
2. MULTIPLE DX	4372	5.9	49	1	1	4	7	12	16	37
A. NOT OPERATED	1098	4.0	24	<1	1	3	5	8	12	26
B. OPERATED	7319	4.6	32	1	1	3	5	9	13	29
TOTAL 0-19 YRS	2613	3.3	18	<1	1	2	4	6	8	16
20-34	3522	4.3	24	1	1	3	5	8	12	24
35-49	1258	5.1	36	1	1	3	6	10	14	28
50-64	602	6.5	52	1	2	4	8	13	20	46
65+	422	8.9	92	1	2	6	11	17	27	55
GRAND TOTAL	**8417**	**4.5**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	387	6.4	45	1	2	5	7	12	17	43
20-34	685	6.3	25	1	2	5	8	11	14	24
35-49	383	7.3	25	2	3	6	9	13	16	24
50-64	462	8.5	29	2	3	7	11	16	19	26
65+	714	10.5	38	3	4	10	13	18	20	36
B. *Operated*										
0-19 YRS	59	17.4	333	2	3	12	24	46	54	83
20-34	92	15.5	186	3	4	13	18	29	43	79
35-49	46	11.7	37	3	5	10	18	21	21	23
50-64	37	14.5	104	2	3	12	20	28	35	46
65+	32	13.4	83	3	3	12	19	25	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	7.3	51	1	2	5	8	13	20	38
20-34	545	7.3	37	2	2	6	9	14	18	31
35-49	378	9.8	58	2	3	8	13	17	23	41
50-64	583	10.6	61	2	4	9	13	19	24	44
65+	1979	12.9	70	4	5	11	16	22	28	42
B. *Operated*										
0-19 YRS	125	20.4	347	2	4	15	33	47	72	99+
20-34	262	17.9	230	3	4	13	25	42	51	96
35-49	136	17.3	200	3	5	14	22	39	62	99+
50-64	154	19.5	218	4	6	16	25	38	52	95
65+	211	20.5	210	5	7	17	26	39	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2631	8.0	35	[illegible]	2	7	10	15	18	30
B. *Operated*	266	14.9	171	2	4	12	19	29	42	73
2. MULTIPLE DX										
A. *Not Operated*	3760	11.0	66	2	3	9	14	21	25	41
B. *Operated*	888	19.1	236	3	5	15	26	41	54	99+
1. SINGLE DX	2897	8.6	52	2	3	7	11	16	20	40
2. MULTIPLE DX	4648	12.5	109	3	4	10	16	24	33	59
A. NOT OPERATED	6391	9.7	56	2	3	8	13	18	23	39
B. OPERATED	1154	18.1	224	3	4	14	23	39	51	99
TOTAL 0-19 YRS	846	9.5	139	1	2	6	10	22	37	72
20-34	1584	9.1	92	2	2	6	10	18	28	53
35-49	943	10.0	75	2	3	8	12	20	26	54
50-64	1236	11.0	81	2	3	9	14	21	27	47
65+	2936	12.8	78	3	5	11	16	22	28	46
GRAND TOTAL	**7545**	**11.0**	**90**	**2**	**3**	**8**	**14**	**21**	**29**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	9.2	220	2	2	5	8	71	98	99+
20-34	34	10.6	240	1	2	6	11	21	42	83
35-49	14	5.9	14	1	1	6	9	11	13	13
50-64	16	8.6	11	3	4	9	11	12	13	14
65+	19	13.9	263	3	4	9	14	22	52	77
B. *Operated*										
0-19 YRS	21	19.4	99	6	9	17	25	33	38	42
20-34	30	31.1	316	6	8	29	44	62	63	99+
35-49	15	24.3	359	5	7	22	56	99+	99+	99+
50-64	3	51.3	990	15	15	69	70	70	70	70
65+	5	35.4	371	18	18	24	53	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	24.7	1048	1	1	11	80	97	99+	99+
20-34	36	23.0	670	2	2	12	47	86	96	99+
35-49	20	12.7	188	1	2	9	15	31	48	56
50-64	24	9.8	42	1	1	10	13	15	21	32
65+	56	15.9	194	4	5	12	18	27	41	85
B. *Operated*										
0-19 YRS	26	46.5	558	15	24	61	99+	99+	99+	99+
20-34	87	37.0	505	6	11	37	65	99+	99+	99+
35-49	25	41.4	748	9	11	38	73	95	99+	99+
50-64	26	39.4	995	8	10	38	97	99+	99+	99+
65+	10	26.7	262	8	12	26	40	78	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	10.1	169	1	2	7	11	20	42	93
B. *Operated*	74	27.5	323	6	8	23	41	63	89	99+
2. MULTIPLE DX										
A. *Not Operated*	152	17.1	386	1	3	11	19	51	87	99+
B. *Operated*	174	38.8	613	8	11	42	81	99+	99+	99+
1. SINGLE DX	167	17.8	311	2	3	11	24	52	70	99+
2. MULTIPLE DX	326	28.7	623	3	5	25	55	99+	99+	99+
A. NOT OPERATED	245	14.4	314	1	2	10	15	41	80	99+
B. OPERATED	248	35.5	551	7	10	35	66	99+	99+	99+
TOTAL 0-19 YRS	73	28.8	663	3	4	30	80	99+	99+	99+
20-34	187	28.6	551	2	4	27	50	88	99+	99+
35-49	74	23.5	567	1	3	16	38	83	99+	99+
50-64	69	22.5	660	3	4	12	37	99	99+	99+
65+	90	17.8	248	4	6	13	20	38	61	95
GRAND TOTAL	**493**	**25.0**	**543**	**3**	**4**	**19**	**45**	**91**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.4	2	<1	1	2	3	4	5	7
20-34	99	3.1	10	1	1	2	3	5	7	20
35-49	135	4.4	15	1	2	3	5	8	11	25
50-64	192	4.6	11	1	2	4	6	9	10	17
65+	222	5.7	17	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	3	7.3	9	4	4	8	9	10	10	10
20-34	11	11.4	311	1	1	6	12	36	60	62
35-49	8	11.1	100	<1	1	7	18	27	29	29
50-64	5	5.4	43	1	1	3	7	17	17	17
65+	12	8.1	26	3	4	6	9	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.7	16	1	1	4	6	10	11	23
20-34	375	5.5	25	1	1	4	7	10	13	28
35-49	538	6.3	33	1	2	5	8	13	15	24
50-64	834	7.2	27	2	2	6	9	13	16	28
65+	1434	9.7	53	2	3	8	12	18	24	38
B. *Operated*										
0-19 YRS	57	10.4	108	1	1	8	13	25	33	97
20-34	200	11.7	160	2	3	9	12	23	39	79
35-49	154	12.3	113	2	3	9	16	23	32	60
50-64	219	14.6	182	3	4	11	18	32	45	74
65+	236	16.1	168	3	5	14	20	34	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	4.6	14	1	2	4	6	9	11	19
B. *Operated*	39	9.2	118	1	1	6	10	19	26	62
2. MULTIPLE DX										
A. *Not Operated*	3305	7.8	42	2	2	6	10	15	19	33
B. *Operated*	866	13.7	159	2	4	10	17	29	43	75
1. SINGLE DX	721	4.8	21	1	2	4	6	9	12	22
2. MULTIPLE DX	4171	9.1	72	2	2	7	11	17	24	49
A. NOT OPERATED	3987	7.3	38	1	2	6	9	14	18	32
B. OPERATED	905	13.5	158	2	3	10	16	28	43	74
TOTAL 0-19 YRS	218	5.9	46	1	1	4	8	12	19	42
20-34	685	7.1	76	1	2	5	8	13	20	60
35-49	835	7.2	52	1	2	5	9	15	20	32
50-64	1250	8.1	62	2	2	6	10	15	21	45
65+	1904	10.0	70	2	3	8	13	19	26	49
GRAND TOTAL	**4892**	**8.4**	**66**	**2**	**2**	**6**	**10**	**16**	**23**	**46**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	7.5	56	1	2	5	9	13	23	44
20-34	149	9.7	86	1	3	7	12	19	31	51
35-49	71	12.9	103	3	4	10	17	26	32	53
50-64	122	11.0	99	3	3	8	12	24	31	54
65+	487	12.6	72	3	4	11	16	23	28	42
B. *Operated*										
0-19 YRS	11	10.5	73	1	2	8	16	24	29	29
20-34	15	22.9	338	3	4	20	39	46	59	64
35-49	7	23.6	241	4	7	22	43	85	99+	99+
50-64	6	25.7	327	8	8	21	39	52	54	54
65+	12	27.4	434	8	9	21	34	62	75	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	10.7	99	2	3	8	13	21	32	52
20-34	277	12.6	129	2	3	9	16	27	37	57
35-49	148	15.0	178	3	4	11	19	33	41	91
50-64	261	15.7	181	3	5	12	19	30	43	72
65+	1105	15.8	110	4	5	14	20	28	36	58
B. *Operated*										
0-19 YRS	133	19.1	225	4	5	14	29	43	60	99+
20-34	174	26.2	393	5	7	19	39	57	66	94
35-49	85	32.8	457	6	9	30	49	59	88	97
50-64	67	40.8	659	7	10	36	62	78	89	92
65+	146	25.9	277	7	10	23	33	47	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	11.2	81	2	3	9	14	22	28	46
B. *Operated*	51	21.7	304	3	5	17	29	51	63	99+
2. MULTIPLE DX										
A. *Not Operated*	1991	14.8	128	3	4	12	19	28	37	60
B. *Operated*	605	27.1	404	5	7	22	39	58	75	99+
1. SINGLE DX	1027	11.7	97	2	3	9	15	24	32	54
2. MULTIPLE DX	2596	17.6	220	3	5	13	22	37	49	83
A. NOT OPERATED	2967	13.6	115	3	4	11	18	26	35	56
B. OPERATED	656	26.7	398	5	7	21	38	58	75	99+
TOTAL 0-19 YRS	491	12.0	140	2	3	8	14	28	42	63
20-34	615	16.0	243	2	3	10	20	39	52	74
35-49	311	19.6	305	3	5	14	26	48	57	95
50-64	456	18.3	322	3	4	12	21	43	61	89
65+	1750	15.8	127	4	5	13	20	29	37	62
GRAND TOTAL	**3623**	**16.0**	**192**	**3**	**4**	**12**	**20**	**34**	**45**	**77**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	4.5	34	1	1	2	4	14	19	24
20-34	80	4.0	18	<1	1	2	5	9	13	22
35-49	73	4.9	63	1	1	3	5	8	19	47
50-64	146	5.1	30	1	1	4	6	9	14	29
65+	480	6.9	45	1	2	5	8	14	19	30
B. *Operated*										
0-19 YRS	1320	4.5	26	1	1	3	5	11	16	24
20-34	188	5.7	44	1	1	4	6	12	20	34
35-49	144	5.8	25	1	1	4	8	12	18	22
50-64	213	7.7	47	1	2	6	10	15	19	37
65+	350	8.4	51	2	2	6	10	18	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	5.3	36	1	1	3	5	13	17	31
20-34	104	7.7	77	1	1	5	9	16	29	77
35-49	81	6.5	31	1	1	5	9	15	19	23
50-64	192	10.0	103	1	2	7	13	22	30	39
65+	845	11.0	83	2	3	8	14	23	30	51
B. *Operated*										
0-19 YRS	404	8.0	108	1	2	4	9	19	25	62
20-34	237	11.0	186	2	2	7	12	22	29	83
35-49	174	10.9	118	1	2	7	13	26	32	55
50-64	291	11.4	123	2	3	8	15	25	36	75
65+	568	13.3	125	2	3	10	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	5.7	41	1	1	4	7	13	19	29
B. *Operated*	2215	5.6	36	1	1	3	7	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	1331	9.8	82	1	2	7	13	21	29	45
B. *Operated*	1674	11.1	132	1	2	7	14	24	33	63
1. SINGLE DX	3246	5.6	37	1	1	3	7	13	18	30
2. MULTIPLE DX	3005	10.5	110	1	2	7	14	23	31	57
A. NOT OPERATED	2362	8.0	68	1	1	5	10	18	24	42
B. OPERATED	3889	8.0	85	1	1	5	10	19	25	46
TOTAL 0-19 YRS	2085	5.2	45	1	1	3	5	13	19	30
20-34	609	7.9	108	1	1	5	9	18	25	65
35-49	472	7.7	72	1	1	5	9	18	23	44
50-64	842	9.0	88	1	2	6	11	21	29	44
65+	2243	10.3	86	2	2	7	13	22	29	51
GRAND TOTAL	**6251**	**8.0**	**78**	**1**	**1**	**5**	**10**	**18**	**25**	**44**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.3	27	<1	1	1	2	3	4	12
20-34	61	3.2	13	1	1	3	4	5	7	24
35-49	45	3.2	7	<1	1	2	4	8	9	11
50-64	49	3.6	10	1	1	3	4	7	12	16
65+	96	4.2	16	1	1	3	5	9	13	65
B. *Operated*										
0-19 YRS	2303	2.2	5	1	1	2	3	4	5	11
20-34	801	4.0	9	1	1	3	5	7	9	15
35-49	553	3.9	16	1	1	3	5	7	8	20
50-64	706	3.5	8	1	1	3	4	6	9	14
65+	646	4.3	18	1	1	3	5	8	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	3.5	17	1	1	2	4	6	11	25
20-34	99	3.7	10	1	1	3	5	7	10	17
35-49	69	5.4	19	1	1	4	7	12	15	19
50-64	118	7.4	77	1	1	5	8	14	30	70
65+	258	9.1	65	1	2	7	12	19	24	39
B. *Operated*										
0-19 YRS	573	4.6	46	1	1	3	5	9	16	30
20-34	584	7.4	64	1	2	5	9	14	21	47
35-49	382	7.8	79	1	2	5	9	16	22	44
50-64	489	7.2	65	1	2	5	8	14	22	47
65+	686	8.5	65	2	2	6	10	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	3.1	18	1	1	2	4	6	9	21
B. *Operated*	5009	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	647	6.7	52	1	1	4	8	14	20	36
B. *Operated*	2714	7.1	65	1	1	5	8	15	21	45
1. SINGLE DX	5411	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX	3361	7.0	62	1	1	5	8	15	21	44
A. NOT OPERATED	1049	5.3	42	1	1	3	6	12	16	36
B. OPERATED	7723	4.5	33	1	1	3	5	9	14	28
TOTAL 0-19 YRS	3130	2.7	14	1	1	2	3	5	7	19
20-34	1545	5.3	33	1	1	4	6	10	13	29
35-49	1049	5.4	42	1	1	4	6	10	15	34
50-64	1362	5.2	38	1	1	4	6	10	14	32
65+	1686	6.7	49	1	1	4	8	15	20	36
GRAND TOTAL	**8772**	**4.6**	**34**	**1**	**1**	**3**	**5**	**9**	**14**	**30**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.0	1	<1	1	2	3	3	5	5
20-34	58	2.9	7	<1	<1	2	4	5	8	17
35-49	24	2.8	4	<1	1	2	4	5	7	8
50-64	20	6.5	279	<1	<1	2	4	6	42	77
65+	26	4.1	12	1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	720	2.2	7	<1	1	2	2	3	4	9
20-34	861	2.7	6	1	1	2	3	5	6	12
35-49	312	2.8	7	1	1	2	3	5	6	13
50-64	205	3.0	7	1	1	2	4	5	7	14
65+	117	3.7	11	1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.3	11	1	1	2	4	7	9	18
20-34	78	3.8	11	1	1	3	5	8	9	20
35-49	42	4.1	10	1	1	3	6	9	11	12
50-64	62	7.4	32	1	2	6	11	13	15	34
65+	120	7.3	26	1	2	6	10	15	19	21
B. *Operated*										
0-19 YRS	316	3.2	10	1	1	2	4	6	9	18
20-34	582	4.9	55	1	1	3	5	9	15	43
35-49	250	4.9	33	1	1	3	6	10	15	34
50-64	208	4.9	28	1	1	3	6	9	15	27
65+	169	8.4	97	1	2	6	10	17	22	56
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	164	3.3	40	<1	1	2	4	6	9	16
B. *Operated*	2215	2.6	7	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	360	5.6	23	1	1	4	8	12	15	21
B. *Operated*	1525	4.9	45	1	1	3	5	10	15	34
1. SINGLE DX	2379	2.7	9	1	1	2	3	5	6	13
2. MULTIPLE DX	1885	5.0	41	1	1	3	6	11	15	30
A. NOT OPERATED	524	4.9	29	1	1	3	6	11	13	20
B. OPERATED	3740	3.6	24	1	1	2	4	6	10	23
TOTAL 0-19 YRS	1130	2.5	8	1	1	2	3	4	6	13
20-34	1579	3.6	25	1	1	2	4	6	9	24
35-49	628	3.7	18	1	1	3	4	7	11	24
50-64	495	4.5	32	1	1	3	5	9	13	24
65+	432	6.6	53	1	1	4	9	14	18	36
GRAND TOTAL	**4264**	**3.7**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**23**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	15.8	180	2	2	15	24	34	49	92
20-34	21	23.0	474	2	3	18	41	61	90	99+
35-49	21	15.1	383	1	1	7	20	51	63	64
50-64	79	10.6	105	1	2	8	13	24	30	51
65+	415	13.3	154	1	1	11	17	28	36	67
B. *Operated*										
0-19 YRS	141	12.6	88	3	4	11	16	23	30	54
20-34	112	13.8	114	3	5	11	16	31	39	99+
35-49	199	12.9	64	5	6	11	16	22	27	46
50-64	931	14.4	57	6	7	13	17	22	27	45
65+	5133	17.6	70	9	10	16	20	27	32	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	17.2	237	1	2	15	24	37	41	76
20-34	26	18.1	582	1	2	8	17	71	80	85
35-49	27	12.7	100	2	4	11	17	24	29	50
50-64	96	16.5	196	1	3	13	20	38	50	88
65+	822	17.2	185	2	4	15	23	35	50	99+
B. *Operated*										
0-19 YRS	125	24.3	334	5	6	19	31	58	62	92
20-34	180	21.9	213	6	8	18	28	49	61	99+
35-49	236	21.7	234	7	9	17	26	42	59	94
50-64	970	19.7	163	8	9	16	23	36	47	81
65+	7361	21.7	131	10	11	19	26	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	13.6	173	1	2	10	18	29	43	75
B. *Operated*	6516	16.8	71	7	9	15	20	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	1007	17.0	196	2	4	14	22	35	50	99+
B. *Operated*	8872	21.5	142	9	11	18	25	36	46	73
1. SINGLE DX	7121	16.6	81	6	8	15	20	26	32	53
2. MULTIPLE DX	9879	21.0	149	8	10	18	25	36	46	76
A. NOT OPERATED	1612	15.8	190	1	3	13	21	33	48	99+
B. OPERATED	15388	19.5	118	8	10	17	23	32	41	66
TOTAL 0-19 YRS	371	17.6	226	3	4	14	23	38	53	80
20-34	339	19.0	236	3	5	15	24	45	60	99+
35-49	483	17.3	180	4	6	14	21	34	48	74
50-64	2076	16.8	123	6	7	14	19	28	39	67
65+	13731	19.6	117	8	10	17	23	32	40	66
GRAND TOTAL	**17000**	**19.2**	**126**	**7**	**9**	**17**	**23**	**32**	**41**	**68**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	673	19.7	181	1	2	19	28	37	45	59
20-34	93	29.2	512	2	2	28	45	59	74	85
35-49	47	24.2	493	1	2	14	40	59	65	81
50-64	65	26.5	520	2	4	17	42	58	70	88
65+	140	25.3	436	2	4	19	42	54	68	97
B. *Operated*										
0-19 YRS	643	15.5	187	2	2	12	23	34	41	58
20-34	246	19.3	244	4	5	15	23	44	51	85
35-49	82	17.9	133	3	4	14	23	43	51	85
50-64	116	19.0	193	5	7	16	22	39	55	83
65+	341	22.2	245	5	9	18	26	44	57	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	22.8	260	2	3	22	32	45	50	74
20-34	90	29.1	381	3	5	29	42	57	68	93
35-49	67	25.9	458	2	4	21	42	56	70	98
50-64	82	32.4	606	2	4	30	49	72	91	99+
65+	253	27.6	535	4	6	19	41	68	80	99+
B. *Operated*										
0-19 YRS	598	25.2	301	4	6	21	34	49	60	92
20-34	496	28.6	369	5	8	23	41	59	70	99+
35-49	177	32.0	522	4	7	26	49	68	88	99+
50-64	202	33.5	509	8	11	28	51	68	92	99+
65+	477	27.3	299	8	11	23	37	58	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	22.0	292	2	3	20	31	46	55	79
B. *Operated*	1428	18.2	218	2	3	15	24	38	48	84
2. MULTIPLE DX										
A. *Not Operated*	724	26.6	436	3	4	23	38	59	72	99+
B. *Operated*	1950	28.0	366	5	8	23	39	59	71	99+
1. SINGLE DX	2446	19.8	252	2	3	17	27	42	51	79
2. MULTIPLE DX	2674	27.7	385	4	7	23	39	59	72	99+
A. NOT OPERATED	1742	23.9	357	2	3	20	34	51	64	93
B. OPERATED	3378	23.9	327	3	5	19	33	52	64	99+
TOTAL 0-19 YRS	2146	20.3	239	2	3	18	29	41	49	76
20-34	925	26.2	367	4	6	20	40	56	66	91
35-49	373	26.8	461	3	5	21	43	63	74	99+
50-64	465	28.7	483	5	6	22	41	64	83	99+
65+	1211	25.7	353	5	8	20	35	57	72	99+
GRAND TOTAL	**5120**	**23.9**	**337**	**3**	**4**	**20**	**33**	**52**	**64**	**99**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	3.6	18	1	1	2	4	6	9	27
20-34	269	4.4	18	1	1	3	5	9	13	25
35-49	191	6.7	46	1	2	4	8	13	21	33
50-64	184	7.9	50	2	2	6	10	15	23	39
65+	217	10.0	85	1	2	7	13	21	25	51
B. *Operated*										
0-19 YRS	1036	5.0	35	1	1	4	6	10	13	35
20-34	722	8.1	77	1	2	6	10	15	24	51
35-49	476	8.3	64	2	2	6	10	15	22	44
50-64	444	9.8	68	2	3	8	12	18	23	49
65+	251	11.3	83	3	3	10	15	21	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	5.4	24	1	1	4	7	10	13	29
20-34	168	6.9	49	1	2	5	9	14	20	57
35-49	161	9.3	108	1	2	6	11	17	21	64
50-64	211	11.3	100	2	2	7	15	25	35	44
65+	309	14.7	163	3	4	11	19	31	39	69
B. *Operated*										
0-19 YRS	539	11.5	178	2	2	7	13	26	40	67
20-34	637	14.7	218	2	3	10	19	35	48	96
35-49	435	15.2	243	3	4	10	18	38	51	99
50-64	410	16.6	216	3	4	12	21	37	51	95
65+	297	19.4	271	3	5	15	24	43	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	5.9	44	1	1	4	7	13	19	36
B. *Operated*	2929	7.6	64	1	2	5	9	15	21	45
2. MULTIPLE DX										
A. *Not Operated*	1009	10.3	112	1	2	7	13	22	33	59
B. *Operated*	2318	15.0	225	2	3	10	19	35	50	93
1. SINGLE DX	4220	7.1	58	1	2	5	9	14	20	41
2. MULTIPLE DX	3327	13.6	195	2	3	9	17	31	45	85
A. NOT OPERATED	2300	7.8	78	1	1	5	9	18	25	45
B. OPERATED	5247	10.8	149	2	2	7	13	24	36	72
TOTAL 0-19 YRS	2165	6.4	75	1	1	4	7	13	20	54
20-34	1796	9.8	131	1	2	6	11	22	34	74
35-49	1263	10.5	140	2	3	7	12	22	34	70
50-64	1249	12.0	130	2	3	8	15	25	37	63
65+	1074	14.2	171	2	3	11	19	29	40	74
GRAND TOTAL	**7547**	**9.9**	**129**	**1**	**2**	**6**	**12**	**22**	**33**	**64**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.2	8	<1	1	2	4	6	8	20
20-34	298	3.7	14	1	1	3	5	7	9	16
35-49	244	4.5	12	1	1	4	6	8	11	20
50-64	286	5.0	18	1	1	4	6	9	12	30
65+	264	6.9	31	1	2	6	9	13	17	28
B. *Operated*										
0-19 YRS	1073	4.5	24	1	1	4	5	8	11	18
20-34	1582	5.3	11	2	2	5	6	9	11	18
35-49	1120	6.2	19	2	3	5	8	11	14	23
50-64	1179	7.2	24	2	3	6	9	12	16	26
65+	695	9.2	34	3	4	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	3.9	12	1	1	3	5	7	10	11
20-34	247	4.9	28	1	1	4	6	9	12	23
35-49	174	6.4	47	1	2	5	8	12	16	61
50-64	286	8.2	65	1	2	6	10	15	22	39
65+	387	10.0	73	2	3	8	13	20	26	51
B. *Operated*										
0-19 YRS	665	7.4	55	1	2	5	9	14	22	49
20-34	1179	8.2	66	2	3	6	9	16	25	47
35-49	744	9.2	86	2	3	7	10	18	25	55
50-64	832	10.7	108	3	4	8	12	19	26	67
65+	641	13.8	112	4	5	11	17	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1301	4.7	19	1	1	4	6	9	12	23
B. *Operated*	5649	6.2	23	2	2	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1251	7.3	56	1	2	5	9	15	21	40
B. *Operated*	4061	9.6	88	2	3	7	11	19	27	55
1. SINGLE DX	6950	5.9	22	1	2	5	7	11	14	23
2. MULTIPLE DX	5312	9.1	81	2	3	7	11	18	26	51
A. NOT OPERATED	2552	6.0	39	1	1	4	7	12	16	33
B. OPERATED	9710	7.6	53	2	2	6	9	14	19	42
TOTAL 0-19 YRS	2104	5.2	34	1	1	4	6	10	13	30
20-34	3306	6.2	34	1	2	5	7	11	15	36
35-49	2282	7.0	45	2	2	5	8	12	17	41
50-64	2583	8.2	59	2	3	6	10	15	20	40
65+	1987	10.5	72	2	3	8	13	20	27	49
GRAND TOTAL	**12262**	**7.3**	**50**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.6	128	1	1	2	3	4	6	80
20-34	58	2.9	8	1	1	2	3	6	8	16
35-49	19	2.1	2	<1	1	2	2	4	5	6
50-64	27	4.3	18	1	1	3	6	9	12	21
65+	37	6.2	28	1	1	5	8	13	19	23
B. *Operated*										
0-19 YRS	87	3.0	2	1	2	3	4	5	5	8
20-34	71	4.0	15	1	1	3	5	6	8	28
35-49	13	8.4	252	2	2	5	5	17	53	61
50-64	23	3.9	5	1	1	4	5	7	9	10
65+	7	5.9	17	2	2	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.8	20	1	1	3	5	8	10	22
20-34	191	4.4	12	1	1	3	6	8	12	18
35-49	112	6.6	36	1	1	5	8	13	17	34
50-64	128	7.3	32	1	2	6	10	14	16	31
65+	228	10.4	67	2	3	9	14	20	22	44
B. *Operated*										
0-19 YRS	87	8.0	135	1	1	4	8	16	31	70
20-34	117	8.6	134	2	2	5	9	17	25	69
35-49	62	9.3	153	1	2	6	11	18	21	85
50-64	52	12.5	184	2	2	8	17	29	41	64
65+	42	12.4	103	2	3	9	18	29	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.8	51	1	1	2	4	7	10	22
B. *Operated*	201	3.9	24	1	2	3	4	6	7	22
2. MULTIPLE DX										
A. *Not Operated*	842	6.6	42	1	1	5	9	14	19	31
B. *Operated*	360	9.6	143	1	2	6	11	20	31	64
1. SINGLE DX	406	3.9	37	1	1	3	4	6	9	22
2. MULTIPLE DX	1202	7.5	74	1	1	5	9	16	21	44
A. NOT OPERATED	1047	6.1	45	1	1	4	8	13	17	31
B. OPERATED	561	7.5	108	1	2	4	8	17	24	62
TOTAL 0-19 YRS	421	4.5	59	1	1	3	4	8	12	42
20-34	437	5.2	49	1	1	3	6	9	15	35
35-49	206	7.1	84	1	1	5	8	15	19	49
50-64	230	7.8	70	1	2	5	10	15	21	46
65+	314	10.1	68	2	2	8	13	20	24	41
GRAND TOTAL	**1608**	**6.6**	**67**	**1**	**1**	**4**	**8**	**14**	**19**	**41**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	5	1	1	2	5	8	68	99+
20-34	8	5.8	18	1	1	5	9	12	12	12
35-49	3	20.0	441	5	5	11	36	44	44	44
50-64	3	6.0	31	1	1	5	10	12	12	12
65+	4	16.8	77	8	8	15	23	28	28	28
B. *Operated*										
0-19 YRS	10	5.0	6	1	1	5	7	8	9	9
20-34	5	7.0	29	3	3	4	10	16	16	16
35-49	5	6.2	26	1	1	5	11	12	12	12
50-64	5	6.6	8	3	3	8	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.3	59	<1	1	4	8	19	26	30
20-34	11	5.5	19	1	1	4	9	12	15	15
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	8.8	34	2	2	9	13	15	15	15
65+	6	19.3	146	10	10	13	28	39	40	40
B. *Operated*										
0-19 YRS	12	24.8	939	<1	1	11	32	84	88	89
20-34	21	18.8	553	2	3	10	23	75	97	99+
35-49	9	27.6	354	6	7	18	45	53	55	55
50-64	8	16.9	135	3	3	18	25	32	35	35
65+	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.0	78	1	1	5	10	19	40	99+
B. *Operated*	25	6.0	13	1	2	5	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	42	8.5	74	<1	1	5	12	18	29	40
B. *Operated*	51	21.4	520	2	3	12	27	59	88	99+
1. SINGLE DX	59	6.5	50	1	1	5	9	12	23	94
2. MULTIPLE DX	93	15.6	357	1	2	10	18	44	65	98
A. NOT OPERATED	76	7.8	75	1	1	5	11	18	29	85
B. OPERATED	76	16.3	404	1	2	9	18	46	77	99
TOTAL 0-19 YRS	58	9.3	270	1	1	5	9	22	65	99
20-34	45	11.9	304	1	2	8	12	28	73	99+
35-49	18	18.9	331	<1	1	11	36	48	53	55
50-64	20	11.1	85	1	2	8	16	25	30	35
65+	11	18.2	98	8	9	15	26	33	39	40
GRAND TOTAL	**152**	**12.1**	**256**	**1**	**1**	**7**	**13**	**30**	**49**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.7	2	<1	<1	1	2	5	53	99+
20-34	31	2.2	2	<1	<1	2	3	4	5	6
35-49	6	1.8		<1	<1	2	2	2	2	2
50-64	8	3.5	8	1	1	3	5	8	9	9
65+	18	2.2	4	<1	1	1	3	5	7	9
B. *Operated*										
0-19 YRS	204	3.6	7	1	1	3	4	6	6	13
20-34	544	3.5	2	1	1	3	4	5	6	8
35-49	152	3.6	7	1	1	3	5	6	8	13
50-64	111	3.2	7	<1	1	2	4	8	10	12
65+	99	3.2	10	<1	1	2	4	7	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	1	1	2	2	4	4	4
20-34	28	2.7	4	<1	1	2	3	6	8	8
35-49	19	5.8	15	1	1	6	9	11	12	12
50-64	18	6.6	46	1	1	3	9	18	22	24
65+	42	4.9	17	1	1	4	6	9	12	24
B. *Operated*										
0-19 YRS	39	4.7	14	1	1	4	5	11	14	15
20-34	128	5.4	23	1	1	4	6	11	14	29
35-49	70	6.2	24	1	1	5	7	14	18	22
50-64	64	9.1	213	1	1	5	10	17	30	91
65+	107	6.9	46	1	1	5	9	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.2	3	<1	<1	2	3	5	6	70
B. *Operated*	1110	3.5	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	116	4.5	19	1	1	3	6	9	12	24
B. *Operated*	408	6.4	59	1	1	4	8	13	18	32
1. SINGLE DX	1192	3.4	5	1	1	3	4	6	7	10
2. MULTIPLE DX	524	6.0	51	1	1	4	7	12	17	30
A. NOT OPERATED	198	3.6	13	<1	1	2	5	8	11	24
B. OPERATED	1518	4.3	21	1	1	3	5	7	10	22
TOTAL 0-19 YRS	271	3.5	8	1	1	3	4	6	7	15
20-34	731	3.7	7	1	1	3	4	6	7	12
35-49	247	4.5	14	1	1	4	5	8	12	21
50-64	201	5.4	83	1	1	3	6	10	15	48
65+	266	4.9	28	1	1	3	6	11	16	29
GRAND TOTAL	**1716**	**4.2**	**20**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	5	<1	<1	2	4	5	8	12
20-34	74	3.1	5	1	1	2	5	6	7	12
35-49	26	2.9	4	<1	1	2	4	5	7	9
50-64	11	4.6	17	1	1	4	6	10	15	15
65+	8	4.1	9	<1	<1	4	6	9	10	10
B. *Operated*										
0-19 YRS	1454	4.5	5	2	2	4	5	7	8	12
20-34	2689	4.7	6	2	3	4	5	7	8	13
35-49	1219	4.9	6	2	3	4	6	8	9	14
50-64	518	5.5	8	2	3	5	6	9	11	16
65+	109	6.7	17	2	3	6	8	12	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	30	<1	<1	2	4	10	16	26
20-34	45	3.7	16	<1	<1	2	4	6	11	22
35-49	30	4.7	15	<1	<1	4	6	11	12	15
50-64	27	5.4	21	1	1	4	7	10	16	20
65+	17	8.5	85	1	1	6	11	24	31	33
B. *Operated*										
0-19 YRS	731	5.2	14	1	2	5	6	8	11	22
20-34	1276	5.7	26	2	2	5	6	9	12	25
35-49	618	6.1	27	2	3	5	7	10	13	23
50-64	455	6.4	19	2	3	6	7	11	14	24
65+	123	8.3	36	2	3	7	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.1	6	<1	1	2	4	6	8	13
B. *Operated*	5989	4.8	6	2	3	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	142	4.8	29	<1	1	3	6	10	16	27
B. *Operated*	3203	5.9	23	2	2	5	7	10	13	25
1. SINGLE DX	6170	4.8	6	2	2	4	6	7	9	14
2. MULTIPLE DX	3345	5.8	23	2	2	5	7	10	13	25
A. NOT OPERATED	323	3.9	17	<1	1	3	5	8	11	23
B. OPERATED	9192	5.2	12	2	3	5	6	8	10	18
TOTAL 0-19 YRS	2270	4.7	9	1	2	4	5	7	9	16
20-34	4084	5.0	12	2	2	4	6	8	9	17
35-49	1893	5.3	13	2	3	5	6	9	10	18
50-64	1011	5.9	13	2	3	5	7	10	12	21
65+	257	7.5	31	2	2	6	9	13	17	33
GRAND TOTAL	**9515**	**5.1**	**13**	**2**	**2**	**5**	**6**	**8**	**10**	**18**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.4	35	1	1	3	6	14	22	24
20-34	69	6.2	40	1	1	5	8	11	19	34
35-49	46	6.9	47	1	1	5	10	15	19	37
50-64	39	6.3	20	1	2	4	10	12	14	16
65+	11	5.6	16	<1	1	4	10	12	12	12
B. *Operated*										
0-19 YRS	332	4.3	63	1	1	2	4	10	18	40
20-34	344	5.6	35	1	1	3	7	13	18	28
35-49	215	7.3	48	1	1	5	11	16	20	32
50-64	136	7.2	107	1	1	3	10	18	23	44
65+	58	8.8	153	1	1	4	12	22	32	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.9	105	1	1	4	6	16	27	62
20-34	75	8.9	72	1	1	7	12	18	28	85
35-49	41	10.5	110	1	2	8	11	25	30	55
50-64	58	9.1	78	2	3	7	11	19	27	96
65+	53	7.4	51	2	2	6	9	13	21	42
B. *Operated*										
0-19 YRS	181	7.6	81	1	1	4	10	20	25	86
20-34	298	11.2	141	1	2	7	14	28	37	55
35-49	189	8.7	90	1	2	6	10	19	27	72
50-64	127	11.6	114	1	2	8	15	28	34	50
65+	98	11.7	134	2	2	6	17	30	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	6.1	35	1	1	4	9	12	18	29
B. *Operated*	1085	5.9	63	1	1	3	7	14	20	36
2. MULTIPLE DX										
A. *Not Operated*	279	8.5	81	1	2	6	11	18	28	61
B. *Operated*	893	10.1	116	1	2	6	13	24	34	56
1. SINGLE DX	1319	6.0	58	1	1	3	8	14	20	35
2. MULTIPLE DX	1172	9.7	108	1	2	6	13	23	33	57
A. NOT OPERATED	513	7.4	62	1	1	5	10	16	23	48
B. OPERATED	1978	7.8	91	1	1	4	10	19	27	49
TOTAL 0-19 YRS	634	5.6	70	1	1	3	6	15	22	44
20-34	786	8.1	86	1	1	5	11	18	28	48
35-49	491	8.0	70	1	1	5	11	17	24	50
50-64	360	9.0	99	1	1	6	12	20	28	52
65+	220	9.6	116	1	2	6	13	23	35	62
GRAND TOTAL	**2491**	**7.7**	**85**	**1**	**1**	**4**	**10**	**18**	**26**	**49**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.8	3	<1	1	2	4	6	7	9
20-34	91	2.9	5	<1	1	2	4	6	9	11
35-49	51	4.1	7	1	1	4	6	8	10	10
50-64	51	4.8	10	1	1	4	6	10	12	13
65+	42	6.1	14	2	3	5	7	11	13	20
B. *Operated*										
0-19 YRS	332	4.3	4	1	2	4	5	7	8	10
20-34	398	4.6	7	1	2	4	6	8	9	16
35-49	106	5.3	10	2	2	5	7	10	12	15
50-64	50	6.1	12	1	2	6	7	10	11	23
65+	16	10.1	44	2	3	10	13	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.7	6	1	1	3	5	8	11	99+
20-34	75	5.3	18	<1	1	4	7	12	13	20
35-49	46	6.2	28	1	2	5	9	12	13	33
50-64	64	6.6	29	1	2	5	8	11	18	34
65+	116	8.0	33	2	3	7	10	13	17	34
B. *Operated*										
0-19 YRS	290	5.6	8	2	2	5	7	9	11	17
20-34	400	6.5	42	2	3	6	7	10	12	35
35-49	130	7.6	20	3	4	6	9	13	17	24
50-64	61	9.1	41	2	3	6	11	17	21	32
65+	29	13.7	181	3	4	9	17	28	47	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	3.8	8	1	1	3	5	8	10	13
B. *Operated*	902	4.8	8	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	342	6.4	27	1	2	5	8	12	14	33
B. *Operated*	910	6.8	35	2	3	6	7	11	15	31
1. SINGLE DX	1212	4.5	8	1	2	4	6	8	10	14
2. MULTIPLE DX	1252	6.7	33	2	2	5	8	11	15	32
A. NOT OPERATED	652	5.2	20	1	1	4	7	10	13	21
B. OPERATED	1812	5.8	22	2	2	5	7	9	12	23
TOTAL 0-19 YRS	738	4.6	7	1	2	4	6	8	9	13
20-34	964	5.3	24	1	2	5	6	9	11	19
35-49	333	6.1	17	1	2	5	8	11	14	23
50-64	226	6.8	26	1	2	6	8	12	16	32
65+	203	8.6	56	2	3	6	11	14	21	46
GRAND TOTAL	**2464**	**5.6**	**22**	**1**	**2**	**5**	**7**	**10**	**12**	**23**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	5.4	14	1	2	5	7	11	14	20
20-34	2335	6.5	18	2	2	6	8	11	14	18
35-49	2076	7.1	18	2	3	6	9	13	15	23
50-64	1023	6.9	15	2	3	6	9	12	14	20
65+	275	7.0	20	2	3	6	9	13	16	20
B. *Operated*										
0-19 YRS	33	[illegible]	22	1	2	5	9	13	14	21
20-34	552	[illegible]	43	2	2	7	11	16	18	26
35-49	428	[illegible].9	40	2	2	8	12	17	22	33
50-64	147	7.9	28	2	3	7	10	16	19	23
65+	12	11.9	93	2	3	10	13	26	36	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	5.9	24	1	2	4	8	12	14	31
20-34	1411	7.4	21	2	3	6	10	14	16	23
35-49	1751	8.0	22	2	3	7	10	14	17	24
50-64	1479	8.4	25	3	3	7	10	15	17	26
65+	998	8.9	32	3	3	8	11	16	19	27
B. *Operated*										
0-19 YRS	20	7.6	27	1	2	8	10	11	18	25
20-34	318	11.2	48	3	3	10	15	21	24	32
35-49	375	10.6	39	3	4	10	14	18	23	32
50-64	217	11.0	36	3	4	10	14	21	23	26
65+	80	14.7	90	3	6	12	21	30	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5959	6.8	17	2	3	6	9	12	14	21
B. *Operated*	1172	8.4	40	2	2	7	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	5789	8.1	25	2	3	7	10	14	17	25
B. *Operated*	1010	11.1	46	3	4	10	14	20	24	33
1. SINGLE DX	7131	7.1	22	2	3	6	9	13	15	22
2. MULTIPLE DX	6799	8.5	29	2	3	7	11	15	18	27
A. NOT OPERATED	11748	7.4	21	2	3	7	9	13	16	23
B. OPERATED	2182	9.7	45	2	3	9	13	18	23	32
TOTAL 0-19 YRS	453	5.7	19	1	2	5	7	11	14	21
20-34	4616	7.3	25	2	3	6	9	13	16	24
35-49	4630	7.9	24	2	3	7	10	14	17	25
50-64	2866	8.0	24	3	3	7	10	14	17	25
65+	1365	8.9	36	2	3	8	11	16	19	31
GRAND TOTAL	**13930**	**7.8**	**26**	**2**	**3**	**7**	**10**	**14**	**17**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.7	11	1	1	3	5	8	10	16
20-34	1900	6.3	18	1	2	5	8	11	14	21
35-49	1474	6.9	24	2	2	6	9	12	15	23
50-64	655	7.1	20	2	3	6	9	13	15	22
65+	201	6.7	23	1	2	5	9	13	16	26
B. *Operated*										
0-19 YRS	38	6.9	26	2	2	6	8	13	18	23
20-34	489	7.0	30	2	2	6	10	14	17	26
35-49	411	7.8	33	2	2	6	11	16	18	26
50-64	120	8.6	42	2	3	7	12	18	21	29
65+	8	8.4	42	1	2	6	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	444	4.6	13	1	1	4	6	9	12	18
20-34	2097	6.9	28	1	2	6	9	13	16	25
35-49	1745	7.7	26	2	3	7	10	14	17	25
50-64	1220	8.3	33	2	3	7	11	15	19	29
65+	797	8.5	31	2	3	7	11	15	20	28
B. *Operated*										
0-19 YRS	41	5.0	16	1	1	4	6	10	11	22
20-34	398	9.7	62	2	3	8	13	18	24	33
35-49	354	11.1	55	2	3	10	15	22	25	33
50-64	201	11.4	54	3	3	10	15	20	25	34
65+	60	13.5	108	3	4	11	18	25	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4642	6.4	21	1	2	5	8	12	14	22
B. *Operated*	1066	7.5	32	2	2	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	6303	7.4	29	2	2	6	10	14	17	26
B. *Operated*	1054	10.5	61	2	3	9	14	20	25	34
1. SINGLE DX	5708	6.6	23	1	2	6	9	12	15	23
2. MULTIPLE DX	7357	7.9	34	2	2	7	10	15	19	27
A. NOT OPERATED	10945	7.0	25	1	2	6	9	13	16	25
B. OPERATED	2120	9.0	49	2	2	7	12	18	22	31
TOTAL 0-19 YRS	935	4.3	13	1	1	3	6	9	11	18
20-34	4884	6.9	28	1	2	6	9	13	16	26
35-49	3984	7.7	30	2	2	6	10	14	18	25
50-64	2196	8.2	33	2	3	7	11	15	19	29
65+	1066	8.4	36	2	3	7	11	16	20	28
GRAND TOTAL	**13065**	**7.3**	**30**	**2**	**2**	**6**	**10**	**14**	**17**	**26**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.8	3	1	1	2	4	5	6	9
20-34	218	3.3	6	1	1	3	4	6	8	11
35-49	143	3.7	6	1	1	3	5	7	8	11
50-64	86	5.2	11	2	2	4	7	10	12	16
65+	78	5.9	15	2	2	5	8	11	14	18
B. *Operated*										
0-19 YRS	264	3.1	2	1	2	3	4	5	6	9
20-34	507	3.9	28	1	2	3	4	6	8	13
35-49	378	4.3	8	1	2	4	5	7	9	15
50-64	332	5.3	16	2	2	4	7	9	12	17
65+	96	5.9	12	2	2	5	7	11	13	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.2	6	1	1	2	4	7	8	14
20-34	212	4.5	26	1	1	4	5	8	11	17
35-49	180	5.0	10	1	2	4	6	9	11	21
50-64	211	5.8	15	1	2	5	8	11	13	20
65+	256	8.1	47	2	2	6	10	17	24	32
B. *Operated*										
0-19 YRS	107	4.6	14	1	2	4	5	7	10	26
20-34	174	4.5	11	1	2	4	5	8	12	17
35-49	134	5.7	14	2	2	5	7	11	15	18
50-64	155	6.9	34	2	3	5	8	13	18	29
65+	83	8.2	33	2	2	6	12	17	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	3.9	9	1	1	3	5	8	10	15
B. *Operated*	1577	4.3	16	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	947	5.7	27	1	2	4	7	11	15	27
B. *Operated*	653	5.8	22	2	2	4	7	11	15	25
1. SINGLE DX	2204	4.2	14	1	1	3	5	8	9	15
2. MULTIPLE DX	1600	5.8	25	1	2	4	7	11	15	26
A. NOT OPERATED	1574	5.0	20	1	1	4	6	10	13	24
B. OPERATED	2230	4.7	18	1	2	4	5	8	11	20
TOTAL 0-19 YRS	561	3.4	6	1	1	3	4	6	7	11
20-34	1111	4.0	21	1	1	3	5	7	9	15
35-49	835	4.5	9	1	2	4	6	8	10	15
50-64	784	5.7	19	1	2	5	7	10	13	22
65+	513	7.4	34	2	2	6	9	15	20	30
GRAND TOTAL	**3804**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2866	1.7	2	<1	1	1	2	3	4	8
20-34	972	2.4	9	<1	1	2	3	5	6	11
35-49	284	2.9	14	1	1	2	3	5	9	24
50-64	137	2.6	4	1	1	2	3	5	6	10
65+	88	2.9	8	1	1	2	4	5	7	18
B. *Operated*										
0-19 YRS	49	3.1	45	1	1	2	3	5	6	48
20-34	30	3.9	37	<1	<1	2	5	7	8	34
35-49	6	3.8	7	1	1	3	4	8	9	9
50-64	5	4.2	12	1	1	2	8	8	8	8
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2567	2.7	13	1	1	2	3	5	7	15
20-34	1932	3.7	15	1	1	3	4	8	10	17
35-49	834	4.5	25	1	1	3	5	9	14	22
50-64	591	5.3	23	1	1	4	7	11	15	23
65+	567	7.5	46	1	2	5	10	17	22	28
B. *Operated*										
0-19 YRS	635	4.9	77	1	1	2	5	10	19	53
20-34	651	6.3	88	1	1	3	7	14	21	54
35-49	233	6.4	80	1	1	4	7	12	18	44
50-64	194	8.7	125	1	1	5	11	17	29	58
65+	167	9.5	169	1	1	5	9	25	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4347	2.0	5	<1	1	1	2	4	5	11
B. *Operated*	92	3.5	37	<1	1	2	4	7	8	42
2. MULTIPLE DX										
A. *Not Operated*	6491	3.9	21	1	1	2	5	8	12	22
B. *Operated*	1880	6.4	96	1	1	3	7	14	24	57
1. SINGLE DX	4439	2.0	6	<1	1	1	2	4	5	11
2. MULTIPLE DX	8371	4.4	39	1	1	3	5	9	14	32
A. NOT OPERATED	10838	3.1	15	1	1	2	3	7	10	20
B. OPERATED	1972	6.2	94	1	1	3	7	13	23	56
TOTAL 0-19 YRS	6117	2.5	16	1	1	2	2	5	7	17
20-34	3585	3.8	28	1	1	2	4	8	11	28
35-49	1357	4.5	33	1	1	3	5	9	14	29
50-64	927	5.6	45	1	1	4	7	12	17	32
65+	824	7.4	70	1	1	5	9	17	23	39
GRAND TOTAL	**12810**	**3.6**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**27**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	906	2.6	21	<1	1	1	2	5	7	18
20-34	341	3.3	17	<1	1	2	4	7	11	23
35-49	118	4.3	31	<1	1	2	4	10	17	27
50-64	71	6.0	70	1	1	3	7	12	26	45
65+	50	5.9	50	1	1	4	6	18	24	33
B. *Operated*										
0-19 YRS	72	10.7	129	1	2	8	12	30	56	99+
20-34	68	11.9	194	2	2	7	12	30	41	78
35-49	37	11.0	68	2	4	9	13	22	24	46
50-64	59	14.8	116	6	7	12	18	33	53	99+
65+	99	16.2	160	4	5	12	21	28	49	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1024	4.4	57	1	1	2	4	9	19	40
20-34	698	5.5	79	1	1	3	6	11	18	57
35-49	312	6.1	64	1	1	4	7	14	19	39
50-64	245	6.9	75	1	1	4	8	15	25	48
65+	300	8.9	81	1	2	6	11	18	25	41
B. *Operated*										
0-19 YRS	341	16.9	390	1	1	10	28	63	99+	99+
20-34	386	19.8	470	1	2	12	33	66	94	99+
35-49	150	18.8	362	1	2	12	30	57	68	99+
50-64	135	21.2	316	2	3	16	32	57	70	99+
65+	207	23.1	321	2	5	19	32	52	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1486	3.1	25	<1	1	2	3	7	11	25
B. *Operated*	335	13.3	146	2	3	10	17	28	49	99+
2. MULTIPLE DX										
A. *Not Operated*	2579	5.7	70	1	1	3	6	13	20	45
B. *Operated*	1219	19.6	395	1	2	13	31	59	87	99+
1. SINGLE DX	1821	5.0	63	<1	1	2	6	12	19	49
2. MULTIPLE DX	3798	10.1	217	1	1	4	12	30	49	99+
A. NOT OPERATED	4065	4.7	55	1	1	2	5	11	17	38
B. OPERATED	1554	18.3	348	1	2	12	27	54	79	99+
TOTAL 0-19 YRS	2343	5.7	117	1	1	2	5	15	29	99
20-34	1493	9.0	215	1	1	4	9	27	48	99+
35-49	617	9.1	162	1	1	4	11	24	40	93
50-64	510	11.5	183	1	1	7	14	32	47	99+
65+	656	14.3	209	1	2	10	19	34	49	86
GRAND TOTAL	**5619**	**8.5**	**173**	**1**	**1**	**3**	**10**	**24**	**40**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	15	<1	1	3	4	6	7	27
20-34	81	4.1	9	1	1	3	5	8	10	16
35-49	27	3.9	4	1	1	4	6	7	7	8
50-64	18	4.2	9	<1	1	4	5	7	11	13
65+	13	4.7	21	1	1	3	6	13	15	16
B. *Operated*										
0-19 YRS	46	6.0	11	2	2	5	8	10	13	14
20-34	133	5.5	9	2	2	5	7	9	11	15
35-49	43	7.0	9	3	3	7	9	11	13	14
50-64	22	9.1	52	3	3	8	10	20	27	29
65+	15	7.8	35	2	2	6	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	5.2	20	1	2	4	7	9	14	26
20-34	120	5.7	27	1	1	4	7	11	15	31
35-49	79	6.9	24	1	2	6	9	14	17	20
50-64	87	7.4	28	2	3	6	9	13	18	31
65+	63	10.2	77	2	3	8	13	19	23	55
B. *Operated*										
0-19 YRS	129	10.6	76	3	3	8	13	24	31	60
20-34	317	11.4	94	3	4	9	13	23	30	59
35-49	147	12.0	117	3	4	9	14	25	33	99+
50-64	137	14.2	197	4	5	10	15	32	54	99+
65+	75	14.5	144	3	5	11	20	31	38	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	4.0	11	1	1	3	5	7	9	17
B. *Operated*	259	6.3	15	2	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	412	6.9	35	1	2	5	9	14	18	28
B. *Operated*	805	12.1	119	3	4	9	14	25	35	82
1. SINGLE DX	446	5.3	15	1	2	4	7	10	13	19
2. MULTIPLE DX	1217	10.4	97	2	3	8	12	21	30	63
A. NOT OPERATED	599	6.0	29	1	1	4	7	12	16	26
B. OPERATED	1064	10.7	100	3	3	8	12	22	31	73
TOTAL 0-19 YRS	286	7.5	51	1	2	5	9	15	25	41
20-34	651	8.2	63	2	2	6	10	16	24	47
35-49	296	9.1	74	2	3	7	11	18	25	76
50-64	264	10.8	129	3	3	8	12	20	35	88
65+	166	11.5	108	2	3	8	15	25	31	62
GRAND TOTAL	**1663**	**9.0**	**80**	**2**	**2**	**7**	**11**	**18**	**26**	**59**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	3.5	8	1	1	3	5	8	9	13
20-34	207	3.2	7	1	1	2	4	6	9	14
35-49	55	4.2	14	1	1	3	5	8	10	20
50-64	20	5.4	24	<1	1	4	7	11	17	22
65+	27	3.6	5	1	1	3	5	6	8	9
B. *Operated*										
0-19 YRS	215	6.9	13	2	3	6	8	10	14	19
20-34	241	7.7	14	3	4	7	9	12	13	27
35-49	85	9.8	38	4	5	8	11	16	23	36
50-64	43	12.0	137	2	4	8	12	25	40	61
65+	15	7.3	13	2	2	8	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	4.0	10	1	1	3	5	8	10	15
20-34	270	4.3	17	1	1	3	5	8	9	21
35-49	81	5.6	20	1	2	4	7	10	13	27
50-64	62	5.6	43	1	1	4	6	9	14	45
65+	70	9.5	65	1	2	7	13	21	28	34
B. *Operated*										
0-19 YRS	448	12.9	126	3	5	9	15	28	39	56
20-34	789	14.4	169	4	6	10	16	28	44	88
35-49	303	15.8	226	3	5	11	18	34	45	88
50-64	165	17.0	196	4	5	13	20	33	52	70
65+	89	17.4	168	4	6	13	21	35	50	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	3.5	9	1	1	3	5	7	9	16
B. *Operated*	599	8.0	27	2	4	7	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	745	4.9	24	1	1	4	6	9	14	28
B. *Operated*	1794	14.7	172	4	5	10	17	31	43	77
1. SINGLE DX	1217	5.7	23	1	1	5	8	10	13	25
2. MULTIPLE DX	2539	11.8	148	2	2	8	14	26	38	71
A. NOT OPERATED	1363	4.3	18	1	1	3	5	8	11	21
B. OPERATED	2393	13.0	144	3	5	9	14	27	39	71
TOTAL 0-19 YRS	1234	7.6	69	1	1	6	9	15	23	46
20-34	1507	10.0	118	1	2	7	11	20	30	69
35-49	524	12.0	163	2	3	8	14	25	37	83
50-64	290	13.0	167	2	3	9	15	30	38	66
65+	201	12.0	124	2	2	9	16	28	35	53
GRAND TOTAL	**3756**	**9.8**	**116**	**1**	**2**	**7**	**11**	**20**	**31**	**63**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.0	5	<1	1	2	4	6	10	99+
20-34	26	3.0	4	<1	<1	2	5	6	7	7
35-49	13	2.8	3	<1	<1	2	4	5	6	6
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	365	3.0	5	1	1	2	4	6	8	12
20-34	223	3.8	13	1	1	3	5	7	10	17
35-49	100	4.1	13	1	1	3	5	7	12	20
50-64	54	3.7	5	1	1	3	6	7	8	10
65+	33	4.3	14	1	2	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	3	<1	1	3	4	5	6	9
20-34	42	3.7	8	1	1	3	5	8	10	11
35-49	16	3.9	9	<1	<1	3	5	8	11	12
50-64	18	6.3	26	1	1	5	9	14	17	19
65+	17	4.9	10	1	2	5	6	8	12	14
B. *Operated*										
0-19 YRS	327	4.5	14	1	1	4	6	10	12	20
20-34	325	5.2	21	1	1	4	6	10	13	24
35-49	145	6.5	45	1	1	5	8	12	15	44
50-64	90	6.1	17	1	2	5	8	11	15	22
65+	51	5.0	10	1	1	5	7	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.0	4	<1	<1	2	4	6	7	72
B. *Operated*	775	3.4	9	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	133	4.1	10	1	1	3	5	8	11	15
B. *Operated*	938	5.2	22	1	1	4	7	10	13	23
1. SINGLE DX	855	3.4	8	1	1	3	4	7	9	14
2. MULTIPLE DX	1071	5.1	20	1	1	4	6	10	13	22
A. NOT OPERATED	213	3.7	8	<1	1	3	5	7	10	16
B. OPERATED	1713	4.4	17	1	1	3	6	9	11	20
TOTAL 0-19 YRS	768	3.6	10	1	1	3	5	7	10	15
20-34	616	4.5	17	1	1	4	5	9	12	21
35-49	274	5.3	30	1	1	4	7	10	14	26
50-64	165	5.3	15	1	2	4	7	10	13	21
65+	103	4.7	11	1	2	4	6	9	11	16
GRAND TOTAL	**1926**	**4.3**	**16**	**1**	**1**	**3**	**5**	**9**	**11**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.7	11	<1	1	2	3	5	8	22
20-34	165	2.8	5	<1	1	2	4	5	8	11
35-49	59	3.1	8	<1	1	2	4	8	11	91
50-64	35	3.1	11	<1	1	2	4	6	6	19
65+	31	4.2	15	1	1	4	6	8	8	21
B. *Operated*										
0-19 YRS	533	2.2	6	<1	1	1	2	5	7	12
20-34	337	3.4	28	<1	1	2	4	6	9	20
35-49	145	4.2	51	1	1	2	4	9	14	34
50-64	83	3.5	10	1	1	2	4	7	10	18
65+	53	4.5	27	<1	1	3	6	9	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	2.8	6	<1	1	2	3	5	8	12
20-34	479	3.7	46	<1	1	2	4	7	10	32
35-49	242	4.4	24	1	1	3	6	8	11	16
50-64	243	4.6	21	1	1	3	6	10	12	24
65+	320	6.8	63	1	2	5	8	14	18	41
B. *Operated*										
0-19 YRS	920	4.1	33	1	1	2	4	8	12	32
20-34	1185	5.1	45	1	1	3	6	11	16	41
35-49	474	6.2	88	1	1	3	6	12	22	55
50-64	370	6.9	70	1	1	5	8	13	20	48
65+	387	7.7	73	1	2	5	9	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	2.9	9	<1	1	2	3	6	8	21
B. *Operated*	1151	3.0	20	<1	1	2	3	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	1633	4.4	36	1	1	3	5	9	12	24
B. *Operated*	3336	5.5	55	1	1	3	6	11	18	44
1. SINGLE DX	1600	3.0	17	<1	1	2	3	6	8	19
2. MULTIPLE DX	4969	5.1	49	1	1	3	6	10	16	38
A. NOT OPERATED	2082	4.0	30	<1	1	3	5	8	11	23
B. OPERATED	4487	4.8	47	1	1	3	5	10	16	37
TOTAL 0-19 YRS	1961	3.2	20	<1	1	2	4	6	9	25
20-34	2166	4.3	40	<1	1	3	5	9	13	33
35-49	920	5.2	61	1	1	3	6	10	15	52
50-64	731	5.6	46	1	1	4	7	11	17	39
65+	791	7.0	64	1	1	5	8	15	20	38
GRAND TOTAL	**6569**	**4.6**	**42**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	2.2	4	<1	1	2	3	4	5	11
20-34	422	2.6	5	1	1	2	3	5	7	11
35-49	153	2.7	4	<1	1	2	3	5	7	11
50-64	58	3.3	10	1	1	2	4	7	11	16
65+	27	4.3	21	1	1	3	5	8	11	24
B. *Operated*										
0-19 YRS	291	3.6	16	<1	1	2	5	7	9	18
20-34	476	5.1	19	1	1	4	7	9	12	24
35-49	157	5.4	25	1	1	4	7	10	13	26
50-64	62	5.0	23	1	1	3	7	12	18	90
65+	20	7.6	73	1	1	5	8	19	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	3.1	5	1	1	3	4	6	7	13
20-34	313	4.1	14	<1	1	3	5	8	11	19
35-49	138	4.0	10	<1	1	3	5	9	10	14
50-64	73	5.2	43	1	1	4	6	10	14	43
65+	49	6.7	26	1	1	5	9	15	16	25
B. *Operated*										
0-19 YRS	375	8.4	91	1	1	6	10	17	26	49
20-34	902	9.1	103	1	2	7	10	17	25	59
35-49	340	11.2	164	1	2	8	12	23	34	81
50-64	136	9.9	100	1	2	7	12	21	29	68
65+	60	11.5	63	2	4	10	15	23	31	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	2.6	5	<1	1	2	3	5	7	12
B. *Operated*	1006	4.8	21	1	1	4	6	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	697	4.2	16	1	1	3	5	9	12	17
B. *Operated*	1813	9.5	111	1	2	7	11	19	27	61
1. SINGLE DX	1890	3.8	15	1	1	3	5	8	10	21
2. MULTIPLE DX	2510	8.0	90	1	1	6	9	16	24	56
A. NOT OPERATED	1581	3.3	11	<1	1	2	4	7	9	16
B. OPERATED	2819	7.8	84	1	1	6	9	15	23	54
TOTAL 0-19 YRS	1014	5.0	47	1	1	3	6	10	15	36
20-34	2113	6.2	58	1	1	4	7	12	17	44
35-49	788	7.1	91	1	1	4	8	14	22	57
50-64	329	6.8	64	1	1	4	8	15	21	59
65+	156	8.2	52	1	2	6	11	19	25	38
GRAND TOTAL	**4400**	**6.2**	**62**	**1**	**1**	**4**	**7**	**12**	**18**	**45**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	2.6	5	<1	<1	2	3	5	6	13
20-34	281	2.7	5	<1	<1	2	3	6	7	10
35-49	101	3.8	64	<1	1	3	4	6	8	46
50-64	47	3.0	4	<1	1	2	5	7	7	7
65+	28	3.6	5	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	1191	2.5	13	1	1	2	3	5	6	12
20-34	1730	2.9	14	1	1	2	3	5	8	15
35-49	708	2.9	13	1	1	2	3	6	7	21
50-64	449	3.2	15	1	1	2	3	6	11	22
65+	165	2.9	8	1	1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.3	56	<1	1	3	4	8	13	48
20-34	262	4.0	17	<1	1	3	5	7	12	25
35-49	115	4.1	8	1	1	4	5	8	10	14
50-64	93	4.8	15	1	1	4	6	9	13	20
65+	78	6.9	44	1	1	5	8	14	19	38
B. *Operated*										
0-19 YRS	839	3.9	37	1	1	2	4	7	11	32
20-34	1399	4.1	25	1	1	3	5	8	12	25
35-49	585	4.9	38	1	1	3	5	10	14	33
50-64	389	5.2	45	1	1	3	6	12	19	42
65+	206	6.9	73	1	1	4	8	16	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	2.9	14	<1	1	2	3	6	7	12
B. *Operated*	4243	2.9	13	1	1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	657	4.5	25	1	1	3	5	9	13	25
B. *Operated*	3418	4.5	36	1	1	3	5	9	14	33
1. SINGLE DX	4883	2.9	13	1	1	2	3	5	7	15
2. MULTIPLE DX	4075	4.5	34	1	1	3	5	9	14	33
A. NOT OPERATED	1297	3.7	21	<1	1	3	4	7	10	20
B. OPERATED	7661	3.6	24	1	1	2	4	7	10	25
TOTAL 0-19 YRS	2322	3.1	23	1	1	2	3	6	8	19
20-34	3672	3.5	18	1	1	2	4	7	9	20
35-49	1509	3.9	26	1	1	2	4	7	11	30
50-64	978	4.2	27	1	1	3	5	9	13	27
65+	477	5.3	45	1	1	3	6	12	17	36
GRAND TOTAL	**8958**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	2.8	5	<1	1	2	4	5	8	11
20-34	376	3.5	18	1	1	2	4	6	8	21
35-49	147	4.0	17	<1	1	3	5	7	9	25
50-64	68	4.0	9	1	1	3	5	8	9	15
65+	43	5.1	18	1	1	4	7	9	14	21
B. *Operated*										
0-19 YRS	927	4.4	31	1	1	3	5	9	13	32
20-34	682	5.4	33	1	1	4	6	11	16	31
35-49	242	6.3	44	1	1	4	7	14	20	35
50-64	164	7.4	69	1	2	4	8	21	28	38
65+	102	10.1	175	1	2	5	12	21	29	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.7	14	1	1	4	6	8	12	29
20-34	202	4.9	23	<1	1	4	6	9	12	26
35-49	99	5.9	27	1	2	5	7	11	15	30
50-64	101	7.3	46	1	2	5	9	15	21	37
65+	108	8.8	43	2	2	7	11	17	24	31
B. *Operated*										
0-19 YRS	441	9.5	134	1	2	5	11	25	36	52
20-34	474	9.5	132	1	2	6	10	22	32	63
35-49	215	10.5	157	2	2	7	12	24	40	83
50-64	162	12.8	163	2	3	8	17	29	36	61
65+	144	14.0	192	2	2	10	19	30	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	3.5	13	<1	1	2	4	6	9	18
B. *Operated*	2117	5.5	45	1	1	3	6	11	17	34
2. MULTIPLE DX										
A. *Not Operated*	653	6.0	31	1	2	4	8	11	17	30
B. *Operated*	1436	10.5	148	1	2	6	12	25	36	64
1. SINGLE DX	3041	4.9	36	1	1	3	5	10	15	32
2. MULTIPLE DX	2089	9.1	116	1	2	6	10	21	30	60
A. NOT OPERATED	1577	4.5	22	1	1	3	5	9	12	25
B. OPERATED	3553	7.5	93	1	1	4	8	17	26	52
TOTAL 0-19 YRS	1801	5.4	56	1	1	3	6	11	19	44
20-34	1734	6.1	61	1	1	4	7	12	19	49
35-49	703	7.0	76	1	1	4	8	15	23	46
50-64	495	8.7	96	1	2	5	10	22	29	47
65+	397	10.6	136	1	2	7	13	23	30	80
GRAND TOTAL	**5130**	**6.6**	**73**	**1**	**1**	**4**	**7**	**14**	**23**	**48**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	23	<1	1	1	2	8	15	21
20-34	11	3.8	8	<1	<1	3	6	7	8	8
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	4.9	19	1	1	3	7	12	15	16
20-34	35	5.3	16	1	1	4	8	9	13	18
35-49	18	7.1	36	1	2	5	9	13	21	26
50-64	5	4.8	25	1	1	3	8	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.5	4	<1	1	2	3	4	5	10
20-34	20	3.3	6	1	1	3	4	7	9	11
35-49	11	6.2	18	1	2	5	9	13	13	13
50-64	7	9.0	77	3	3	5	10	24	28	28
65+	11	6.7	42	<1	1	4	10	16	22	23
B. *Operated*										
0-19 YRS	61	11.1	285	1	1	6	12	20	49	86
20-34	125	12.7	205	1	2	8	15	33	55	78
35-49	49	10.5	103	1	2	8	12	26	43	99+
50-64	19	14.6	347	2	2	12	14	27	60	85
65+	10	21.8	324	1	3	16	31	50	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.2	14	<1	1	2	4	7	9	21
B. *Operated*	87	5.4	22	1	1	4	8	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	78	4.4	22	1	1	3	5	10	12	27
B. *Operated*	264	12.4	220	1	2	8	14	31	53	87
1. SINGLE DX	127	4.7	20	1	1	3	7	11	14	22
2. MULTIPLE DX	342	10.6	186	1	1	6	12	25	42	85
A. NOT OPERATED	118	4.0	19	1	1	3	5	9	11	25
B. OPERATED	351	10.7	180	1	1	7	12	24	42	85
TOTAL 0-19 YRS	139	6.8	147	1	1	3	7	14	20	83
20-34	191	9.8	154	1	1	6	11	20	40	70
35-49	81	8.9	77	1	2	6	11	22	33	82
50-64	33	11.3	230	1	2	7	13	24	29	85
65+	25	12.2	205	<1	1	6	15	31	46	58
GRAND TOTAL	**469**	**9.0**	**148**	**1**	**1**	**5**	**11**	**19**	**33**	**80**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.5	11	<1	1	2	4	8	12	88
20-34	122	6.7	60	1	1	4	8	13	25	38
35-49	88	4.9	10	1	2	4	6	9	11	14
50-64	39	7.9	57	1	1	6	9	20	27	32
65+	46	6.9	32	1	2	5	10	15	20	23
B. *Operated*										
0-19 YRS	501	4.2	30	1	1	3	5	8	11	21
20-34	864	4.8	40	1	2	3	5	9	12	30
35-49	439	5.2	35	1	2	3	6	10	15	36
50-64	246	7.1	92	1	2	4	8	13	22	52
65+	104	9.0	107	2	2	5	13	18	23	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	8.9	147	1	2	4	10	28	53	99+
20-34	214	11.9	220	1	2	7	17	45	89	99+
35-49	137	9.0	96	1	2	6	11	20	42	99+
50-64	98	9.0	59	1	2	7	12	20	24	99+
65+	183	13.2	93	3	3	10	19	27	32	50
B. *Operated*										
0-19 YRS	262	6.1	78	1	2	3	6	15	23	99+
20-34	518	7.0	83	2	2	4	8	16	26	99+
35-49	317	8.8	145	1	2	5	10	18	41	99+
50-64	249	9.2	125	2	2	5	13	19	26	75
65+	171	16.4	303	2	3	10	23	37	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	5.8	37	1	1	4	7	12	17	32
B. *Operated*	2154	5.2	47	1	2	3	6	11	15	32
2. MULTIPLE DX										
A. *Not Operated*	714	11.0	136	2	2	7	15	27	47	99+
B. *Operated*	1517	8.7	135	2	2	5	10	20	34	99+
1. SINGLE DX	2513	5.3	46	1	2	3	6	11	15	32
2. MULTIPLE DX	2231	9.4	137	2	2	5	11	23	38	99+
A. NOT OPERATED	1073	9.3	108	1	2	6	12	23	35	99+
B. OPERATED	3671	6.6	86	1	2	4	7	14	22	74
TOTAL 0-19 YRS	909	5.2	55	1	1	3	5	11	18	78
20-34	1718	6.5	82	1	2	4	7	14	25	99+
35-49	981	6.9	80	1	2	4	8	14	22	96
50-64	632	8.3	98	2	2	5	10	18	25	65
65+	504	12.9	171	2	3	9	17	27	36	84
GRAND TOTAL	**4744**	**7.2**	**93**	**1**	**2**	**4**	**8**	**16**	**26**	**91**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	436	4.4	5	2	2	4	5	7	8	16
20-34	183	4.2	6	1	1	4	5	6	9	13
35-49	74	3.8	4	1	2	4	5	6	6	12
50-64	29	5.4	13	1	2	5	7	11	14	15
65+	12	6.2	45	1	1	3	9	16	22	23
B. *Operated*										
0-19 YRS	33	7.1	26	1	2	5	9	16	18	20
20-34	16	6.2	11	1	3	6	8	12	13	13
35-49	6	4.0	8	1	1	4	4	9	9	9
50-64	2	7.5	5	6	6	7	9	9	9	9
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	4.3	6	1	1	4	5	7	8	13
20-34	171	4.0	7	1	1	3	5	7	10	14
35-49	73	4.5	7	1	2	4	5	7	9	15
50-64	37	4.5	10	1	1	4	5	8	12	16
65+	58	5.8	23	1	1	4	7	13	18	22
B. *Operated*										
0-19 YRS	52	5.8	12	2	3	5	7	11	13	17
20-34	29	4.9	8	1	2	5	6	10	11	11
35-49	15	6.9	27	<1	2	4	11	15	16	17
50-64	21	7.1	66	2	2	4	7	16	28	37
65+	14	12.9	434	2	3	7	13	21	70	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	4.4	6	1	2	4	5	7	8	15
B. *Operated*	60	6.4	19	1	2	5	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	591	4.4	9	1	1	4	5	7	10	16
B. *Operated*	131	6.7	68	2	2	5	8	12	15	46
1. SINGLE DX	794	4.5	8	1	2	4	5	7	9	16
2. MULTIPLE DX	722	4.8	20	1	2	4	6	8	12	18
A. NOT OPERATED	1325	4.4	7	1	2	4	5	7	9	15
B. OPERATED	191	6.6	53	2	2	5	8	12	16	30
TOTAL 0-19 YRS	773	4.6	7	1	2	4	5	7	9	17
20-34	399	4.3	7	1	1	4	5	7	10	14
35-49	168	4.4	8	1	2	4	5	7	10	15
50-64	89	5.5	25	1	2	4	6	9	14	30
65+	87	6.9	94	1	2	4	7	13	19	61
GRAND TOTAL	**1516**	**4.7**	**14**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1060	2.2	5	<1	1	2	3	4	6	9
20-34	964	2.9	6	<1	1	2	4	6	8	13
35-49	477	3.9	14	1	1	3	5	8	11	20
50-64	342	4.1	13	1	1	3	5	9	11	19
65+	398	5.5	32	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	175	3.5	13	1	1	2	4	8	10	20
20-34	212	4.5	23	1	1	3	5	9	13	27
35-49	123	5.3	31	1	1	4	6	11	16	28
50-64	81	5.5	19	1	1	4	8	12	14	18
65+	65	7.6	34	1	2	7	9	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1734	2.7	8	<1	1	2	3	5	7	12
20-34	2282	3.7	12	<1	1	3	5	7	10	16
35-49	1265	4.6	16	1	1	3	6	9	12	21
50-64	1321	6.0	25	1	2	5	8	12	15	23
65+	2518	7.9	47	2	2	6	10	15	19	36
B. *Operated*										
0-19 YRS	314	5.3	60	1	1	3	6	10	15	42
20-34	450	5.8	37	1	1	4	7	12	16	29
35-49	244	8.4	62	1	2	6	11	18	21	37
50-64	227	9.3	81	1	2	7	12	19	23	49
65+	316	12.1	105	2	3	9	16	25	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3241	3.3	12	1	1	2	4	7	9	17
B. *Operated*	656	4.8	24	1	1	3	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*	9120	5.1	27	1	1	4	7	11	15	26
B. *Operated*	1551	7.9	72	1	1	5	10	17	24	42
1. SINGLE DX	3897	3.5	14	1	1	2	4	7	10	19
2. MULTIPLE DX	10671	5.5	35	1	1	4	7	12	16	29
A. NOT OPERATED	12361	4.6	24	1	1	3	6	10	14	23
B. OPERATED	2207	7.0	60	1	1	4	9	16	21	38
TOTAL 0-19 YRS	3283	2.8	13	<1	1	2	3	6	8	16
20-34	3908	3.8	15	1	1	3	5	8	10	19
35-49	2109	4.9	24	1	1	3	6	10	14	24
50-64	1971	6.0	31	1	1	4	8	13	16	25
65+	3297	8.0	52	1	2	6	10	16	21	37
GRAND TOTAL	**14568**	**5.0**	**30**	**1**	**1**	**3**	**6**	**11**	**15**	**27**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.4	2	1	1	2	3	5	6	7
20-34	69	3.7	22	1	1	2	4	7	9	32
35-49	19	3.8	11	<1	1	2	6	9	11	13
50-64	15	4.2	8	1	1	3	5	9	10	10
65+	4	4.0	10	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	39	8.3	56	2	2	5	11	21	24	30
20-34	116	7.3	119	1	1	3	7	22	28	61
35-49	55	6.6	61	1	1	4	7	15	24	37
50-64	26	5.7	48	1	1	3	7	15	23	29
65+	9	8.3	119	1	1	3	14	27	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.0	15	1	1	3	5	10	12	19
20-34	46	4.3	10	1	1	3	6	10	12	13
35-49	15	6.3	13	2	2	6	9	11	13	14
50-64	33	7.3	45	1	2	5	8	17	24	30
65+	8	8.6	28	2	2	8	12	16	18	18
B. *Operated*										
0-19 YRS	77	9.7	98	1	1	6	14	23	35	86
20-34	147	8.5	91	1	1	5	11	21	31	46
35-49	75	9.2	142	1	1	5	11	19	33	68
50-64	54	9.9	137	1	2	6	11	27	45	98
65+	17	17.9	358	1	2	12	25	50	61	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.3	12	1	1	2	4	6	8	15
B. *Operated*	245	7.1	88	1	1	4	8	22	28	45
2. MULTIPLE DX										
A. *Not Operated*	156	5.2	22	1	1	4	7	12	14	25
B. *Operated*	370	9.5	124	1	1	5	12	22	36	62
1. SINGLE DX	414	5.6	60	1	1	3	6	12	23	37
2. MULTIPLE DX	526	8.3	97	1	1	5	10	20	30	53
A. NOT OPERATED	325	4.2	18	1	1	3	5	9	12	20
B. OPERATED	615	8.6	110	1	1	4	10	22	31	56
TOTAL 0-19 YRS	232	6.2	55	1	1	3	7	16	23	43
20-34	378	6.7	81	1	1	3	7	16	27	45
35-49	164	7.4	90	1	1	5	9	15	24	48
50-64	128	7.7	83	1	1	4	9	21	29	63
65+	38	12.2	215	1	1	8	16	30	47	65
GRAND TOTAL	**940**	**7.1**	**83**	**1**	**1**	**4**	**8**	**17**	**26**	**49**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.6	2	<1	<1	1	2	2	5	7
20-34	10	1.7	1	<1	<1	1	3	4	4	4
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	32	2.3	12	<1	<1	1	2	5	12	17
20-34	11	4.7	26	<1	1	2	5	14	17	17
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	12	2.7	2	<1	1	2	4	5	5	5
35-49	4	3.5	1	3	3	3	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	4.3	13	1	1	3	5	10	12	12
20-34	15	3.3	5	<1	1	3	5	9	73	99+
35-49	7	3.7	7	1	1	3	5	8	9	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.7	2	<1	<1	1	2	3	6	7
B. *Operated*	52	2.7	14	<1	<1	1	2	6	12	17
2. MULTIPLE DX										
A. *Not Operated*	24	2.8	2	<1	1	3	4	5	5	5
B. *Operated*	33	3.6	7	1	1	3	5	9	11	99+
1. SINGLE DX	85	2.3	10	<1	<1	1	2	4	9	17
2. MULTIPLE DX	57	3.3	5	1	1	3	4	6	9	93
A. NOT OPERATED	57	2.2	2	<1	<1	2	3	5	5	7
B. OPERATED	85	3.1	11	<1	1	2	4	8	12	70
TOTAL 0-19 YRS	63	2.3	9	<1	<1	1	2	5	9	16
20-34	48	3.1	9	<1	<1	2	4	6	12	99+
35-49	21	3.0	4	1	1	3	4	6	8	9
50-64	6	2.7	3	1	1	2	5	5	5	5
65+	4	2.5		2	2	2	3	3	3	3
GRAND TOTAL	**142**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**5**	**9**	**23**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	786	1.5	3	<1	<1	1	1	2	3	8
20-34	183	2.0	6	<1	<1	1	2	3	6	14
35-49	160	1.9	5	<1	<1	1	2	4	6	13
50-64	175	1.8	2	<1	1	1	2	4	4	7
65+	184	2.4	8	1	1	2	3	4	6	15
B. *Operated*										
0-19 YRS	208	2.2	5	<1	1	1	2	5	6	10
20-34	45	5.0	94	<1	1	2	6	9	17	56
35-49	32	4.4	36	<1	<1	2	5	13	15	30
50-64	57	3.0	9	<1	1	2	4	6	11	14
65+	48	3.9	26	1	1	2	4	7	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.8	12	<1	1	2	3	5	9	22
20-34	69	3.3	19	<1	1	2	3	8	14	23
35-49	58	3.4	24	1	1	2	3	6	9	34
50-64	112	3.9	12	1	1	2	6	9	11	15
65+	200	4.9	31	1	1	3	6	11	15	32
B. *Operated*										
0-19 YRS	76	6.0	70	1	1	3	7	15	23	46
20-34	30	10.8	206	<1	1	6	13	29	49	59
35-49	45	8.2	59	1	2	4	14	21	23	30
50-64	70	8.5	114	1	1	5	12	15	27	65
65+	138	8.1	86	1	1	4	11	19	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1488	1.7	4	<1	<1	1	2	3	4	11
B. *Operated*	390	3.0	21	<1	1	2	3	6	9	26
2. MULTIPLE DX										
A. *Not Operated*	571	3.9	21	1	1	2	4	9	12	24
B. *Operated*	359	8.0	95	1	1	4	11	19	28	48
1. SINGLE DX	1878	2.0	8	<1	<1	1	2	4	6	12
2. MULTIPLE DX	930	5.5	54	1	1	3	6	13	19	39
A. NOT OPERATED	2059	2.3	10	<1	<1	1	2	5	8	16
B. OPERATED	749	5.4	63	<1	1	2	6	13	20	41
TOTAL 0-19 YRS	1202	2.0	9	<1	<1	1	2	4	6	16
20-34	327	3.5	45	<1	<1	1	3	8	13	40
35-49	295	3.4	25	<1	1	2	3	8	14	28
50-64	414	3.7	30	<1	1	2	4	9	12	26
65+	570	4.8	41	1	1	2	5	11	18	33
GRAND TOTAL	**2808**	**3.2**	**26**	**<1**	**1**	**1**	**3**	**7**	**11**	**27**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	7.6	27	1	2	7	11	15	17	22
20-34	54	7.1	60	1	1	4	9	21	24	37
35-49	24	10.1	133	1	1	7	12	22	40	51
50-64	19	11.6	74	<1	1	9	18	24	28	29
65+	11	11.3	53	<1	3	10	16	23	25	25
B. *Operated*										
0-19 YRS	184	13.7	223	2	2	8	19	34	44	74
20-34	154	12.2	169	2	3	8	14	27	40	64
35-49	117	15.6	255	2	2	10	21	39	50	72
50-64	54	21.4	294	2	3	15	32	48	59	66
65+	42	28.0	517	5	8	22	45	71	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	8.8	39	2	2	7	12	17	22	28
20-34	103	10.4	68	2	2	8	15	22	28	38
35-49	52	11.9	89	2	3	9	14	26	32	44
50-64	44	12.5	85	1	3	10	16	25	29	45
65+	51	15.5	110	4	4	13	21	27	38	53
B. *Operated*										
0-19 YRS	213	22.5	301	3	5	18	33	46	56	82
20-34	243	24.5	339	3	4	22	36	53	67	99+
35-49	162	28.2	352	4	8	26	40	62	74	99+
50-64	131	30.4	378	6	10	28	43	61	76	99+
65+	114	33.3	465	8	11	32	51	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	8.5	60	1	1	6	12	18	24	37
B. *Operated*	551	15.5	261	2	2	10	21	38	52	87
2. MULTIPLE DX										
A. *Not Operated*	355	11.2	74	2	3	9	15	24	29	44
B. *Operated*	863	26.8	367	4	6	23	39	57	77	99+
1. SINGLE DX	721	13.9	223	1	2	9	18	34	48	77
2. MULTIPLE DX	1218	22.2	332	3	4	17	33	51	69	99+
A. NOT OPERATED	525	10.3	71	1	2	8	14	22	27	40
B. OPERATED	1414	22.4	355	2	3	17	33	52	69	99+
TOTAL 0-19 YRS	564	15.5	231	2	2	10	21	37	46	76
20-34	554	16.8	262	2	3	11	24	39	53	90
35-49	355	20.4	319	2	3	15	30	49	62	99+
50-64	248	23.8	341	2	5	19	33	54	66	99+
65+	218	27.0	432	4	8	22	43	78	99+	99+
GRAND TOTAL	**1939**	**19.1**	**307**	**2**	**3**	**13**	**28**	**46**	**60**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	6.3	35	1	1	5	8	13	17	32
20-34	346	6.1	36	1	1	4	9	15	18	29
35-49	162	6.5	42	1	1	4	9	15	18	36
50-64	101	7.3	49	1	1	5	9	16	18	39
65+	44	12.1	68	1	2	11	16	23	32	44
B. *Operated*										
0-19 YRS	114	11.1	133	1	2	8	15	32	40	71
20-34	76	9.4	73	2	2	7	11	20	24	48
35-49	52	11.6	64	2	3	10	17	25	30	98
50-64	33	17.8	332	2	4	13	24	33	58	92
65+	22	16.4	183	2	3	14	23	34	44	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	825	6.9	41	1	1	5	9	15	20	32
20-34	665	7.2	44	1	1	5	10	16	20	30
35-49	392	9.0	67	1	2	7	12	19	24	36
50-64	227	9.1	79	1	2	7	12	20	24	56
65+	204	14.6	203	1	2	9	19	32	45	65
B. *Operated*										
0-19 YRS	205	14.2	144	1	3	11	21	33	38	58
20-34	240	17.1	248	2	3	13	24	37	50	99+
35-49	122	18.2	226	2	3	14	24	39	53	67
50-64	96	22.0	323	2	4	18	31	55	71	99+
65+	63	29.6	605	5	8	22	41	82	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	6.6	41	1	1	4	9	15	18	33
B. *Operated*	297	11.9	137	2	2	8	16	27	35	77
2. MULTIPLE DX										
A. *Not Operated*	2313	8.2	69	1	1	6	11	18	23	41
B. *Operated*	726	18.2	272	2	3	14	25	41	57	99+
1. SINGLE DX	1402	7.7	66	1	1	5	10	17	23	41
2. MULTIPLE DX	3039	10.6	135	1	2	7	14	24	33	65
A. NOT OPERATED	3418	7.7	60	1	1	5	10	17	22	38
B. OPERATED	1023	16.4	241	2	3	12	23	36	51	99+
TOTAL 0-19 YRS	1596	7.9	66	1	1	5	10	18	25	41
20-34	1327	8.8	96	1	1	6	12	20	27	51
35-49	728	10.2	102	1	2	7	14	22	28	55
50-64	457	12.0	173	1	2	8	15	27	[illegible]	91
65+	333	17.2	297	2	3	11	23	39	[illegible]	91
GRAND TOTAL	**4441**	**9.7**	**115**	**1**	**1**	**6**	**12**	**22**	**31**	**59**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.4	10	1	1	2	5	8	11	14
20-34	84	4.1	13	<1	1	3	6	8	10	21
35-49	52	7.2	111	1	1	4	8	12	17	71
50-64	27	8.2	59	1	2	5	10	23	26	28
65+	13	13.3	242	1	3	9	11	46	49	50
B. *Operated*										
0-19 YRS	117	3.3	12	1	1	2	3	6	10	18
20-34	198	4.6	31	1	1	3	5	10	16	38
35-49	101	4.1	16	1	1	3	4	9	12	22
50-64	52	4.4	53	1	2	3	4	8	17	99
65+	10	3.3	6	2	2	3	3	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	9.4	374	1	1	3	6	15	62	94
20-34	101	8.2	133	<1	1	5	9	17	32	69
35-49	70	8.6	173	1	2	5	9	17	38	97
50-64	55	8.1	60	2	2	5	11	16	24	41
65+	61	9.7	87	2	2	6	12	23	33	45
B. *Operated*										
0-19 YRS	120	4.3	58	1	1	2	4	7	25	99+
20-34	187	7.6	198	1	1	3	7	21	68	99+
35-49	100	9.1	144	1	2	4	11	23	40	52
50-64	60	11.3	298	1	2	4	12	34	65	98
65+	31	18.7	483	1	2	9	31	66	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	5.6	57	1	1	4	7	11	15	46
B. *Operated*	478	4.1	25	1	1	3	4	8	13	34
2. MULTIPLE DX										
A. *Not Operated*	354	8.8	166	1	1	5	9	19	33	85
B. *Operated*	498	8.2	193	1	1	3	7	25	49	99+
1. SINGLE DX	710	4.6	36	1	1	3	5	10	13	37
2. MULTIPLE DX	852	8.5	182	1	1	4	8	23	40	99+
A. NOT OPERATED	586	7.5	125	1	1	4	8	15	25	71
B. OPERATED	976	6.2	115	1	1	3	5	14	29	99+
TOTAL 0-19 YRS	360	4.8	98	1	1	2	4	8	14	88
20-34	570	6.2	104	1	1	3	6	13	25	95
35-49	323	7.1	108	1	2	4	8	15	24	67
50-64	194	8.1	137	1	2	4	8	23	31	92
65+	115	12.0	221	1	2	7	12	35	48	86
GRAND TOTAL	**1562**	**6.7**	**119**	**1**	**1**	**3**	**7**	**14**	**28**	**84**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	355	2.6	11	<1	1	2	3	5	6	15
20-34	389	3.6	13	<1	1	3	4	7	9	21
35-49	161	4.1	20	<1	1	3	5	8	11	21
50-64	100	5.7	28	1	1	4	7	12	17	27
65+	76	6.3	41	1	2	4	7	14	21	36
B. *Operated*										
0-19 YRS	160	4.8	50	1	1	3	5	10	15	41
20-34	198	5.2	27	1	1	3	7	11	15	25
35-49	117	4.9	25	1	1	3	6	11	14	25
50-64	51	7.4	84	1	1	4	10	18	28	48
65+	29	8.3	65	1	1	7	15	20	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	3.4	10	1	1	3	4	6	9	16
20-34	522	4.2	16	1	1	3	5	9	11	23
35-49	277	5.9	23	1	1	5	8	12	15	25
50-64	279	6.5	50	1	2	5	8	13	18	29
65+	377	9.2	57	2	2	7	11	18	22	39
B. *Operated*										
0-19 YRS	165	9.7	177	1	1	5	12	24	40	88
20-34	284	9.9	158	1	2	6	11	22	38	59
35-49	151	13.2	279	1	2	8	14	38	51	98
50-64	114	10.9	137	2	2	7	13	22	32	67
65+	69	14.2	169	2	4	10	19	29	35	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	3.7	18	<1	1	2	4	7	10	25
B. *Operated*	555	5.4	41	1	1	3	6	12	19	33
2. MULTIPLE DX										
A. *Not Operated*	1786	5.7	34	1	1	4	7	12	17	28
B. *Operated*	783	11.0	185	1	2	7	13	25	40	78
1. SINGLE DX	1636	4.3	26	1	1	3	5	9	13	29
2. MULTIPLE DX	2569	7.3	86	1	1	5	9	16	23	56
A. NOT OPERATED	2867	5.0	29	1	1	3	6	10	15	27
B. OPERATED	1338	8.7	133	1	1	5	10	20	31	61
TOTAL 0-19 YRS	1011	4.4	50	1	1	2	4	8	15	42
20-34	1393	5.3	51	1	1	3	6	11	17	41
35-49	706	6.9	88	1	1	4	8	14	22	59
50-64	544	7.3	71	1	2	5	9	15	20	48
65+	551	9.4	73	2	2	7	12	19	23	42
GRAND TOTAL	**4205**	**6.1**	**65**	**1**	**1**	**4**	**7**	**13**	**20**	**45**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2010	2.0	6	<1	1	1	2	3	4	10
20-34	1351	2.5	6	<1	1	2	3	5	7	13
35-49	554	3.0	15	<1	1	2	3	5	8	21
50-64	226	3.9	15	<1	1	3	5	9	12	21
65+	193	5.4	19	1	1	5	7	10	12	25
B. *Operated*										
0-19 YRS	9	7.8	289	<1	<1	2	3	34	53	53
20-34	41	3.1	6	1	1	2	3	5	10	12
35-49	20	5.3	101	<1	1	3	4	8	28	47
50-64	5	11.4	118	3	3	5	20	28	28	28
65+	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1656	3.9	31	1	1	2	4	7	12	34
20-34	2853	4.4	33	1	1	3	5	9	14	31
35-49	1653	5.7	50	1	1	4	6	12	17	36
50-64	1127	6.5	37	1	2	5	8	13	17	30
65+	1489	7.9	35	2	2	7	10	14	19	31
B. *Operated*										
0-19 YRS	27	12.6	157	1	2	10	15	28	34	60
20-34	194	5.7	79	<1	1	2	7	15	20	66
35-49	133	7.9	79	<1	1	5	11	18	29	59
50-64	78	13.1	131	2	4	9	15	30	40	52
65+	114	14.2	106	4	5	12	19	26	32	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4334	2.5	9	<1	1	2	3	5	7	17
B. *Operated*	78	4.8	70	<1	1	3	4	10	15	51
2. MULTIPLE DX										
A. *Not Operated*	8778	5.4	39	1	1	4	7	12	16	31
B. *Operated*	546	9.4	108	1	1	6	13	22	30	60
1. SINGLE DX	4412	2.6	10	<1	1	2	3	5	7	18
2. MULTIPLE DX	9324	5.6	43	1	1	4	7	12	17	34
A. NOT OPERATED	13112	4.5	31	1	1	3	5	10	14	28
B. OPERATED	624	8.8	105	1	1	5	12	21	30	55
TOTAL 0-19 YRS	3702	3.0	20	<1	1	2	3	5	8	27
20-34	4439	3.9	27	<1	1	2	4	8	12	26
35-49	2360	5.1	46	1	1	3	6	11	16	35
50-64	1436	6.5	42	1	1	5	8	13	17	32
65+	1799	8.0	41	2	2	7	10	15	20	33
GRAND TOTAL	**13736**	**4.7**	**35**	**1**	**1**	**3**	**5**	**10**	**15**	**30**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1211	1.9	4	<1	1	1	2	4	5	13
20-34	599	2.2	10	<1	1	2	2	4	5	12
35-49	295	2.3	7	<1	1	2	2	5	7	13
50-64	182	2.5	5	1	1	2	3	5	7	12
65+	84	2.6	7	1	1	2	3	4	8	16
B. *Operated*										
0-19 YRS	25	4.7	20	1	2	3	6	7	13	24
20-34	24	4.7	16	<1	1	3	8	11	12	13
35-49	20	7.4	27	1	2	7	9	15	20	20
50-64	13	7.3	94	1	2	4	6	22	33	36
65+	6	7.5	70	1	1	4	11	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	614	3.1	11	1	1	2	4	6	8	15
20-34	436	3.5	17	<1	1	2	4	7	10	23
35-49	322	4.0	28	1	1	2	4	8	11	29
50-64	271	4.7	19	1	1	3	6	10	12	22
65+	205	5.9	36	1	1	4	8	11	17	33
B. *Operated*										
0-19 YRS	21	13.1	236	2	2	7	13	32	48	66
20-34	39	10.1	104	1	2	7	13	24	43	99+
35-49	19	17.1	339	2	3	11	20	47	61	69
50-64	23	13.6	126	2	4	12	19	40	61	99+
65+	14	21.7	515	5	6	11	27	47	80	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2371	2.1	6	<1	1	1	2	4	5	13
B. *Operated*	88	5.9	34	1	1	4	7	11	20	31
2. MULTIPLE DX										
A. *Not Operated*	1848	3.9	20	1	1	2	5	8	11	26
B. *Operated*	116	13.9	225	2	3	10	16	34	55	99+
1. SINGLE DX	2459	2.3	8	<1	1	1	2	4	6	14
2. MULTIPLE DX	1964	4.5	38	1	1	3	5	9	14	33
A. NOT OPERATED	4219	2.9	13	1	1	2	3	6	9	19
B. OPERATED	204	10.4	158	1	2	7	12	25	40	94
TOTAL 0-19 YRS	1871	2.5	11	1	1	2	3	5	7	18
20-34	1098	3.0	18	<1	1	2	3	6	9	25
35-49	656	3.7	33	1	1	2	4	8	11	30
50-64	489	4.4	26	1	1	3	5	9	13	32
65+	309	5.8	63	1	1	3	7	11	18	35
GRAND TOTAL	**4423**	**3.2**	**22**	**1**	**1**	**2**	**3**	**7**	**10**	**27**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	479	2.5	6	1	1	2	3	5	6	15
20-34	311	2.5	5	1	1	2	3	5	7	10
35-49	197	3.2	9	1	1	2	4	7	9	63
50-64	152	3.6	12	1	1	3	5	7	9	21
65+	125	5.1	17	1	1	4	7	9	14	19
B. *Operated*										
0-19 YRS	5	3.6	10	1	1	2	7	7	7	7
20-34	16	4.6	42	<1	1	3	4	22	73	99+
35-49	23	5.4	24	1	2	4	6	14	17	20
50-64	10	7.5	98	1	1	5	6	21	35	35
65+	9	12.8	82	2	3	11	26	63	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	4.2	36	1	1	3	4	9	13	27
20-34	353	4.0	35	1	1	3	5	7	9	15
35-49	386	5.4	38	1	1	4	6	10	15	29
50-64	532	6.4	44	1	2	4	8	13	17	31
65+	836	7.6	35	1	2	6	10	15	20	30
B. *Operated*										
0-19 YRS	21	17.6	396	1	2	10	32	59	79	99+
20-34	51	7.9	158	1	2	5	8	15	22	83
35-49	55	12.7	306	1	2	5	15	41	60	99+
50-64	89	14.6	314	2	2	10	16	35	59	83
65+	105	18.3	287	3	3	14	22	41	59	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1264	3.0	9	1	1	2	4	6	8	18
B. *Operated*	63	6.5	52	1	1	4	7	20	29	99+
2. MULTIPLE DX										
A. *Not Operated*	2514	5.9	39	1	1	4	7	12	16	29
B. *Operated*	321	14.6	294	2	2	9	18	39	58	87
1. SINGLE DX	1327	3.2	11	1	1	2	4	7	9	21
2. MULTIPLE DX	2835	6.9	76	1	1	4	8	14	21	45
A. NOT OPERATED	3778	5.0	31	1	1	3	6	10	15	27
B. OPERATED	384	13.3	263	2	2	7	17	36	57	97
TOTAL 0-19 YRS	912	3.6	33	1	1	2	4	7	11	30
20-34	731	3.6	32	1	1	2	4	7	9	21
35-49	661	5.3	57	1	1	3	6	10	17	45
50-64	783	6.8	77	1	1	4	8	13	18	52
65+	1075	8.4	69	1	2	6	10	17	23	41
GRAND TOTAL	**4162**	**5.7**	**58**	**1**	**1**	**3**	**7**	**12**	**18**	**39**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.0	16	1	1	2	5	10	11	22
20-34	74	4.3	28	<1	1	2	5	9	19	26
35-49	53	5.4	44	1	1	3	7	12	14	39
50-64	77	6.7	40	1	1	5	9	16	22	28
65+	102	8.1	54	1	2	7	11	16	24	68
B. *Operated*										
0-19 YRS	421	5.6	39	1	1	4	7	11	16	33
20-34	553	4.2	27	1	1	2	4	9	13	24
35-49	470	5.9	39	1	1	3	8	13	17	34
50-64	708	9.1	83	1	2	6	13	19	25	46
65+	1399	8.2	82	1	2	5	11	19	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.6	29	1	2	5	6	10	16	30
20-34	110	5.6	17	1	1	5	7	11	13	23
35-49	81	6.4	42	1	1	5	8	15	21	33
50-64	120	8.0	77	1	1	5	11	18	24	48
65+	237	8.7	58	1	2	7	11	18	27	48
B. *Operated*										
0-19 YRS	314	10.5	125	1	2	7	15	24	34	62
20-34	620	7.0	78	1	1	4	8	17	25	42
35-49	678	8.8	104	1	2	5	12	19	28	53
50-64	1084	10.9	130	1	2	7	14	25	32	55
65+	1888	11.4	157	2	2	7	14	25	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	5.9	40	1	1	4	7	13	20	36
B. *Operated*	3551	7.2	66	1	2	4	9	17	22	41
2. MULTIPLE DX										
A. *Not Operated*	605	7.4	51	1	2	5	9	16	23	40
B. *Operated*	4584	10.2	132	1	2	6	13	23	32	62
1. SINGLE DX	3933	7.0	63	1	1	4	9	16	22	40
2. MULTIPLE DX	5189	9.9	124	1	2	6	12	23	31	60
A. NOT OPERATED	987	6.8	47	1	1	5	9	15	22	38
B. OPERATED	8135	8.9	106	1	2	5	11	20	29	55
TOTAL 0-19 YRS	868	7.2	74	1	1	4	8	16	24	45
20-34	1357	5.6	51	1	1	3	6	12	20	34
35-49	1282	7.4	76	1	1	5	9	16	23	45
50-64	1989	10.0	108	1	2	7	13	22	30	54
65+	3626	9.9	121	2	2	6	13	22	31	61
GRAND TOTAL	**9122**	**8.7**	**100**	**1**	**2**	**5**	**11**	**20**	**28**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	1.8	1	<1	1	1	2	3	4	6
20-34	481	2.7	4	1	1	2	4	4	6	10
35-49	237	3.3	5	1	1	3	4	6	9	11
50-64	248	3.9	5	1	2	3	5	7	8	11
65+	344	4.7	9	1	2	4	6	7	10	15
B. *Operated*										
0-19 YRS	281	2.1	5	<1	1	1	2	4	5	15
20-34	444	3.1	9	1	1	2	4	6	8	16
35-49	198	3.8	19	1	1	3	5	7	10	17
50-64	93	4.8	18	1	1	4	6	10	15	22
65+	81	5.7	15	1	2	5	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.2	12	1	1	2	4	7	9	20
20-34	140	4.0	10	1	1	3	5	7	10	19
35-49	111	4.5	13	1	2	4	5	9	10	56
50-64	145	5.1	19	1	2	4	6	9	14	24
65+	252	5.8	19	1	2	4	7	11	15	25
B. *Operated*										
0-19 YRS	21	3.0	6	<1	1	2	4	7	8	9
20-34	139	5.2	19	1	1	4	7	12	14	22
35-49	93	6.6	29	1	2	5	9	13	15	30
50-64	69	9.3	88	1	1	6	14	26	41	99+
65+	105	10.1	81	2	3	7	12	23	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1648	3.2	6	1	1	3	4	6	8	11
B. *Operated*	1097	3.3	12	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	696	4.9	16	1	2	4	6	9	13	23
B. *Operated*	427	7.2	52	1	1	5	9	15	23	42
1. SINGLE DX	2745	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	1123	5.8	31	1	1	4	7	12	16	32
A. NOT OPERATED	2344	3.7	10	1	1	3	5	7	9	16
B. OPERATED	1524	4.4	26	1	1	3	5	10	14	27
TOTAL 0-19 YRS	688	2.0	4	<1	1	1	2	4	5	10
20-34	1204	3.3	9	1	1	2	4	6	9	16
35-49	639	4.1	15	1	1	3	5	9	10	18
50-64	555	5.1	24	1	2	4	6	10	15	29
65+	782	5.9	25	1	2	5	7	11	15	28
GRAND TOTAL	**3868**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	5.6	19	1	2	4	7	11	15	22
20-34	234	6.1	22	2	2	5	7	10	14	22
35-49	212	6.7	29	2	2	6	8	13	15	31
50-64	164	8.1	25	2	3	7	10	15	18	25
65+	119	8.7	45	2	2	7	11	16	21	40
B. *Operated*										
0-19 YRS	123	6.7	28	1	2	5	9	15	17	25
20-34	199	9.1	80	2	2	7	11	17	24	40
35-49	149	8.9	76	2	2	7	10	20	29	99+
50-64	155	11.2	155	2	2	8	15	24	35	93
65+	89	11.0	83	2	3	8	15	25	30	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.6	15	<1	1	5	8	11	13	16
20-34	144	7.5	32	2	3	6	9	14	19	32
35-49	140	8.3	28	2	3	7	10	15	19	27
50-64	152	9.5	44	2	3	8	12	17	22	38
65+	183	11.7	126	3	3	9	14	23	30	88
B. *Operated*										
0-19 YRS	44	10.8	70	2	3	9	14	20	25	46
20-34	130	13.1	151	2	3	9	19	29	37	61
35-49	130	13.6	218	2	3	9	17	28	39	81
50-64	185	14.5	168	2	4	10	20	32	41	97
65+	138	17.5	197	3	4	14	24	37	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	6.9	28	2	2	6	8	13	16	29
B. *Operated*	715	9.3	88	2	2	7	11	20	27	70
2. MULTIPLE DX										
A. *Not Operated*	659	9.2	62	2	3	7	12	17	23	38
B. *Operated*	627	14.4	177	2	3	10	20	31	41	89
1. SINGLE DX	1565	8.0	57	2	2	6	10	16	21	40
2. MULTIPLE DX	1286	11.7	125	2	3	9	14	24	34	74
A. NOT OPERATED	1509	7.9	44	2	2	6	10	15	19	34
B. OPERATED	1342	11.7	136	2	2	8	15	25	36	78
TOTAL 0-19 YRS	328	6.7	31	1	2	5	9	14	18	25
20-34	707	8.5	70	2	2	6	10	17	24	44
35-49	631	9.0	84	2	3	7	10	18	25	61
50-64	656	11.0	106	2	3	8	14	22	30	68
65+	529	12.4	129	2	3	9	16	25	36	89
GRAND TOTAL	**2851**	**9.7**	**91**	**2**	**2**	**7**	**12**	**20**	**28**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.3	13	<1	1	2	4	7	13	17
20-34	109	4.8	16	1	1	4	6	10	13	21
35-49	106	5.3	15	1	2	4	7	11	13	19
50-64	94	8.1	42	1	2	6	11	16	21	34
65+	93	7.8	61	1	2	6	9	18	27	39
B. *Operated*										
0-19 YRS	103	4.3	14	<1	1	3	5	11	12	20
20-34	286	5.8	52	1	2	4	7	11	16	40
35-49	236	7.0	57	1	2	4	8	15	22	37
50-64	273	7.4	72	1	2	5	9	15	21	42
65+	231	8.9	82	1	2	5	11	23	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.7	83	1	1	2	4	7	17	59
20-34	161	4.8	19	1	1	4	6	10	14	19
35-49	186	6.8	38	1	2	5	9	14	17	48
50-64	168	8.2	55	2	2	6	11	16	20	42
65+	192	10.7	116	2	3	8	13	22	35	87
B. *Operated*										
0-19 YRS	81	6.7	128	1	1	4	7	13	17	77
20-34	221	7.6	42	2	2	6	9	18	22	63
35-49	312	10.3	97	2	2	8	13	21	34	56
50-64	387	12.9	212	2	2	9	16	28	39	88
65+	389	12.6	135	2	2	10	16	26	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	6.1	33	1	1	4	8	13	17	29
B. *Operated*	1129	6.9	62	1	2	4	8	15	22	43
2. MULTIPLE DX										
A. *Not Operated*	766	7.5	65	1	2	5	9	15	20	56
B. *Operated*	1390	11.0	137	2	2	8	14	24	34	77
1. SINGLE DX	1568	6.7	54	1	2	4	8	14	20	36
2. MULTIPLE DX	2156	9.8	114	1	2	7	12	21	30	65
A. NOT OPERATED	1205	7.0	54	1	2	5	9	15	19	42
B. OPERATED	2519	9.2	108	1	2	6	12	20	28	57
TOTAL 0-19 YRS	280	4.9	62	1	1	3	5	10	14	49
20-34	777	6.0	38	1	2	4	7	12	18	33
35-49	840	8.0	66	1	2	5	10	17	23	50
50-64	922	9.9	131	2	2	6	12	21	30	72
65+	905	10.8	113	2	2	8	14	23	32	60
GRAND TOTAL	**3724**	**8.5**	**91**	**1**	**2**	**5**	**11**	**18**	**26**	**54**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20	Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21	Malignant neoplasm of stomach	7,393	7.7	126	17.8
22	Malignant neoplasm of small intestine	871	0.9	16	2.2
23	Malignant neoplasm of colon	31,020	32.1	525	73.8
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26	Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27	Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30	Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31	Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32	Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.1	4	<1	<1	2	4	5	8	11
20-34	29	4.2	14	1	1	3	5	8	10	20
35-49	10	2.8	2	<1	<1	3	4	5	5	5
50-64	8	3.3	6	<1	<1	2	5	7	8	8
65+	5	1.8	3	1	1	1	2	5	5	5
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	9.2	107	2	2	4	12	27	29	29
35-49	7	7.6	29	2	2	5	12	15	15	15
50-64	4	17.0	135	6	6	15	26	32	32	32
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.4	4	1	2	3	4	6	8	10
20-34	23	4.5	11	1	1	4	6	10	12	13
35-49	23	4.8	11	1	1	4	8	9	10	11
50-64	25	5.7	28	<1	1	4	9	15	17	21
65+	20	6.0	9	1	1	7	9	9	10	10
B. *Operated*										
0-19 YRS	6	7.3	19	2	2	7	12	12	12	12
20-34	7	10.4	166	2	2	4	13	33	38	38
35-49	14	7.3	36	1	2	6	8	13	22	25
50-64	12	10.9	114	2	3	7	15	24	38	41
65+	7	9.3	54	2	2	9	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.4	8	<1	1	3	4	6	8	17
B. *Operated*	18	9.9	83	2	2	6	13	26	31	32
2. MULTIPLE DX										
A. *Not Operated*	121	4.8	13	1	1	4	7	9	11	17
B. *Operated*	46	9.0	72	2	2	6	12	18	28	41
1. SINGLE DX	97	4.6	28	<1	1	3	5	10	14	31
2. MULTIPLE DX	167	6.0	33	1	1	4	8	12	16	36
A. NOT OPERATED	200	4.2	12	1	1	3	6	9	10	18
B. OPERATED	64	9.3	74	2	2	6	12	19	30	41
TOTAL 0-19 YRS	64	3.6	7	1	2	3	4	7	10	12
20-34	65	5.5	39	1	1	3	6	11	15	37
35-49	54	5.4	20	1	1	5	8	11	13	25
50-64	49	7.5	65	<1	1	5	9	16	22	41
65+	32	6.0	22	1	1	5	9	11	17	19
GRAND TOTAL	**264**	**5.5**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	124	1.5	1	<1	<1	1	2	2	3	7
35-49	35	1.9	4	<1	<1	2	2	2	4	12
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	112	2.1	1	<1	<1	2	3	4	4	6
20-34	10770	1.9	3	<1	<1	2	2	3	4	7
35-49	3832	2.0	3	<1	<1	2	2	3	4	7
50-64	48	1.7	1	<1	<1	2	2	3	3	6
65+	16	1.8		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	253	1.4	1	<1	<1	1	1	2	4	7
35-49	82	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	86	3.0	4	<1	1	2	4	6	8	9
20-34	5919	2.5	7	<1	1	2	3	5	6	9
35-49	2664	2.4	7	<1	1	2	3	5	6	9
50-64	16	2.4	7	<1	1	2	2	4	10	12
65+	10	3.0	10	1	1	2	3	8	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	1.6	2	<1	<1	1	2	2	3	11
B. *Operated*	14778	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	339	1.4	1	<1	<1	1	1	2	4	7
B. *Operated*	8695	2.5	7	<1	1	2	3	5	6	9
1. SINGLE DX	14943	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	9034	2.4	7	<1	1	2	3	5	6	9
A. NOT OPERATED	504	1.5	2	<1	<1	1	2	2	3	7
B. OPERATED	23473	2.1	5	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	207	2.5	3	<1	<1	2	3	4	6	9
20-34	17066	2.1	5	<1	<1	2	2	4	5	8
35-49	6613	2.1	5	<1	<1	2	2	4	5	8
50-64	65	1.9	2	<1	<1	2	2	3	4	11
65+	26	2.2	4	<1	<1	2	2	3	5	12
GRAND TOTAL	**23977**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	81	4.3	50	<1	2	3	4	6	8	48
1000-1499	44	11.2	189	<1	1	4	18	37	45	99+
1500-1749	59	12.9	118	<1	1	12	22	27	33	35
1750-2499	4627	3.9	8	2	2	3	4	6	9	17
2500+	199868	3.2	2	2	2	3	4	5	6	8
B. *Operated*										
1-999 G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499										
1500-1749										
1750-2499	10	8.9	53	4	4	6	8	21	28	28
2500+	125	3.6	3	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	158	25.6	1081	<1	<1	5	61	79	94	99+
1000-1499	612	31.6	387	<1	<1	34	44	55	62	83
1500-1749	795	21.9	118	<1	3	23	29	35	38	47
1750-2499	8754	8.0	41	2	2	6	11	17	20	28
2500+	58764	4.2	5	2	2	4	5	7	8	12
B. *Operated*										
1-999 G	60	54.2	1000	<1	3	69	92	99+	99+	99+
1000-1499	244	47.1	334	17	28	47	61	78	95	99+
1500-1749	151	33.4	231	7	19	31	39	52	59	85
1750-2499	481	17.2	126	4	6	16	22	29	36	91
2500+	1320	8.2	74	2	3	6	9	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204679	3.2	2	2	2	3	4	5	6	8
B. *Operated*	136	4.0	8	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	69083	5.2	29	2	2	4	6	8	13	30
B. *Operated*	2256	17.2	346	2	3	9	24	48	64	99+
1. SINGLE DX	204815	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	71339	5.6	44	2	2	4	6	9	15	38
A. NOT OPERATED	273762	3.7	10	2	2	3	4	6	7	15
B. OPERATED	2392	16.5	336	2	3	9	22	47	63	99+
TOTAL 1-999 G	300	25.5	1068	<1	<1	6	67	91	99+	99+
1000-1499	900	34.8	438	<1	<1	37	50	62	71	99+
1500-1749	1005	23.1	158	<1	3	23	30	37	42	58
1750-2499	13872	7.0	40	2	2	5	9	16	20	29
2500+	260077	3.4	3	2	2	3	4	5	6	9
GRAND TOTAL	**276154**	**3.8**	**14**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	6	26.8	435	<1	<1	35	37	50	51	51
1500-1749	20	17.7	65	3	7	17	22	25	32	39
1750-2499	588	5.3	12	2	2	4	6	9	12	21
2500+	1633	4.4	4	2	2	4	5	7	8	11
B. *Operated*										
1-999 G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499	1	1.0		<1	<1	<1	<1	<1	<1	<1
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	2	17.0	32	13	13	17	21	21	21	21
2500+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	15	3.6	45	<1	<1	<1	4	24	78	99+
1000-1499	104	32.4	431	<1	<1	34	46	62	68	79
1500-1749	153	23.0	106	4	12	23	29	34	37	62
1750-2499	1111	10.0	43	3	3	8	14	19	22	29
2500+	668	5.5	7	2	3	5	7	9	11	15
B. *Operated*										
1-999 G	12	51.2	1114	<1	<1	65	89	99+	99+	99+
1000-1499	43	46.6	493	<1	13	50	63	77	85	99+
1500-1749	33	26.7	209	<1	<1	29	33	39	48	66
1750-2499	58	19.3	217	4	6	18	22	30	71	98
2500+	23	9.3	72	2	3	6	14	15	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2247	4.8	11	2	2	4	6	7	9	20
B. *Operated*	6	10.2	90	<1	<1	8	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	2051	10.6	100	2	3	7	14	22	29	51
B. *Operated*	169	28.6	520	<1	3	23	45	66	79	99+
1. SINGLE DX	2253	4.8	11	2	2	4	6	7	9	20
2. MULTIPLE DX	2220	11.9	155	2	3	7	15	26	36	68
A. NOT OPERATED	4298	7.6	62	2	3	5	8	16	22	42
B. OPERATED	175	27.9	516	<1	3	22	44	66	79	99+
TOTAL 1-999 G	28	23.9	1056	<1	<1	1	66	93	99+	99+
1000-1499	154	35.9	491	<1	<1	36	51	66	71	85
1500-1749	207	23.1	122	<1	10	23	29	34	39	64
1750-2499	1759	8.7	47	2	3	6	12	18	21	28
2500+	2325	4.8	6	2	3	4	6	7	9	14
GRAND TOTAL	**4473**	**8.4**	**95**	**2**	**3**	**5**	**8**	**18**	**27**	**59**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	2.0		2	2	2	2	2	2	2
1000-1499	2	28.0	2	27	27	28	29	29	29	29
1500-1749	3	15.3	116	3	3	20	22	23	23	23
1750-2499	38	4.6	18	2	2	3	5	10	14	21
2500+	526	2.7	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	3.3	16	<1	<1	<1	6	8	8	8
1000-1499	10	25.7	353	<1	<1	27	45	48	49	49
1500-1749	23	24.2	180	<1	2	24	33	41	48	53
1750-2499	109	10.2	64	2	2	9	16	21	24	39
2500+	179	4.3	10	1	2	3	5	8	11	18
B. *Operated*										
1-999 G										
1000-1499	7	35.7	681	1	1	41	49	68	72	72
1500-1749	2	23.5	1	23	23	23	24	24	24	24
1750-2499	11	17.2	161	5	5	13	22	34	49	50
2500+	13	8.8	69	1	2	6	11	19	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.0	6	1	1	3	3	4	5	14
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	324	8.4	87	1	2	4	11	21	28	46
B. *Operated*	33	18.2	309	1	2	11	24	46	51	72
1. SINGLE DX	571	3.0	6	1	1	3	3	4	5	14
2. MULTIPLE DX	357	9.3	115	1	2	5	12	23	34	50
A. NOT OPERATED	894	4.9	42	1	2	3	4	11	19	37
B. OPERATED	34	17.7	308	1	2	11	24	45	51	72
TOTAL 1-999 G	4	3.0	11	<1	<1	1	5	8	8	8
1000-1499	19	29.6	427	<1	<1	29	45	50	63	72
1500-1749	28	23.2	163	<1	3	23	29	39	47	53
1750-2499	158	9.3	69	2	2	6	13	21	23	40
2500+	719	3.2	6	1	1	3	4	5	7	13
GRAND TOTAL	**928**	**5.4**	**57**	**1**	**2**	**3**	**5**	**13**	**21**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	4	1	1	2	3	4	8	9
20-34	42	2.4	2	<1	1	2	3	4	5	6
35-49	21	2.6	1	1	1	2	3	4	5	6
50-64	15	4.9	46	<1	2	3	4	11	24	28
65+	4	8.3	32	2	2	8	13	14	14	14
B. *Operated*										
0-19 YRS	801	2.8	22	<1	1	2	3	4	5	11
20-34	1050	2.8	5	1	1	2	3	5	6	12
35-49	542	3.2	8	1	1	2	4	6	8	22
50-64	411	3.9	12	1	1	3	5	8	10	18
65+	308	5.8	47	1	2	4	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	16	1	1	1	4	10	10	10
20-34	16	2.2	2	<1	<1	2	3	5	5	5
35-49	13	4.1	37	<1	<1	1	5	10	21	23
50-64	7	6.0	37	1	1	4	10	16	17	17
65+	7	3.0	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	135	4.1	14	1	1	3	4	8	12	21
20-34	193	4.9	44	1	2	3	5	8	12	28
35-49	127	4.8	29	1	2	3	5	9	12	25
50-64	153	6.2	51	1	2	4	7	15	17	44
65+	170	11.0	102	2	3	8	14	24	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.0	10	1	1	2	3	4	8	20
B. *Operated*	3112	3.3	16	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	48	3.5	18	<1	<1	2	4	7	12	23
B. *Operated*	778	6.3	57	1	2	4	7	14	19	45
1. SINGLE DX	3222	3.3	16	1	1	2	4	6	8	17
2. MULTIPLE DX	826	6.2	55	1	2	4	7	14	19	44
A. NOT OPERATED	158	3.1	13	<1	1	2	4	5	10	23
B. OPERATED	3890	3.9	26	1	1	3	4	7	11	24
TOTAL 0-19 YRS	969	3.0	21	<1	1	2	3	5	6	15
20-34	1301	3.1	11	1	1	2	4	5	7	14
35-49	703	3.5	13	1	1	2	4	6	9	22
50-64	586	4.6	24	1	1	3	5	10	14	23
65+	489	7.6	72	1	2	5	10	16	23	45
GRAND TOTAL	**4048**	**3.9**	**25**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	31	1.9	2	<1	<1	2	2	3	6	6
50-64	56	1.9	2	1	1	2	2	2	6	9
65+	30	1.8	9	1	1	1	2	2	4	17
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	8	1.9	2	1	1	1	2	4	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	1	1	1	2	3	5	5
20-34	55	1.9	8	<1	<1	1	2	3	5	17
35-49	39	1.7	1	1	1	2	2	2	2	8
50-64	255	1.7	4	1	1	1	2	2	3	7
65+	104	2.0	4	1	1	2	2	3	4	13
B. *Operated*										
0-19 YRS	4	4.0	2	2	2	4	5	5	5	5
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	7	3.4	10	<1	<1	2	4	9	10	10
50-64	19	6.2	50	<1	<1	3	9	22	62	99+
65+	10	5.0	14	<1	<1	4	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	1.9	4	1	1	1	2	3	5	11
B. *Operated*	11	1.9	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	468	1.8	4	1	1	1	2	2	3	10
B. *Operated*	43	5.0	28	<1	<1	4	7	12	21	99+
1. SINGLE DX	135	1.9	3	1	1	1	2	3	5	10
2. MULTIPLE DX	511	2.1	7	<1	1	1	2	3	5	18
A. NOT OPERATED	592	1.8	4	1	1	1	2	2	4	10
B. OPERATED	54	4.4	24	<1	<1	3	5	11	19	96
TOTAL 0-19 YRS	19	2.2	2	1	1	2	3	5	5	5
20-34	68	2.0	7	<1	<1	1	2	3	4	17
35-49	77	1.9	2	<1	1	2	2	3	5	9
50-64	338	2.0	7	1	1	1	2	3	5	20
65+	144	2.2	6	1	1	2	2	4	7	17
GRAND TOTAL	**646**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**3**	**5**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1574	2.5	12	<1	<1	2	3	5	7	16
20-34	2385	2.4	13	<1	<1	1	3	4	6	17
35-49	855	3.1	18	<1	<1	2	4	6	10	19
50-64	1066	3.4	27	1	1	2	4	7	11	33
65+	925	4.8	53	1	1	3	5	13	22	99+
B. *Operated*										
0-19 YRS	948	2.8	12	<1	<1	2	3	6	10	18
20-34	3830	2.9	9	<1	<1	2	3	6	8	14
35-49	1668	3.5	14	<1	1	2	4	8	11	17
50-64	1150	4.4	24	1	1	2	6	11	13	21
65+	1196	4.9	30	1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	962	4.3	33	<1	1	2	5	9	15	30
20-34	1899	4.1	46	<1	1	2	4	7	11	37
35-49	1409	5.1	52	1	1	3	5	11	18	37
50-64	2803	5.4	69	1	1	3	5	11	19	53
65+	3241	8.0	118	1	1	4	9	20	32	99
B. *Operated*										
0-19 YRS	442	5.0	64	1	1	3	4	11	24	99+
20-34	3295	3.7	34	<1	1	2	4	7	10	35
35-49	1953	4.7	45	<1	1	3	5	10	15	47
50-64	1861	6.3	65	1	1	3	8	14	20	55
65+	2131	7.3	92	1	1	4	9	16	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6805	3.0	22	<1	<1	2	3	6	10	31
B. *Operated*	8792	3.5	15	<1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	10314	5.8	77	1	1	3	6	13	22	60
B. *Operated*	9682	5.3	59	1	1	3	6	12	17	52
1. SINGLE DX	15597	3.3	18	<1	<1	2	3	7	11	22
2. MULTIPLE DX	19996	5.6	68	1	1	3	6	12	20	55
A. NOT OPERATED	17119	4.7	57	<1	1	2	5	10	18	54
B. OPERATED	18474	4.4	39	<1	1	2	5	10	14	36
TOTAL 0-19 YRS	3926	3.3	24	<1	<1	2	3	7	11	28
20-34	11409	3.2	24	<1	<1	2	3	6	9	23
35-49	5885	4.2	34	<1	1	2	5	9	13	33
50-64	6880	5.2	55	1	1	3	6	11	17	46
65+	7493	6.9	90	1	1	4	8	17	26	85
GRAND TOTAL	**35593**	**4.5**	**48**	**<1**	**1**	**2**	**5**	**10**	**16**	**44**

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54 Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55 Benign neoplasm of breast	16,452	17.0	43	6.0
56 Uterine leiomyoma	60,817	62.9	443	62.3
57 Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58 Benign neoplasm of ovary	9,110	9.4	71	9.9
59 Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60 Benign neoplasm of male genital organ	637	0.7	3	0.4
61 Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62 Benign neoplasm of eye	466	0.5	1	0.2
63 Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64 Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65 Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66 Carcinoma in situ of cervix	13,481	14.0	73	10.3
67 Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68 Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69 Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70 Other diseases of thyroid gland	15,530	16.1	120	16.8
71 Diabetes mellitus without complication	80,254	83.1	733	103.1
72 Diabetic acidosis or coma	18,113	18.7	153	21.5
73 Other complicated diabetes mellitus	47,044	48.7	543	76.3
74 Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122 Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123 Other glaucoma	3,460	3.6	17	2.3
124 Senile cataract	133,514	138.2	506	71.1
125 Cataract, except senile	5,170	5.4	18	2.5
126 Strabismus	19,678	20.4	43	6.1
127 Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128 Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129 Other disorders of eye	2,850	2.9	13	1.9
130 Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131 Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132 Vertiginous syndromes	19,199	19.9	103	14.5
133 Otosclerosis	7,447	7.7	21	2.9
134 Miscellaneous diseases of ear	19,521	20.2	53	7.5
135 Rheumatic fever, acute	2,345	2.4	22	3.1
136 Chronic rheumatic heart disease	12,895	13.3	125	17.6
137 Essential hypertension	58,878	60.9	418	58.8
138 Hypertensive heart disease	31,356	32.5	306	43.0
139 Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140 Acute myocardial infarction	119,295	123.5	1,770	248.8
141 Angina pectoris	77,141	79.8	515	72.4
142 Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143 Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144 Pulmonary embolism and infarction	18,875	19.5	257	36.1
145 Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147	Atrial fibrillation and flutter	33,541	34.7	243	34.2
148	Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149	Heart failure	133,282	137.9	1,478	207.8
150	Miscellaneous diseases of heart	42,868	44.4	386	54.3
151	Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152	Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153	Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154	Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155	Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156	Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157	Precerebral occlusion with paralysis	830	0.9	15	2.2
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160	Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164	Atherosclerosis	20,362	21.1	265	37.3
165	Aortic aneurysm	10,542	10.9	152	21.3
166	Aneurysm except aortic	2,596	2.7	35	5.0
167	Arterial embolism and thrombosis	18,242	18.9	242	34.0
168	Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169	Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170	Varicose veins of lower extremities	27,241	28.2	231	32.5
171	Hemorrhoids	54,894	56.8	328	46.2
172	Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173	Acute URI except streptococcal	83,925	86.9	327	46.0
174	Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175	Deviated nasal septum	41,665	43.1	118	16.6
176	Nasal polyp	6,660	6.9	19	2.7
177	Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178	Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179	Pneumonia	196,466	203.3	1,627	228.8
180	Influenza	12,797	13.2	66	9.2
181	Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182	Emphysema	15,061	15.6	152	21.4
183	Asthma	98,950	102.4	597	84.0
184	Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185	Spontaneous pneumothorax	10,306	10.7	86	12.1
186	Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	91	0.1	<1	0.0
257	Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258	Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259	Threatened abortion	11,635	12.0	33	4.6
260	Other early pregnancy hemorrhage	890	0.9	2	0.3
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262	Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263	False labor	52,644	54.5	69	9.7
264	Placenta previa without delivery	3,385	3.5	13	1.8
265	Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266	Infections of pregnancy without delivery	8,022	8.3	29	4.1
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268	Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288	Major puerperal infections	1,766	1.8	8	1.2
289	Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290	Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293	Pilonidal cyst	19,359	20.0	86	12.1
294	Sebaceous cyst	8,630	8.9	22	3.1
295	Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296	Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297	Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298	Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299	Other arthropathies	15,245	15.8	147	20.7
300	Internal derangement of knee joint	46,879	48.5	227	31.9
301	Other disorders of joint	36,115	37.4	204	28.7
302	Ankylosing spondylitis	767	0.8	7	1.0
303	Spondylosis and allied disorders	31,466	32.6	294	41.3
304	Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306	Sacroiliac joint disorder	13,734	14.2	119	16.7
307	Sciatica	7,643	7.9	73	10.3
308	Other dorsopathies	80,127	82.9	693	97.4
309	Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310	Bunion and deformities of toe	38,223	39.6	184	25.9
311	Ganglion and cyst	24,035	24.9	65	9.1
312	Osteomyelitis	8,377	8.7	141	19.8
313	Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314 Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316 Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317 Somatic dysfunction	1,650	1.7	13	1.8
318 Congenital anomaly of nervous system	2,128	2.2	20	2.8
319 Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320 Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321 Cleft palate and lip	2,923	3.0	12	1.7
322 Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324 Undescended testicle	7,383	7.6	26	3.6
325 Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326 Clubfoot	3,936	4.1	19	2.6
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328 Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329 Convulsions	44,153	45.7	240	33.7
330 Pyrexia of unknown origin	18,430	19.1	118	16.6
331 Headache	24,243	25.1	129	18.2
332 Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	4,231	4.4	29	4.1
378	Foreign body on external eye	420	0.4	1	0.2
379	Foreign body entering through other body orifice	10,444	10.8	32	4.5
380	Third degree burns	6,105	6.3	110	15.5
381	Other burns	15,932	16.5	143	20.1
382	Injury to nerve and spinal cord	5,731	5.9	34	4.8
383	Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384	Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386	Miscellaneous adverse effects	15,811	16.4	93	13.0
387	Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388	Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389	Postoperative wound infection	10,950	11.3	107	15.1
390	Other complications of surgical procedures	14,627	15.1	128	18.0
391	Other complications of medical care, except drugs	1,126	1.2	7	0.9
392	Admission for prophylactic sterilization	79,132	81.9	168	23.6
396	Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397	Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
179	Pneumonia	196,466	1	1	1	1	2
177	Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200	Inguinal hernia without complication	153,037	3	2	5	5	3
143	Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208	Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398	Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215	Gallbladder disease with calculus	134,463	7	9	6	8	7
124	Senile cataract	133,514	8	6	11	10	5
149	Heart failure	133,282	9	4	8	14	10
250	Other disorders of menstruation	128,423	10	8	9	6	19
140	Acute myocardial infarction	119,295	11	7	13	13	11
211	Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
244	Pelvic inflammatory disease	65,002	35	50	33	35	36
130	Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351	Fracture of neck of femur	64,926	37	31	41	41	23
209	Diverticula of intestine	63,333	38	36	37	34	51
045	Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056	Uterine leiomyoma	60,817	40	28	52	38	44
148	Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137	Essential hypertension	58,878	42	58	32	37	91
248	Genital prolapse	58,313	43	60	47	36	43
384	Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376	Other superficial injuries	55,654	45	62	39	49	45
102	Neurotic depression	55,160	46	79	36	42	64
171	Hemorrhoids	54,894	47	52	51	39	68
197	Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316	Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186	Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027	Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263	False labor	52,644	52	61	35	78	58
241	Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
178 Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329 Convulsions	44,153	69	54	70	68	83
001 Intestinal infectious disease	44,002	70	77	76	58	57
362 Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150 Miscellaneous diseases of heart	42,868	72	76	69	71	63
192 Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175 Deviated nasal septum	41,665	74	41	84	93	67
309 Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216 Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120 Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245 Endometriosis	40,030	79	96	79	73	65
207 Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232 Cystitis	38,879	81	97	66	76	131
349 Fracture of radius and ulna	38,411	82	84	77	100	72
117 Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310 Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
353	Fracture of tibia and fibula	29,683	105	106	105	110	90
111	Miscellaneous mental disorders	29,450	106	140	95	94	118
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344	Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053	Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170	Varicose veins of lower extremities	27,241	111	95	109	127	120
081	Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228	Calculus of kidney	26,594	113	118	112	101	147
084	Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172	Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127	Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
251	Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348	Fracture of humerus	24,980	118	123	114	133	106
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012	Miscellaneous viral diseases	24,590	120	109	130	116	119
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369	Other laceration of head and neck	24,345	122	133	118	130	112
331	Headache	24,243	123	227	116	91	163
090	Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311	Ganglion and cyst	24,035	125	132	121	112	153
337	Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203	Ventral hernia without complication	22,390	128	127	132	135	126
230	Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
297 Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365 Intracranial injury, except concussion	21,788	131	145	123	143	132
068 Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268 Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242 Miscellaneous diseases of breast	20,590	135	134	153	129	143
164 Atherosclerosis	20,362	136	168	134	142	124
339 Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168 Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101 Anxiety states	20,037	139	192	119	139	194
190 Gastric ulcer without complication	19,941	140	174	136	126	187
098 Major depressive psychoses	19,908	141	130	131	174	155
126 Strabismus	19,678	142	135	143	146	149
134 Miscellaneous diseases of ear	19,521	143	162	151	140	128
293 Pilonidal cyst	19,359	144	111	147	159	195
239 Redundant prepuce and phimosis	19,255	145	137	160	114	250
132 Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
240 Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151 Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374 Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110 Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094 Paranoid schizophrenia	17,159	168	149	186	196	109
156 Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055 Benign neoplasm of breast	16,452	170	143	195	138	221
372 Open wound of lower limb	16,440	171	193	179	154	169
363 Other sprains and strains	16,347	172	195	163	194	138
246 Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336 Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
213	Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099	Other affective psychoses	13,937	195	201	185	217	174
367	Internal injury, except chest	13,906	196	191	204	195	164
254	Ectopic pregnancy	13,749	197	187	206	200	165
306	Sacroiliac joint disorder	13,734	198	241	162	220	197
066	Carcinoma in situ of cervix	13,481	199	208	202	188	199
224	Chronic renal failure	13,269	200	157	228	189	196
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332	Epistaxis	13,169	202	204	196	205	202
370	Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086	Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136	Chronic rheumatic heart disease	12,895	205	175	205	226	180
180	Influenza	12,797	206	317	189	203	162
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008	Viral diseases with exanthem	12,459	208	229	197	207	217
258	Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202	Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
087 Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325 Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131 Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191 Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031 Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259 Threatened abortion	11,635	216	230	182	239	267
214 Miscellaneous diseases of liver	11,592	217	212	218	212	210
121 Retinal detachment and defects	11,462	218	182	260	218	167
360 Sprains and strains of knee and leg	11,291	219	255	212	250	171
328 Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092 Alcoholic psychoses	10,957	222	170	270	222	184
389 Postoperative wound infection	10,950	223	240	232	228	186
206 Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
199 Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188 Disease of mouth, except dental	10,919	226	222	226	213	223
019 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035 Malignant neoplasm of ovary	10,687	228	207	225	233	222
165 Aortic aneurysm	10,542	229	224	239	223	207
379 Foreign body entering through other body orifice	10,444	230	216	240	230	211
185 Spontaneous pneumothorax	10,306	231	225	238	215	235
217 Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237 Hydrocele	10,165	233	226	227	238	234
079 Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320 Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333 Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146 Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005 Septicemia	9,877	238	211	249	234	229
359 Other dislocation	9,705	239	246	236	245	218
238 Orchitis and epididymitis	9,645	240	253	223	229	261
009 Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelits	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
266	Infections of pregnancy without delivery	8,022	258	275	253	246	274
249	Metrorrhagia	7,921	259	244	258	255	291
064	Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341	Fracture of vault of skull	7,686	262	268	265	268	240
307	Sciatica	7,643	263	248	245	290	277
113	Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114	Parkinson's disease	7,479	265	257	255	273	282
133	Otosclerosis	7,447	266	262	274	265	248
021	Malignant neoplasm of stomach	7,393	267	234	279	278	252
324	Undescended testicle	7,383	268	254	269	272	259
040	Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026	Malignant neoplasm of pancreas	7,278	270	258	282	270	249
043	Leukemia, except lymphoid	7,237	271	261	262	282	262
357	Dislocation of shoulder	7,163	272	293	259	279	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122	Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
083	Sickle-cell anemia and trait	6,949	275	278	267	242	336
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139	Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296	Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176	Nasal polyp	6,660	279	249	276	299	276
115	Multiple sclerosis	6,590	280	272	254	314	283
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107	Nondependent abuse of alcohol	6,255	282	288	263	297	297
323	Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368	Laceration or enucleation of eye	6,227	284	291	294	269	260
218	Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355	Fracture of other bones	6,154	286	302	280	287	266
380	Third degree burns	6,105	287	301	285	267	275
004	Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382	Injury to nerve and spinal cord	5,731	290	297	298	289	257
366	Internal injury to thoracic region	5,701	291	305	299	283	255
375	Contusion of eye and adnexa	5,678	292	290	291	292	285
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042	Malignant neoplasm of brain	5,497	294	298	293	295	280
046	Hodgkins' disease	5,389	295	277	288	309	306
225	Other renal failure	5,375	296	283	302	286	311
017	Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030	Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125	Cataract, except senile	5,170	300	284	308	301	279
342	Fracture of base of skull	5,163	301	309	304	308	253
047	Lymphoid leukemia	5,098	302	286	301	310	293
050	Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
265 Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205 Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289 Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080 Gout	4,619	307	312	303	296	325
067 Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014 Syphilis and other venereal diseases	4,524	309	315	310	304	303
002 Respiratory tuberculosis	4,408	310	304	318	294	323
006 Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377 Miscellaneous crushing injury	4,231	313	321	305	320	304
044 Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194 Peptic ulcer with obstruction	4,138	315	319	317	307	309
397 Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326 Clubfoot	3,936	318	320	307	325	312
154 Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
020 Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074 Ovarian dysfunction	3,696	321	322	315	313	334
015 Mycoses	3,473	322	345	321	327	292
123 Other glaucoma	3,460	323	307	331	319	322
264 Placenta previa without delivery	3,385	324	326	320	326	317
076 Nutritional deficiencies	3,341	325	325	327	322	318
063 Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052 Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221 Intestinal malabsorption	3,103	328	329	323	329	331
105 Opioid dependence	3,067	329	196	360	368	352
106 Drug dependence except opioid	2,943	330	316	324	338	347
321 Cleft palate and lip	2,923	331	332	335	323	316
290 Other puerperal complications	2,886	332	331	328	340	319
129 Other disorders of eye	2,850	333	339	329	324	333
038 Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166 Aneurysm except aortic	2,596	335	330	339	332	329
135 Rhematic fever, acute	2,345	336	338	334	337	342
091 Arteriosclerotic dementia	2,283	337	347	336	331	349
093 Drug psychoses	2,243	338	340	342	343	320
036 Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
013	Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077	Cystic fibrosis	1,248	357	350	353	354	355
391	Other complications of medical care, except drugs	1,126	358	356	357	356	350
003	Nonrespiratory tuberculosis	917	359	357	364	357	356
059	Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260	Other early pregnancy hemorrhage	890	361	363	356	361	366
022	Malignant neoplasm of small intestine	871	362	359	359	363	359
157	Precerebral occlusion with paralysis	830	363	365	361	365	353
016	Helminthiases	823	364	368	365	355	362
302	Ankylosing spondylitis	767	365	372	362	360	364
085	Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041	Malignant neoplasm of eye	751	367	362	366	364	363
155	Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060	Benign neoplasm of male genital organ	637	369	367	369	367	368
356	Fracture of multiple bones	551	370	369	370	370	370
043	Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062	Benign neoplasm of eye	466	372	370	371	372	373
378	Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140	Acute myocardial infarction	1,770	1	1	2	2	1
179	Pneumonia	1,627	2	3	1	1	2
149	Heart failure	1,478	3	2	3	5	5
351	Fracture of neck of femur	1,320	4	4	6	6	3
143	Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215	Gallbladder disease with calculus	1,302	6	5	5	4	6
304	Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211	Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104	Alcoholic dependence syndrome	841	9	13	7	33	9
235	Hyperplasia of prostate	791	10	8	14	11	14
045	Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071	Diabetes mellitus without complication	733	12	15	11	13	47
200	Inguinal hernia without complication	730	13	11	15	17	15
102	Neurotic depression	723	14	41	10	16	24
340	Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
027	Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208	Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308	Other dorsopathies	693	18	31	16	18	8
398	Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184	Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234	Miscellaneous urinary diseases	667	21	29	19	10	31
161	Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298	Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295	Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183	Asthma	597	25	22	23	25	22
209	Diverticula of intestine	562	26	21	29	23	32
073	Other complicated diabetes mellitus	543	27	23	22	48	44
096	Miscellaneous schizophrenia	537	28	20	27	49	27
023	Malignant neoplasm of colon	525	29	17	35	38	33
141	Angina pectoris	515	30	37	30	28	29
169	Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
186	Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124	Senile cataract	506	33	27	38	37	23
148	Other arrhythmia and conduction disorders	498	34	24	36	39	36
195	Gastritis and duodenitis	495	35	46	26	31	55
248	Genital prolapse	486	36	53	34	24	34
174	Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032	Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313	Localized disorders of bone and cartilage	449	39	43	41	44	25
207	Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056	Uterine leiomyoma	443	41	38	50	35	41
352	Other femoral fracture	440	42	42	47	41	28
250	Other disorders of menstruation	439	43	58	39	30	63
338	Abdominal pain	429	44	67	46	26	43
142	Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137	Essential hypertension	418	46	54	33	43	107
291	Cellulitis and abscess, except digit	416	47	35	48	56	45
117	Miscellaneous disease of central nervous system	410	48	40	45	61	39
335	Chest pain	392	49	77	54	36	51
244	Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150 Miscellaneous diseases of heart	386	52	56	49	57	46
361 Sprains and strains of sacroiliac region	384	53	69	42	51	60
163 Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216 Gallbladder disease without mention of calculus	370	55	59	59	45	74
037 Malignant neoplasm of prostate	369	56	50	62	55	49
354 Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177 Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219 Diseases of pancreas	355	59	51	63	60	58
229 Calculus of ureter	345	60	74	70	40	67
181 Bronchitis, chronic and unspecified	339	61	89	60	53	68
098 Major depressive psychoses	339	62	44	56	89	80
387 Complications peculiar to certain specified procedures	339	63	57	73	75	30
171 Hemorrhoids	328	64	85	64	52	91
173 Acute URI except streptococcal	327	65	93	58	63	93
316 Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
344 Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362 Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252 Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138 Hypertensive heart disease	306	70	70	71	62	116
192 Nongastric peptic ulcer without complication	302	71	105	67	54	112
090 Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111 Miscellaneous mental disorders	302	73	97	61	72	99
220 Gastrointestinal hemorrhage	302	74	52	80	76	65
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303 Spondylosis and allied disorders	294	76	101	65	73	88
353 Fracture of tibia and fibula	284	77	80	79	81	56
376 Other superficial injuries	281	78	90	72	83	82
384 Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094 Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120	Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305	Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162	Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164	Atherosclerosis	265	84	99	83	82	75
253	Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245	Endometriosis	260	86	114	84	80	66
158	Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144	Pulmonary embolism and infarction	257	88	79	98	86	84
297	Rheumatoid arthritis, except spine	256	89	108	82	85	86
189	Diseases of esophagus	255	90	102	87	74	109
197	Acute appendicitis without peritonitis	253	91	96	88	96	64
204	Diaphragmatic hernia without complication	250	92	119	91	66	128
081	Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
039	Malignant neoplasm of bladder	248	95	62	95	108	103
147	Atrial fibrillation and flutter	243	96	71	106	98	94
364	Concussion	242	97	61	94	130	96
167	Arterial embolism and thrombosis	242	98	65	112	100	85
168	Miscellaneous diseases of arteries	241	99	63	109	91	113
329	Convulsions	240	100	72	102	94	121
347	Fracture of pelvis	239	101	91	101	106	78
099	Other affective psychoses	235	102	106	77	127	97
193	Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170	Varicose veins of lower extremities	231	104	82	99	105	120
100	Miscellaneous psychoses	229	105	107	92	104	108
300	Internal derangement of knee joint	227	106	113	104	123	53
172	Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084	Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243	Ovarian cyst	216	109	110	111	95	110
348	Fracture of humerus	208	110	100	113	117	106
232	Cystitis	205	111	128	90	111	164
301	Other disorders of joint	204	112	127	114	124	73
001	Intestinal infectious disease	203	113	122	116	101	102
103	Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
212	Alcoholic liver disease	192	115	88	137	140	70
358	Dislocation of knee	190	116	139	117	122	90
334	Gangrene	190	117	78	[illegible]28	120	165
198	Acute appendicitis with peritonitis	190	118	111	121	129	95
309	Bursitis and synovitis, except spine	188	119	134	115	118	118
230	Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310	Bunion and deformities of toe	184	121	138	105	157	111
228	Calculus of kidney	182	122	118	122	107	151
187	Disease of teeth and jaws	181	123	103	118	116	182
151	Cardiovascular disease, unspecified	177	124	145	156	79	159
365	Intracranial injury, except concussion	174	125	144	129	126	104
190	Gastric ulcer without complication	172	126	157	119	109	156
156	Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349	Fracture of radius and ulna	168	128	129	124	142	119
392	Admission for prophylactic sterilization	168	129	130	127	115	167
210	Anal fissure, fistula, and abscess	167	130	131	133	119	138
203	Ventral hernia without complication	167	131	124	131	133	132
178	Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
068 Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196 Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241 Benign mammary dysplasia	156	135	161	141	114	162
346 Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213 Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072 Diabetic acidosis or coma	153	138	137	142	141	133
257 Spontaneous and unspecified abortion	153	139	150	125	148	168
182 Emphysema	152	140	147	134	143	144
110 Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165 Aortic aneurysm	152	142	133	153	139	123
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299 Other arthropathies	147	144	167	145	146	124
130 Otitis media, chronic and unspecified	145	145	171	146	134	147
233 Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
381	Other burns	143	147	173	147	135	148
312	Osteomyelitis	141	148	126	159	159	127
224	Chronic renal failure	140	149	125	176	145	135
343	Fracture of face bones	138	150	159	154	151	134
005	Septicemia	137	151	117	165	162	140
337	Signs and symptoms referable to urinary system	137	152	132	150	153	204
034	Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227	Miscellaneous kidney infections	136	154	175	151	137	176
101	Anxiety states	135	155	211	126	150	207
339	Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367	Internal injury, except chest	133	158	170	171	155	115
075	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331	Headache	129	160	244	148	121	197
390	Other complications of surgical procedures	128	161	172	167	171	114
082	Iron deficiency anemia	128	162	151	155	158	208
191	Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217	Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
021	Malignant neoplasm of stomach	126	165	120	177	183	150
026	Malignant neoplasm of pancreas	126	166	143	169	172	152
136	Chronic rheumatic heart disease	125	167	142	163	191	137
371	Open wound of upper limb	124	168	181	160	167	145
214	Miscellaneous diseases of liver	122	169	155	173	170	160
070	Other diseases of thyroid gland	120	170	180	158	160	210
306	Sacroiliac joint disorder	119	171	201	143	194	161
051	Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175	Deviated nasal septum	118	173	135	178	188	177
330	Pyrexia of unknown origin	118	174	174	188	152	166
035	Malignant neoplasm of ovary	115	175	156	179	184	169
116	Epilepsy	114	176	176	174	173	175
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292	Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
086	Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019	Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012	Miscellaneous viral diseases	111	181	178	187	166	178
380	Third degree burns	110	182	207	189	154	163
372	Open wound of lower limb	108	183	203	186	163	170
389	Postoperative wound infection	107	184	194	196	185	130
040	Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369	Other laceration of head and neck	106	186	195	183	175	174
336	Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226	Acute pyelonephritis	104	188	216	181	169	185
053	Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132	Vertiginous syndromes	103	190	209	168	186	198
206	Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113	Inflammatory diseases of central nervous system	101	192	208	198	182	155
042	Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
114 Parkinson's disease	96	194	168	193	208	218
119 Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386 Miscellaneous adverse effects	93	196	202	194	199	203
383 Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092 Alcoholic psychoses	89	198	177	248	206	139
008 Viral diseases with exanthem	89	199	218	197	200	206
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048 Leukemia, except lymphoid	87	201	188	200	233	191
185 Spontaneous pneumothorax	86	202	196	211	196	205
293 Pilonidal cyst	86	203	184	204	209	253
009 Viral hepatitis	84	204	217	209	193	211
025 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028 Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254 Ectopic pregnancy	81	207	213	213	214	189
127 Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
078 Obesity of nonendocrine origin	81	209	292	182	215	215
370 Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218 Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115 Multiple sclerosis	79	212	206	190	272	229
128 Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296 Diffuse diseases of connective tissue	79	214	210	215	218	217
255 Legally induced abortion	78	215	154	253	231	234
363 Other sprains and strains	77	216	238	207	234	188
251 Menopausal and postmenopausal disorders	76	217	205	223	203	257
079 Miscellaneous metabolic disorders	76	218	223	208	222	225
242 Miscellaneous diseases of breast	76	219	225	225	198	226
225 Other renal failure	75	220	200	228	216	239
328 Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118 Migraine	74	222	277	201	217	244
066 Carcinoma in situ of cervix	73	223	236	222	204	233
307 Sciatica	73	224	198	206	263	252
002 Respiratory tuberculosis	73	225	212	230	213	251
359 Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
154 Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058 Benign neoplasm of ovary	71	228	219	227	238	219
139 Miscellaneous hypertensive disease	70	229	231	231	212	241
246 Inflammatory disease of cervix uteri	70	230	264	214	205	250
325 Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320 Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263 False labor	69	233	252	205	250	236
396 Aftercare for removal of internal fixation device	69	234	215	236	248	209
236 Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240 Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121 Retinal detachment and defects	66	238	204	276	241	179
180 Influenza	66	239	328	221	225	192
268 Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332 Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
311	Ganglion and cyst	65	242	249	233	220	261
350	Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201	Inguinal hernia, complicated	63	244	199	246	265	247
194	Peptic ulcer with obstruction	61	245	247	247	239	223
360	Sprains and strains of knee and leg	61	246	262	239	264	196
031	Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020	Malignant neoplasm of esophagus	58	248	221	250	255	264
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238	Orchitis and epididymitis	58	250	256	240	243	279
199	Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388	Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231	Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341	Fracture of vault of skull	55	254	248	267	259	220
063	Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134	Miscellaneous diseases of ear	53	257	272	262	244	245
202	Umbilical hernia without complication	53	258	257	255	245	276
109	Psychophysiologic disorder	52	259	290	243	253	282
385	Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047	Lymphoid leukemia	52	261	240	258	278	259
366	Internal injury to thoracic region	51	262	280	273	254	222
069	Simple and non-toxic nodular goiter	51	263	287	265	235	288
046	Hodgkin's disease	51	264	232	257	282	278
333	Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146	Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083	Sickle-cell anemia and trait	50	267	263	261	236	334
188	Disease of mouth, except dental	50	268	267	268	261	260
145	Acute and subacute endocarditis	48	269	220	298	289	243
152	Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
239	Redundant prepuce and phimosis	47	271	269	271	240	332
010	Infectious mononucleosis	47	272	260	245	294	314
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106	Drug dependence except opioid	46	274	265	249	287	308
314	Acquired deformities of limbs, except toe	45	275	285	256	292	274
076	Nutritional deficiencies	44	276	254	283	277	263
126	Strabismus	43	277	283	280	276	266
030	Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055	Benign neoplasm of breast	43	279	268	285	256	310
006	Miscellaneous bacterial diseases	42	280	282	292	266	267
017	Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087	Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237	Hydrocele	41	283	276	275	283	295
342	Fracture of base of skull	41	284	289	290	296	232
007	Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064	Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355 Fracture of other bones	39	289	295	282	285	269
105 Opioid dpendence	39	290	140	352	360	339
131 Other inflammation of ear and mastoid	38	291	281	297	281	289
345 Fracture of vertebral column with cord injury	38	292	307	305	274	248
262 Excessive vomiting in pregnancy	36	293	306	279	295	293
080 Gout	35	294	300	287	284	311
166 Aneurysm except aortic	35	295	284	300	297	283
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015 Mycoses	35	297	337	289	298	254
382 Injury to nerve and spinal cord	34	298	305	306	288	271
067 Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315 Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
259	Threatened abortion	33	301	313	272	312	331
044	Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379	Foreign body entering through other body orifice	32	303	293	310	301	286
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221	Intestinal malabsorption	32	305	303	294	317	297
091	Arteriosclerotic dementia	32	306	299	301	291	325
122	Open angle and primary closure glaucoma	31	307	279	315	306	305
205	Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258	Other pregnancy with abortive outcome	30	309	308	302	308	307
266	Infections of pregnancy without delivery	29	310	317	308	299	309
357	Dislocation of shoulder	29	311	321	304	314	291
377	Miscellaneous crushing injury	29	312	322	303	322	285
014	Syphilis and other venereal diseases	27	313	324	313	310	301
368	Laceration or enucleation of eye	27	314	315	325	305	294
319	Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
036	Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375	Contusion of eye and adnexa	26	317	309	322	315	303
324	Undescended testicle	26	318	310	316	319	316
011	Viral warts	26	319	323	311	311	342
107	Nondependent abuse of alcohol	24	320	331	312	318	344
095	Acute schizophrenic episode	24	321	298	321	347	287
249	Metrorrhagia	24	322	332	318	309	328
065	Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004	Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294	Sebaceous cyst	22	325	312	326	320	348
135	Rheumatic fever, acute	22	326	318	323	327	326
038	Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133	Otosclerosis	21	328	329	332	325	320
155	Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050	Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093	Drug psychoses	21	331	334	328	336	304
089	Transient organic psychotic conditions	20	332	311	342	326	315
318	Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176 Nasal polyp	19	335	319	331	337	335
326 Clubfoot	19	336	342	327	341	323
108 Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125 Cataract, except senile	18	338	330	340	338	321
074 Ovarian dysfunction	17	339	345	338	328	345
112 Mental retardation	17	340	339	336	340	356
123 Other glaucoma	17	341	326	346	335	340
052 Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022 Malignant neoplasm of small intestine	16	343	338	341	346	329
157 Precerebral occlusion with paralysis	15	344	349	339	348	327
373 Injury to blood vessels	14	345	351	351	339	338
003 Nonrespiratory tuberculosis	13	346	341	357	343	343
077 Cystic fibrosis	13	347	335	345	352	355
129 Other disorders of eye	13	348	353	343	342	357
264 Placenta previa without delivery	13	349	347	347	350	349
317 Somatic dysfunction	13	350	366	320	369	365
321 Cleft palate and lip	12	351	348	355	345	336
265 Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290 Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
223 Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289 Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057 Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322 Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043 Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288 Major puerperal infections	8	359	361	359	357	350
013 Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397 Aftercare involving intermittent dialysis	8	361	355	356	366	372
302 Ankylosing spondylitis	7	362	370	361	356	360
061 Benign neoplasm of urinary organ	7	363	354	362	362	367
391 Other complications of medical care, except drugs	7	364	363	363	364	351
356 Fracture of multiple bones	7	365	360	364	361	361
016 Helminthiases	5	366	369	366	363	364
085 Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153 Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041 Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
059	Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018	Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060	Benign neoplasm of male genital organ	3	372	373	373	371	373
097	Childhood psychosis	3	373	367	374	374	370
260	Other early pregnancy hemorrhage	2	374	374	372	373	374
062	Benign neoplasm of eye	1	375	375	375	376	376
378	Foreign body on external eye	1	376	376	376	375	375
256	Other induced abortion	0	377	377	377	377	377
	All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

R 3850-1.6

Length of Stay in PAS Hospitals,

by Operation,

United States, Southern Region, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
Southern Region, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List B: Hospital Procedure Groups 7
  - Definition of Multiple Dx Patients 8
- Explanation of Statistics 8
- Defining the Extended Stay Case 10

Length of Stay Tables 19

- Summary of All Patients 21
- Operation Groups 501-764 22

Distribution Tables 89

- Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91
- Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges 104
- Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 122

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 141

Index to Length of Stay Tables 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

BEST AVAILABLE COPY

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks[*] are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

[*] The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 1,486,821 operated patients discharged during 1979 from 446 nonfederal, short-term* hospitals participating in PAS in the Southern Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 3,459,567 discharges. Only those patients who were operated are included in this book.

Characteristics of all hospitals in the Southern Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded discharge status, and patients with diagnosis-age, diagnosis-sex, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.
United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.
United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a hospital in the Southern Region for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. *Diastolic BP > 110*			
2. *Not controlled by outpatient Rx*			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. *Sepsis or fever > 102^o, chills*			
2. *Abscess formation*			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral** 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

408

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, United States, Southern Region, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	**22448**	**10.3**	**46**	**4**	**5**	**8**	**12**	**17**	**23**	**38**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	22448	10.3	46	4	5	8	12	17	23	38

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	22448	10.3	46	4	5	8	12	17	23	38

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	22448	10.3	46	4	5	8	12	17	23	38

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

446 PAS Hospitals, Southern Region, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145454	3.2	13	1	1	2	3	6	8	17
20-34	248804	4.0	14	1	1	3	5	7	10	18
35-49	120470	5.4	26	1	2	4	7	11	14	24
50-64	106426	6.6	38	1	2	5	9	14	18	30
65+	92182	8.0	58	2	2	5	11	17	22	36
2. MULTIPLE DX										
0-19 YRS	87088	5.0	59	1	1	3	5	10	16	48
20-34	207957	5.8	39	1	2	4	7	10	15	34
35-49	146682	7.8	59	2	2	6	9	15	20	42
50-64	154701	10.1	96	2	2	8	13	21	28	54
65+	177057	12.9	130	2	3	10	17	26	35	61
TOT. SINGLE DX	713336	5.0	28	1	1	3	6	10	14	26
" MULTIPLE DX	773485	8.6	86	1	2	6	10	18	26	51
TOTAL 0-19 YRS	232542	3.8	31	1	1	2	4	7	11	30
20-34	456761	4.8	26	1	1	4	6	9	12	26
35-49	267152	6.7	45	1	2	5	8	13	18	35
50-64	261127	8.7	75	2	2	6	11	18	24	46
65+	269239	11.3	111	2	2	8	15	23	31	55
GRAND TOTAL	**1486821**	**6.8**	**61**	**1**	**2**	**4**	**8**	**15**	**21**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	12.4	93	2	3	11	16	22	31	74
20-34	135	12.6	96	2	3	11	15	25	33	46
35-49	153	14.4	61	4	6	13	18	23	29	43
50-64	247	18.0	195	3	7	14	21	36	53	99+
65+	249	17.6	145	4	7	15	21	35	45	60
2. MULTIPLE DX										
0-19 YRS	125	20.6	268	3	4	17	26	43	61	95
20-34	128	23.5	377	6	7	16	33	65	88	99+
35-49	167	22.7	307	6	8	17	30	52	75	99+
50-64	297	25.5	283	8	10	20	34	52	62	99+
65+	323	28.2	357	7	10	23	38	57	77	99+
TOT. SINGLE DX	891	15.8	136	3	5	13	19	30	40	73
" MULTIPLE DX	1040	25.0	325	6	9	19	33	53	73	99+
TOTAL 0-19 YRS	232	16.8	203	2	4	14	21	36	50	94
20-34	263	17.9	261	3	4	13	22	41	65	99+
35-49	320	18.7	206	5	7	15	22	38	53	99+
50-64	544	22.1	256	6	8	17	29	50	61	99+
65+	572	23.6	292	6	8	19	30	49	63	99+
GRAND TOTAL	1931	20.8	259	4	7	16	26	45	60	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	11.3	104	2	3	8	14	21	38	64
20-34	131	14.2	115	3	5	11	17	27	38	71
35-49	138	16.0	121	5	6	13	21	34	41	71
50-64	198	18.2	127	6	8	16	23	32	40	68
65+	170	20.5	220	6	8	16	24	36	54	79
2. MULTIPLE DX										
0-19 YRS	124	22.2	327	5	7	17	34	63	99	99+
20-34	174	23.9	343	5	8	19	36	62	92	99+
35-49	153	26.4	369	6	9	22	37	60	93	99+
50-64	244	24.6	325	7	8	19	32	57	80	99+
65+	276	28.7	337	9	11	24	40	56	78	99+
TOT. SINGLE DX	783	16.4	149	4	5	13	21	31	42	69
" MULTIPLE DX	971	25.6	343	6	8	20	35	59	84	99+
TOTAL 0-19 YRS	270	16.3	235	3	4	11	21	42	65	99+
20-34	305	19.8	268	4	6	14	27	47	74	99+
35-49	291	21.5	278	5	7	17	28	46	68	99+
50-64	442	21.7	246	7	8	18	27	44	63	99+
65+	446	25.6	308	8	9	21	34	53	69	99+
GRAND TOTAL	1754	21.5	277	5	7	17	29	48	67	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	6.3	17	2	2	5	8	10	14	22
20-34	114	7.0	20	3	3	6	9	12	16	24
35-49	41	8.3	72	2	3	6	9	15	18	54
50-64	30	8.6	20	2	3	8	11	15	18	19
65+	7	6.7	17	2	3	6	8	14	15	15
2. MULTIPLE DX										
0-19 YRS	142	13.2	284	3	3	8	14	31	68	99+
20-34	110	13.1	211	3	4	9	13	26	50	89
35-49	47	12.1	99	2	3	9	14	28	44	99+
50-64	35	13.3	231	4	5	9	13	22	39	89
65+	19	13.0	124	2	3	11	18	69	99+	99+
TOT. SINGLE DX	392	6.9	24	2	3	6	8	12	15	23
" MULTIPLE DX	353	13.0	221	3	3	9	14	29	50	99+
TOTAL 0-19 YRS	342	9.2	139	2	3	6	9	16	28	90
20-34	224	10.0	123	3	3	7	11	16	29	73
35-49	88	10.3	89	2	3	7	13	22	32	82
50-64	65	11.1	137	3	4	8	12	18	22	82
65+	26	11.3	102	2	2	9	17	43	99+	99+
GRAND TOTAL	745	9.8	126	2	3	7	11	17	30	89

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	10.0	42	3	4	8	13	19	22	33
20-34	20	14.0	388	3	4	9	12	20	58	95
35-49	18	16.2	379	6	8	11	15	19	64	93
50-64	19	14.2	24	8	9	12	17	21	24	26
65+	50	19.5	167	6	7	17	24	36	42	68
2. MULTIPLE DX										
0-19 YRS	103	23.3	418	5	5	16	41	72	99+	99+
20-34	34	15.6	137	5	6	14	21	49	86	99+
35-49	16	18.3	278	4	5	14	19	44	60	67
50-64	47	27.6	372	6	10	22	40	54	87	99+
65+	81	27.5	239	9	12	24	37	58	99+	99+
TOT. SINGLE DX	189	13.9	153	4	5	10	17	24	30	83
" MULTIPLE DX	281	24.0	329	6	7	19	36	58	98	99+
TOTAL 0-19 YRS	185	17.4	295	3	4	12	21	53	78	99+
20-34	54	15.0	225	4	6	10	18	36	82	99+
35-49	34	17.2	323	5	6	12	16	32	63	93
50-64	66	23.7	307	7	10	19	31	51	61	99
65+	131	24.5	225	7	9	22	33	52	67	99+
GRAND TOTAL	470	20.0	282	4	6	15	26	52	71	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	285	8.1	62	2	2	6	10	15	24	45
20-34	60	11.0	117	2	2	9	13	20	39	54
35-49	31	11.7	80	1	3	12	16	23	43	99+
50-64	26	13.3	122	4	4	9	16	24	44	49
65+	19	18.8	367	2	4	11	23	50	67	72
2. MULTIPLE DX										
0-19 YRS	251	14.9	259	2	3	9	19	36	57	99+
20-34	76	26.8	543	3	4	19	44	83	99+	99+
35-49	44	21.1	351	4	5	16	34	62	99+	99+
50-64	68	23.9	334	3	5	20	35	53	95	99+
65+	57	24.3	461	3	4	15	38	60	71	99
TOT. SINGLE DX	421	9.6	94	2	2	7	12	19	30	60
" MULTIPLE DX	496	19.6	365	3	4	14	29	53	86	99+
TOTAL 0-19 YRS	536	11.3	166	2	3	7	13	25	42	99+
20-34	136	19.8	414	2	3	13	31	61	88	99+
35-49	75	17.2	258	3	4	13	24	45	98	99+
50-64	94	20.9	296	3	4	16	30	49	72	99+
65+	76	22.9	438	3	4	15	34	60	69	98
GRAND TOTAL	**917**	**15.0**	**265**	**2**	**3**	**9**	**18**	**42**	**60**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	15.3	155	5	6	11	17	40	52	99+
20-34	396	12.4	73	5	6	10	14	21	26	42
35-49	742	12.0	34	5	7	10	15	20	24	30
50-64	581	13.9	59	6	7	12	16	22	28	44
65+	202	16.5	75	7	8	14	21	27	33	50
2. MULTIPLE DX										
0-19 YRS	25	23.2	364	7	8	15	32	61	79	99+
20-34	225	16.1	144	5	7	12	18	33	44	80
35-49	517	15.6	117	6	7	12	18	28	36	82
50-64	643	17.8	160	6	8	14	21	33	44	86
65+	368	23.3	181	9	10	19	30	43	54	79
TOT. SINGLE DX	1969	13.2	58	6	7	11	16	22	27	43
" MULTIPLE DX	1778	18.1	161	6	8	14	22	35	46	85
TOTAL 0-19 YRS	73	18.0	236	5	7	12	23	47	61	99+
20-34	621	13.7	102	5	6	11	15	24	33	68
35-49	1259	13.5	71	6	7	11	16	23	29	49
50-64	1224	15.9	116	6	7	13	18	28	36	69
65+	570	20.9	154	8	9	17	27	39	48	67
GRAND TOTAL	**3747**	**15.5**	**113**	**6**	**7**	**12**	**18**	**28**	**37**	**67**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	13.2	186	1	1	9	18	27	35	75
20-34	129	9.9	112	1	2	7	12	21	32	71
35-49	124	7.8	42	1	2	6	11	18	21	27
50-64	76	13.5	192	2	2	11	17	30	41	74
65+	55	12.3	126	1	2	11	17	26	38	48
2. MULTIPLE DX										
0-19 YRS	69	21.0	292	4	6	16	28	45	58	84
20-34	112	16.1	190	2	4	12	24	45	56	99+
35-49	128	13.2	174	2	2	9	17	34	38	98
50-64	173	17.6	250	2	4	13	25	39	64	99+
65+	111	20.2	281	2	4	15	29	41	52	84
TOT. SINGLE DX	432	10.6	120	1	2	8	14	22	32	64
" MULTIPLE DX	593	17.2	238	2	3	13	25	39	53	99+
TOTAL 0-19 YRS	117	17.8	261	2	3	13	23	36	54	79
20-34	241	12.8	157	2	2	9	17	33	51	99+
35-49	252	10.6	116	2	2	8	14	22	35	46
50-64	249	16.4	235	2	2	12	22	36	55	99+
65+	166	17.6	242	2	2	13	26	38	49	79
GRAND TOTAL	**1025**	**14.4**	**199**	**2**	**2**	**11**	**18**	**33**	**46**	**93**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	3.6	8	1	2	3	4	8	10	16
20-34	452	3.7	13	1	1	3	4	7	9	21
35-49	613	3.5	14	1	2	3	4	6	10	19
50-64	803	3.8	22	1	2	3	4	6	9	20
65+	365	4.3	24	1	2	3	5	8	13	26
2. MULTIPLE DX										
0-19 YRS	57	5.0	54	1	1	3	5	10	28	95
20-34	203	5.9	46	1	2	4	6	13	22	48
35-49	308	4.9	28	2	2	3	5	10	14	35
50-64	386	5.4	61	2	2	3	5	10	14	41
65+	206	6.2	32	2	2	4	8	14	20	25
TOT. SINGLE DX	2328	3.8	18	1	2	3	4	6	10	21
" MULTIPLE DX	1160	5.5	44	2	2	3	6	11	17	38
TOTAL 0-19 YRS	152	4.1	26	1	2	3	4	8	11	43
20-34	655	4.4	24	1	2	3	5	8	13	27
35-49	921	4.0	19	1	2	3	4	7	12	26
50-64	1189	4.3	36	1	2	3	4	7	12	23
65+	571	5.0	28	2	2	3	5	10	15	26
GRAND TOTAL	**3488**	**4.3**	**27**	**1**	**2**	**3**	**4**	**8**	**12**	**27**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	2.9	42	1	1	2	3	4	5	12
20-34	1163	3.0	6	1	1	2	3	5	7	13
35-49	1678	3.2	7	1	2	2	3	5	8	16
50-64	1669	3.2	7	1	2	2	3	5	8	14
65+	696	3.3	10	1	2	2	3	5	8	18
2. MULTIPLE DX										
0-19 YRS	239	3.2	11	1	1	2	3	6	9	15
20-34	590	4.9	36	1	1	3	5	10	14	30
35-49	717	5.2	28	2	2	3	6	12	16	25
50-64	860	5.9	33	2	2	4	7	13	18	27
65+	452	6.2	45	2	2	4	7	13	17	38
TOT. SINGLE DX	5408	3.2	8	1	2	2	3	5	7	15
" MULTIPLE DX	2858	5.3	33	1	2	3	6	11	16	30
TOTAL 0-19 YRS	441	3.0	25	1	1	2	3	5	7	13
20-34	1753	3.7	17	1	1	3	4	7	10	24
35-49	2395	3.8	14	1	2	3	4	7	11	22
50-64	2529	4.1	17	1	2	3	4	8	12	23
65+	1148	4.4	25	1	2	3	4	9	13	30
GRAND TOTAL	**8266**	**3.9**	**18**	**1**	**2**	**3**	**4**	**8**	**11**	**23**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	9.2	23	3	3	9	11	16	17	17
20-34	58	8.2	23	2	3	7	10	15	17	24
35-49	72	9.0	52	[illegible]	3	8	10	15	18	49
50-64	78	11.2	49	4	5	10	13	21	29	35
65+	88	13.8	75	5	6	12	16	24	30	51
2. MULTIPLE DX										
0-19 YRS	8	6.3	5	4	4	6	7	10	11	11
20-34	57	8.2	23	2	4	6	11	15	18	25
35-49	77	14.9	181	4	5	11	15	26	42	80
50-64	185	16.2	160	5	6	12	19	29	46	80
65+	340	18.7	153	6	7	15	23	34	45	64
TOT. SINGLE DX	302	10.8	56	3	4	9	13	19	24	37
" MULTIPLE DX	667	16.6	155	5	6	13	20	32	44	65
TOTAL 0-19 YRS	14	7.5	14	3	4	7	9	12	16	17
20-34	115	8.2	23	2	4	7	11	15	18	24
35-49	149	12.0	126	3	4	9	14	20	33	64
50-64	263	14.7	132	5	6	12	17	27	36	75
65+	428	17.7	141	6	7	14	22	33	43	60
GRAND TOTAL	**969**	**14.8**	**131**	**4**	**5**	**12**	**18**	**28**	**37**	**63**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.3	63	2	2	4	18	19	19	19
20-34	51	7.2	65	2	2	6	8	12	27	43
35-49	57	7.4	51	<1	1	5	10	17	25	32
50-64	57	6.6	35	2	2	5	9	13	20	31
65+	18	8.7	96	1	1	4	11	27	31	33
2. MULTIPLE DX										
0-19 YRS	10	6.5	74	<1	<1	2	10	22	23	23
20-34	30	7.3	44	1	2	5	9	16	18	32
35-49	56	9.0	44	1	3	7	12	16	23	34
50-64	54	12.1	117	2	3	9	17	23	27	63
65+	38	12.3	110	3	5	10	12	24	31	61
TOT. SINGLE DX	189	7.3	54	1	2	5	9	17	25	35
" MULTIPLE DX	188	10.2	83	1	2	8	13	20	26	53
TOTAL 0-19 YRS	16	7.2	67	<1	1	3	14	21	22	23
20-34	81	7.3	57	1	2	5	8	15	23	41
35-49	113	8.2	48	1	2	6	11	17	24	33
50-64	111	9.3	82	2	2	6	13	20	24	50
65+	56	11.2	107	2	2	9	12	26	32	59
GRAND TOTAL	**377**	**8.7**	**70**	**1**	**2**	**6**	**11**	**19**	**25**	**40**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	4.8	8	2	3	4	5	7	9	18
20-34	1315	4.9	7	3	3	4	5	7	9	16
35-49	1381	4.9	5	3	3	4	5	7	9	13
50-64	1086	5.3	17	3	3	5	6	8	10	21
65+	509	6.0	11	3	3	5	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	66	7.6	47	3	3	5	8	17	22	39
20-34	521	6.2	24	3	3	5	6	10	15	32
35-49	748	6.6	20	3	3	5	7	11	15	25
50-64	767	7.3	22	3	4	6	8	13	17	24
65+	493	9.6	51	3	4	7	11	19	25	41
TOT. SINGLE DX	4478	5.1	9	3	3	4	6	7	9	16
" MULTIPLE DX	2595	7.3	29	3	3	5	8	13	18	31
TOTAL 0-19 YRS	253	5.5	20	2	3	4	6	8	14	27
20-34	1836	5.2	12	3	3	4	6	8	10	19
35-49	2129	5.5	11	3	3	5	6	9	11	20
50-64	1853	6.1	20	3	3	5	7	10	14	22
65+	1002	7.8	34	3	4	6	9	14	20	33
GRAND TOTAL	**7073**	**5.9**	**18**	**3**	**3**	**5**	**6**	**10**	**13**	**24**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	2.9	2	1	2	3	3	4	5	10
20-34	167	3.8	9	1	2	3	4	6	7	13
35-49	147	4.6	11	2	2	4	5	8	9	18
50-64	145	5.4	11	2	3	5	6	10	12	99+
65+	92	8.2	50	2	3	6	10	22	25	31
2. MULTIPLE DX										
0-19 YRS	46	4.8	15	1	2	3	6	12	13	17
20-34	98	7.7	51	2	2	6	9	14	23	43
35-49	134	9.4	101	3	3	6	11	19	25	48
50-64	208	10.0	97	3	4	7	11	20	25	73
65+	176	14.0	146	4	5	9	17	33	45	53
TOT. SINGLE DX	843	4.4	14	2	2	3	5	8	10	25
" MULTIPLE DX	662	10.2	105	2	3	7	12	21	31	53
TOTAL 0-19 YRS	338	3.1	4	1	2	3	3	5	7	13
20-34	265	5.2	28	1	2	4	6	10	13	32
35-49	281	6.9	60	2	3	5	8	13	19	35
50-64	353	8.1	67	2	3	6	9	16	24	81
65+	268	12.0	120	3	4	8	15	26	37	52
GRAND TOTAL	**1505**	**7.0**	**63**	**2**	**2**	**5**	**8**	**15**	**22**	**46**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	9.8	16	4	4	10	12	15	17	17
20-34	84	10.4	39	4	6	9	12	17	19	41
35-49	58	11.2	24	4	5	11	15	18	19	20
50-64	39	12.9	68	2	5	10	16	25	28	42
65+	25	14.2	66	5	5	12	19	23	31	39
2. MULTIPLE DX										
0-19 YRS	7	14.9	20	8	9	16	19	76	99+	99+
20-34	60	13.6	77	6	7	11	16	23	27	55
35-49	61	18.7	328	6	7	12	21	32	68	91
50-64	70	17.9	126	6	7	15	22	31	44	63
65+	42	19.4	141	8	9	17	25	32	46	57
TOT. SINGLE DX	224	11.4	43	4	5	10	15	19	22	40
" MULTIPLE DX	240	17.2	167	6	7	14	21	29	45	87
TOTAL 0-19 YRS	25	11.2	21	4	5	11	15	19	36	99+
20-34	144	11.7	57	5	6	9	14	21	24	43
35-49	119	15.1	193	4	6	12	17	22	32	88
50-64	109	16.1	110	5	6	14	21	28	36	56
65+	67	17.4	118	5	8	15	23	29	39	56
GRAND TOTAL	**464**	**14.4**	**115**	**5**	**6**	**11**	**17**	**25**	**32**	**66**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	304	1.8	28	<1	<1	1	2	2	3	7
20-34	79	1.8	1	<1	<1	2	2	3	4	7
35-49	114	2.5	19	<1	<1	2	2	3	5	34
50-64	182	2.2	3	1	1	2	2	4	5	11
65+	249	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	53	2.2	9	<1	<1	2	2	3	5	22
20-34	42	4.1	15	<1	1	3	5	10	14	16
35-49	96	5.5	47	1	1	3	5	14	20	34
50-64	177	5.2	35	1	1	3	7	12	14	23
65+	293	6.8	82	1	2	4	9	14	19	59
TOT. SINGLE DX	928	2.2	13	<1	1	2	2	3	5	9
" MULTIPLE DX	661	5.6	56	1	1	3	7	13	16	35
TOTAL 0-19 YRS	357	1.9	25	<1	<1	1	2	2	3	8
20-34	121	2.6	7	<1	1	2	3	5	8	15
35-49	210	3.9	34	<1	1	2	3	8	16	34
50-64	359	3.7	21	1	1	2	4	9	12	19
65+	542	4.8	51	1	1	3	5	10	15	35
GRAND TOTAL	**1589**	**3.6**	**34**	**<1**	**1**	**2**	**3**	**8**	**12**	**26**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	478	2.0	1	1	1	2	2	3	4	7
20-34	191	2.9	21	<1	1	2	3	4	6	18
35-49	283	2.4	10	<1	1	2	2	3	5	16
50-64	435	2.3	3	<1	1	2	3	4	5	10
65+	622	2.4	5	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	325	3.5	18	1	1	2	4	6	9	18
20-34	352	4.3	32	<1	1	3	5	9	12	34
35-49	363	4.4	50	1	1	3	4	7	13	50
50-64	526	3.9	33	1	1	3	4	7	9	29
65+	712	4.7	55	1	2	3	4	9	15	36
TOT. SINGLE DX	2009	2.3	6	<1	1	2	2	3	5	10
" MULTIPLE DX	2278	4.2	41	1	1	3	4	8	12	36
TOTAL 0-19 YRS	803	2.6	9	1	1	2	3	5	6	12
20-34	543	3.8	29	<1	1	2	4	7	10	31
35-49	646	3.5	34	<1	1	2	3	6	9	40
50-64	961	3.2	20	1	1	2	3	6	8	21
65+	1334	3.6	33	1	1	2	3	6	10	30
GRAND TOTAL	**4287**	**3.3**	**25**	**1**	**1**	**2**	**3**	**6**	**9**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	2.2	2	<1	1	2	3	3	5	8
20-34	69	2.9	9	1	1	2	3	4	5	20
35-49	68	2.5	1	1	2	2	3	4	4	5
50-64	85	2.7	2	1	2	3	3	4	4	11
65+	118	3.0	2	2	2	3	3	5	5	9
2. MULTIPLE DX										
0-19 YRS	34	3.0	4	1	1	3	4	5	8	9
20-34	51	3.3	5	2	2	3	4	5	6	15
35-49	32	3.0	1	1	2	3	4	4	5	5
50-64	69	3.7	15	1	2	3	3	6	9	27
65+	116	4.4	13	2	2	3	5	8	13	21
TOT. SINGLE DX	415	2.7	3	1	1	2	3	4	5	9
" MULTIPLE DX	302	3.8	10	1	2	3	4	6	9	18
TOTAL 0-19 YRS	109	2.5	2	<1	1	2	3	4	6	9
20-34	120	3.1	7	1	2	2	3	4	5	19
35-49	100	2.7	1	1	2	2	3	4	5	5
50-64	154	3.2	8	1	2	3	3	4	7	15
65+	234	3.7	8	2	2	3	4	6	9	17
GRAND TOTAL	**717**	**3.1**	**6**	**1**	**2**	**3**	**3**	**5**	**7**	**15**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	1.8	3	<1	1	2	2	2	3	11
20-34	30	1.8	1	<1	1	2	2	3	4	5
35-49	14	1.9		1	1	2	2	3	3	3
50-64	24	2.8	4	1	1	2	3	5	8	10
65+	34	2.2	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	22	3.6	24	<1	1	2	3	7	16	23
20-34	16	8.8	410	1	1	3	7	10	62	84
35-49	18	4.8	31	<1	<1	2	7	13	18	21
50-64	26	3.3	8	<1	1	2	4	9	10	11
65+	29	5.2	32	1	1	3	6	13	22	22
TOT. SINGLE DX	172	2.0	2	<1	1	2	2	3	4	10
" MULTIPLE DX	111	4.9	78	1	1	2	5	10	14	47
TOTAL 0-19 YRS	92	2.3	8	<1	1	2	2	3	6	18
20-34	46	4.3	149	<1	1	2	3	5	9	84
35-49	32	3.6	19	<1	1	2	4	9	14	21
50-64	50	3.1	6	1	1	2	3	7	10	11
65+	63	3.6	17	1	1	2	3	7	13	22
GRAND TOTAL	**283**	**3.2**	**34**	**1**	**1**	**2**	**3**	**6**	**10**	**22**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.9	11	1	2	5	8	11	13	14
20-34	62	5.4	17	1	2	4	6	9	14	23
35-49	44	5.0	9	1	2	4	7	8	12	15
50-64	64	6.0	16	1	2	4	8	12	15	17
65+	184	4.6	10	2	2	4	5	7	9	18
2. MULTIPLE DX										
0-19 YRS	21	6.1	10	2	3	5	8	10	13	16
20-34	34	6.3	22	3	3	5	7	10	16	26
35-49	36	6.3	19	2	2	5	8	13	17	19
50-64	62	5.3	13	1	2	4	6	11	13	17
65+	271	6.1	27	2	3	5	7	9	14	37
TOT. SINGLE DX	374	5.1	12	2	2	4	6	8	11	20
" MULTIPLE DX	424	6.0	23	2	3	5	7	10	14	27
TOTAL 0-19 YRS	41	6.0	10	2	3	5	8	10	12	16
20-34	96	5.7	19	2	2	5	6	9	16	25
35-49	80	5.6	14	1	2	5	7	10	14	19
50-64	126	5.6	15	2	2	4	7	11	14	17
65+	455	5.5	21	2	2	4	6	8	11	30
GRAND TOTAL	**798**	**5.6**	**18**	**2**	**2**	**4**	**7**	**9**	**13**	**20**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	3.6	6	1	1	3	4	7	9	12
20-34	212	2.9	6	1	1	2	3	5	7	12
35-49	257	2.7	19	1	1	2	3	4	7	10
50-64	224	2.1	3	1	1	2	2	3	5	10
65+	186	2.8	9	1	1	2	3	4	8	20
2. MULTIPLE DX										
0-19 YRS	125	4.8	7	1	2	4	7	8	10	34
20-34	109	5.5	25	1	2	4	7	10	13	31
35-49	107	5.0	17	1	2	3	7	11	12	21
50-64	114	4.2	14	1	1	3	6	8	11	22
65+	174	4.5	19	1	2	3	5	9	13	27
TOT. SINGLE DX	1044	2.7	9	1	1	2	3	5	7	12
" MULTIPLE DX	629	4.7	16	1	2	3	6	9	12	26
TOTAL 0-19 YRS	290	4.1	7	1	1	3	5	8	10	12
20-34	321	3.7	14	1	1	2	5	8	10	17
35-49	364	3.3	19	1	1	2	4	7	10	16
50-64	338	2.8	8	1	1	2	3	6	8	15
65+	360	3.6	15	1	1	2	4	8	11	21
GRAND TOTAL	**1673**	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	3.1	3	1	2	3	4	5	6	11
20-34	59	4.1	6	2	2	3	5	7	9	15
35-49	84	4.0	6	2	2	3	5	7	10	13
50-64	246	3.8	5	1	2	3	4	7	9	13
65+	362	4.0	8	1	2	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	30	4.7	19	1	1	3	6	13	15	17
20-34	32	5.7	29	1	2	4	6	14	18	26
35-49	59	5.4	58	1	2	4	6	9	14	53
50-64	241	5.1	37	1	2	4	6	9	12	31
65+	335	5.0	23	2	2	4	6	9	12	23
TOT. SINGLE DX	812	3.8	7	2	2	3	4	7	9	14
" MULTIPLE DX	697	5.1	31	1	2	4	6	9	13	26
TOTAL 0-19 YRS	91	3.7	9	1	2	3	4	6	11	16
20-34	91	4.6	15	2	2	4	6	8	13	23
35-49	143	4.6	28	2	2	3	5	8	12	22
50-64	487	4.4	21	1	2	3	5	8	10	18
65+	697	4.5	15	2	2	3	5	8	12	17
GRAND TOTAL	**1509**	**4.4**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	4.1	15	1	1	3	6	9	12	19
20-34	90	4.2	8	1	1	3	6	8	10	14
35-49	94	3.5	9	1	1	3	4	6	9	17
50-64	262	3.6	8	1	2	3	4	6	9	13
65+	437	3.5	9	1	2	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	89	5.5	17	1	2	4	7	12	13	18
20-34	94	5.4	48	1	2	4	6	9	14	48
35-49	66	5.3	21	2	2	3	7	10	16	23
50-64	136	4.9	15	1	2	4	7	10	13	18
65+	413	5.3	21	1	2	4	7	11	15	23
TOT. SINGLE DX	970	3.6	9	1	1	3	4	7	9	15
" MULTIPLE DX	798	5.3	23	1	2	4	7	11	14	22
TOTAL 0-19 YRS	176	4.8	16	1	1	3	6	11	13	18
20-34	184	4.8	29	1	2	3	6	9	11	33
35-49	160	4.2	14	1	2	3	5	9	13	20
50-64	398	4.0	11	1	2	3	5	8	11	16
65+	850	4.4	16	1	2	3	5	9	13	19
GRAND TOTAL	**1768**	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**12**	**19**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.6	2	1	1	2	3	5	6	7
20-34	30	3.1	1	2	2	3	4	5	5	5
35-49	553	3.5	5	2	2	3	4	5	7	14
50-64	3538	3.4	6	2	2	3	4	5	6	11
65+	11589	3.4	6	2	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	22	3.8	7	1	2	3	4	8	10	11
20-34	30	6.1	22	2	2	5	8	10	12	25
35-49	354	4.5	13	2	2	4	5	8	10	18
50-64	2654	4.3	11	2	2	3	5	7	11	19
65+	9606	4.5	14	2	2	4	5	8	11	19
TOT. SINGLE DX	15735	3.4	6	2	2	3	4	5	7	11
" MULTIPLE DX	12666	4.5	13	2	2	4	5	8	11	19
TOTAL 0-19 YRS	47	3.1	4	1	2	2	4	6	8	11
20-34	60	4.6	14	2	2	4	5	9	10	24
35-49	907	3.9	9	2	2	3	4	6	9	16
50-64	6192	3.8	8	2	2	3	4	6	8	15
65+	21195	3.9	10	2	2	3	4	6	9	16
GRAND TOTAL	**28401**	**3.9**	**9**	**2**	**2**	**3**	**4**	**6**	**9**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	224	2.6	3	1	1	2	3	4	5	12
20-34	105	2.5	1	1	1	2	3	4	5	6
35-49	446	2.5	2	1	1	2	3	4	5	7
50-64	1454	2.4	3	1	2	2	3	4	5	7
65+	3259	2.6	3	1	2	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	124	3.6	19	1	2	2	3	6	10	32
20-34	58	4.6	39	1	2	3	4	7	17	37
35-49	185	4.0	15	1	2	3	4	8	10	21
50-64	730	3.5	20	2	2	2	4	6	9	18
65+	1742	3.6	16	2	2	2	4	6	9	18
TOT. SINGLE DX	5488	2.5	3	1	2	2	3	4	5	9
" MULTIPLE DX	2839	3.6	17	2	2	2	4	6	9	19
TOTAL 0-19 YRS	348	2.9	9	1	1	2	3	5	7	14
20-34	163	3.2	16	1	2	2	3	5	7	27
35-49	631	2.9	6	1	1	2	3	5	6	13
50-64	2184	2.8	9	1	2	2	3	4	6	12
65+	5001	2.9	8	1	2	2	3	4	6	14
GRAND TOTAL	**8327**	**2.9**	**8**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	12	3.8	30	<1	1	2	3	9	19	21
35-49	39	2.3	3	<1	<1	2	3	3	4	11
50-64	226	2.4	2	<1	1	2	3	4	4	7
65+	832	2.7	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	7	3.6	11	<1	<1	2	5	9	10	10
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	15	2.7	3	1	2	2	3	5	7	8
50-64	143	3.4	8	2	2	3	3	6	9	16
65+	607	3.6	16	2	2	3	4	6	8	21
TOT. SINGLE DX	1115	2.7	4	1	1	2	3	4	5	10
" MULTIPLE DX	777	3.6	14	2	2	3	4	6	9	20
TOTAL 0-19 YRS	13	2.9	6	<1	1	2	3	7	9	10
20-34	17	3.5	21	1	2	2	3	4	15	21
35-49	54	2.4	3	<1	1	2	3	3	5	11
50-64	369	2.8	4	1	1	2	3	4	6	12
65+	1439	3.1	9	1	1	2	3	5	7	16
GRAND TOTAL	**1892**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	4.9	7	1	2	5	6	7	10	15
20-34	162	5.0	11	1	2	4	7	9	11	16
35-49	158	4.5	6	1	2	4	6	8	9	13
50-64	648	4.9	10	1	2	4	6	9	10	15
65+	592	5.2	13	1	2	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	73	5.4	12	1	2	5	7	9	13	16
20-34	131	6.4	14	2	3	6	8	11	12	21
35-49	140	6.0	10	1	2	5	8	10	11	16
50-64	561	6.1	15	2	3	5	8	10	13	20
65+	696	6.4	18	2	3	6	8	11	13	20
TOT. SINGLE DX	1653	5.0	11	1	2	4	6	8	10	15
" MULTIPLE DX	1601	6.2	16	2	3	5	8	10	13	20
TOTAL 0-19 YRS	166	5.1	9	1	2	5	6	8	11	15
20-34	293	5.7	13	1	2	5	7	10	12	19
35-49	298	5.2	8	1	2	5	7	9	10	15
50-64	1209	5.5	13	1	2	5	7	9	11	17
65+	1288	5.8	16	2	2	5	7	10	12	19
GRAND TOTAL	**3254**	**5.6**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.8	8	<1	1	3	5	7	9	13
20-34	60	4.0	9	1	1	3	5	7	11	14
35-49	17	3.8	5	1	1	4	5	7	8	8
50-64	74	3.7	9	1	1	3	5	7	9	18
65+	96	4.2	11	2	2	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	42	4.6	12	2	2	4	5	8	11	21
20-34	79	6.5	27	1	2	6	7	12	16	32
35-49	70	6.6	26	2	3	5	8	12	17	86
50-64	179	6.0	20	1	2	5	7	12	15	22
65+	215	5.5	21	2	2	4	7	11	14	28
TOT. SINGLE DX	272	3.9	9	1	1	3	5	7	10	15
" MULTIPLE DX	585	5.9	21	1	2	5	7	11	15	25
TOTAL 0-19 YRS	67	4.3	11	1	2	4	5	7	10	20
20-34	139	5.4	21	1	1	4	7	10	14	24
35-49	87	6.1	23	[illegible]	2	5	7	11	15	76
50-64	253	5.3	18	[illegible]	1	4	7	10	13	22
65+	311	5.1	18	2	2	4	6	10	13	22
GRAND TOTAL	857	5.2	18	1	2	4	7	10	13	22

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2896	1.9	6	1	1	2	2	2	2	4
20-34	506	2.1	2	1	1	2	2	3	3	12
35-49	220	2.1		1	1	2	2	3	3	4
50-64	117	2.4	4	1	1	2	2	3	4	15
65+	59	2.1		1	2	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	672	2.1	4	1	1	2	2	2	3	8
20-34	168	2.1	1	1	1	2	2	3	3	7
35-49	92	2.7	5	1	2	2	3	4	5	16
50-64	81	2.9	4	1	2	2	3	6	7	11
65+	48	2.4	2	1	2	2	3	3	3	10
TOT. SINGLE DX	3798	1.9	5	1	1	2	2	2	3	5
" MULTIPLE DX	1061	2.2	4	1	1	2	2	3	4	9
TOTAL 0-19 YRS	3568	1.9	5	1	1	2	2	2	2	6
20-34	674	2.1	1	1	1	2	2	3	3	7
35-49	312	2.3	2	1	1	2	2	3	4	8
50-64	198	2.6	4	1	2	2	3	4	6	14
65+	107	2.3	1	1	2	2	2	3	3	7
GRAND TOTAL	4859	2.0	4	1	1	2	2	2	3	7

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.2	2	<1	1	2	2	3	6	7
20-34	7	3.7	12	1	1	2	4	10	11	11
35-49	4	6.8	35	1	1	6	11	14	14	14
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	11	2.5	1	1	1	2	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	10.0	97	2	2	7	17	21	21	21
65+	4	2.0	1	1	1	2	3	3	3	3
TOT. SINGLE DX	31	3.4	10	1	1	2	3	8	11	14
" MULTIPLE DX	23	3.4	16	1	1	2	3	5	12	21
TOTAL 0-19 YRS	28	2.3	1	1	1	2	3	4	5	7
20-34	9	3.4	9	1	1	2	4	9	11	11
35-49	7	5.0	23	1	1	3	8	13	14	14
50-64	4	7.8	85	1	1	4	14	21	21	21
65+	6	3.7	7	1	1	3	6	8	8	8
GRAND TOTAL	54	3.4	13	1	1	2	3	7	11	21

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	3.1	6	1	1	2	4	6	8	17
20-34	185	3.9	35	1	2	3	4	6	7	36
35-49	122	4.3	23	1	1	3	5	8	13	57
50-64	138	3.8	6	2	2	3	4	7	8	15
65+	176	4.0	11	1	2	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	121	4.5	17	1	1	3	5	10	12	23
20-34	177	5.9	39	1	2	4	6	13	16	48
35-49	147	6.5	57	2	2	4	7	12	20	44
50-64	202	5.9	40	1	2	4	7	12	17	32
65+	262	5.7	33	2	2	4	7	12	16	30
TOT. SINGLE DX	853	3.7	16	1	1	3	4	7	9	19
" MULTIPLE DX	909	5.7	38	1	2	4	6	12	16	34
TOTAL 0-19 YRS	353	3.6	10	1	1	3	4	7	11	19
20-34	362	4.9	38	1	2	3	5	9	14	37
35-49	269	5.5	43	1	2	4	6	11	16	43
50-64	340	5.0	27	1	2	3	6	10	15	27
65+	438	5.0	25	1	2	3	6	10	14	27
GRAND TOTAL	1762	4.8	28	1	2	3	5	9	13	32

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	564	2.1	3	<1	1	2	2	3	5	9
20-34	211	2.8	28	<1	1	2	3	4	6	15
35-49	143	2.6	6	<1	1	2	3	4	6	14
50-64	165	3.0	10	1	1	2	3	5	8	22
65+	206	3.3	11	1	1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	316	3.7	27	1	1	2	4	7	9	37
20-34	184	4.6	35	1	1	3	5	9	15	27
35-49	127	6.2	110	1	1	3	6	10	25	51
50-64	193	6.2	51	1	1	3	8	14	22	37
65+	289	8.5	82	2	2	5	11	19	26	43
TOT. SINGLE DX	1289	2.6	10	<1	1	2	3	4	6	14
" MULTIPLE DX	1109	5.8	59	1	1	3	7	13	19	38
TOTAL 0-19 YRS	880	2.7	12	1	1	2	3	4	7	17
20-34	395	3.7	32	1	1	2	3	6	10	25
35-49	270	4.3	58	1	1	2	4	7	13	35
50-64	358	4.7	34	1	1	2	5	11	16	31
65+	495	6.3	58	1	1	4	8	14	20	38
GRAND TOTAL	**2398**	**4.1**	**35**	**1**	**1**	**2**	**4**	**8**	**13**	**30**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.5	1	1	2	2	3	3	4	5
20-34	301	2.8	1	2	2	3	3	4	4	5
35-49	503	2.8	2	2	2	3	3	4	4	7
50-64	564	2.9	2	2	2	3	3	4	5	7
65+	265	3.0	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	42	2.3	1	1	2	2	3	3	4	5
20-34	80	3.3	18	2	2	3	3	4	6	30
35-49	138	2.8	1	2	2	3	3	4	5	7
50-64	173	3.4	7	2	2	3	4	5	6	21
65+	75	3.5	6	2	2	3	3	6	8	14
TOT. SINGLE DX	1710	2.9	2	2	2	3	3	4	4	7
" MULTIPLE DX	508	3.1	6	2	2	3	3	4	5	14
TOTAL 0-19 YRS	119	2.4	1	1	2	2	3	3	4	5
20-34	381	2.9	5	2	2	3	3	4	4	11
35-49	641	2.8	2	2	2	3	3	4	4	7
50-64	737	3.0	3	2	2	3	3	4	5	9
65+	340	3.1	2	2	2	3	3	4	6	11
GRAND TOTAL	**2218**	**2.9**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	985	2.2	1	1	1	2	2	3	3	5
20-34	743	2.4	2	1	2	2	3	3	4	8
35-49	590	2.6	9	1	2	2	3	3	4	8
50-64	479	2.6	1	1	2	2	3	4	4	7
65+	127	2.7	1	1	2	3	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	604	2.3	1	1	2	2	3	3	4	6
20-34	446	2.6	5	2	2	2	3	3	4	9
35-49	432	2.8	3	2	2	2	3	4	5	9
50-64	328	2.9	5	2	2	2	3	4	5	12
65+	138	3.1	6	2	2	3	3	5	6	11
TOT. SINGLE DX	2924	2.4	3	1	2	2	3	3	4	7
" MULTIPLE DX	1948	2.6	3	2	2	2	3	4	4	9
TOTAL 0-19 YRS	1589	2.2	1	1	1	2	2	3	3	6
20-34	1189	2.5	3	1	2	2	3	3	4	8
35-49	1022	2.7	6	1	2	2	3	4	4	8
50-64	807	2.7	3	2	2	2	3	4	5	8
65+	265	2.9	4	2	2	3	3	4	5	9
GRAND TOTAL	**4872**	**2.5**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6168	1.2	4	<1	<1	1	1	1	2	6
20-34	154	2.0	3	<1	<1	2	2	3	5	12
35-49	114	2.3	3	<1	1	2	3	4	5	11
50-64	112	2.1	5	<1	<1	1	2	4	5	15
65+	62	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	3296	2.0	5	<1	<1	1	2	3	6	12
20-34	112	3.5	26	1	1	2	3	6	10	30
35-49	93	3.9	22	1	1	2	4	9	14	26
50-64	111	4.8	31	1	1	2	5	12	18	29
65+	82	6.9	62	1	1	3	9	15	24	39
TOT. SINGLE DX	6610	1.3	4	<1	<1	1	1	2	2	6
" MULTIPLE DX	3694	2.2	9	<1	<1	2	2	4	7	15
TOTAL 0-19 YRS	9464	1.5	4	<1	<1	1	1	2	3	9
20-34	266	2.6	13	<1	1	2	3	5	6	14
35-49	207	3.0	12	1	1	2	3	6	10	17
50-64	223	3.4	20	<1	1	2	3	8	12	23
65+	144	4.7	42	<1	1	2	5	12	17	30
GRAND TOTAL	**10304**	**1.6**	**6**	**<1**	**<1**	**1**	**2**	**2**	**4**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	2.9	3	2	2	2	3	4	6	11
20-34	247	3.3	9	2	2	3	3	5	7	20
35-49	189	3.0	6	2	2	3	3	4	6	71
50-64	150	3.6	11	2	2	3	4	6	7	11
65+	62	3.8	4	2	2	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	417	3.5	10	2	2	3	3	6	8	18
20-34	395	3.5	9	2	2	3	4	5	7	21
35-49	280	3.5	6	2	2	3	4	5	8	14
50-64	234	4.0	24	2	2	3	4	6	9	24
65+	107	5.8	59	2	2	3	6	11	17	50
TOT. SINGLE DX	940	3.2	6	2	2	3	3	5	6	13
" MULTIPLE DX	1433	3.8	15	2	2	3	4	6	9	20
TOTAL 0-19 YRS	709	3.2	7	2	2	3	3	5	8	14
20-34	642	3.4	9	2	2	3	3	5	7	20
35-49	469	3.3	6	2	2	3	3	5	8	17
50-64	384	3.9	19	2	2	3	4	6	8	18
65+	169	5.0	40	2	2	3	5	9	12	40
GRAND TOTAL	**2373**	**3.5**	**12**	**2**	**2**	**3**	**4**	**5**	**8**	**19**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	2.0	8	<1	<1	2	2	3	4	10
20-34	201	3.4	8	1	2	3	4	5	7	16
35-49	218	3.6	9	2	2	3	4	6	9	14
50-64	222	3.8	6	2	2	3	5	6	7	14
65+	77	3.6	4	2	2	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	205	2.4	4	1	1	2	3	4	6	11
20-34	104	3.6	9	2	2	3	4	6	8	17
35-49	115	3.6	12	2	2	3	4	6	7	21
50-64	87	4.0	10	2	2	3	4	7	9	21
65+	39	5.8	53	2	2	3	6	15	22	37
TOT. SINGLE DX	1007	3.1	8	1	1	2	4	5	7	14
" MULTIPLE DX	550	3.4	12	1	1	2	4	6	8	19
TOTAL 0-19 YRS	494	2.2	6	<1	1	2	2	3	5	11
20-34	305	3.4	8	2	2	3	4	6	8	16
35-49	333	3.6	10	2	2	3	4	6	9	15
50-64	309	3.9	7	2	2	3	4	6	8	16
65+	116	4.3	21	2	2	3	4	7	12	28
GRAND TOTAL	**1557**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	2.6	1	1	2	2	3	4	4	5
20-34	431	2.8	3	1	2	3	3	4	5	8
35-49	181	3.1	7	1	2	3	4	4	5	18
50-64	98	3.3	3	1	2	3	4	5	6	9
65+	25	3.2	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	325	3.0	12	1	2	3	3	4	5	9
20-34	761	3.2	4	2	2	3	4	5	5	11
35-49	444	3.4	5	2	2	3	4	5	7	13
50-64	225	3.8	8	2	2	3	4	6	8	12
65+	56	4.4	14	2	2	3	5	9	13	18
TOT. SINGLE DX	922	2.9	3	1	2	3	3	4	5	8
" MULTIPLE DX	1811	3.3	7	2	2	3	4	5	6	13
TOTAL 0-19 YRS	512	2.9	8	1	2	3	3	4	5	7
20-34	1192	3.1	4	2	2	3	4	5	5	10
35-49	625	3.3	6	2	2	3	4	5	6	13
50-64	323	3.6	6	2	2	3	4	5	8	10
65+	81	4.0	10	2	2	3	4	6	12	18
GRAND TOTAL	2733	3.2	6	1	2	3	4	5	6	12

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	2.6	3	1	2	2	3	4	4	7
20-34	1996	2.7	3	1	2	2	3	4	5	8
35-49	937	2.7	2	1	2	3	3	4	4	7
50-64	418	3.0	4	1	2	3	3	5	5	9
65+	123	3.2	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	1125	2.9	3	1	2	3	3	4	5	12
20-34	2782	3.1	7	1	2	3	3	4	6	13
35-49	1484	3.3	8	1	2	3	4	5	7	14
50-64	855	4.0	19	2	2	3	4	6	9	23
65+	257	4.5	20	1	2	3	5	8	12	27
TOT. SINGLE DX	4391	2.7	3	1	2	2	3	4	5	8
" MULTIPLE DX	6503	3.3	9	1	2	3	4	5	6	15
TOTAL 0-19 YRS	2042	2.8	3	1	2	2	3	4	5	9
20-34	4778	2.9	5	1	2	3	3	4	5	12
35-49	2421	3.1	6	1	2	3	3	4	5	13
50-64	1273	3.7	15	2	2	3	4	5	8	22
65+	380	4.0	15	1	2	3	4	7	10	25
GRAND TOTAL	10894	3.1	7	1	2	3	3	4	6	13

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	2.4	3	<1	1	2	3	4	6	10
20-34	181	2.6	5	1	1	2	3	4	6	15
35-49	214	2.4	3	1	1	2	3	4	5	12
50-64	340	2.6	4	1	1	2	3	4	6	11
65+	384	3.1	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	165	3.2	13	1	1	2	4	5	7	36
20-34	295	3.2	4	1	1	3	4	5	6	11
35-49	360	3.9	34	1	2	3	4	7	9	21
50-64	474	5.0	41	1	2	3	5	10	14	31
65+	557	6.4	42	1	2	4	8	14	19	34
TOT. SINGLE DX	1266	2.7	4	1	1	2	3	5	7	12
" MULTIPLE DX	1851	4.8	33	1	2	3	5	10	14	30
TOTAL 0-19 YRS	312	2.8	8	1	1	2	3	5	7	14
20-34	476	3.0	4	1	1	2	4	5	6	12
35-49	574	3.4	23	1	1	2	4	6	8	21
50-64	814	4.0	27	1	1	3	4	8	11	28
65+	941	5.0	30	1	2	3	6	11	16	28
GRAND TOTAL	3117	3.9	22	1	1	3	4	8	11	25

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	910	1.9	2	<1	1	2	2	3	4	8
20-34	609	2.4	4	<1	1	2	3	4	5	11
35-49	226	3.5	5	1	1	3	5	6	7	12
50-64	226	4.8	8	1	2	5	6	8	10	16
65+	133	5.0	18	1	1	4	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	440	3.5	25	1	1	2	4	6	9	24
20-34	461	4.2	17	1	1	3	5	8	11	19
35-49	207	5.4	26	1	2	4	6	12	16	35
50-64	241	6.0	22	1	2	5	7	11	13	27
65+	224	7.5	34	2	2	6	9	15	18	30
TOT. SINGLE DX	2104	2.7	6	<1	1	2	3	5	7	12
" MULTIPLE DX	1573	4.9	25	1	1	3	6	10	13	26
TOTAL 0-19 YRS	1350	2.4	10	<1	1	2	3	4	6	11
20-34	1070	3.2	11	1	1	2	4	6	8	17
35-49	433	4.4	16	1	1	3	5	9	12	21
50-64	467	5.4	16	1	2	5	7	9	12	20
65+	357	6.6	29	1	2	5	8	13	17	28
GRAND TOTAL	3677	3.7	15	1	1	2	5	7	10	19

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.0	5	1	2	2	3	5	7	15
20-34	237	3.3	3	2	2	3	4	5	6	9
35-49	223	3.6	4	2	2	3	4	5	6	14
50-64	171	3.7	4	2	2	3	4	6	6	11
65+	86	4.2	9	2	2	3	4	7	9	20
2. MULTIPLE DX										
0-19 YRS	91	4.0	12	1	2	3	4	7	13	20
20-34	277	4.7	23	2	2	4	5	8	10	20
35-49	266	5.5	28	2	2	4	6	12	15	32
50-64	255	6.2	25	2	2	4	8	13	16	27
65+	110	7.0	29	2	2	5	10	16	18	22
TOT. SINGLE DX	779	3.6	4	2	2	3	4	5	7	13
" MULTIPLE DX	999	5.5	25	2	2	4	6	11	15	24
TOTAL 0-19 YRS	153	3.6	10	1	2	3	4	6	10	18
20-34	514	4.1	14	2	2	3	5	6	9	14
35-49	489	4.6	18	2	2	3	5	8	13	22
50-64	426	5.2	18	2	2	4	6	10	14	22
65+	196	5.8	22	2	2	4	7	14	17	22
GRAND TOTAL	**1778**	**4.6**	**1[illegible]**	**2**	**2**	**3**	**5**	**9**	**13**	**21**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	4.2	49	1	1	2	4	7	10	39
20-34	223	3.7	6	1	1	3	5	7	8	12
35-49	170	3.7	10	1	2	3	4	7	11	18
50-64	153	3.9	13	1	2	3	4	8	12	20
65+	74	5.6	25	2	2	4	7	13	15	22
2. MULTIPLE DX										
0-19 YRS	181	4.2	15	1	1	3	5	9	11	16
20-34	286	5.8	35	2	2	4	7	12	16	22
35-49	215	5.3	21	2	2	4	6	12	16	25
50-64	248	6.7	50	2	2	4	8	15	20	36
65+	143	7.7	43	2	2	6	11	16	20	32
TOT. SINGLE DX	750	4.0	18	1	1	3	5	7	11	21
" MULTIPLE DX	1073	5.9	34	2	2	4	7	12	17	28
TOTAL 0-19 YRS	311	4.2	29	1	1	3	5	9	10	27
20-34	509	4.8	23	1	2	3	6	9	13	19
35-49	385	4.6	17	1	2	3	5	9	14	21
50-64	401	5.6	38	1	2	3	6	13	16	28
65+	217	7.0	38	2	2	5	10	15	19	29
GRAND TOTAL	**1823**	**5.1**	**28**	**1**	**2**	**3**	**6**	**11**	**15**	**23**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4181	1.9	2	1	1	2	2	2	2	5
20-34	3108	2.0	2	1	1	2	2	2	3	5
35-49	673	2.2	2	1	1	2	2	3	3	7
50-64	457	2.6	9	1	1	2	2	3	5	21
65+	161	3.0	21	1	1	2	3	5	6	31
2. MULTIPLE DX										
0-19 YRS	1257	2.4	6	1	1	2	2	4	5	17
20-34	1905	3.2	26	1	1	2	3	5	9	23
35-49	1256	4.0	30	1	2	2	3	9	14	32
50-64	1302	4.6	36	2	2	2	4	11	14	30
65+	847	7.1	67	2	2	4	9	17	22	42
TOT. SINGLE DX	8580	2.0	3	1	1	2	2	2	3	6
" MULTIPLE DX	6567	4.0	32	1	1	2	3	8	14	30
TOTAL 0-19 YRS	5438	2.0	3	1	1	2	2	2	3	8
20-34	5013	2.4	12	1	1	2	2	3	4	16
35-49	1929	3.4	21	1	2	2	3	6	11	24
50-64	1759	4.1	30	1	2	2	4	9	13	28
65+	1008	6.5	62	2	2	3	8	16	22	41
GRAND TOTAL	**15147**	**2.9**	**17**	**1**	**1**	**2**	**2**	**4**	**8**	**22**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	601	1.2		<1	1	1	1	2	2	3
20-34	72	2.3	2	<1	1	2	3	3	5	9
35-49	18	1.8		<1	1	2	2	3	3	3
50-64	14	7.3	229	1	1	3	3	21	50	58
65+	3	6.7	66	1	1	3	13	16	16	16
2. MULTIPLE DX										
0-19 YRS	238	1.6	5	1	1	1	2	2	4	21
20-34	54	3.5	25	1	1	2	4	6	9	35
35-49	10	3.4	6	1	1	2	6	7	7	7
50-64	12	5.6	21	2	2	3	10	12	14	14
65+	4	7.0	35	2	2	5	11	15	15	15
TOT. SINGLE DX	708	1.5	6	<1	1	1	1	2	3	5
" MULTIPLE DX	318	2.2	10	1	1	1	2	4	7	21
TOTAL 0-19 YRS	839	1.3	2	1	1	1	1	2	2	6
20-34	126	2.8	12	<1	1	2	3	5	6	16
35-49	28	2.4	3	1	1	2	2	5	7	7
50-64	26	6.5	129	1	1	3	5	14	25	58
65+	7	6.9	40	1	1	3	13	16	16	16
GRAND TOTAL	**1026**	**1.7**	**7**	**1**	**1**	**1**	**2**	**2**	**3**	**12**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	2.2	4	<1	1	2	2	3	5	15
20-34	202	2.6	3	1	1	2	3	5	6	11
35-49	402	2.3	2	1	1	2	2	4	4	8
50-64	307	2.7	3	1	1	2	3	4	6	10
65+	71	3.1	6	1	1	2	4	5	9	13
2. MULTIPLE DX										
0-19 YRS	139	3.5	34	1	1	2	3	5	9	39
20-34	124	3.6	16	1	2	2	4	6	11	23
35-49	162	4.0	24	1	2	2	4	7	14	31
50-64	192	4.0	14	1	2	3	5	9	10	20
65+	95	5.3	24	1	2	4	6	10	16	26
TOT. SINGLE DX	1117	2.5	3	1	1	2	3	4	5	10
" MULTIPLE DX	712	4.0	22	1	1	2	4	8	12	29
TOTAL 0-19 YRS	274	2.9	20	1	1	2	3	4	6	32
20-34	326	3.0	8	1	1	2	3	5	7	18
35-49	564	2.8	9	1	1	2	3	4	6	17
50-64	499	3.2	8	1	1	2	4	6	8	14
65+	166	4.4	17	1	2	3	5	8	14	19
GRAND TOTAL	**1829**	**3.1**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**17**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	3.0	3	1	1	3	4	5	6	10
20-34	395	3.8	14	1	2	3	4	6	7	10
35-49	419	3.8	4	2	2	3	4	6	7	12
50-64	451	4.0	5	2	2	4	5	6	7	12
65+	337	4.8	10	2	2	4	6	8	10	21
2. MULTIPLE DX										
0-19 YRS	50	4.2	16	1	2	3	5	6	11	26
20-34	160	4.2	10	2	2	3	5	7	11	16
35-49	183	5.0	15	2	2	4	6	9	12	21
50-64	277	6.6	57	2	2	5	7	12	17	51
65+	307	8.3	58	2	3	6	10	16	22	41
TOT. SINGLE DX	1774	3.9	8	2	2	3	5	6	8	13
" MULTIPLE DX	977	6.3	42	2	2	4	7	12	17	32
TOTAL 0-19 YRS	222	3.2	6	1	1	3	4	5	6	12
20-34	555	3.9	13	1	2	3	4	6	8	14
35-49	602	4.1	8	2	2	3	5	6	8	16
50-64	728	5.0	26	2	2	4	5	8	11	27
65+	644	6.5	36	2	3	5	7	12	18	29
GRAND TOTAL	**2751**	**4.8**	**21**	**2**	**2**	**4**	**5**	**8**	**11**	**25**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	3.8	4	1	1	4	5	7	8	9
20-34	12	4.6	4	2	2	5	6	7	9	9
35-49	4	4.5	7	2	2	4	6	8	8	8
50-64	5	4.0	3	2	2	4	5	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	145	5.0	19	2	2	4	5	7	9	27
20-34	14	5.6	11	2	2	5	7	10	14	15
35-49	9	8.8	37	2	3	8	12	19	21	21
50-64	5	6.0	6	2	2	6	8	8	8	8
65+	5	24.0	1141	4	4	9	32	84	84	84
TOT. SINGLE DX	350	3.8	4	1	1	4	5	7	8	9
" MULTIPLE DX	178	5.8	54	2	2	4	6	9	13	33
TOTAL 0-19 YRS	473	4.2	9	1	1	4	5	7	8	11
20-34	26	5.1	8	2	2	5	6	9	10	15
35-49	13	7.5	31	2	2	5	9	16	20	21
50-64	10	5.0	5	2	2	5	6	8	8	8
65+	6	21.0	966	4	4	8	15	77	84	84
GRAND TOTAL	**528**	**4.5**	**22**	**1**	**1**	**4**	**5**	**7**	**8**	**21**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	801	2.7	4	<1	1	2	3	6	7	9
20-34	272	3.2	7	1	1	2	4	6	9	14
35-49	288	3.6	21	1	1	2	4	7	10	25
50-64	434	4.5	29	1	1	3	5	10	14	27
65+	501	4.5	23	1	1	3	5	9	14	29
2. MULTIPLE DX										
0-19 YRS	456	4.2	37	1	1	3	5	8	11	46
20-34	334	5.6	53	1	1	4	6	12	15	54
35-49	311	6.7	64	1	2	4	8	15	20	45
50-64	512	7.5	76	1	2	4	9	19	27	48
65+	628	8.3	89	2	2	5	10	18	27	56
TOT. SINGLE DX	2296	3.6	16	1	1	2	4	7	10	19
" MULTIPLE DX	2241	6.7	69	1	1	4	8	15	22	49
TOTAL 0-19 YRS	1257	3.2	17	<1	1	2	4	6	8	16
20-34	606	4.5	34	1	1	3	5	9	13	34
35-49	599	5.2	46	1	1	3	6	12	17	36
50-64	946	6.1	57	1	2	3	7	14	22	45
65+	1129	6.6	63	1	2	4	8	15	22	42
GRAND TOTAL	**4537**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**39**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7954	2.1	1	1	1	2	2	3	3	5
20-34	6034	2.3	2	1	2	2	2	3	4	6
35-49	606	2.5	3	1	1	2	3	4	5	11
50-64	106	3.1	6	1	2	2	3	5	7	16
65+	42	2.7	3	1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	1564	2.3	6	1	1	2	2	3	4	8
20-34	967	2.9	6	1	2	2	3	4	6	12
35-49	184	3.4	7	1	2	3	4	6	10	17
50-64	47	3.6	10	1	2	2	4	8	9	19
65+	21	4.9	32	2	2	3	4	11	19	26
TOT. SINGLE DX	14742	2.2	2	1	1	2	2	3	3	6
" MULTIPLE DX	2783	2.6	7	1	2	2	3	4	6	12
TOTAL 0-19 YRS	9518	2.1	2	1	1	2	2	3	3	5
20-34	7001	2.4	3	1	2	2	2	3	4	8
35-49	790	2.7	4	1	2	2	3	4	6	13
50-64	153	3.2	7	1	2	2	3	6	8	19
65+	63	3.4	14	1	2	2	3	7	10	24
GRAND TOTAL	**17525**	**2.3**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16611	2.0	2	1	1	2	2	2	3	4
20-34	932	2.3	1	1	2	2	3	3	4	5
35-49	64	2.4	1	1	2	2	3	4	5	7
50-64	27	2.0		1	1	2	2	3	3	3
65+	35	2.3	1	1	2	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	11711	2.1	6	1	1	2	2	2	3	6
20-34	222	2.9	3	1	2	2	3	5	6	11
35-49	28	5.0	41	2	2	3	5	8	11	36
50-64	14	2.2		1	1	2	2	3	4	4
65+	25	1.8		1	1	2	2	2	3	3
TOT. SINGLE DX	17669	2.0	2	1	1	2	2	2	3	4
" MULTIPLE DX	12000	2.1	6	1	1	2	2	2	3	7
TOTAL 0-19 YRS	28322	2.0	4	1	1	2	2	2	3	5
20-34	1154	2.4	1	1	2	2	3	4	4	7
35-49	92	3.2	14	1	2	2	3	5	8	24
50-64	41	2.1		1	1	2	2	3	3	4
65+	60	2.1	1	1	1	2	2	3	3	8
GRAND TOTAL	**29669**	**2.0**	**3**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2576	1.5	4	<1	<1	1	2	2	2	5
20-34	17	2.4	1	<1	1	2	3	3	4	5
35-49	6	2.7	2	1	1	2	3	5	5	5
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6087	1.6	3	<1	<1	2	2	2	2	4
20-34	31	2.3	3	<1	1	2	3	4	4	10
35-49	8	3.0	5	1	1	2	3	7	8	8
50-64	12	2.0	1	<1	1	2	2	3	4	4
65+	11	2.3	9	<1	<1	1	2	6	11	11
TOT. SINGLE DX	2609	1.5	4	<1	<1	1	2	2	2	5
" MULTIPLE DX	6149	1.6	3	<1	<1	2	2	2	2	4
TOTAL 0-19 YRS	8663	1.6	4	<1	<1	1	2	2	2	4
20-34	48	2.3	2	<1	1	2	3	4	4	10
35-49	14	2.9	3	1	1	2	3	5	7	8
50-64	18	1.9	1	<1	<1	2	2	3	4	4
65+	15	2.1	6	<1	<1	1	2	2	9	11
GRAND TOTAL	**8758**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	622	2.4	4	1	1	2	3	4	5	12
20-34	439	2.7	3	1	1	2	3	5	6	9
35-49	136	3.4	11	1	1	2	4	6	11	19
50-64	174	4.5	27	1	2	3	5	10	13	30
65+	111	7.1	63	1	2	4	9	17	25	41
2. MULTIPLE DX										
0-19 YRS	168	4.1	43	1	1	2	4	7	9	39
20-34	121	4.0	13	1	1	3	4	7	11	23
35-49	110	7.7	176	1	2	4	7	13	22	89
50-64	165	8.6	84	2	2	5	12	19	26	50
65+	146	11.3	150	2	2	7	15	27	36	56
TOT. SINGLE DX	1482	3.2	13	1	1	2	4	6	9	20
" MULTIPLE DX	710	7.2	97	1	2	4	8	17	24	53
TOTAL 0-19 YRS	790	2.8	13	1	1	2	3	5	7	15
20-34	560	3.0	6	1	1	2	4	5	7	14
35-49	246	5.3	89	1	1	3	5	9	14	52
50-64	339	6.5	59	1	2	3	8	14	23	37
65+	257	9.5	116	1	2	6	12	23	30	53
GRAND TOTAL	**2192**	**4.5**	**44**	**1**	**1**	**2**	**4**	**9**	**15**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.4	3	<1	<1	2	3	5	6	6
20-34	13	3.7	8	1	1	2	6	8	9	9
35-49	15	5.1	17	1	1	5	6	11	15	16
50-64	17	3.2	5	<1	1	2	4	7	8	9
65+	9	3.4	7	1	1	3	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	14	2.6	4	<1	1	2	3	6	8	8
20-34	13	17.5	735	1	3	5	14	62	87	93
35-49	19	4.1	5	1	2	3	5	8	9	9
50-64	13	7.0	17	<1	2	7	9	14	14	14
65+	21	12.2	287	2	2	4	12	43	55	64
TOT. SINGLE DX	62	3.7	9	1	1	3	5	8	10	15
" MULTIPLE DX	80	8.6	217	1	1	4	8	14	44	84
TOTAL 0-19 YRS	22	2.5	4	<1	<1	2	3	6	7	8
20-34	26	10.6	407	1	1	4	8	29	62	93
35-49	34	4.5	10	1	2	4	5	9	11	16
50-64	30	4.9	13	<1	1	4	7	10	14	14
65+	30	9.6	217	2	2	4	9	29	47	64
GRAND TOTAL	142	6.5	132	1	1	4	6	10	16	66

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	1.9	2	<1	1	2	2	3	3	9
20-34	335	2.0	2	1	1	2	2	2	3	6
35-49	596	2.2	6	1	1	2	2	3	4	12
50-64	888	2.4	7	1	1	2	2	3	5	15
65+	468	2.5	5	1	1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	67	3.3	35	1	1	2	2	7	16	90
20-34	95	4.0	39	1	2	2	3	7	10	40
35-49	232	3.5	21	1	1	2	3	7	12	29
50-64	516	4.8	44	1	2	2	5	10	16	38
65+	344	5.6	42	1	2	3	7	12	18	32
TOT. SINGLE DX	2532	2.3	5	1	1	2	2	3	4	11
" MULTIPLE DX	1254	4.7	39	1	1	2	5	10	16	36
TOTAL 0-19 YRS	312	2.2	9	<1	1	2	2	3	4	17
20-34	430	2.4	11	1	1	2	2	3	5	17
35-49	828	2.6	10	1	1	2	2	4	6	20
50-64	1404	3.3	22	1	1	2	3	6	10	24
65+	812	3.8	23	1	1	2	3	9	12	29
GRAND TOTAL	3786	3.1	17	1	1	2	3	5	9	23

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.6	14	1	1	2	4	10	13	13
20-34	22	4.8	40	1	1	2	4	12	22	26
35-49	29	5.9	38	<1	<1	2	10	17	18	19
50-64	68	10.7	90	1	2	10	15	20	28	53
65+	48	13.9	181	2	2	12	18	25	30	83
2. MULTIPLE DX										
0-19 YRS	6	4.7	57	<1	<1	2	2	18	20	20
20-34	8	9.8	37	2	2	11	17	68	99+	99+
35-49	13	19.8	253	2	2	20	36	52	89	99+
50-64	54	18.2	156	2	4	17	24	31	44	61
65+	58	15.7	181	2	2	13	18	33	51	56
TOT. SINGLE DX	176	9.7	107	1	2	7	15	20	26	52
" MULTIPLE DX	139	16.3	172	2	2	16	23	34	48	99+
TOTAL 0-19 YRS	15	4.0	29	<1	1	2	4	13	18	20
20-34	30	6.1	43	1	2	3	10	19	26	99+
35-49	42	10.2	142	<1	1	5	17	29	47	99+
50-64	122	14.0	132	2	2	12	18	28	33	58
65+	106	14.9	180	2	2	13	18	29	40	68
GRAND TOTAL	315	12.6	146	1	2	11	18	27	35	69

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	16	13.5	24	7	9	12	15	23	23	23
50-64	107	16.8	85	9	10	15	18	27	31	59
65+	71	18.1	112	11	11	15	18	30	38	72
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	17	27.1	426	4	7	23	43	78	94	99+
50-64	103	24.9	181	11	13	21	36	52	99+	99+
65+	116	26.9	247	11	12	22	33	56	61	87
TOT. SINGLE DX	195	17.0	91	9	10	14	18	27	36	60
" MULTIPLE DX	238	25.9	230	11	12	22	35	56	71	99+
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	33	20.5	271	5	9	15	24	45	80	99+
50-64	210	20.8	148	10	11	17	26	41	57	99+
65+	187	23.6	213	11	12	18	28	45	60	80
GRAND TOTAL	433	21.9	187	10	11	17	27	43	59	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	7	9.6	56	2	2	7	16	20	21	21
65+	11	16.4	152	1	2	16	23	35	41	42
2. MULTIPLE DX										
0-19 YRS	2	90.5	25	87	87	94	98	99+	99+	99+
20-34	6	34.3	1019	1	3	19	66	80	82	82
35-49	12	22.7	106	7	9	25	34	99+	99+	99+
50-64	35	29.9	302	3	9	32	47	57	86	99+
65+	49	29.9	407	5	7	25	40	61	82	99+
TOT. SINGLE DX	23	11.6	112	1	2	7	17	26	34	42
" MULTIPLE DX	104	30.5	428	5	8	26	46	75	99+	99+
TOTAL 0-19 YRS	3	62.3	2392	6	6	90	97	99+	99+	99+
20-34	8	26.5	939	1	1	18	43	77	82	82
35-49	14	19.9	139	3	5	23	31	94	99+	99+
50-64	42	26.5	317	3	4	22	45	54	73	99+
65+	60	27.4	385	4	6	24	39	60	74	98
GRAND TOTAL	127	27.1	423	2	5	22	43	63	93	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	11.5	279	1	1	6	9	34	50	83
20-34	31	14.3	284	2	2	7	16	46	48	62
35-49	39	10.8	211	1	1	7	13	38	59	99+
50-64	59	11.1	247	1	1	6	15	37	95	99+
65+	35	13.4	316	1	2	7	18	34	62	76
2. MULTIPLE DX										
0-19 YRS	103	23.3	478	1	2	19	47	99+	99+	99+
20-34	111	30.0	616	2	4	25	59	86	99+	99+
35-49	95	29.0	475	4	6	28	51	99+	99+	99+
50-64	268	31.6	622	2	3	29	51	82	99+	99+
65+	290	31.8	475	2	3	30	49	69	89	99+
TOT. SINGLE DX	217	12.0	261	1	2	6	15	43	56	99+
" MULTIPLE DX	867	30.2	544	2	3	28	51	82	99+	99+
TOTAL 0-19 YRS	156	19.3	440	1	2	12	37	79	99+	99+
20-34	142	26.6	583	2	2	21	54	72	99+	99+
35-49	134	23.7	465	2	2	20	45	94	99+	99+
50-64	327	27.9	616	2	2	25	47	78	99+	99+
65+	325	29.8	490	2	3	28	47	67	87	99+
GRAND TOTAL	1084	26.5	540	2	2	23	46	74	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	6.5	54	1	1	4	8	13	21	38
20-34	177	6.6	41	1	2	5	9	13	18	24
35-49	273	7.2	37	1	2	5	9	15	18	32
50-64	590	8.6	68	2	2	6	11	17	23	44
65+	621	9.2	67	2	2	7	12	18	24	42
2. MULTIPLE DX										
0-19 YRS	33	7.5	43	1	1	5	9	17	24	26
20-34	204	9.6	82	2	3	7	13	18	26	48
35-49	478	10.7	78	2	3	8	14	21	28	49
50-64	1525	12.1	104	2	3	9	16	24	31	51
65+	1899	13.4	96	3	4	11	17	25	32	54
TOT. SINGLE DX	1693	8.4	61	2	2	6	11	17	22	39
" MULTIPLE DX	4139	12.4	97	2	3	10	16	24	31	52
TOTAL 0-19 YRS	65	7.0	48	1	1	5	9	16	22	36
20-34	381	8.2	65	2	2	6	11	16	22	45
35-49	751	9.4	66	2	2	7	12	18	25	46
50-64	2115	11.2	96	2	3	8	15	23	30	49
65+	2520	12.4	92	2	3	10	16	24	30	51
GRAND TOTAL	5832	11.2	90	2	3	9	15	22	29	49

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	9.5	5	8	8	9	11	11	11	11
65+	3	9.7	10	6	6	11	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	3	17.0	49	12	12	14	22	25	25	25
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	1	5.0		5	5	5	5	5	5	5
50-64	11	12.4	35	4	5	12	17	21	22	22
65+	3	11.7	40	8	8	8	16	19	19	19
TOT. SINGLE DX	10	6.9	14	2	2	7	11	12	12	12
" MULTIPLE DX	20	12.6	35	4	5	12	16	21	23	25
TOTAL 0-19 YRS	5	11.8	77	2	2	12	17	25	25	25
20-34	4	7.5	38	2	2	6	12	15	15	15
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	13	11.9	30	4	5	11	14	21	22	22
65+	6	10.7	21	6	6	10	12	18	19	19
GRAND TOTAL	30	10.7	34	2	3	10	13	20	22	25

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	10.3	18	2	4	10	13	15	18	20
20-34	138	10.0	31	2	4	9	12	18	22	27
35-49	230	11.2	57	2	4	9	14	18	24	42
50-64	464	12.5	50	3	5	11	16	21	25	40
65+	381	13.8	76	3	4	13	18	24	28	43
2. MULTIPLE DX										
0-19 YRS	29	16.9	157	6	7	13	18	43	46	52
20-34	125	13.1	87	3	4	10	17	26	33	48
35-49	321	15.4	105	5	7	13	19	27	34	60
50-64	861	17.0	115	4	6	15	21	32	38	56
65+	888	17.8	121	4	7	15	23	32	40	54
TOT. SINGLE DX	1247	12.3	58	3	4	11	16	21	25	40
" MULTIPLE DX	2224	16.9	116	4	6	14	21	31	38	54
TOTAL 0-19 YRS	63	13.3	92	4	6	11	15	19	41	51
20-34	263	11.4	60	3	4	9	13	22	27	39
35-49	551	13.7	89	4	6	11	17	24	31	52
50-64	1325	15.4	97	3	6	13	19	28	35	50
65+	1269	16.6	111	4	5	14	21	30	37	54
GRAND TOTAL	3471	15.2	100	3	5	13	19	28	35	52

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	15.6	57	8	9	13	20	27	32	33
20-34	19	12.9	32	5	7	10	18	21	22	22
35-49	103	14.5	55	5	8	13	17	23	31	43
50-64	354	16.0	59	8	9	14	19	25	31	46
65+	233	18.0	51	9	10	17	21	27	32	46
2. MULTIPLE DX										
0-19 YRS	11	16.5	107	9	9	11	21	34	39	39
20-34	29	20.1	177	5	7	16	28	47	58	99+
35-49	170	21.0	139	9	10	18	25	37	47	78
50-64	472	19.8	97	9	10	18	24	33	40	57
65+	436	22.1	144	10	11	19	26	36	43	74
TOT. SINGLE DX	721	16.3	57	8	9	15	20	25	32	45
" MULTIPLE DX	1118	20.8	124	9	10	18	25	35	44	66
TOTAL 0-19 YRS	23	16.0	78	8	9	11	21	31	35	39
20-34	48	17.3	130	5	7	15	21	32	51	99+
35-49	273	18.5	117	7	9	16	23	33	44	52
50-64	826	18.1	84	9	9	16	22	30	36	54
65+	669	20.7	115	10	11	18	24	33	39	70
GRAND TOTAL	1839	19.1	103	9	10	17	23	32	38	59

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	4.8	34	1	1	3	6	12	15	39
20-34	363	5.8	27	1	2	4	7	13	15	30
35-49	579	6.4	39	1	1	5	8	14	18	35
50-64	1140	7.1	45	1	2	5	9	15	20	33
65+	884	8.0	49	2	2	6	11	18	23	32
2. MULTIPLE DX										
0-19 YRS	257	10.5	125	2	2	8	14	20	30	94
20-34	481	9.3	80	2	2	7	12	18	25	54
35-49	1050	10.1	92	2	2	7	13	21	30	55
50-64	2549	11.1	105	2	3	8	14	23	31	55
65+	2909	13.4	121	2	3	10	18	27	35	57
TOT. SINGLE DX	3246	6.9	43	1	2	5	9	15	20	32
" MULTIPLE DX	7246	11.8	111	2	3	9	15	24	32	56
TOTAL 0-19 YRS	537	7.5	86	1	1	4	11	17	22	60
20-34	844	7.8	60	1	2	5	10	16	20	38
35-49	1629	8.8	77	1	2	6	11	18	26	45
50-64	3689	9.9	90	2	2	7	13	21	27	50
65+	3793	12.2	109	2	3	9	16	25	32	53
GRAND TOTAL	10492	10.2	95	2	2	8	13	22	29	51

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	7.4	89	1	2	4	7	18	25	54
20-34	89	6.7	15	2	3	5	9	12	14	20
35-49	47	11.2	102	2	3	8	14	24	32	47
50-64	35	10.6	78	2	3	7	16	22	28	40
65+	32	14.4	135	2	3	12	19	24	31	60
2. MULTIPLE DX										
0-19 YRS	69	11.1	183	2	3	7	12	23	27	81
20-34	66	9.7	100	3	3	7	12	19	31	95
35-49	52	11.9	85	3	4	10	13	28	33	45
50-64	109	14.3	118	3	4	11	18	29	38	52
65+	103	16.9	154	4	5	14	22	34	38	68
TOT. SINGLE DX	246	9.2	75	2	3	6	11	20	25	47
" MULTIPLE DX	399	13.3	137	3	4	10	16	29	36	71
TOTAL 0-19 YRS	112	9.7	149	2	2	6	11	21	27	78
20-34	155	7.9	53	2	3	6	10	15	19	66
35-49	99	11.5	92	3	4	9	13	26	32	46
50-64	144	13.4	110	3	4	10	17	28	37	52
65+	135	16.3	149	3	4	14	21	34	38	64
GRAND TOTAL	645	11.8	117	2	3	9	15	25	34	60

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	6.3	19	1	2	5	8	12	14	23
20-34	751	6.2	27	2	3	5	8	11	14	21
35-49	344	7.6	29	3	3	6	9	15	19	27
50-64	248	11.2	69	3	3	9	15	21	27	44
65+	199	12.4	77	3	4	10	16	24	32	41
2. MULTIPLE DX										
0-19 YRS	333	11.5	128	2	4	8	14	23	32	74
20-34	655	10.2	86	3	4	8	12	20	26	50
35-49	460	13.8	152	3	4	10	17	28	39	71
50-64	870	15.0	141	4	5	12	19	29	37	67
65+	846	17.2	165	4	5	14	22	33	44	72
TOT. SINGLE DX	1752	7.9	43	2	3	6	10	15	20	33
" MULTIPLE DX	3164	14.1	143	3	4	10	18	29	36	67
TOTAL 0-19 YRS	543	9.5	92	2	3	7	11	19	26	59
20-34	1406	8.1	58	2	3	6	10	15	21	40
35-49	804	11.2	109	3	3	8	14	23	31	61
50-64	1118	14.1	128	3	4	11	18	27	35	63
65+	1045	16.3	152	4	5	13	21	32	41	67
GRAND TOTAL	**4916**	**11.9**	**116**	**3**	**3**	**8**	**15**	**24**	**32**	**58**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	271	6.2	21	1	2	6	7	10	12	22
20-34	255	7.2	40	1	2	6	10	14	17	29
35-49	225	8.3	51	1	2	6	11	18	24	33
50-64	294	10.0	82	2	2	8	14	21	27	46
65+	242	9.5	59	2	2	8	13	20	24	36
2. MULTIPLE DX										
0-19 YRS	93	9.4	57	1	2	8	11	23	27	34
20-34	261	10.7	117	2	2	8	14	22	29	58
35-49	335	11.0	95	2	2	9	14	24	29	47
50-64	711	14.1	156	2	3	11	18	28	38	63
65+	856	15.1	131	2	3	13	20	29	37	63
TOT. SINGLE DX	1287	8.3	53	1	2	6	11	17	22	36
" MULTIPLE DX	2256	13.4	132	2	3	10	17	27	35	61
TOTAL 0-19 YRS	364	7.0	32	1	2	6	8	12	18	30
20-34	516	9.0	82	1	2	7	12	17	25	46
35-49	560	9.9	79	2	2	8	13	21	28	40
50-64	1005	12.9	138	2	3	10	16	26	35	62
65+	1098	13.8	121	2	3	11	18	28	35	58
GRAND TOTAL	**3543**	**11.5**	**110**	**2**	**2**	**9**	**15**	**24**	**31**	**56**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	10.2	15	6	7	10	12	14	15	27
20-34	92	11.2	71	2	5	10	13	16	19	57
35-49	135	12.3	23	7	8	12	15	18	22	26
50-64	199	15.6	53	9	10	14	18	25	29	40
65+	98	16.3	49	8	10	15	19	25	32	41
2. MULTIPLE DX										
0-19 YRS	102	15.1	135	7	8	11	16	30	42	65
20-34	92	16.8	104	6	9	13	18	29	39	56
35-49	218	17.8	144	8	9	14	21	32	45	83
50-64	461	20.7	160	9	10	17	24	37	48	67
65+	324	22.2	141	10	11	19	28	37	48	99+
TOT. SINGLE DX	655	13.3	46	6	8	12	15	21	25	37
" MULTIPLE DX	1197	19.8	150	8	9	16	24	35	47	75
TOTAL 0-19 YRS	233	12.3	73	7	8	10	13	17	29	55
20-34	184	14.0	95	4	7	12	15	24	31	56
35-49	353	15.7	104	7	9	13	17	26	36	75
50-64	660	19.2	133	[illegible]	10	16	22	32	45	65
65+	422	20.8	125	9	11	18	26	35	44	86
GRAND TOTAL	**1852**	**17.5**	**123**	**8**	**9**	**14**	**21**	**31**	**41**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.8	5	9	9	10	13	14	14	14
20-34	27	12.1	40	8	9	10	13	15	21	41
35-49	712	11.5	14	8	8	11	13	15	18	29
50-64	1791	12.6	22	8	9	12	14	18	21	31
65+	581	14.5	39	8	9	13	16	22	26	36
2. MULTIPLE DX										
0-19 YRS	4	3.8	12	2	2	2	6	9	9	9
20-34	64	12.9	47	7	8	11	14	19	27	43
35-49	1119	13.5	38	8	9	12	15	20	26	38
50-64	3483	15.0	60	8	9	13	17	23	29	46
65+	1365	18.0	87	9	10	15	22	29	35	57
TOT. SINGLE DX	3117	12.7	24	8	9	12	14	18	21	32
" MULTIPLE DX	6035	15.4	64	8	9	13	18	25	30	49
TOTAL 0-19 YRS	10	8.0	20	2	2	9	11	13	14	14
20-34	91	12.7	45	7	8	11	14	18	24	43
35-49	1831	12.7	30	8	8	11	14	18	23	36
50-64	5274	14.2	49	8	9	12	16	22	27	42
65+	1946	17.0	75	9	10	14	20	27	33	52
GRAND TOTAL	**9152**	**14.5**	**52**	**8**	**9**	**12**	**16**	**23**	**28**	**43**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	300	2.3	6	1	2	2	2	3	4	10
20-34	321	3.6	12	2	2	2	3	7	11	20
35-49	1865	3.4	9	2	2	2	3	7	9	15
50-64	2747	3.7	13	2	2	2	4	8	11	18
65+	812	4.3	18	2	2	3	5	9	13	24
2. MULTIPLE DX										
0-19 YRS	334	3.9	37	1	2	2	3	8	14	33
20-34	538	4.9	24	2	2	3	6	12	15	25
35-49	3697	4.9	26	2	2	3	6	11	15	23
50-64	7489	5.4	31	2	2	3	7	12	16	28
65+	2463	7.0	50	2	2	4	10	15	20	33
TOT. SINGLE DX	6045	3.6	12	2	2	2	4	7	10	18
" MULTIPLE DX	14521	5.5	33	2	2	3	7	12	16	28
TOTAL 0-19 YRS	634	3.2	23	1	2	2	2	4	9	28
20-34	859	4.4	20	2	2	3	5	10	14	24
35-49	5562	4.4	21	2	2	3	5	10	13	21
50-64	10236	4.9	27	2	2	3	6	11	15	26
65+	3275	6.3	44	2	2	4	9	14	18	30
GRAND TOTAL	**20566**	**4.9**	**28**	**2**	**2**	**3**	**6**	**11**	**15**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	4.4	6	2	2	4	7	8	8	8
20-34	24	5.9	21	1	2	5	7	10	16	22
35-49	105	8.1	40	2	2	6	12	17	21	28
50-64	365	7.3	34	2	2	5	9	16	18	29
65+	1725	6.6	32	2	2	5	8	13	17	27
2. MULTIPLE DX										
0-19 YRS	31	10.4	73	2	3	8	14	27	28	30
20-34	66	9.7	54	2	3	7	14	18	26	35
35-49	235	12.1	64	2	4	11	16	23	27	42
50-64	1360	12.9	89	2	3	11	17	24	30	50
65+	6157	12.8	91	2	4	11	17	24	31	47
TOT. SINGLE DX	2235	6.7	33	2	2	5	9	14	17	27
" MULTIPLE DX	7849	12.8	90	2	4	11	17	24	30	47
TOTAL 0-19 YRS	47	8.3	58	2	2	6	9	23	28	30
20-34	90	8.7	48	2	2	6	12	17	24	33
35-49	340	10.9	60	2	3	9	15	21	26	39
50-64	1725	11.7	83	2	3	10	16	23	29	46
65+	7882	11.5	85	2	3	9	15	23	29	45
GRAND TOTAL	**10084**	**11.4**	**83**	**2**	**3**	**9**	**15**	**23**	**29**	**45**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	7.3	23	2	2	6	9	12	18	22
20-34	19	10.4	56	2	3	9	12	23	29	31
35-49	47	11.3	36	2	4	11	13	18	26	29
50-64	57	12.2	32	3	4	12	16	21	23	25
65+	40	9.9	37	2	3	10	12	19	22	28
2. MULTIPLE DX										
0-19 YRS	28	12.9	78	2	3	10	17	28	31	33
20-34	79	13.9	114	4	6	11	15	24	34	64
35-49	115	15.2	78	4	7	13	18	29	32	44
50-64	202	14.9	104	3	5	13	18	26	33	58
65+	137	18.4	159	5	7	15	23	37	49	73
TOT. SINGLE DX	181	10.8	37	2	3	10	13	19	23	29
" MULTIPLE DX	561	15.6	114	4	6	13	19	29	36	62
TOTAL 0-19 YRS	46	10.7	63	2	2	8	13	23	30	33
20-34	98	13.3	104	3	6	11	15	24	32	63
35-49	162	14.1	69	3	6	12	17	27	30	42
50-64	259	14.3	89	3	5	12	17	24	30	48
65+	177	16.5	144	3	5	13	21	31	44	67
GRAND TOTAL	**742**	**14.4**	**100**	**3**	**5**	**12**	**18**	**27**	**33**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.2	16	1	1	2	2	10	13	44
20-34	182	3.6	76	1	1	2	2	5	8	63
35-49	291	3.4	23	1	1	2	3	6	13	23
50-64	394	3.7	29	1	1	2	3	8	14	29
65+	306	4.6	33	1	2	2	4	11	15	31
2. MULTIPLE DX										
0-19 YRS	99	7.2	143	1	1	2	9	25	65	99+
20-34	118	8.0	79	1	2	4	11	19	27	44
35-49	251	9.9	125	2	2	6	13	23	33	58
50-64	520	9.7	116	1	2	6	13	23	32	49
65+	515	13.1	172	2	2	9	17	29	38	69
TOT. SINGLE DX	1296	3.8	34	1	1	2	3	9	14	29
" MULTIPLE DX	1503	10.6	139	1	2	7	14	25	34	64
TOTAL 0-19 YRS	222	5.0	76	1	1	2	4	14	25	99+
20-34	300	5.3	82	1	1	2	4	13	19	45
35-49	542	6.4	80	1	1	2	7	17	23	44
50-64	914	7.1	87	1	1	3	9	19	27	45
65+	821	9.9	137	2	2	5	14	23	32	59
GRAND TOTAL	**2799**	**7.4**	**102**	**1**	**1**	**3**	**10**	**19**	**28**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.0	5	1	2	4	5	7	7	13
20-34	812	4.7	22	2	2	4	5	7	8	14
35-49	1145	5.1	10	2	3	4	6	8	10	19
50-64	897	6.1	20	2	3	5	7	10	13	25
65+	264	7.6	29	3	3	6	9	14	18	26
2. MULTIPLE DX										
0-19 YRS	9	6.9	23	2	2	5	10	14	16	16
20-34	221	6.1	13	3	3	5	7	10	13	19
35-49	499	7.4	41	3	3	5	9	14	19	30
50-64	567	8.7	52	3	3	7	11	17	21	37
65+	280	13.3	142	4	4	9	17	27	36	62
TOT. SINGLE DX	3167	5.5	18	2	3	4	6	9	11	22
" MULTIPLE DX	1576	8.7	64	3	3	6	10	17	21	43
TOTAL 0-19 YRS	58	4.5	8	1	2	4	5	7	11	16
20-34	1033	5.0	20	2	3	4	6	8	9	17
35-49	1644	5.8	21	2	3	5	7	9	14	23
50-64	1464	7.1	34	3	3	5	8	13	17	33
65+	544	10.5	95	3	4	7	13	21	29	53
GRAND TOTAL	**4743**	**6.5**	**36**	**2**	**3**	**5**	**7**	**12**	**16**	**31**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.6	25	1	2	7	10	14	16	17
20-34	42	7.5	28	2	2	7	10	16	18	23
35-49	205	10.8	40	2	3	10	13	18	21	36
50-64	622	12.1	49	3	5	11	14	19	23	37
65+	485	13.6	69	3	6	12	17	23	29	47
2. MULTIPLE DX										
0-19 YRS	42	18.0	253	6	7	12	20	39	64	67
20-34	195	13.7	206	2	2	9	19	33	43	98
35-49	526	13.9	131	2	3	11	17	26	34	61
50-64	1893	16.3	147	4	6	13	19	30	41	74
65+	1699	19.4	171	6	8	16	23	37	46	78
TOT. SINGLE DX	1371	12.2	56	3	4	11	15	20	25	40
" MULTIPLE DX	4355	17.1	162	4	6	14	21	33	44	76
TOTAL 0-19 YRS	59	14.7	213	2	3	10	18	28	57	67
20-34	237	12.6	180	2	2	8	16	29	39	96
35-49	731	13.0	107	2	3	11	16	24	31	57
50-64	2515	15.2	126	4	6	12	18	27	37	70
65+	2184	18.1	155	5	7	15	22	34	44	75
GRAND TOTAL	**5726**	**15.9**	**141**	**3**	**6**	**13**	**19**	**29**	**40**	**71**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	12	12.0	6	10	10	11	13	16	18	18
65+	2	13.5	1	13	13	13	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	26.3	241	9	9	31	37	39	39	39
50-64	13	11.9	12	9	9	11	13	17	20	21
65+	3	18.7	60	10	10	21	24	25	25	25
TOT. SINGLE DX	16	12.3	5	10	10	12	13	15	17	18
" MULTIPLE DX	22	14.3	58	8	8	11	16	27	34	39
TOTAL 0-19 YRS	3	10.3	10	8	8	9	13	14	14	14
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	22.5	220	9	9	21	35	39	39	39
50-64	25	12.0	9	9	9	11	13	16	19	21
65+	5	16.6	38	10	10	14	22	25	25	25
GRAND TOTAL	**38**	**13.4**	**42**	**8**	**9**	**11**	**14**	**21**	**29**	**39**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.8	16	1	1	3	8	10	10	10
20-34	16	3.4	7	<1	1	3	4	8	9	10
35-49	21	3.2	2	1	1	3	4	5	6	7
50-64	102	4.4	61	<1	1	2	5	10	13	47
65+	52	3.9	37	1	1	2	4	9	10	41
2. MULTIPLE DX										
0-19 YRS	36	6.7	67	1	1	4	8	14	18	47
20-34	328	6.3	35	1	2	5	8	12	16	33
35-49	462	7.6	45	1	2	6	10	16	22	34
50-64	731	7.2	48	1	2	5	9	15	19	36
65+	468	8.6	74	1	2	6	10	16	25	49
TOT. SINGLE DX	196	4.1	42	1	1	2	4	8	11	35
" MULTIPLE DX	2025	7.4	52	1	2	5	9	15	21	39
TOTAL 0-19 YRS	41	6.4	61	1	1	4	8	14	17	47
20-34	344	6.1	34	1	1	5	8	12	15	29
35-49	483	7.4	44	1	2	5	9	15	22	34
50-64	833	6.8	50	1	1	5	8	14	19	36
65+	520	8.1	72	1	2	6	10	16	24	47
GRAND TOTAL	**2221**	**7.1**	**52**	**1**	**1**	**5**	**9**	**14**	**20**	**40**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	379	7.9	38	1	2	7	11	14	18	32
20-34	379	7.0	61	1	1	5	9	15	20	35
35-49	507	9.4	61	1	2	8	12	20	23	35
50-64	1440	10.8	60	2	4	9	13	18	23	39
65+	1651	11.7	57	3	4	10	15	20	25	42
2. MULTIPLE DX										
0-19 YRS	1839	19.2	365	2	3	12	27	52	65	99+
20-34	757	11.9	184	1	2	8	15	27	41	78
35-49	1213	12.7	152	2	2	10	16	28	40	79
50-64	3672	14.4	142	3	4	12	18	28	37	73
65+	4983	16.6	150	4	6	13	21	31	41	71
TOT. SINGLE DX	4356	10.4	59	2	3	9	13	18	24	40
" MULTIPLE DX	12464	15.7	186	2	4	12	20	32	46	83
TOTAL 0-19 YRS	2218	17.2	327	2	3	10	23	48	63	99+
20-34	1136	10.2	148	1	2	6	12	22	32	73
35-49	1720	11.7	127	2	2	9	15	25	35	65
50-64	5112	13.4	121	3	4	11	16	25	34	63
65+	6634	15.4	132	4	5	12	19	29	38	67
GRAND TOTAL	**16820**	**14.3**	**158**	**2**	**4**	**11**	**18**	**29**	**40**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	778	3.2	10	1	1	2	3	6	9	19
20-34	750	4.5	18	1	1	3	5	10	13	21
35-49	482	5.1	25	1	2	3	6	11	15	24
50-64	528	7.1	45	1	2	5	10	15	22	35
65+	471	8.6	47	2	2	7	12	17	21	33
2. MULTIPLE DX										
0-19 YRS	264	5.3	30	1	1	3	7	11	15	28
20-34	486	6.9	38	1	2	5	9	15	19	30
35-49	483	9.1	77	2	2	7	12	19	26	48
50-64	948	10.7	87	2	2	8	14	22	28	46
65+	1095	12.5	98	2	3	10	16	25	32	54
TOT. SINGLE DX	3009	5.4	30	1	1	3	7	12	17	28
" MULTIPLE DX	3276	10.1	83	2	2	8	13	21	27	45
TOTAL 0-19 YRS	1042	3.7	16	1	1	2	4	8	10	20
20-34	1236	5.4	27	1	2	4	7	12	16	26
35-49	965	7.1	55	1	2	5	9	15	21	37
50-64	1476	9.4	75	2	2	7	12	20	26	44
65+	1566	11.3	86	2	3	9	15	23	28	46
GRAND TOTAL	**6285**	**7.8**	**63**	**1**	**2**	**5**	**10**	**17**	**23**	**39**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.0	8	1	1	2	3	6	8	16
20-34	60	6.0	23	1	1	4	9	12	15	23
35-49	53	7.0	29	1	2	6	9	15	18	26
50-64	109	9.9	45	2	3	8	13	19	24	34
65+	95	12.1	79	3	5	9	16	24	27	51
2. MULTIPLE DX										
0-19 YRS	20	6.5	28	1	1	7	9	14	17	20
20-34	34	9.0	27	3	4	9	10	12	17	32
35-49	83	12.5	116	4	5	9	15	25	32	65
50-64	217	13.9	90	5	6	11	18	28	34	59
65+	249	13.8	125	3	5	11	16	25	34	60
TOT. SINGLE DX	353	8.7	52	1	2	7	11	18	24	32
" MULTIPLE DX	603	13.2	105	3	5	10	16	26	33	58
TOTAL 0-19 YRS	56	4.2	18	1	1	2	6	9	14	20
20-34	94	7.1	26	1	2	6	10	12	15	28
35-49	136	10.4	89	2	3	8	13	20	27	48
50-64	326	12.6	78	3	5	10	16	25	31	45
65+	344	13.3	112	3	5	10	16	25	33	57
GRAND TOTAL	**956**	**11.5**	**90**	**2**	**3**	**9**	**15**	**23**	**29**	**53**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	14.5	13	12	12	14	17	17	17	17
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	3	9.3	120	3	3	3	17	22	22	22
65+										
TOT. SINGLE DX	6	9.3	28	2	2	10	12	16	17	17
" MULTIPLE DX	6	9.8	51	3	3	9	13	21	22	22
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	4	11.8	15	8	8	11	14	17	17	17
50-64	5	8.2	73	2	2	3	14	22	22	22
65+										
GRAND TOTAL	**12**	**9.6**	**36**	**2**	**3**	**9**	**12**	**18**	**21**	**22**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	3.2		3	3	3	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49										
50-64										
65+										
TOT. SINGLE DX	14	3.1	1	1	2	3	4	4	4	4
" MULTIPLE DX	2	6.5	5	5	5	6	8	8	8	8
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	7	3.7	5	1	1	3	5	7	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	3.2		3	3	3	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	16	3.5	2	1	2	3	4	5	7	8

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	442	7.5	59	1	2	6	8	13	19	49
20-34	355	9.4	64	2	3	8	11	17	23	35
35-49	303	10.5	112	2	2	8	12	23	30	59
50-64	496	9.9	68	2	3	8	12	20	26	44
65+	673	10.4	67	2	3	8	13	21	25	41
2. MULTIPLE DX										
0-19 YRS	470	11.4	131	2	3	8	13	22	37	60
20-34	767	13.6	180	3	4	9	15	28	43	83
35-49	923	12.9	119	3	4	10	15	25	34	55
50-64	1953	13.0	121	3	4	10	16	25	33	59
65+	4169	13.8	111	3	4	11	17	26	34	58
TOT. SINGLE DX	2269	9.6	72	2	3	7	11	19	25	44
" MULTIPLE DX	8282	13.3	122	3	4	10	16	26	34	61
TOTAL 0-19 YRS	912	9.5	99	2	3	7	10	18	29	55
20-34	1122	12.3	147	3	4	9	14	23	35	71
35-49	1226	12.3	118	3	4	9	14	25	33	55
50-64	2449	12.4	112	3	4	9	15	24	32	57
65+	4842	13.3	106	3	4	11	17	25	33	56
GRAND TOTAL	10551	12.5	114	3	4	10	15	24	33	58

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	8.7	53	<1	1	6	14	20	24	24
20-34	16	12.3	279	2	2	4	20	29	54	65
35-49	6	4.7	3	3	3	4	5	8	8	8
50-64	11	14.2	176	1	2	12	20	32	46	47
65+	10	11.7	93	1	1	8	21	26	30	30
2. MULTIPLE DX										
0-19 YRS	39	16.4	218	[illegible]	3	10	26	43	51	99+
20-34	20	13.4	326	2	3	7	18	52	90	99+
35-49	43	13.3	117	2	2	9	22	27	38	43
50-64	73	16.6	141	3	5	15	20	32	44	56
65+	81	19.8	225	4	7	16	27	41	57	94
TOT. SINGLE DX	53	11.0	148	1	2	6	17	23	30	64
" MULTIPLE DX	256	16.8	192	3	4	13	23	38	49	98
TOTAL 0-19 YRS	49	14.8	192	2	3	9	24	42	50	99+
20-34	36	12.9	297	2	2	5	19	32	76	99+
35-49	49	12.2	111	2	2	8	20	26	38	43
50-64	84	16.3	144	3	4	15	20	32	46	56
65+	91	18.9	216	3	5	15	24	39	53	92
GRAND TOTAL	309	15.8	189	2	3	12	22	35	47	89

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	4.2	29	<1	1	2	4	11	15	28
20-34	123	4.9	14	1	1	4	7	9	13	43
35-49	204	6.3	35	1	1	4	9	14	20	34
50-64	295	7.3	68	1	1	4	9	15	24	38
65+	339	8.4	86	1	2	5	10	18	27	47
2. MULTIPLE DX										
0-19 YRS	81	8.7	208	1	1	3	8	23	51	91
20-34	252	8.6	99	2	2	6	9	17	28	75
35-49	484	8.8	69	1	2	7	11	18	24	45
50-64	851	10.5	101	2	2	7	14	24	30	53
65+	1221	11.4	119	2	3	8	14	24	32	62
TOT. SINGLE DX	1029	7.0	60	1	1	4	9	15	23	38
" MULTIPLE DX	2889	10.4	107	2	2	7	13	22	30	60
TOTAL 0-19 YRS	149	6.6	131	1	1	2	6	17	28	73
20-34	375	7.4	74	1	2	6	9	15	20	69
35-49	688	8.0	60	1	2	6	10	17	24	40
50-64	1146	9.7	95	1	2	7	12	22	29	47
65+	1560	10.8	114	2	2	8	13	23	31	60
GRAND TOTAL	3918	9.5	97	1	2	7	12	21	28	54

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	4.4	5	2	2	4	5	7	8	13
20-34	13	7.5	15	2	3	7	9	14	16	16
35-49	4	14.5	43	6	6	15	19	22	22	22
50-64	14	13.4	30	7	8	13	15	20	26	28
65+	14	16.1	153	6	7	13	17	31	49	54
2. MULTIPLE DX										
0-19 YRS	85	6.3	19	2	3	6	7	10	12	76
20-34	10	16.6	157	5	7	12	20	36	49	49
35-49	13	17.3	111	4	6	14	23	34	38	39
50-64	30	17.1	134	8	8	13	22	31	39	61
65+	61	23.2	210	8	9	20	30	44	53	98
TOT. SINGLE DX	561	5.0	15	2	2	4	6	8	12	20
" MULTIPLE DX	199	14.3	160	3	4	10	20	33	42	93
TOTAL 0-19 YRS	601	4.6	7	2	2	4	6	7	9	15
20-34	23	11.5	94	3	4	9	13	21	32	49
35-49	17	16.6	93	5	6	15	22	31	37	39
50-64	44	16.0	103	7	8	13	19	24	38	61
65+	75	21.9	205	7	9	19	28	44	54	96
GRAND TOTAL	760	7.5	70	2	3	5	8	15	24	49

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	25.8	340	3	3	28	39	50	50	50
20-34	14	10.7	24	3	6	10	16	19	80	99+
35-49	11	11.5	24	5	6	11	16	45	92	99+
50-64	31	13.7	86	3	5	11	18	26	32	44
65+	44	21.4	252	6	7	15	29	42	58	67
2. MULTIPLE DX										
0-19 YRS	24	23.1	306	4	5	24	37	92	99+	99+
20-34	21	25.4	497	5	6	22	56	99+	99+	99+
35-49	38	22.8	248	6	7	17	37	51	59	99+
50-64	119	24.1	292	6	8	19	34	59	67	99+
65+	320	25.7	308	7	9	22	34	52	74	99+
TOT. SINGLE DX	105	16.9	171	5	6	12	22	38	52	99+
" MULTIPLE DX	522	25.0	306	6	8	21	35	57	76	99+
TOTAL 0-19 YRS	29	23.6	301	3	5	24	37	75	99+	99+
20-34	35	19.5	355	5	6	14	26	95	99+	99+
35-49	49	20.3	219	5	7	15	32	51	59	99+
50-64	150	22.0	266	5	7	17	32	47	64	99+
65+	364	25.2	303	7	9	21	34	52	68	99+
GRAND TOTAL	627	23.7	292	6	8	19	33	52	72	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	5.8	11	1	2	5	8	12	12	12
20-34	145	7.3	53	2	2	6	8	13	15	33
35-49	242	7.0	35	2	2	6	8	12	17	30
50-64	310	7.4	29	2	2	6	10	14	17	29
65+	337	8.7	38	2	3	7	11	16	20	31
2. MULTIPLE DX										
0-19 YRS	37	8.4	58	2	2	6	10	16	21	44
20-34	360	8.1	48	2	2	6	10	15	19	34
35-49	745	8.9	63	2	3	7	10	16	21	45
50-64	1272	9.7	54	3	3	8	12	18	24	37
65+	1727	11.7	80	3	4	9	14	22	28	44
TOT. SINGLE DX	1057	7.7	37	2	2	6	10	14	18	31
" MULTIPLE DX	4141	10.2	67	2	3	8	13	19	25	42
TOTAL 0-19 YRS	60	7.4	41	2	2	6	9	12	17	42
20-34	505	7.8	49	2	2	6	9	15	18	34
35-49	987	8.4	57	2	3	7	10	15	20	41
50-64	1582	9.2	50	2	3	8	11	17	23	34
65+	2064	11.2	74	3	4	9	14	21	27	43
GRAND TOTAL	5198	9.7	62	2	3	8	12	18	24	39

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.3	20	3	3	9	12	16	16	16
20-34	142	12.8	52	3	6	11	15	22	29	37
35-49	300	13.4	39	8	8	12	16	20	23	34
50-64	319	14.7	40	7	8	14	17	22	27	38
65+	234	17.6	66	9	10	16	20	28	31	53
2. MULTIPLE DX										
0-19 YRS	19	21.3	373	7	8	13	28	65	93	99+
20-34	149	17.2	112	7	8	14	21	30	40	66
35-49	399	17.8	114	8	9	15	20	30	44	72
50-64	584	19.7	126	9	10	17	24	34	45	82
65+	637	22.9	161	9	11	20	28	39	51	79
TOT. SINGLE DX	1004	14.7	51	7	8	13	17	23	28	40
" MULTIPLE DX	1788	20.2	142	8	10	17	25	36	47	80
TOTAL 0-19 YRS	28	17.4	287	3	7	13	20	43	88	99+
20-34	291	15.1	87	6	8	12	18	27	35	61
35-49	699	15.9	87	8	8	13	18	25	35	68
50-64	903	18.0	101	8	9	15	22	31	39	68
65+	871	21.5	141	9	10	19	26	36	46	74
GRAND TOTAL	**2792**	**18.2**	**116**	**8**	**9**	**15**	**22**	**31**	**40**	**70**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	10	24.4	224	10	11	19	32	50	54	54
50-64	27	20.4	68	10	10	19	23	34	36	43
65+	27	22.8	124	11	13	18	27	38	45	58
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	23.8	147	12	12	22	32	41	42	42
35-49	11	25.4	73	13	15	26	29	37	43	44
50-64	61	26.2	257	11	13	21	31	48	65	99+
65+	95	29.0	300	12	14	25	35	57	77	99+
TOT. SINGLE DX	65	21.8	115	10	11	18	26	37	44	57
" MULTIPLE DX	174	27.5	265	11	13	23	33	54	69	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	21.6	158	8	9	16	31	40	42	42
35-49	21	24.9	137	11	13	22	30	45	50	54
50-64	88	24.4	205	10	12	20	30	44	55	98
65+	122	27.6	266	11	13	24	34	55	68	99+
GRAND TOTAL	**239**	**25.9**	**230**	**10**	**13**	**22**	**32**	**47**	**59**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	10.7	18	4	6	11	13	16	19	20
20-34	125	11.7	29	6	7	10	14	19	22	32
35-49	203	12.1	44	7	7	10	14	19	21	40
50-64	159	14.1	68	8	8	12	16	21	25	57
65+	100	13.2	33	6	8	12	15	20	24	37
2. MULTIPLE DX										
0-19 YRS	11	20.8	434	9	9	11	27	49	76	79
20-34	119	13.9	96	7	8	12	15	20	29	68
35-49	237	14.9	78	7	8	12	17	24	31	57
50-64	286	18.4	127	7	9	15	22	33	42	72
65+	209	21.5	143	9	10	18	26	40	47	62
TOT. SINGLE DX	605	12.7	45	7	7	11	14	19	23	41
" MULTIPLE DX	862	17.6	124	7	8	15	21	30	42	64
TOTAL 0-19 YRS	29	14.6	190	6	7	11	14	26	31	79
20-34	244	12.7	62	7	7	11	14	19	23	44
35-49	440	13.6	64	7	7	11	16	21	27	49
50-64	445	16.8	110	8	8	14	19	28	38	66
65+	309	18.8	122	8	9	15	23	36	43	56
GRAND TOTAL	**1467**	**15.6**	**98**	**7**	**8**	**13**	**18**	**26**	**36**	**58**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	7.6	12	3	3	8	9	12	15	17
20-34	430	9.2	13	6	6	8	10	14	17	22
35-49	377	10.3	40	6	6	9	11	15	19	38
50-64	239	12.1	75	5	6	10	14	18	23	65
65+	155	14.5	97	6	7	11	17	27	31	62
2. MULTIPLE DX										
0-19 YRS	60	14.3	201	3	5	10	13	34	99	99+
20-34	481	11.6	45	6	7	9	14	19	26	63
35-49	626	13.9	94	6	7	11	16	24	35	57
50-64	544	17.6	162	6	8	13	21	35	45	79
65+	566	21.1	160	7	9	18	26	38	49	71
TOT. SINGLE DX	1269	10.6	46	5	6	9	12	17	20	40
" MULTIPLE DX	2277	16.1	131	6	7	12	19	31	41	71
TOTAL 0-19 YRS	128	10.8	111	3	4	8	12	23	33	99+
20-34	911	10.5	31	6	6	9	12	17	20	38
35-49	1003	12.5	77	6	7	10	14	21	30	55
50-64	783	15.9	142	6	7	12	18	29	42	69
65+	721	19.7	153	7	8	17	24	36	46	66
GRAND TOTAL	**3546**	**14.1**	**108**	**6**	**7**	**11**	**17**	**26**	**36**	**65**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	4.5	10	1	1	4	6	8	10	14
20-34	351	5.9	24	1	2	5	8	12	16	22
35-49	414	5.4	25	1	1	3	7	11	16	26
50-64	721	4.8	23	1	1	3	7	11	15	21
65+	681	5.7	43	1	1	3	8	12	17	33
2. MULTIPLE DX										
0-19 YRS	215	6.0	74	1	1	4	7	12	15	39
20-34	471	8.5	50	2	3	7	10	16	23	38
35-49	680	8.4	48	2	2	7	11	16	22	32
50-64	1461	8.6	63	2	2	6	11	18	24	42
65+	1920	10.1	73	2	2	8	14	21	26	46
TOT. SINGLE DX	2312	5.3	29	1	1	3	7	12	15	25
" MULTIPLE DX	4747	9.1	65	2	2	7	12	18	24	41
TOTAL 0-19 YRS	360	5.4	49	1	1	4	7	11	14	33
20-34	822	7.4	41	1	2	6	9	14	19	37
35-49	1094	7.3	42	1	2	6	9	14	19	30
50-64	2182	7.3	53	1	2	5	10	15	21	36
65+	2601	9.0	69	1	2	7	12	19	24	43
GRAND TOTAL	**7059**	**7.8**	**56**	**1**	**2**	**6**	**10**	**16**	**22**	**38**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.4	55	5	5	8	9	12	22	45
20-34	54	11.5	42	6	6	10	13	18	24	43
35-49	77	13.1	38	6	7	11	17	23	26	30
50-64	76	15.3	67	8	8	13	18	26	39	86
65+	90	15.3	46	7	9	13	19	25	29	75
2. MULTIPLE DX										
0-19 YRS	80	18.8	314	6	7	12	22	56	77	99+
20-34	168	15.9	112	7	7	12	19	27	37	64
35-49	187	18.6	189	7	8	14	22	38	50	99
50-64	294	22.6	257	8	9	18	27	47	61	99+
65+	475	22.5	175	9	10	19	27	42	54	75
TOT. SINGLE DX	328	13.6	53	6	7	12	16	23	27	45
" MULTIPLE DX	1204	20.8	203	7	8	17	25	41	55	99+
TOTAL 0-19 YRS	111	16.2	259	5	6	10	18	48	70	99+
20-34	222	14.8	99	6	7	12	17	25	36	63
35-49	264	17.0	151	7	7	13	20	32	42	93
50-64	370	21.1	226	8	9	17	25	44	59	99+
65+	565	21.4	162	9	10	18	26	39	51	75
GRAND TOTAL	**1532**	**19.2**	**180**	**7**	**8**	**15**	**23**	**38**	**51**	**97**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	12.3	55	5	7	11	13	17	29	45
20-34	180	14.2	81	7	8	12	16	22	27	44
35-49	319	13.7	44	7	8	13	16	20	23	52
50-64	840	14.5	38	8	9	13	16	21	26	39
65+	1193	16.5	51	9	10	15	19	25	30	42
2. MULTIPLE DX										
0-19 YRS	73	23.8	417	6	7	16	35	69	96	99+
20-34	281	18.4	165	7	8	15	22	33	45	74
35-49	573	17.1	95	8	9	14	19	29	39	61
50-64	1805	18.5	108	9	10	16	21	30	39	71
65+	3790	21.5	131	10	11	18	25	35	45	68
TOT. SINGLE DX	2581	15.3	49	8	9	14	17	23	28	42
" MULTIPLE DX	6522	20.2	129	9	11	17	24	34	43	71
TOTAL 0-19 YRS	122	19.2	302	6	7	13	22	51	81	99+
20-34	461	16.8	137	7	8	13	19	28	37	67
35-49	892	15.9	79	8	9	14	18	26	34	61
50-64	2645	17.2	89	9	10	15	19	27	35	60
65+	4983	20.3	116	10	11	17	24	33	42	65
GRAND TOTAL	**9103**	**18.8**	**111**	**9**	**10**	**16**	**22**	**31**	**39**	**64**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	11.1	105	3	4	8	10	28	38	38
20-34	22	13.4	108	5	6	12	16	26	71	99+
35-49	36	12.1	30	6	7	10	14	20	26	28
50-64	56	15.6	73	6	7	14	20	26	34	47
65+	49	18.5	113	8	9	16	21	38	48	99+
2. MULTIPLE DX										
0-19 YRS	21	15.4	85	5	7	15	21	51	99+	99+
20-34	60	21.6	344	5	7	15	24	54	61	89
35-49	73	18.1	182	8	9	14	20	30	43	83
50-64	150	21.9	231	8	10	18	27	42	52	99+
65+	291	24.2	215	8	10	21	31	44	55	68
TOT. SINGLE DX	173	15.2	86	6	7	12	19	26	38	89
" MULTIPLE DX	595	22.3	228	8	9	18	28	43	56	93
TOTAL 0-19 YRS	31	14.0	93	4	6	12	19	38	91	99+
20-34	82	19.4	292	5	7	15	22	53	61	97
35-49	109	16.1	139	7	8	13	19	26	34	74
50-64	206	20.2	196	7	9	16	24	35	48	99
65+	340	23.4	204	8	10	19	30	43	53	70
GRAND TOTAL	**768**	**20.7**	**205**	**7**	**8**	**17**	**25**	**40**	**52**	**95**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	8.1	23	2	3	8	10	13	15	27
20-34	305	10.0	20	5	6	9	12	15	18	25
35-49	223	10.8	25	5	6	10	12	17	20	28
50-64	240	11.6	68	4	5	10	13	17	24	51
65+	315	12.5	56	5	6	11	15	20	24	44
2. MULTIPLE DX										
0-19 YRS	180	13.3	150	4	5	9	15	32	40	92
20-34	412	13.1	92	6	6	10	14	23	30	57
35-49	379	15.2	118	5	7	12	18	26	39	64
50-64	536	16.0	119	6	7	13	19	31	42	91
65+	748	17.4	134	6	8	14	20	32	41	64
TOT. SINGLE DX	1218	10.9	42	4	5	10	13	17	21	37
" MULTIPLE DX	2255	15.6	124	6	7	12	18	29	39	65
TOTAL 0-19 YRS	315	11.1	102	3	4	8	12	20	33	76
20-34	717	11.8	64	5	6	10	13	20	25	49
35-49	602	13.6	88	5	6	11	15	24	31	53
50-64	776	14.6	107	5	7	12	17	26	38	71
65+	1063	16.0	116	6	7	13	18	28	38	63
GRAND TOTAL	**3473**	**14.0**	**100**	**5**	**6**	**11**	**16**	**25**	**34**	**61**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	9.7	23	3	3	10	12	17	18	18
20-34	28	12.4	128	3	3	10	13	21	38	59
35-49	32	15.1	74	4	4	13	20	27	30	38
50-64	62	15.3	40	5	7	14	19	25	27	30
65+	110	19.6	114	8	9	17	24	33	42	61
2. MULTIPLE DX										
0-19 YRS	27	20.7	173	4	8	18	29	41	66	99+
20-34	51	17.7	246	3	4	13	20	46	52	99+
35-49	109	21.3	270	4	6	16	26	48	57	96
50-64	226	22.3	187	8	10	18	28	45	61	99+
65+	518	25.9	205	10	12	23	32	45	58	99+
TOT. SINGLE DX	245	16.6	95	4	7	14	20	28	34	56
" MULTIPLE DX	931	23.9	214	7	10	20	30	45	59	99+
TOTAL 0-19 YRS	40	17.1	150	3	5	14	24	35	52	99+
20-34	79	15.8	209	3	4	12	17	44	50	92
35-49	141	19.9	231	4	5	16	24	42	56	94
50-64	288	20.8	164	7	10	17	26	39	55	87
65+	628	24.8	194	9	12	22	30	44	57	91
GRAND TOTAL	**1176**	**22.4**	**198**	**6**	**9**	**19**	**28**	**43**	**56**	**97**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9460	4.3	8	2	2	4	5	7	9	15
20-34	5507	4.6	8	2	2	4	5	7	9	15
35-49	1558	5.6	15	2	3	5	7	10	12	17
50-64	898	7.2	25	3	3	6	9	13	15	21
65+	395	8.9	28	3	4	8	11	15	19	26
2. MULTIPLE DX										
0-19 YRS	2132	6.7	33	2	3	5	8	12	17	30
20-34	1577	7.0	23	3	3	6	8	13	16	26
35-49	641	9.8	49	3	4	8	12	18	24	40
50-64	522	12.2	73	4	4	10	15	22	29	46
65+	469	15.0	117	4	6	12	18	27	35	67
TOT. SINGLE DX	17818	4.7	11	2	2	4	5	8	10	17
" MULTIPLE DX	5341	8.4	50	3	3	6	10	16	21	36
TOTAL 0-19 YRS	11592	4.8	14	2	2	4	5	8	11	19
20-34	7084	5.1	12	2	3	4	6	9	11	18
35-49	2199	6.8	28	2	3	5	8	12	15	28
50-64	1420	9.0	49	3	3	7	11	16	21	36
65+	864	12.2	86	3	4	10	15	22	28	53
GRAND TOTAL	**23159**	**5.6**	**22**	**2**	**2**	**4**	**6**	**10**	**14**	**25**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.9	10	2	3	4	6	8	10	20
20-34	112	5.4	9	2	3	5	7	9	10	18
35-49	34	8.1	32	3	3	7	9	14	21	28
50-64	17	8.8	20	4	4	8	10	14	20	22
65+	9	11.2	13	6	6	10	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	42	6.1	13	2	3	5	8	10	13	20
20-34	66	7.3	27	3	4	6	8	11	18	32
35-49	35	10.8	73	4	4	9	14	17	20	52
50-64	21	15.3	101	6	7	11	21	29	37	45
65+	9	12.6	24	7	7	12	16	61	99+	99+
TOT. SINGLE DX	298	5.9	15	2	3	5	7	10	13	22
" MULTIPLE DX	173	9.0	50	3	4	7	10	16	23	50
TOTAL 0-19 YRS	168	5.2	11	2	3	4	6	9	11	20
20-34	178	6.1	16	3	3	5	7	10	12	27
35-49	69	9.5	54	3	4	7	12	17	21	47
50-64	38	12.4	74	4	5	10	14	25	29	45
65+	18	11.9	18	6	7	12	15	20	65	99+
GRAND TOTAL	**471**	**7.0**	**30**	**3**	**3**	**6**	**8**	**13**	**17**	**31**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	8.7	25	3	3	8	11	15	17	28
20-34	34	8.7	26	2	3	8	11	16	17	26
35-49	18	9.7	48	2	3	8	11	20	25	28
50-64	13	14.1	80	3	3	12	22	27	29	29
65+	3	7.3	2	6	6	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	19	11.8	65	4	4	10	13	21	30	37
20-34	13	9.9	22	4	5	8	14	18	18	18
35-49	9	11.7	21	3	5	12	15	17	18	18
50-64	11	15.8	63	4	6	14	22	26	30	30
65+	11	14.5	55	4	6	14	19	25	30	31
TOT. SINGLE DX	130	9.3	35	3	3	8	11	17	22	29
" MULTIPLE DX	63	12.6	49	4	5	11	16	21	26	36
TOTAL 0-19 YRS	81	9.4	35	3	4	9	12	16	20	35
20-34	47	9.0	25	3	3	8	11	16	18	26
35-49	27	10.3	39	3	3	9	14	19	22	28
50-64	24	14.9	70	3	4	13	22	26	29	30
65+	14	13.0	52	4	6	12	16	21	29	31
GRAND TOTAL	193	10.4	42	3	4	9	14	19	23	31

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	237	4.1	14	1	1	3	5	8	11	20
20-34	288	4.7	18	1	2	4	6	9	10	18
35-49	226	4.9	14	1	2	4	6	10	13	18
50-64	280	5.2	29	1	2	3	6	10	13	25
65+	389	6.2	44	2	2	4	7	13	19	45
2. MULTIPLE DX										
0-19 YRS	122	7.6	96	1	2	4	8	19	30	74
20-34	228	7.1	51	2	2	5	8	13	20	37
35-49	315	7.3	42	1	2	6	9	13	18	40
50-64	585	8.4	49	2	2	6	11	17	23	35
65+	913	11.3	102	2	3	8	14	22	29	59
TOT. SINGLE DX	1420	5.1	26	1	2	4	6	10	13	27
" MULTIPLE DX	2163	9.3	76	2	2	7	11	19	25	51
TOTAL 0-19 YRS	359	5.3	44	1	1	3	6	11	17	34
20-34	516	5.8	34	1	2	4	7	10	14	30
35-49	541	6.3	32	1	2	5	8	12	15	28
50-64	865	7.4	45	2	2	5	9	15	22	34
65+	1302	9.8	90	2	2	7	12	20	26	55
GRAND TOTAL	3583	7.6	61	1	2	5	9	16	22	45

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	3.6	6	1	1	3	4	7	9	13
20-34	492	3.8	15	1	1	3	4	7	8	11
35-49	311	3.9	7	1	1	3	5	7	8	17
50-64	176	4.4	9	1	2	4	5	8	9	18
65+	65	7.2	53	2	2	5	9	12	16	49
2. MULTIPLE DX										
0-19 YRS	32	6.1	44	1	1	4	6	11	20	35
20-34	211	5.4	18	2	2	4	6	10	14	19
35-49	204	6.2	28	2	2	4	8	13	17	32
50-64	173	7.8	72	2	3	5	10	15	20	78
65+	101	14.8	238	2	3	10	20	33	42	79
TOT. SINGLE DX	1138	4.1	14	1	2	3	5	7	9	15
" MULTIPLE DX	721	7.6	75	2	2	5	9	16	22	51
TOTAL 0-19 YRS	126	4.3	17	1	1	3	5	8	10	24
20-34	703	4.3	17	1	2	3	5	8	9	18
35-49	515	4.8	17	1	2	4	6	9	13	25
50-64	349	6.1	43	2	2	4	7	12	16	31
65+	166	11.9	179	2	2	8	14	26	37	75
GRAND TOTAL	1859	5.5	40	1	2	4	6	10	15	35

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.5	317	1	2	9	11	17	46	90
20-34	35	10.6	88	2	2	7	13	28	33	35
35-49	80	13.7	74	3	4	13	18	22	28	44
50-64	217	17.2	51	8	10	16	20	25	29	46
65+	305	19.5	59	10	12	18	23	29	34	45
2. MULTIPLE DX										
0-19 YRS	22	19.1	296	4	5	13	25	41	57	79
20-34	58	13.7	134	3	3	11	17	23	34	70
35-49	121	16.5	120	4	5	15	21	33	42	54
50-64	352	19.8	105	6	10	18	24	34	40	55
65+	633	23.7	162	8	11	21	29	42	50	68
TOT. SINGLE DX	661	17.3	75	4	7	16	22	28	32	45
" MULTIPLE DX	1186	21.2	150	5	9	19	26	37	46	67
TOTAL 0-19 YRS	46	15.2	315	2	2	10	16	32	49	90
20-34	93	12.5	118	2	3	10	16	23	33	61
35-49	201	15.4	103	4	4	14	19	26	40	50
50-64	569	18.8	86	6	10	17	23	30	37	54
65+	938	22.3	132	9	11	20	26	37	46	66
GRAND TOTAL	1847	19.8	127	5	8	18	24	34	42	59

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.0	27	1	1	4	6	9	10	33
20-34	214	5.0	9	2	2	4	7	9	10	15
35-49	287	6.1	28	2	2	5	7	12	17	29
50-64	222	6.9	50	1	2	5	8	14	17	39
65+	195	7.8	35	1	2	6	11	16	18	31
2. MULTIPLE DX										
0-19 YRS	43	8.1	35	2	2	8	11	16	22	24
20-34	433	7.8	36	2	3	6	10	16	20	28
35-49	703	9.2	66	2	3	7	11	17	24	40
50-64	998	10.4	68	2	3	8	13	20	25	47
65+	1145	12.7	97	3	4	10	16	24	31	53
TOT. SINGLE DX	959	6.3	31	1	2	5	8	13	16	29
" MULTIPLE DX	3322	10.6	76	2	3	8	13	21	26	47
TOTAL 0-19 YRS	84	6.6	33	1	2	5	9	12	20	30
20-34	647	6.9	28	2	2	5	9	13	18	27
35-49	990	8.3	57	2	2	6	10	16	23	35
50-64	1220	9.7	67	2	3	8	12	18	24	47
65+	1340	12.0	91	2	3	9	16	23	29	51
GRAND TOTAL	**4281**	**9.6**	**69**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	3.8	17	1	1	3	5	5	6	29
20-34	525	4.3	22	2	2	4	5	6	8	15
35-49	462	4.3	8	2	2	4	5	7	8	14
50-64	266	4.5	7	2	2	4	5	7	9	16
65+	71	4.7	6	2	3	4	6	8	9	16
2. MULTIPLE DX										
0-19 YRS	29	5.1	17	1	1	4	6	12	13	19
20-34	369	4.8	6	2	3	4	6	8	9	14
35-49	453	5.3	12	2	3	4	6	9	10	22
50-64	355	5.6	10	2	3	5	7	9	12	15
65+	186	7.9	51	3	3	6	9	13	19	45
TOT. SINGLE DX	1394	4.3	13	2	2	4	5	7	8	16
" MULTIPLE DX	1392	5.6	16	2	3	5	7	9	12	22
TOTAL 0-19 YRS	99	4.2	17	1	1	3	5	7	12	26
20-34	894	4.5	15	2	2	4	5	7	9	15
35-49	915	4.8	10	2	2	4	6	8	9	20
50-64	621	5.1	9	2	2	4	6	8	11	16
65+	257	7.0	41	3	3	5	8	12	15	36
GRAND TOTAL	**2786**	**5.0**	**15**	**2**	**2**	**4**	**6**	**8**	**10**	**19**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	3.2	4	1	1	3	4	6	6	10
20-34	566	3.5	3	1	2	3	4	6	7	10
35-49	294	4.2	4	2	2	4	5	7	8	11
50-64	167	4.8	12	2	2	4	6	8	9	22
65+	78	5.3	13	2	2	4	6	9	14	20
2. MULTIPLE DX										
0-19 YRS	60	4.8	13	1	2	4	5	8	10	24
20-34	475	4.8	9	2	2	4	6	8	10	17
35-49	522	5.4	10	2	3	5	6	9	12	20
50-64	409	6.9	47	3	3	5	8	11	14	33
65+	213	9.1	64	3	3	7	12	16	21	41
TOT. SINGLE DX	1214	3.9	6	1	2	3	5	6	8	13
" MULTiPLE DX	1679	6.1	28	2	3	5	7	10	14	26
TOTAL 0-19 YRS	169	3.8	7	1	1	3	5	6	8	12
20-34	1041	4.1	6	1	2	4	5	7	8	12
35-49	816	5.0	8	2	3	4	6	8	10	18
50-64	576	6.3	38	2	3	5	7	10	13	31
65+	291	8.1	53	2	3	6	10	15	20	39
GRAND TOTAL	**2893**	**5.2**	**20**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	4.8	5	1	2	5	6	8	9	11
20-34	879	5.3	5	3	3	5	6	8	9	13
35-49	1061	5.6	6	3	3	5	7	8	9	13
50-64	658	6.1	20	3	3	5	7	9	11	16
65+	204	6.6	16	2	3	6	8	10	12	23
2. MULTIPLE DX										
0-19 YRS	120	5.5	11	2	3	5	6	8	10	21
20-34	3151	5.9	12	3	3	5	7	9	11	16
35-49	4572	6.4	13	3	4	6	7	10	12	19
50-64	3264	7.1	15	3	4	6	8	11	14	21
65+	1372	8.7	33	3	4	7	10	15	20	33
TOT. SINGLE DX	2855	5.7	9	3	3	5	7	9	10	14
" MULTIPLE DX	12479	6.7	16	3	4	6	8	11	13	22
TOTAL 0-19 YRS	173	5.3	10	2	3	5	6	8	9	17
20-34	4030	5.8	10	3	3	5	7	9	10	15
35-49	5633	6.3	12	3	3	6	7	9	12	18
50-64	3922	6.9	16	3	4	6	8	11	14	20
65+	1576	8.4	32	3	4	7	10	14	19	32
GRAND TOTAL	**15334**	**6.5**	**15**	**3**	**3**	**6**	**8**	**10**	**13**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.5	6	1	1	3	4	7	9	13
20-34	485	4.0	12	1	2	3	5	7	8	14
35-49	400	4.1	6	1	2	3	5	7	8	13
50-64	194	4.5	8	1	2	4	5	8	10	15
65+	118	5.6	11	2	2	5	7	9	12	19
2. MULTIPLE DX										
0-19 YRS	61	5.5	35	1	1	4	6	12	26	92
20-34	275	5.6	21	2	2	4	6	10	13	22
35-49	307	6.5	59	2	2	5	7	11	16	28
50-64	315	7.0	57	2	2	5	8	13	17	45
65+	260	9.1	45	2	3	7	11	18	23	33
TOT. SINGLE DX	1318	4.2	9	1	2	3	5	7	9	14
" MULTIPLE DX	1218	6.9	47	2	2	5	8	13	17	34
TOTAL 0-19 YRS	182	4.2	17	1	1	3	5	8	12	30
20-34	760	4.5	16	1	2	4	5	8	10	20
35-49	707	5.1	30	2	2	4	6	9	11	19
50-64	509	6.0	39	2	2	4	7	11	14	31
65+	378	8.0	37	2	3	6	10	16	19	32
GRAND TOTAL	**2536**	**5.5**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	12.0	127	2	2	8	16	31	36	36
20-34	18	8.2	118	1	1	5	8	16	36	48
35-49	11	9.0	111	1	1	4	10	27	34	35
50-64	14	6.0	19	1	2	4	8	13	14	14
65+	11	12.5	33	3	4	14	16	20	20	20
2. MULTIPLE DX										
0-19 YRS	11	8.7	64	2	2	7	9	21	29	30
20-34	39	15.1	224	2	4	10	17	25	59	67
35-49	35	14.7	207	2	3	10	19	41	50	59
50-64	44	13.2	115	2	2	10	17	34	37	44
65+	38	17.8	230	3	4	15	23	36	45	78
TOT. SINGLE DX	62	9.1	81	1	2	6	13	20	27	47
" MULTIPLE DX	167	14.7	184	2	3	10	20	30	44	67
TOTAL 0-19 YRS	19	10.1	88	2	2	7	12	26	33	36
20-34	57	12.9	198	1	2	10	15	24	51	67
35-49	46	13.3	187	2	2	9	17	34	47	59
50-64	58	11.4	101	1	2	8	14	26	36	44
65+	49	16.6	189	3	4	15	22	28	41	78
GRAND TOTAL	**229**	**13.2**	**162**	**2**	**2**	**9**	**16**	**27**	**41**	**65**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	6.3	29	1	2	4	9	14	16	27
20-34	397	5.7	35	1	1	3	8	12	17	31
35-49	285	6.9	49	1	2	4	9	15	22	34
50-64	393	7.9	56	1	2	5	11	18	23	39
65+	244	10.5	75	1	2	9	15	19	24	44
2. MULTIPLE DX										
0-19 YRS	144	14.9	182	2	3	11	20	32	45	81
20-34	525	11.2	127	2	2	8	14	22	32	70
35-49	849	12.2	98	2	3	10	16	24	31	48
50-64	1378	12.3	96	2	3	10	16	25	32	52
65+	1244	14.8	108	3	4	12	19	28	35	54
TOT. SINGLE DX	1397	7.4	53	1	2	5	10	17	21	37
" MULTIPLE DX	4140	13.0	109	2	3	11	17	26	33	55
TOTAL 0-19 YRS	222	11.9	145	2	2	8	15	27	40	65
20-34	922	8.8	95	1	2	7	11	18	25	52
35-49	1134	10.8	91	2	2	9	14	22	29	47
50-64	1771	11.3	91	2	2	9	15	23	30	50
65+	1488	14.1	105	2	3	12	18	27	35	54
GRAND TOTAL	**5537**	**11.6**	**100**	**2**	**2**	**9**	**15**	**24**	**31**	**51**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	442	7.7	10	4	5	7	9	11	13	18
20-34	5061	7.9	11	5	5	7	9	12	13	19
35-49	4636	8.5	14	5	5	8	10	12	14	21
50-64	4526	9.4	16	5	6	8	11	14	17	24
65+	2766	11.4	27	6	7	10	14	18	21	30
2. MULTIPLE DX										
0-19 YRS	287	10.1	27	5	6	9	12	16	20	30
20-34	3612	10.1	31	5	6	9	12	16	19	31
35-49	4496	11.2	41	5	6	10	13	18	22	35
50-64	6475	12.9	55	6	7	11	15	21	26	42
65+	6906	16.3	80	7	8	14	19	27	33	52
TOT. SINGLE DX	17431	9.0	17	5	5	8	10	14	16	23
" MULTIPLE DX	21776	13.1	61	6	6	11	16	22	27	45
TOTAL 0-19 YRS	729	8.6	18	5	5	7	10	13	15	27
20-34	8673	8.8	21	5	5	8	10	13	16	25
35-49	9132	9.8	29	5	6	8	11	15	19	29
50-64	11001	11.5	42	6	6	10	13	18	23	37
65+	9672	14.9	70	7	8	13	18	25	30	49
GRAND TOTAL	**39207**	**11.3**	**46**	**5**	**6**	**9**	**13**	**19**	**23**	**38**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	12.1	155	1	1	7	22	29	38	41
20-34	72	9.3	34	2	3	9	12	17	20	25
35-49	95	10.5	57	2	3	9	15	19	21	41
50-64	143	14.2	87	3	4	12	18	27	35	57
65+	243	16.8	101	3	6	16	21	27	34	56
2. MULTIPLE DX										
0-19 YRS	11	11.9	218	1	3	7	13	32	52	54
20-34	83	15.4	156	3	5	12	20	29	34	74
35-49	133	15.8	110	2	6	14	19	28	41	68
50-64	303	19.2	149	4	7	16	24	35	47	67
65+	682	21.9	136	9	11	19	27	37	45	61
TOT. SINGLE DX	568	14.0	91	2	3	13	18	25	31	52
" MULTIPLE DX	1212	20.0	144	6	8	17	25	35	45	63
TOTAL 0-19 YRS	26	12.0	174	1	1	7	16	29	44	54
20-34	155	12.6	108	3	3	10	16	25	30	68
35-49	228	13.6	94	2	3	12	17	25	30	56
50-64	446	17.6	134	3	6	15	23	33	41	64
65+	925	20.6	131	7	10	18	25	35	42	60
GRAND TOTAL	1780	18.1	135	3	6	16	23	33	40	61

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	7.6	33	1	1	6	10	17	19	19
20-34	59	9.3	69	2	2	7	12	19	27	44
35-49	81	11.2	125	2	2	8	15	23	30	66
50-64	118	14.1	106	2	2	12	21	28	33	46
65+	93	17.7	195	2	3	15	25	34	45	70
2. MULTIPLE DX										
0-19 YRS	17	19.9	397	4	5	13	23	30	70	91
20-34	94	15.1	205	3	3	11	18	36	50	88
35-49	173	20.3	309	3	4	13	29	46	57	89
50-64	255	20.9	266	3	5	17	28	43	51	73
65+	281	21.2	275	3	6	16	27	44	57	78
TOT. SINGLE DX	361	13.4	134	2	2	10	19	28	34	49
" MULTIPLE DX	820	20.2	276	3	4	15	27	43	55	81
TOTAL 0-19 YRS	27	15.4	293	2	3	12	21	24	41	91
20-34	153	12.9	160	2	3	10	15	29	39	73
35-49	254	17.4	267	2	3	12	24	41	55	80
50-64	373	18.7	225	2	4	15	25	39	49	72
65+	374	20.4	257	2	4	16	27	43	55	79
GRAND TO[illegible]	1181	18.1	242	2	3	14	24	39	50	77

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	5.1	24	1	1	4	6	10	12	29
20-34	210	6.0	45	1	2	5	7	10	13	31
35-49	221	6.1	27	1	2	5	7	12	15	29
50-64	290	7.4	46	1	2	5	10	15	20	33
65+	288	8.6	82	1	2	6	12	19	24	41
2. MULTIPLE DX										
0-19 YRS	74	7.0	106	1	2	5	8	10	16	71
20-34	430	7.3	28	2	3	6	9	14	18	27
35-49	667	8.2	45	2	3	6	10	15	20	37
50-64	946	9.9	75	2	3	7	12	21	27	49
65+	1376	11.5	85	2	3	9	15	22	30	48
TOT. SINGLE DX	1102	7.0	51	1	2	5	9	14	19	35
" MULTIPLE DX	3493	9.8	70	2	3	8	12	20	26	46
TOTAL 0-19 YRS	167	5.9	61	1	1	4	8	10	13	33
20-34	640	6.9	34	2	2	5	8	13	17	27
35-49	888	7.7	42	2	3	6	9	14	19	35
50-64	1236	9.3	69	2	2	7	11	19	26	48
65+	1664	11.0	85	2	3	9	14	22	30	47
GRAND TOTAL	4595	9.2	67	2	2	7	11	19	25	44

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4636	2.5	6	1	1	2	3	4	5	7
20-34	4150	4.1	3	2	3	4	5	6	7	10
35-49	3776	4.5	5	2	3	4	5	6	8	11
50-64	5175	4.9	6	3	3	5	6	7	8	12
65+	3871	5.7	8	3	3	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	2403	2.9	12	1	1	2	3	5	6	14
20-34	1252	5.0	14	2	3	4	6	8	9	16
35-49	1768	5.9	21	3	3	5	7	9	11	23
50-64	3192	6.8	22	3	3	6	8	11	15	27
65+	3851	8.5	37	3	4	7	10	15	19	36
TOT. SINGLE DX	21608	4.3	7	2	2	4	5	7	8	12
" MULTIPLE DX	12466	6.3	28	2	2	5	7	11	15	28
TOTAL 0-19 YRS	7039	2.7	8	1	1	2	3	4	5	9
20-34	5402	4.3	6	2	3	4	5	6	8	12
35-49	5544	5.0	10	2	3	4	6	7	9	16
50-64	8367	5.6	13	3	3	5	6	9	11	19
65+	7722	7.1	24	3	3	6	8	12	15	28
GRAND TOTAL	34074	5.0	15	2	2	4	6	8	11	20

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1078	2.0	2	<1	1	2	2	3	5	7
20-34	398	4.8	3	3	3	5	5	7	7	10
35-49	556	5.1	3	3	3	5	6	7	8	11
50-64	844	5.6	5	3	3	5	7	8	9	13
65+	575	6.4	8	3	4	6	8	10	11	16
2. MULTIPLE DX										
0-19 YRS	746	2.6	25	<1	<1	2	2	4	6	28
20-34	129	6.2	67	3	3	5	7	8	9	33
35-49	326	6.5	13	3	3	5	7	10	13	23
50-64	638	7.3	20	3	4	6	8	11	14	24
65+	622	8.9	33	4	4	8	10	15	19	32
TOT. SINGLE DX	3451	4.4	7	1	1	4	6	8	9	12
" MULTIPLE DX	2461	6.1	32	1	1	5	8	11	14	28
TOTAL 0-19 YRS	1824	2.3	12	<1	1	2	2	4	5	12
20-34	527	5.1	19	3	3	5	6	7	8	12
35-49	882	5.6	7	3	3	5	6	8	10	16
50-64	1482	6.3	12	3	4	6	7	9	11	20
65+	1197	7.7	22	3	4	7	9	12	16	28
GRAND TOTAL	**5912**	**5.1**	**18**	**1**	**1**	**5**	**6**	**9**	**11**	**20**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1562	2.4	7	1	1	2	3	4	4	6
20-34	448	3.9	4	2	2	3	5	6	8	10
35-49	405	4.3	5	2	2	4	5	7	8	13
50-64	298	5.1	7	2	2	4	7	9	10	15
65+	155	6.2	11	2	3	6	8	10	12	20
2. MULTIPLE DX										
0-19 YRS	371	3.6	15	1	2	3	4	6	9	27
20-34	255	5.5	11	2	2	5	7	9	11	15
35-49	345	6.7	24	2	3	5	8	12	14	22
50-64	412	8.4	30	3	3	7	10	15	19	28
65+	283	9.5	39	3	4	8	12	16	21	35
TOT. SINGLE DX	2868	3.4	8	1	2	3	4	6	8	12
" MULTIPLE DX	1666	6.7	28	2	2	5	8	13	16	29
TOTAL 0-19 YRS	1933	2.7	9	1	1	2	3	4	5	11
20-34	703	4.5	7	2	2	4	6	7	9	13
35-49	750	5.4	15	2	2	4	6	10	12	19
50-64	710	7.0	23	2	3	6	9	13	16	25
65+	438	8.3	32	3	3	7	10	14	19	33
GRAND TOTAL	**4534**	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**12**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.3	4	2	2	3	4	5	6	11
20-34	79	4.4	3	2	3	4	5	7	8	10
35-49	170	4.7	6	2	3	4	6	7	8	12
50-64	229	5.7	8	3	3	5	7	9	12	16
65+	238	7.0	13	3	3	6	9	11	13	17
2. MULTIPLE DX										
0-19 YRS	11	3.8	5	<1	1	4	5	7	8	8
20-34	36	5.4	5	3	3	5	7	9	9	10
35-49	90	6.9	21	3	3	6	8	12	14	29
50-64	135	8.7	40	3	4	7	10	14	19	34
65+	281	9.9	53	3	4	8	12	18	24	34
TOT. SINGLE DX	747	5.6	9	2	3	5	7	9	11	17
" MULTIPLE DX	553	8.7	43	3	4	7	10	15	21	32
TOTAL 0-19 YRS	42	3.4	4	1	2	3	5	6	7	11
20-34	115	4.7	4	2	3	4	6	8	9	10
35-49	260	5.5	12	2	3	5	6	9	11	23
50-64	364	6.8	22	3	3	6	8	11	14	26
65+	519	8.6	37	3	4	7	10	15	18	32
GRAND TOTAL	**1300**	**7.0**	**26**	**2**	**3**	**6**	**8**	**12**	**15**	**27**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	2.6	2	1	1	2	3	5	6	8
20-34	496	4.7	7	2	2	4	6	8	9	15
35-49	860	6.2	11	2	3	6	8	10	11	18
50-64	1020	7.0	14	3	3	6	9	11	13	20
65+	694	7.9	16	3	4	7	9	12	14	24
2. MULTIPLE DX										
0-19 YRS	67	3.6	10	1	1	2	5	7	9	20
20-34	341	6.8	19	2	3	6	8	11	15	25
35-49	727	8.6	39	3	4	7	10	15	19	36
50-64	1057	10.8	64	3	4	9	13	19	24	39
65+	960	11.9	62	4	5	10	14	21	27	43
TOT. SINGLE DX	3291	6.3	14	2	3	6	8	10	12	20
" MULTIPLE DX	3152	10.0	55	3	4	8	12	18	24	39
TOTAL 0-19 YRS	288	2.9	4	1	1	2	3	5	7	10
20-34	837	5.6	13	2	2	5	7	9	11	21
35-49	1587	7.3	25	3	3	6	9	12	16	26
50-64	2077	8.9	43	3	4	[illegible]	[illegible]	15	20	31
65+	1654	10.2	47	4	5	8	12	17	24	39
GRAND TOTAL	**6443**	**8.1**	**38**	**2**	**3**	**7**	**10**	**14**	**18**	**32**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	5.5	21	<1	1	4	8	13	15	18
20-34	72	8.2	71	2	3	6	9	16	19	57
35-49	107	9.5	26	3	4	8	11	15	21	27
50-64	134	10.1	33	4	4	9	13	16	20	32
65+	90	13.4	104	3	4	11	16	23	29	64
2. MULTIPLE DX										
0-19 YRS	43	10.0	180	1	2	7	10	21	49	63
20-34	144	12.4	53	4	6	10	15	21	29	36
35-49	352	12.9	47	6	7	11	15	21	25	38
50-64	413	14.0	67	7	8	12	16	23	28	45
65+	290	16.0	96	6	8	14	19	26	35	77
TOT. SINGLE DX	438	9.9	55	3	4	9	12	17	22	38
" MULTIPLE DX	1242	13.8	72	6	7	12	16	23	29	49
TOTAL 0-19 YRS	78	8.0	113	1	2	5	9	15	24	59
20-34	216	11.0	62	3	4	9	13	19	25	40
35-49	459	12.1	44	5	6	11	15	20	24	36
50-64	547	13.0	61	5	6	11	16	22	27	40
65+	380	15.4	99	5	7	13	19	26	33	75
GRAND TOTAL	**1680**	**12.8**	**71**	**4**	**5**	**11**	**15**	**22**	**27**	**43**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	301	4.2	14	1	1	3	5	9	12	19
20-34	453	5.4	16	1	2	4	7	10	13	19
35-49	319	6.3	34	1	2	5	8	12	17	31
50-54	355	9.0	56	2	2	7	12	18	22	43
65+	290	10.7	72	2	2	9	14	23	28	45
2. MULTIPLE DX										
0-19 YRS	162	6.8	59	2	2	5	8	14	17	63
20-34	410	9.4	93	2	2	7	11	19	27	53
35-49	444	11.1	108	2	3	8	14	22	27	68
50-64	651	15.3	149	3	4	13	19	29	39	70
65+	773	17.7	157	5	6	15	22	33	45	75
TOT. SINGLE DX	1718	6.9	42	1	2	5	9	15	20	34
" MULTIPLE DX	2440	13.7	142	2	3	11	18	27	37	70
TOTAL 0-19 YRS	463	5.1	31	1	2	3	6	10	15	31
20-34	863	7.3	57	2	2	5	9	14	20	36
35-49	763	9.1	83	2	2	6	11	19	24	47
50-64	1006	13.0	125	2	3	10	17	25	34	67
65+	1063	15.8	144	3	5	13	21	30	42	72
GRAND TOTAL	**4158**	**10.9**	**112**	**2**	**2**	**8**	**14**	**23**	**30**	**58**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	483	6.7	21	2	3	6	8	12	16	25
20-34	1044	7.4	32	2	3	6	9	13	16	28
35-49	501	10.0	48	3	4	8	12	18	22	40
50-64	385	12.5	73	5	5	11	15	21	28	46
65+	344	15.7	109	5	7	13	19	27	30	76
2. MULTIPLE DX										
0-19 YRS	500	9.9	82	3	4	7	11	19	32	99+
20-34	1712	9.5	70	3	4	7	11	17	25	48
35-49	976	13.1	91	5	6	10	15	24	31	51
50-64	861	17.9	184	6	7	14	21	35	47	85
65+	1127	21.1	170	8	9	18	26	38	48	93
TOT. SINGLE DX	2757	9.5	57	3	4	7	12	18	23	37
" MULTIPLE DX	5176	14.1	138	4	5	11	18	28	38	74
TOTAL 0-19 YRS	983	8.3	54	3	3	6	9	15	22	53
20-34	2756	8.7	57	3	4	7	10	15	21	43
35-49	1477	12.0	78	4	5	9	14	22	28	50
50-64	1246	16.2	156	5	6	13	19	30	42	76
65+	1471	19.8	161	7	9	17	24	35	45	85
GRAND TOTAL	**7933**	**12.5**	**115**	**3**	**4**	**9**	**15**	**25**	**33**	**64**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	3.2	7	1	1	2	4	6	8	12
20-34	2345	2.7	5	<1	1	2	3	6	7	12
35-49	320	3.3	9	<1	1	2	4	7	10	15
50-64	71	4.2	47	1	1	2	4	8	9	48
65+	27	6.1	35	1	1	3	11	14	17	24
2. MULTIPLE DX										
0-19 YRS	373	4.0	9	1	1	3	5	8	10	14
20-34	2438	3.6	12	<1	1	2	4	7	10	16
35-49	407	4.8	25	1	1	3	7	9	14	27
50-64	125	8.6	85	2	2	6	11	16	20	61
65+	78	12.9	96	2	2	10	17	29	34	41
TOT. SINGLE DX	3198	2.9	7	<1	1	2	3	6	8	12
" MULTIPLE DX	3421	4.2	21	<1	1	2	5	9	12	22
TOTAL 0-19 YRS	808	3.6	8	1	1	3	5	7	9	13
20-34	4783	3.2	9	<1	1	2	4	7	9	15
35-49	727	4.1	18	<1	1	2	5	9	11	22
50-64	196	7.0	75	1	2	4	9	15	19	57
65+	105	11.2	89	1	2	10	14	27	31	40
GRAND TOTAL	**6619**	**3.6**	**15**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	6.8	18	1	2	6	9	11	16	20
20-34	557	7.1	25	2	2	6	9	12	16	26
35-49	430	9.7	42	2	4	8	12	17	19	34
50-64	384	11.6	50	4	5	10	14	20	24	43
65+	351	13.1	42	5	7	11	15	21	24	43
2. MULTIPLE DX										
0-19 YRS	211	9.9	69	2	3	7	12	20	28	99+
20-34	1137	8.9	64	2	2	7	10	16	23	42
35-49	820	13.0	106	4	5	10	15	23	31	58
50-64	831	15.6	129	4	6	12	19	29	38	60
65+	916	19.2	146	7	8	16	24	34	44	67
TOT. SINGLE DX	1864	9.7	42	2	3	8	12	17	21	34
" MULTIPLE DX	3915	13.6	121	3	5	10	17	27	35	60
TOTAL 0-19 YRS	353	8.6	51	2	2	7	10	17	24	60
20-34	1694	8.3	51	2	2	7	10	15	21	37
35-49	1250	11.9	86	3	5	9	14	21	29	55
50-64	1215	14.3	107	4	6	11	17	26	34	57
65+	1267	17.5	124	6	8	14	22	31	41	59
GRAND TOTAL	5779	12.4	99	2	4	10	15	24	31	56

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	12.5	181	5	5	9	12	22	39	79
20-34	73	12.4	87	6	7	9	12	19	34	62
35-49	115	11.0	12	7	8	10	12	15	17	23
50-64	215	13.7	62	7	8	12	15	22	25	44
65+	191	15.0	34	8	9	14	18	23	25	38
2. MULTIPLE DX										
0-19 YRS	92	13.2	116	5	6	11	13	25	39	88
20-34	191	12.8	68	7	7	10	14	20	26	53
35-49	252	15.0	58	7	8	13	18	24	32	46
50-64	457	16.5	104	8	8	14	19	26	31	68
65+	615	19.0	108	9	10	16	22	30	38	70
TOT. SINGLE DX	634	13.4	56	7	8	12	15	21	25	39
" MULTIPLE DX	1607	16.6	99	7	8	14	20	27	35	67
TOTAL 0-19 YRS	132	13.0	134	5	5	10	13	24	39	83
20-34	264	12.7	73	7	7	10	13	19	27	54
35-49	367	13.8	47	7	8	12	16	23	27	40
50-64	672	15.6	92	7	8	13	18	24	29	65
65+	806	18.1	93	9	9	16	21	29	37	66
GRAND TOTAL	2241	15.7	89	7	8	13	19	25	32	60

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	7.6	23	2	2	8	10	13	16	24
20-34	500	9.4	25	2	4	9	11	14	18	31
35-49	586	10.0	33	3	5	9	11	15	21	34
50-64	581	10.1	32	2	4	9	12	16	20	29
65+	278	9.9	37	2	2	10	12	16	20	33
2. MULTIPLE DX										
0-19 YRS	178	12.9	119	3	3	10	16	27	33	66
20-34	510	14.4	162	3	4	11	16	29	43	85
35-49	623	13.7	99	3	6	11	16	24	35	54
50-64	806	14.1	87	3	5	12	17	25	31	50
65+	601	15.4	106	3	6	13	18	27	35	58
TOT. SINGLE DX	2164	9.6	31	2	3	9	11	15	19	31
" MULTIPLE DX	2718	14.3	111	3	5	12	17	26	35	62
TOTAL 0-19 YRS	397	10.0	73	2	3	8	12	18	24	45
20-34	1010	11.9	100	2	4	9	13	20	31	66
35-49	1209	11.9	70	3	5	10	13	20	27	51
50-64	1387	12.4	68	3	5	11	15	21	27	47
65+	879	13.7	91	2	4	11	16	24	31	52
GRAND TOTAL	4882	12.2	81	3	4	10	14	21	28	52

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	8.3	16	2	3	8	11	14	15	20
20-34	576	8.9	16	4	5	8	11	13	15	21
35-49	754	9.1	14	4	5	9	11	14	16	21
50-64	666	9.7	17	4	5	9	11	14	17	25
65+	272	10.9	17	6	7	10	13	16	19	22
2. MULTIPLE DX										
0-19 YRS	27	9.4	44	1	2	8	12	16	42	99+
20-34	246	11.0	47	3	5	10	13	17	22	40
35-49	409	10.8	32	4	6	9	13	17	21	33
50-64	554	12.9	49	6	7	11	15	21	27	40
65+	430	14.7	54	6	7	13	18	25	29	39
TOT. SINGLE DX	2328	9.4	16	4	5	9	11	14	17	22
" MULTIPLE DX	1666	12.5	48	5	6	11	15	21	26	39
TOTAL 0-19 YRS	87	8.7	25	2	3	8	11	14	16	76
20-34	822	9.5	26	3	5	9	11	15	17	27
35-49	1163	9.7	21	4	5	9	12	15	18	25
50-64	1220	11.2	34	5	6	10	13	18	22	36
65+	702	13.2	43	6	7	12	16	22	26	36
GRAND TOTAL	**3994**	**10.7**	**32**	**4**	**5**	**9**	**13**	**17**	**21**	**32**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	9.8	10	6	7	9	11	14	16	22
20-34	41	11.9	13	8	8	11	14	17	20	22
35-49	30	16.2	58	8	9	14	20	25	28	43
50-64	34	15.0	50	4	8	14	17	26	31	32
65+	29	15.2	53	2	5	15	19	24	26	33
2. MULTIPLE DX										
0-19 YRS	233	11.3	28	7	8	10	12	17	23	38
20-34	75	14.2	63	7	8	12	16	24	33	86
35-49	42	19.2	162	7	8	16	27	36	60	99+
50-64	73	17.9	95	5	7	17	25	30	43	87
65+	104	21.9	176	8	11	19	26	40	44	82
TOT. SINGLE DX	343	11.6	28	6	8	10	14	18	23	32
" MULTIPLE DX	527	15.3	99	7	8	12	19	28	36	80
TOTAL 0-19 YRS	442	10.6	20	7	7	9	11	15	19	32
20-34	116	13.4	46	8	8	12	15	21	29	65
35-49	72	18.0	119	8	9	15	23	32	42	93
50-64	107	17.0	82	5	7	15	22	30	34	68
65+	133	20.4	156	5	10	18	24	34	44	80
GRAND TOTAL	**870**	**13.9**	**74**	**7**	**8**	**11**	**16**	**25**	**32**	**53**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	4.5	9	1	1	4	6	8	9	13
20-34	983	4.9	22	2	2	4	6	8	10	15
35-49	1077	4.8	8	2	2	4	6	8	10	14
50-64	720	5.4	15	2	2	4	6	10	12	21
65+	240	6.1	18	2	2	5	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	108	5.0	18	1	1	3	7	11	14	19
20-34	366	6.0	21	2	2	5	7	10	14	24
35-49	437	6.8	28	2	3	5	8	13	17	26
50-64	478	7.2	27	2	3	6	9	14	17	29
65+	333	10.0	56	2	3	8	12	19	24	42
TOT. SINGLE DX	3175	5.1	15	2	2	4	6	9	11	17
" MULTIPLE DX	1722	7.3	33	2	2	6	9	14	18	29
TOTAL 0-19 YRS	263	4.7	13	1	1	4	6	9	12	15
20-34	1349	5.2	22	2	2	4	6	9	11	20
35-49	1514	5.4	15	2	2	5	7	10	12	20
50-64	1198	6.1	20	2	2	5	7	11	15	24
65+	573	8.4	44	2	3	6	11	17	21	37
GRAND TOTAL	**4897**	**5.8**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3160	2.4	7	1	1	2	2	4	6	13
20-34	3155	3.7	11	1	1	3	5	8	10	16
35-49	2909	4.1	15	1	1	3	5	8	11	18
50-64	3307	4.2	16	1	1	3	5	9	11	21
65+	3102	5.0	26	1	1	3	6	10	14	25
2. MULTIPLE DX										
0-19 YRS	3217	3.1	15	1	1	2	3	6	9	17
20-34	4179	5.3	35	1	1	4	7	11	15	28
35-49	4794	6.1	39	1	1	4	8	13	17	33
50-64	7236	7.2	50	1	2	5	9	15	20	35
65+	10249	9.6	81	2	2	7	12	20	27	44
TOT. SINGLE DX	15633	3.9	16	1	1	2	5	8	11	19
" MULTIPLE DX	29675	7.1	58	1	1	5	9	15	21	38
TOTAL 0-19 YRS	6377	2.7	11	1	1	2	3	5	8	16
20-34	7334	4.6	25	1	1	3	6	9	13	24
35-49	7703	5.3	31	1	1	4	7	11	15	27
50-64	10543	6.2	42	1	1	4	8	13	18	32
65+	13351	8.5	72	1	2	6	11	18	25	42
GRAND TOTAL	**45308**	**6.0**	**46**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.2	8	1	2	3	5	9	10	12
20-34	132	4.3	35	1	2	3	5	7	9	25
35-49	315	4.6	25	2	2	3	5	7	9	22
50-64	867	4.4	8	2	2	4	5	8	10	16
65+	1801	5.5	24	2	2	4	7	10	12	24
2. MULTIPLE DX										
0-19 YRS	88	5.0	20	1	2	3	6	11	14	24
20-34	330	4.9	41	1	2	3	5	9	13	51
35-49	441	5.8	29	2	2	4	7	11	16	29
50-64	1048	6.8	40	2	2	5	8	13	18	34
65+	2424	8.7	61	2	3	7	10	17	23	41
TOT. SINGLE DX	3141	5.0	20	2	2	4	6	9	11	22
" MULTIPLE DX	4331	7.6	52	2	2	5	9	15	20	38
TOTAL 0-19 YRS	114	4.8	17	1	2	3	5	10	13	21
20-34	462	4.7	39	1	2	3	5	8	12	45
35-49	756	5.3	28	2	2	4	6	9	14	29
50-64	1915	5.7	27	2	2	4	7	10	15	31
65+	4225	7.3	47	2	2	5	9	14	20	36
GRAND TOTAL	**7472**	**6.5**	**40**	**2**	**2**	**5**	**8**	**12**	**17**	**34**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	5.1	15	1	1	4	8	11	13	17
20-34	180	5.7	22	1	1	4	8	13	16	19
35-49	222	7.7	36	1	2	6	11	15	18	28
50-64	407	7.7	43	2	2	6	11	17	21	31
65+	569	9.1	70	2	2	6	13	19	25	39
2. MULTIPLE DX										
0-19 YRS	246	9.8	123	1	2	7	12	25	38	99+
20-34	292	11.0	199	1	2	8	12	23	46	97
35-49	381	10.6	135	2	2	8	13	21	38	73
50-64	742	10.9	113	2	2	8	14	24	31	59
65+	1477	13.6	127	2	3	11	17	28	37	62
TOT. SINGLE DX	1535	7.7	48	1	2	5	11	17	20	35
" MULTIPLE DX	3138	12.1	133	2	2	9	15	26	37	74
TOTAL 0-19 YRS	403	8.0	86	1	1	5	10	18	28	99+
20-34	472	9.0	138	1	2	6	11	17	29	92
35-49	603	9.6	100	2	2	7	12	18	26	66
50-64	1149	9.8	91	2	2	7	13	21	29	48
65+	2046	12.4	115	2	3	10	16	26	35	56
GRAND TOTAL	**4673**	**10.6**	**109**	**2**	**2**	**8**	**14**	**22**	**31**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	651	1.7	15	<1	1	1	2	2	3	6
20-34	48	3.3	14	<1	1	2	3	6	12	22
35-49	42	3.6	14	<1	1	2	4	7	9	23
50-64	23	2.6	4	<1	1	2	3	6	7	8
65+	10	3.4	6	1	1	3	4	7	9	9
2. MULTIPLE DX										
0-19 YRS	537	2.3	6	1	1	2	2	4	6	14
20-34	131	3.5	17	1	1	2	4	6	8	21
35-49	95	4.4	20	1	1	3	5	10	14	23
50-64	93	4.9	30	1	2	3	5	10	12	34
65+	95	7.4	30	2	3	6	10	13	17	31
TOT. SINGLE DX	774	2.0	15	<1	1	1	2	3	4	11
" MULTIPLE DX	951	3.4	16	1	1	2	4	7	10	21
TOTAL 0-19 YRS	1188	2.0	11	<1	1	1	2	3	4	10
20-34	179	3.4	16	1	1	2	4	6	9	20
35-49	137	4.2	18	1	1	3	4	10	12	24
50-64	116	4.5	25	1	1	3	5	9	12	29
65+	105	7.0	29	2	2	6	9	12	16	31
GRAND TOTAL	**1725**	**2.8**	**16**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	470	6.2	19	1	1	6	9	12	14	18
20-34	303	4.9	17	1	1	3	7	10	13	21
35-49	216	6.6	26	2	2	5	9	12	15	30
50-64	215	5.9	23	2	2	4	8	12	16	24
65+	199	5.5	19	2	2	4	7	11	12	24
2. MULTIPLE DX										
0-19 YRS	347	4.9	26	1	1	3	7	11	15	41
20-34	313	5.4	31	1	2	3	7	13	16	23
35-49	273	6.2	35	2	2	4	8	14	17	53
50-64	336	7.0	48	2	2	5	9	13	19	32
65+	356	8.6	54	2	2	7	11	19	24	38
TOT. SINGLE DX	1403	5.8	20	1	2	5	8	11	14	22
" MULTIPLE DX	1625	6.5	41	1	2	4	9	14	19	32
TOTAL 0-19 YRS	817	5.7	22	1	1	5	8	11	14	22
20-34	616	5.2	24	1	1	3	7	11	15	22
35-49	489	6.4	31	2	2	5	9	13	17	32
50-64	551	6.6	38	2	2	5	9	13	17	30
65+	555	7.5	43	2	2	5	9	16	21	31
GRAND TOTAL	**3028**	**6.2**	**31**	**1**	**2**	**4**	**8**	**13**	**16**	**27**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	943	1.9	2	<1	1	2	2	3	4	9
20-34	532	3.4	13	1	1	2	4	6	10	23
35-49	408	3.3	8	1	1	2	4	6	8	13
50-64	361	3.9	13	1	1	3	4	9	13	19
65+	319	5.3	31	1	2	4	6	10	15	30
2. MULTIPLE DX										
0-19 YRS	1403	2.5	12	1	1	2	3	5	7	11
20-34	1391	4.7	24	1	1	3	6	10	12	22
35-49	1202	6.1	41	1	2	4	8	13	17	31
50-64	1411	6.9	44	1	2	5	9	14	20	35
65+	1966	9.3	84	2	2	7	12	18	24	44
TOT. SINGLE DX	2563	3.1	12	1	1	2	3	6	9	18
" MULTIPLE DX	7373	6.2	50	1	1	4	8	13	18	35
TOTAL 0-19 YRS	2346	2.3	8	1	1	2	2	4	6	11
20-34	1923	4.3	21	1	1	3	5	9	12	22
35-49	1610	5.4	35	1	1	4	7	11	16	29
50-64	1772	6.3	39	1	2	4	8	14	18	34
65+	2285	8.7	79	2	2	6	11	18	23	43
GRAND TOTAL	**9936**	**5.4**	**42**	**1**	**1**	**3**	**7**	**12**	**17**	**32**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	2.4	5	<1	1	2	3	4	6	14
20-34	371	3.8	11	1	1	3	4	8	11	16
35-49	261	4.8	42	1	1	3	6	10	12	16
50-64	233	5.1	13	2	2	4	7	10	12	19
65+	165	6.7	32	2	2	5	8	13	20	27
2. MULTIPLE DX										
0-19 YRS	470	2.6	6	1	1	2	3	5	7	13
20-34	580	4.2	26	1	1	3	5	8	12	23
35-49	453	5.3	28	2	2	3	7	10	13	24
50-64	444	6.6	37	2	2	5	8	13	16	34
65+	422	8.7	59	2	2	7	11	17	21	36
TOT. SINGLE DX	1363	4.2	20	1	1	3	5	9	11	20
" MULTIPLE DX	2369	5.4	34	1	1	3	7	11	15	30
TOTAL 0-19 YRS	803	2.5	6	1	1	2	3	4	6	13
20-34	951	4.1	20	1	1	3	5	8	11	17
35-49	714	5.1	33	1	2	3	6	10	13	23
50-64	677	6.1	29	2	2	4	8	12	15	29
65+	587	8.2	52	2	2	6	10	16	21	34
GRAND TOTAL	**3732**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.5	10	2	2	3	6	10	10	10
20-34	69	8.1	17	3	4	8	9	11	13	27
35-49	376	9.3	30	5	6	9	10	13	15	22
50-64	352	9.4	10	6	7	9	10	13	16	21
65+	152	10.1	10	6	7	10	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	107	9.6	28	5	6	9	11	14	18	35
35-49	425	11.3	54	6	7	9	12	18	21	44
50-64	459	11.8	33	6	7	10	14	19	22	33
65+	210	12.9	38	7	7	11	16	21	25	34
TOT. SINGLE DX	957	9.4	19	5	6	9	10	13	15	21
" MULTIPLE DX	1202	11.6	41	6	7	10	13	18	22	36
TOTAL 0-19 YRS	9	5.7	21	2	2	3	9	13	15	15
20-34	176	9.0	24	4	5	8	10	13	16	27
35-49	801	10.4	44	6	6	9	11	15	18	34
50-64	811	10.8	24	6	7	10	12	16	20	28
65+	362	11.7	28	7	7	10	13	18	22	31
GRAND TOTAL	**2159**	**10.6**	**33**	**6**	**7**	**9**	**12**	**16**	**20**	**31**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	13	3	3	6	9	10	10	10
20-34	7	6.9	7	2	2	8	9	9	9	9
35-49	45	9.4	8	6	7	9	10	11	12	25
50-64	56	10.0	16	5	7	9	11	13	15	30
65+	29	10.8	14	5	6	11	13	15	17	18
2. MULTIPLE DX										
0-19 YRS	19	8.3	12	4	4	7	11	13	15	16
20-34	20	8.6	6	5	6	8	10	11	14	16
35-49	47	11.6	23	7	7	10	14	19	23	26
50-64	69	10.4	15	6	7	10	12	15	16	29
65+	58	13.9	51	5	7	12	19	24	27	36
TOT. SINGLE DX	141	9.7	13	5	6	9	11	13	15	26
" MULTIPLE DX	213	11.3	29	5	7	10	13	18	22	31
TOTAL 0-19 YRS	23	7.9	12	3	4	7	10	13	14	16
20-34	27	8.1	7	4	5	8	9	11	12	16
35-49	92	10.5	17	6	7	9	11	16	20	26
50-64	125	10.2	16	6	7	10	11	14	16	31
65+	87	12.9	40	5	7	11	16	22	26	35
GRAND TOTAL	**354**	**10.6**	**23**	**5**	**7**	**10**	**12**	**16**	**20**	**31**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.2	17	1	1	4	5	9	15	16
20-34	32	5.7	18	1	1	4	8	12	15	16
35-49	36	4.8	10	1	1	4	6	9	11	14
50-64	34	4.8	20	1	2	4	5	10	17	21
65+	14	4.6	8	1	2	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	13	4.9	41	1	1	3	5	13	22	24
20-34	41	5.0	11	1	2	4	7	10	12	14
35-49	52	7.5	43	2	2	5	9	16	24	30
50-64	75	7.8	40	1	2	6	13	17	20	24
65+	62	10.7	56	2	3	10	13	19	26	40
TOT. SINGLE DX	129	4.9	15	1	1	4	6	10	13	19
" MULTIPLE DX	243	7.9	43	1	2	6	11	17	21	29
TOTAL 0-19 YRS	26	4.5	28	1	1	3	5	10	18	24
20-34	73	5.3	14	1	1	4	7	11	13	16
35-49	88	6.4	31	1	2	5	8	13	17	29
50-64	109	6.9	36	1	2	4	9	17	19	24
65+	76	9.6	52	2	2	8	13	18	23	39
GRAND TOTAL	372	6.8	35	1	2	5	9	15	19	29

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	24	8.1	32	1	1	8	11	15	19	23
35-49	13	9.1	19	4	5	8	12	15	17	17
50-64	13	7.4	14	2	3	7	9	12	15	16
65+	9	15.9	104	3	5	11	25	31	32	32
2. MULTIPLE DX										
0-19 YRS	7	7.4	17	2	2	9	11	12	12	12
20-34	23	10.3	48	1	2	11	15	21	22	22
35-49	30	14.2	45	4	6	14	19	25	27	30
50-64	30	19.5	285	4	6	15	21	44	55	79
65+	29	18.2	198	3	3	13	26	42	44	54
TOT. SINGLE DX	62	9.1	41	2	2	8	11	17	23	32
" MULTIPLE DX	119	15.4	153	2	3	12	19	29	42	62
TOTAL 0-19 YRS	10	6.8	15	2	2	7	10	11	12	12
20-34	47	9.2	40	1	2	9	13	19	22	23
35-49	43	12.7	42	4	5	11	16	21	26	30
50-64	43	15.8	233	3	4	11	19	35	53	79
65+	38	17.7	174	3	3	13	25	40	43	54
GRAND TOTAL	181	13.2	123	2	3	11	16	25	34	55

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	22448	10.3	46	4	5	8	12	17	23	38

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.2	2	<1	<1	2	3	4	5	5
20-34	3	6.7	52	2	2	3	12	15	15	15
35-49	7	9.1	47	2	2	8	15	18	19	19
50-64	343	13.1	31	7	8	12	16	19	23	32
65+	655	12.9	27	7	8	12	15	19	22	30
2. MULTIPLE DX										
0-19 YRS	6	6.8	19	2	2	7	10	12	12	12
20-34	5	10.6	76	3	3	8	15	25	25	25
35-49	12	15.7	105	3	4	14	27	28	29	29
50-64	387	13.7	39	7	7	12	16	22	26	36
65+	1290	15.8	75	7	8	14	18	24	30	59
TOT. SINGLE DX	1017	12.8	29	6	8	12	15	19	22	30
" MULTIPLE DX	1700	15.3	67	7	8	14	18	24	29	53
TOTAL 0-19 YRS	15	4.1	13	<1	1	3	5	10	12	12
20-34	8	9.1	63	2	2	6	13	22	25	25
35-49	19	13.3	90	2	3	12	20	28	29	29
50-64	730	13.4	35	7	8	12	16	21	24	34
65+	1945	14.8	60	7	8	13	17	23	27	50
GRAND TOTAL	2717	14.4	54	7	8	13	17	22	27	42

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	22	2	2	6	10	11	11	11
20-34	37	4.7	76	1	1	2	4	8	14	53
35-49	124	3.2	6	1	1	2	4	6	8	14
50-64	623	3.4	9	1	2	2	3	6	9	16
65+	887	4.5	20	1	2	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	6	10.2	50	3	3	9	17	19	19	19
20-34	24	4.8	33	2	2	3	4	7	22	26
35-49	116	6.5	48	1	2	4	9	12	21	37
50-64	632	6.2	31	2	2	4	8	13	16	26
65+	1320	8.7	66	2	2	6	11	18	24	40
TOT. SINGLE DX	1675	4.0	16	1	2	3	4	8	11	19
" MULTIPLE DX	2098	7.8	56	2	2	5	10	16	22	36
TOTAL 0-19 YRS	10	8.5	40	2	2	7	13	18	19	19
20-34	61	4.8	58	1	1	3	4	7	18	50
35-49	240	4.8	29	1	2	3	6	10	12	29
50-64	1255	4.8	22	1	2	3	6	10	14	23
65+	2207	7.0	52	2	2	5	9	15	21	36
GRAND TOTAL	3773	6.1	42	1	2	4	8	13	18	30

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	2.7	4	1	1	2	3	5	6	12
20-34	202	3.6	5	1	1	3	4	7	8	11
35-49	114	3.9	13	1	2	3	5	6	7	26
50-64	128	4.1	8	1	2	4	5	7	9	16
65+	67	5.1	15	2	2	4	6	8	12	24
2. MULTIPLE DX										
0-19 YRS	109	5.1	63	1	2	3	5	11	17	78
20-34	108	6.4	35	1	2	5	8	13	15	35
35-49	105	6.5	46	2	2	5	8	12	18	42
50-64	117	8.5	94	2	3	5	10	17	24	56
65+	130	11.1	72	3	3	9	15	22	31	44
TOT. SINGLE DX	676	3.7	8	1	1	3	4	6	8	13
" MULTIPLE DX	569	7.7	67	2	2	5	9	16	23	45
TOTAL 0-19 YRS	274	3.7	29	1	1	2	4	6	11	38
20-34	310	4.6	17	1	2	3	5	8	11	21
35-49	219	5.1	30	1	2	4	6	9	12	32
50-64	245	6.2	54	2	2	4	7	11	17	37
65+	197	9.1	61	2	3	6	11	19	25	41
GRAND TOTAL	1245	5.5	39	1	2	4	6	11	16	35

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	3.6	5	1	2	3	4	6	8	12
20-34	245	5.9	23	2	3	4	7	10	14	28
35-49	107	5.1	10	2	2	4	6	9	11	19
50-64	125	5.6	15	2	2	4	6	10	14	20
65+	311	7.2	39	2	3	5	9	13	17	31
2. MULTIPLE DX										
0-19 YRS	255	4.0	6	2	2	3	5	7	9	15
20-34	176	6.3	22	2	3	5	7	13	16	24
35-49	95	7.5	36	2	3	6	10	16	19	33
50-64	217	9.0	63	2	3	7	11	16	23	43
65+	706	11.1	86	3	3	9	14	21	25	58
TOT. SINGLE DX	1033	5.6	23	2	2	4	7	10	14	25
" MULTIPLE DX	1449	8.7	65	2	3	6	11	17	22	39
TOTAL 0-19 YRS	500	3.8	5	1	2	3	4	6	8	13
20-34	421	6.1	23	2	3	5	7	12	15	26
35-49	202	6.2	24	2	2	5	7	12	16	24
50-64	342	7.8	48	2	3	6	10	15	19	32
65+	1017	9.9	74	3	3	8	13	19	24	50
GRAND TOTAL	2482	7.4	50	2	2	5	9	15	20	36

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	928	3.2	3	1	2	3	4	5	6	9
20-34	106	3.4	5	1	2	3	4	5	7	14
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	631	3.7	4	1	2	3	5	6	8	10
20-34	55	5.7	47	2	2	5	6	8	11	49
35-49	4	2.8		2	2	3	3	3	3	3
50-64	3	8.0	36	2	2	8	12	14	14	14
65+	3	2.3	2	1	1	2	3	4	4	4
TOT. SINGLE DX	1040	3.2	3	1	2	3	4	5	6	9
" MULTIPLE DX	696	3.9	8	1	2	3	5	6	8	11
TOTAL 0-19 YRS	1559	3.4	4	1	2	3	4	6	7	9
20-34	161	4.2	20	1	2	3	5	7	8	21
35-49	7	3.1	1	2	2	3	3	5	5	5
50-64	3	8.0	36	2	2	8	12	14	14	14
65+	6	2.5	1	1	1	2	3	4	4	4
GRAND TOTAL	1736	3.5	5	1	2	3	4	6	7	10

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	2.6	2	1	1	2	3	5	6	7
20-34	213	3.2	4	1	1	3	4	5	7	11
35-49	67	3.3	4	1	1	3	4	6	7	10
50-64	26	3.8	3	1	2	4	5	7	7	7
65+	9	4.3	3	3	3	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	71	4.2	11	1	1	3	5	8	9	19
20-34	103	4.0	14	1	2	3	4	7	12	21
35-49	27	4.4	8	2	2	3	6	9	11	12
50-64	20	5.4	10	2	2	4	7	10	12	14
65+	10	12.5	135	4	4	8	17	31	41	41
TOT. SINGLE DX	530	3.0	3	1	1	3	4	5	7	9
" MULTIPLE DX	231	4.6	20	1	2	3	5	9	12	23
TOTAL 0-19 YRS	286	3.0	5	1	1	2	4	5	7	10
20-34	316	3.5	8	1	2	3	4	6	8	17
35-49	94	3.6	5	1	2	3	4	7	8	12
50-64	46	4.5	6	2	2	4	5	8	9	14
65+	19	8.6	117	3	3	6	8	20	32	41
GRAND TOTAL	761	3.5	9	1	1	3	4	6	8	17

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.8	2	1	1	2	4	5	5	5
20-34	472	1.5	3	<1	<1	1	2	2	2	9
35-49	249	1.5	2	<1	<1	1	2	2	3	8
50-64	30	4.4	13	<1	<1	3	8	9	12	12
65+	34	9.4	25	1	2	9	13	15	17	21
2. MULTIPLE DX										
0-19 YRS	3	11.3	261	2	2	2	23	30	30	30
20-34	198	2.8	6	<1	1	2	3	6	9	13
35-49	185	3.4	11	<1	1	2	4	7	12	16
50-64	38	8.4	44	2	2	7	10	13	21	38
65+	44	11.8	67	2	4	10	15	23	33	38
TOT. SINGLE DX	793	1.9	6	<1	<1	1	2	3	7	14
" MULTIPLE DX	468	4.4	26	1	1	2	6	11	14	29
TOTAL 0-19 YRS	11	5.1	70	1	1	2	4	15	29	30
20-34	670	1.9	4	<1	<1	1	2	3	5	11
35-49	434	2.3	6	<1	<1	1	2	4	7	15
50-64	68	6.7	34	<1	1	6	9	12	14	35
65+	78	10.8	49	2	3	10	13	17	24	37
GRAND TOTAL	1261	2.9	15	<1	<1	1	2	7	11	17

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	630	2.8	4	1	1	2	3	4	5	8
20-34	746	3.3	4	1	2	3	4	5	7	10
35-49	483	3.3	3	1	2	3	4	5	6	11
50-64	469	4.0	5	2	2	4	5	7	8	12
65+	221	4.6	9	2	2	4	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	418	3.1	3	1	2	3	4	5	6	11
20-34	482	3.9	11	2	2	3	4	6	10	21
35-49	332	4.5	11	2	2	4	5	8	11	17
50-64	394	5.6	14	2	3	5	7	10	12	23
65+	302	7.4	35	2	3	6	9	13	19	36
TOT. SINGLE DX	2549	3.4	5	1	2	3	4	5	7	11
" MULTIPLE DX	1928	4.7	16	2	2	4	5	9	12	23
TOTAL 0-19 YRS	1048	2.9	3	1	1	2	3	5	6	9
20-34	1228	3.5	7	1	2	3	4	6	7	15
35-49	815	3.8	7	1	2	3	4	6	8	13
50-64	863	4.8	10	2	2	4	6	8	11	18
65+	523	6.2	26	2	2	5	7	11	15	27
GRAND TOTAL	4477	4.0	10	1	2	3	4	7	9	18

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	3.2	6	1	1	2	3	6	9	13
20-34	156	3.2	15	<1	1	2	3	6	8	28
35-49	85	5.1	16	1	1	4	7	10	13	21
50-64	134	5.1	7	2	2	5	7	9	10	12
65+	75	6.9	23	1	2	6	9	12	16	26
2. MULTIPLE DX										
0-19 YRS	109	5.0	67	1	1	3	5	9	17	43
20-34	147	6.7	52	1	1	4	8	15	21	40
35-49	112	6.8	39	1	2	6	9	12	15	41
50-64	160	8.1	58	2	3	6	9	13	20	46
65+	109	9.4	65	2	3	7	11	16	29	39
TOT. SINGLE DX	612	4.4	14	1	1	3	6	9	11	19
" MULTIPLE DX	637	7.2	57	1	2	5	9	14	20	41
TOTAL 0-19 YRS	271	3.9	31	1	1	3	4	7	10	19
20-34	303	4.9	36	1	1	3	6	11	16	29
35-49	197	6.1	29	1	2	5	8	11	13	31
50-64	294	6.8	37	2	2	5	8	11	14	40
65+	184	8.4	49	2	2	7	10	16	26	38
GRAND TOTAL	**1249**	**5.8**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**34**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	375	5.9	7	3	4	6	7	8	10	16
20-34	1131	6.0	5	3	4	6	7	8	9	14
35-49	174	7.1	12	2	4	7	8	10	13	21
50-64	51	8.9	16	4	5	8	11	14	17	21
65+	27	10.1	20	4	5	10	13	17	18	20
2. MULTIPLE DX										
0-19 YRS	365	6.4	10	3	3	6	7	9	11	23
20-34	1791	6.9	18	3	4	6	8	10	12	23
35-49	299	8.9	34	3	4	8	11	14	19	28
50-64	79	13.3	67	4	6	11	16	25	28	43
65+	84	17.2	80	8	9	15	21	29	36	51
TOT. SINGLE DX	1758	6.2	7	3	4	6	7	9	11	17
" MULTIPLE DX	2618	7.6	27	3	4	6	8	12	16	27
TOTAL 0-19 YRS	740	6.1	9	3	4	6	7	9	10	20
20-34	2922	6.6	13	3	4	6	7	9	12	19
35-49	473	8.2	27	3	4	7	9	13	18	26
50-64	130	11.6	52	4	5	10	14	21	25	42
65+	111	15.5	74	6	7	13	18	26	34	49
GRAND TOTAL	**4376**	**7.0**	**20**	**3**	**4**	**6**	**8**	**11**	**14**	**25**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	6.4	4	4	4	6	7	8	10	14
20-34	1362	6.5	8	4	4	6	7	9	10	16
35-49	410	7.3	11	4	5	7	8	10	13	20
50-64	64	8.3	8	5	6	8	9	11	12	23
65+	47	10.7	21	5	6	10	13	16	19	27
2. MULTIPLE DX										
0-19 YRS	277	7.2	7	4	5	6	8	11	13	15
20-34	2388	7.3	10	4	5	7	8	11	13	21
35-49	961	8.8	30	5	5	7	9	14	17	36
50-64	163	11.8	34	6	7	10	14	20	23	30
65+	126	15.4	77	6	7	13	18	27	31	51
TOT. SINGLE DX	2096	6.8	9	4	4	6	8	9	12	18
" MULTIPLE DX	3915	8.1	21	4	5	7	9	13	16	27
TOTAL 0-19 YRS	490	6.8	6	4	5	6	8	10	12	15
20-34	3750	7.0	10	4	5	6	8	10	12	20
35-49	1371	8.3	25	4	5	7	9	13	16	30
50-64	227	10.8	29	6	6	9	12	19	22	29
65+	173	14.1	66	6	7	12	17	23	28	46
GRAND TOTAL	6011	7.6	17	4	5	7	8	12	15	25

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	7.2	10	4	4	6	11	11	11	11
20-34	212	7.2	8	4	5	7	8	11	13	18
35-49	256	7.7	6	5	5	7	9	11	13	15
50-64	124	9.4	15	5	6	8	10	14	18	24
65+	42	10.0	12	5	6	9	13	16	17	18
2. MULTIPLE DX										
0-19 YRS	18	8.4	24	5	5	7	8	17	20	22
20-34	721	8.1	14	5	5	7	9	13	15	24
35-49	968	9.0	32	5	5	8	10	14	18	36
50-64	281	11.4	41	6	6	9	13	18	22	36
65+	140	14.7	77	7	8	12	17	24	30	53
TOT. SINGLE DX	640	8.0	10	5	5	7	9	12	14	21
" MULTIPLE DX	2128	9.4	33	5	5	8	10	15	19	33
TOTAL 0-19 YRS	24	8.1	20	4	5	7	8	15	19	22
20-34	933	7.9	13	5	5	7	9	12	14	23
35-49	1224	8.7	27	5	5	8	9	13	17	29
50-64	405	10.8	34	6	6	9	13	16	21	34
65+	182	13.6	66	7	7	11	16	22	28	52
GRAND TOTAL	2768	9.1	28	5	5	8	10	14	18	29

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	4.0	4	1	2	3	6	7	8	9
20-34	208	4.4	6	1	2	4	6	7	9	12
35-49	28	4.9	9	2	2	4	7	9	10	13
50-64	2	10.0	18	7	7	10	13	13	13	13
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	48	6.3	16	2	2	5	7	13	14	19
20-34	520	5.6	11	1	2	6	7	9	10	17
35-49	78	7.1	26	2	2	6	9	11	17	31
50-64	17	12.8	51	3	6	10	16	26	26	26
65+	4	16.0	125	7	7	12	23	32	32	32
TOT. SINGLE DX	285	4.4	6	1	2	4	6	8	9	12
" MULTIPLE DX	667	6.1	16	2	2	6	7	9	13	25
TOTAL 0-19 YRS	94	5.2	11	2	2	5	6	9	14	17
20-34	728	5.2	10	1	2	5	7	8	10	14
35-49	106	6.5	22	2	2	6	8	10	14	28
50-64	19	12.5	47	4	6	10	15	25	26	26
65+	5	14.6	103	7	7	10	19	32	32	32
GRAND TOTAL	952	5.6	14	1	2	5	7	9	11	22

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.9	1	<1	<1	2	2	3	4	6
20-34	7120	1.7	3	<1	<1	2	2	2	3	5
35-49	2521	1.7	3	<1	<1	2	2	2	3	6
50-64	16	1.7		<1	1	2	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	57	2.4	4	<1	1	2	2	4	7	14
20-34	5097	2.1	7	<1	<1	2	2	3	4	11
35-49	2250	2.1	8	<1	<1	2	2	3	4	9
50-64	24	3.3	19	<1	1	2	3	12	15	16
65+										
TOT. SINGLE DX	9714	1.7	3	<1	<1	2	2	2	3	5
" MULTIPLE DX	7428	2.1	8	<1	<1	2	2	3	4	11
TOTAL 0-19 YRS	114	2.1	3	<1	<1	2	2	4	5	10
20-34	12217	1.9	5	<1	<1	2	2	3	3	7
35-49	4771	1.9	6	<1	<1	2	2	3	3	8
50-64	40	2.7	12	<1	1	2	2	4	13	16
65+										
GRAND TOTAL	17142	1.9	5	<1	<1	2	2	3	3	8

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.1	3	<1	1	3	4	5	6	72
20-34	5222	2.7	3	<1	<1	2	3	4	5	8
35-49	1532	2.6	3	<1	1	2	3	4	5	9
50-64	27	4.0	19	<1	1	2	5	9	12	21
65+										
2. MULTIPLE DX										
0-19 YRS	191	4.3	23	2	2	3	5	7	10	19
20-34	8092	3.8	9	1	2	3	4	6	7	12
35-49	1947	3.6	7	1	1	3	4	6	8	13
50-64	9	7.3	33	2	2	5	9	16	21	21
65+										
TOT. SINGLE DX	6861	2.6	3	<1	1	2	3	4	5	8
" MULTIPLE DX	10239	3.7	9	1	2	3	4	6	7	13
TOTAL 0-19 YRS	271	4.0	17	1	2	3	4	7	8	20
20-34	13314	3.3	7	1	1	3	4	5	6	10
35-49	3479	3.1	6	<1	1	3	4	5	6	12
50-64	36	4.9	24	<1	1	3	7	9	18	21
65+										
GRAND TOTAL	17100	3.3	7	<1	1	3	4	5	6	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	5.3	5	2	3	5	6	8	10	13
20-34	1899	4.9	6	1	2	5	6	7	8	11
35-49	265	4.3	10	1	1	4	6	8	9	17
50-64	5	7.6	1	7	7	7	8	9	9	9
65+	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	139	5.5	5	1	2	6	7	8	9	12
20-34	1959	5.5	10	1	2	5	7	8	10	17
35-49	327	5.8	22	1	1	5	7	10	12	25
50-64	15	10.0	33	2	4	8	13	18	22	23
65+	6	14.2	85	5	5	12	19	29	30	30
TOT. SINGLE DX	2306	4.9	6	1	2	5	6	7	8	12
" MULTIPLE DX	2446	5.6	12	1	2	5	7	9	10	18
TOTAL 0-19 YRS	274	5.4	5	2	3	5	6	8	10	13
20-34	3858	5.2	8	1	2	5	6	8	9	14
35-49	592	5.1	17	1	1	5	7	8	11	23
50-64	20	9.4	25	3	4	8	11	17	20	23
65+	8	13.4	63	5	6	11	16	27	30	30
GRAND TOTAL	4752	5.2	9	1	2	5	6	8	9	15

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	2.3	1	1	1	2	3	3	4	6
20-34	1495	2.6	3	1	1	2	3	4	6	9
35-49	413	2.9	3	1	1	2	3	5	7	10
50-64	169	3.0	3	1	2	3	3	5	6	11
65+	91	3.6	6	2	2	3	4	8	9	12
2. MULTIPLE DX										
0-19 YRS	59	3.3	5	1	1	3	4	7	7	12
20-34	916	3.0	4	1	2	2	3	5	7	12
35-49	441	3.5	7	1	2	3	4	7	8	12
50-64	204	3.7	8	1	2	3	4	8	9	15
65+	110	4.8	19	2	2	3	5	11	16	23
TOT. SINGLE DX	2266	2.7	3	1	1	2	3	4	6	10
" MULTIPLE DX	1730	3.4	7	1	2	3	4	6	8	14
TOTAL 0-19 YRS	157	2.7	3	1	1	2	3	4	6	11
20-34	2411	2.8	3	1	1	2	3	4	6	10
35-49	854	3.2	5	1	2	3	3	6	8	11
50-64	373	3.4	6	1	2	3	4	6	9	14
65+	201	4.3	13	2	2	3	4	9	11	20
GRAND TOTAL	3996	3.0	5	1	1	2	3	5	7	11

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.2	1	<1	1	2	3	4	4	7
20-34	440	2.6	5	1	1	2	3	4	6	12
35-49	398	2.6	6	<1	1	2	3	4	6	15
50-64	338	3.3	10	1	1	2	3	6	9	22
65+	184	5.3	19	1	2	4	7	10	12	25
2. MULTIPLE DX										
0-19 YRS	49	3.8	15	1	2	2	4	8	13	21
20-34	895	3.2	9	1	1	2	3	7	9	15
35-49	967	3.4	14	1	1	2	3	7	10	20
50-64	700	4.8	25	1	1	3	6	10	14	27
65+	493	7.8	46	2	2	6	10	15	20	37
TOT. SINGLE DX	1399	3.1	9	1	1	2	3	6	9	16
" MULTIPLE DX	3104	4.4	23	1	1	2	5	10	13	24
TOTAL 0-19 YRS	88	3.1	9	1	1	2	3	4	9	19
20-34	1335	3.0	8	1	1	2	3	6	8	14
35-49	1365	3.1	12	1	1	2	3	6	10	17
50-64	1038	4.3	21	1	1	2	5	9	13	23
65+	677	7.1	40	2	2	5	10	14	18	34
GRAND TOTAL	4503	4.0	19	1	1	2	4	9	12	22

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.6	3	2	2	3	4	6	8	9
20-34	746	3.1	3	1	1	3	4	5	6	9
35-49	54	3.1	2	1	1	3	4	4	5	10
50-64	4	1.8		<1	<1	2	2	2	2	2
65+	3	6.7	6	4	4	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	17	6.1	25	1	2	4	8	15	17	17
20-34	222	5.0	25	1	2	4	6	8	11	28
35-49	21	3.5	5	1	1	3	4	6	8	11
50-64	4	6.0	5	3	3	6	7	8	8	8
65+	4	10.5	25	4	4	11	14	16	16	16
TOT. SINGLE DX	853	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	268	5.0	24	1	2	4	6	9	12	26
TOTAL 0-19 YRS	63	4.3	10	2	2	3	5	8	11	17
20-34	968	3.5	8	1	1	3	4	6	7	12
35-49	75	3.2	3	1	1	3	4	5	6	11
50-64	8	3.9	7	<1	<1	3	6	8	8	8
65+	7	8.9	19	4	4	9	11	15	16	16
GRAND TOTAL	1121	3.6	8	1	1	3	4	6	8	12

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.2	4	1	1	2	4	6	7	8
20-34	330	5.6	7	1	2	6	7	8	9	13
35-49	84	4.6	8	1	1	4	7	8	9	13
50-64	33	3.8	18	1	1	2	4	9	11	23
65+	13	5.1	13	2	2	4	5	11	14	15
2. MULTIPLE DX										
0-19 YRS	21	5.2	22	1	1	4	6	10	16	22
20-34	506	6.3	12	1	2	6	8	10	12	19
35-49	197	5.8	23	1	1	6	8	10	13	20
50-64	97	6.4	46	1	1	4	8	13	22	36
65+	82	9.4	96	1	2	6	14	21	31	47
TOT. SINGLE DX	476	5.2	9	1	2	6	7	8	9	14
" MULTIPLE DX	903	6.5	26	1	2	6	8	11	15	29
TOTAL 0-19 YRS	37	4.4	15	1	1	3	6	8	10	22
20-34	836	6.1	10	1	2	6	7	9	11	18
35-49	281	5.5	19	1	1	5	8	10	12	19
50-64	130	5.7	40	1	1	3	8	12	21	33
65+	95	8.8	86	2	2	5	13	21	29	46
GRAND TOTAL	1379	6.0	21	1	2	6	7	10	13	24

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	8.2	8	5	5	8	9	12	14	18
20-34	2842	7.3	7	5	5	7	8	9	11	15
35-49	3649	7.6	8	5	6	7	8	10	11	16
50-64	1029	8.4	7	6	6	8	9	11	13	19
65+	399	10.4	19	6	6	9	12	16	18	28
2. MULTIPLE DX										
0-19 YRS	179	8.1	13	5	5	7	9	13	15	23
20-34	11957	7.9	10	5	6	7	8	11	13	20
35-49	19723	8.4	12	6	6	8	9	11	14	21
50-64	4931	9.4	21	6	6	8	10	13	17	28
65+	1378	12.4	47	7	7	10	14	20	25	39
TOT. SINGLE DX	7960	7.7	9	5	6	7	8	10	12	18
" MULTIPLE DX	38168	8.5	14	5	6	8	9	12	15	23
TOTAL 0-19 YRS	220	8.1	12	5	5	7	9	13	15	22
20-34	14799	7.8	9	5	6	7	8	10	13	19
35-49	23372	8.2	11	5	6	8	9	11	13	20
50-64	5960	9.2	19	6	6	8	10	13	16	26
65+	1777	12.0	41	6	7	10	14	19	24	38
GRAND TOTAL	46128	8.3	13	5	6	8	9	12	14	22

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.4	7	4	4	6	7	9	13	14
20-34	2045	6.3	4	4	5	6	7	8	9	12
35-49	1498	6.9	13	4	5	6	8	9	11	16
50-64	493	8.3	7	5	6	8	9	12	13	18
65+	342	9.3	10	6	6	8	11	13	15	22
2. MULTIPLE DX										
0-19 YRS	24	8.0	16	4	5	7	9	14	17	21
20-34	6329	6.9	7	4	5	6	8	9	11	18
35-49	7396	7.5	10	5	5	7	8	10	12	19
50-64	1956	8.9	14	5	6	8	10	13	15	22
65+	1155	10.6	32	6	7	9	12	15	19	29
TOT. SINGLE DX	4392	7.0	9	4	5	6	8	10	11	17
" MULTIPLE DX	16860	7.6	12	5	5	7	8	11	13	20
TOTAL 0-19 YRS	38	7.4	13	4	5	6	8	13	15	21
20-34	8374	6.7	7	4	5	6	7	9	11	17
35-49	8894	7.4	11	5	5	7	8	10	12	19
50-64	2449	8.8	13	5	6	8	10	13	15	21
65+	1497	10.3	28	6	7	9	11	15	18	28
GRAND TOTAL	21252	7.5	11	5	5	7	8	11	13	20

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	30	10.6	8	5	7	10	12	14	17	17
35-49	22	14.0	63	8	9	11	15	23	35	41
50-64	17	11.9	12	7	8	12	13	18	19	19
65+	9	16.9	112	2	3	15	23	31	36	36
2. MULTIPLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	39	12.2	48	5	5	10	17	20	24	38
35-49	54	12.5	67	5	6	10	14	19	29	51
50-64	48	17.1	171	8	9	13	19	39	58	99+
65+	39	20.8	202	8	9	16	24	45	54	64
TOT. SINGLE DX	80	12.3	40	5	7	10	14	18	23	39
" MULTIPLE DX	181	15.5	129	5	6	12	19	28	45	65
TOTAL 0-19 YRS	3	9.0	93	2	2	5	16	20	20	20
20-34	69	11.5	31	5	6	10	13	18	20	35
35-49	76	12.9	65	6	6	10	15	19	31	49
50-64	65	15.8	134	7	9	13	17	26	55	95
65+	48	20.1	184	5	9	16	24	41	51	64
GRAND TOTAL	261	14.5	104	5	7	11	17	24	38	63

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	1.6	4	<1	<1	1	2	2	3	7
20-34	1125	1.7	5	<1	<1	1	2	3	4	8
35-49	132	1.6	2	<1	<1	1	2	2	4	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	131	3.5	30	<1	1	2	4	6	12	39
20-34	869	2.9	12	<1	<1	2	3	6	8	18
35-49	241	2.6	6	<1	<1	2	3	5	7	33
50-64	4	5.5	33	2	2	3	9	14	14	14
65+										
TOT. SINGLE DX	1659	1.7	4	<1	<1	1	2	2	4	8
" MULTIPLE DX	1245	2.9	13	<1	<1	2	3	6	8	19
TOTAL 0-19 YRS	531	2.1	11	<1	<1	1	2	3	5	14
20-34	1994	2.2	8	<1	<1	2	2	4	6	12
35-49	373	2.2	5	<1	<1	2	2	4	6	12
50-64	6	4.2	24	1	1	2	4	13	14	14
65+										
GRAND TOTAL	2904	2.2	8	<1	<1	2	2	4	5	12

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4344	2.0	3	<1	1	2	2	3	4	8
20-34	24409	1.9	3	<1	1	2	2	3	4	8
35-49	8876	2.0	4	<1	1	2	2	3	4	9
50-64	3647	2.3	6	<1	1	2	2	3	5	11
65+	865	3.2	10	1	1	2	3	5	9	16
2. MULTIPLE DX										
0-19 YRS	1702	3.3	14	1	1	2	4	6	8	16
20-34	14906	3.0	9	<1	1	2	3	6	8	14
35-49	10127	3.2	13	<1	1	2	3	7	9	17
50-64	4255	3.4	13	1	1	2	3	7	10	19
65+	1575	5.7	43	2	2	3	7	12	17	34
TOT. SINGLE DX	42141	2.0	4	<1	1	2	2	3	4	9
" MULTIPLE DX	32565	3.3	13	1	1	2	3	7	9	18
TOTAL 0-19 YRS	6046	2.3	6	<1	1	2	3	4	6	11
20-34	39315	2.3	6	<1	1	2	2	4	6	11
35-49	19003	2.6	9	<1	1	2	2	5	7	14
50-64	7902	2.9	10	1	1	2	3	5	8	17
65+	2440	4.8	32	1	2	3	5	10	15	29
GRAND TOTAL	74706	2.6	8	<1	1	2	3	5	7	14

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	448	1.4	2	<1	<1	1	1	2	2	4
20-34	1124	1.5	1	<1	<1	1	2	2	3	7
35-49	118	1.7	8	<1	<1	1	2	2	3	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	340	2.2	21	<1	<1	1	2	3	5	15
20-34	1521	2.2	7	<1	<1	2	2	4	6	13
35-49	344	2.0	2	<1	<1	2	2	3	5	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1690	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	2206	2.1	8	<1	<1	2	2	3	6	12
TOTAL 0-19 YRS	788	1.7	11	<1	<1	1	2	2	3	9
20-34	2645	1.9	4	<1	<1	1	2	3	5	10
35-49	462	1.9	4	<1	<1	2	2	3	5	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	3896	1.9	6	<1	<1	1	2	3	5	10

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	1.8	2	<1	1	1	2	3	4	9
20-34	1521	1.6	2	<1	<1	1	2	3	4	6
35-49	149	1.6	1	<1	<1	1	2	3	4	7
50-64	5	1.6		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	68	2.5	3	1	1	2	3	5	6	8
20-34	371	2.7	6	<1	1	2	3	5	7	15
35-49	87	3.0	8	<1	1	2	4	7	11	13
50-64	9	8.9	269	<1	1	2	7	35	52	52
65+	9	10.6	75	2	2	8	18	23	26	26
TOT. SINGLE DX	2013	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	544	3.0	13	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	406	1.9	2	<1	1	1	2	4	5	9
20-34	1892	1.8	3	<1	1	1	2	3	5	8
35-49	236	2.1	4	<1	1	1	2	4	6	11
50-64	14	6.3	179	<1	1	2	3	14	44	52
65+	9	10.6	75	2	2	8	18	23	26	26
GRAND TOTAL	2557	1.9	4	<1	1	1	2	3	5	10

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8		6	6	7	7	7	7	7
20-34	73	5.7	5	2	3	6	7	8	9	13
35-49	12	4.3	12	<1	<1	4	6	9	12	12
50-64	3	10.0	3	9	9	9	11	12	12	12
65+	7	10.9	29	4	5	11	13	19	21	21
2. MULTIPLE DX										
0-19 YRS	21	6.2	3	3	4	6	7	8	9	9
20-34	217	6.8	15	2	4	6	8	10	12	28
35-49	12	10.5	186	<1	1	5	11	37	40	41
50-64	10	8.1	23	2	3	8	9	15	20	20
65+	11	12.4	16	7	8	12	14	19	21	21
TOT. SINGLE DX	99	6.1	9	1	2	6	7	9	12	18
" MULTIPLE DX	271	7.2	23	2	4	6	8	11	13	40
TOTAL 0-19 YRS	25	6.3	2	4	4	6	7	8	9	9
20-34	290	6.5	13	2	4	6	8	10	11	16
35-49	24	7.4	103	<1	<1	4	8	15	37	41
50-64	13	8.5	19	2	4	8	9	14	19	20
65+	18	11.8	20	5	7	11	13	20	21	21
GRAND TOTAL	370	6.9	20	2	3	6	8	10	13	33

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	2.5	7	1	1	1	2	6	10	12
20-34	267	2.9	7	1	1	2	4	6	7	11
35-49	63	3.6	6	1	1	3	4	7	8	13
50-64	50	4.7	4	2	2	4	5	7	9	12
65+	39	5.4	10	2	2	4	6	10	11	17
2. MULTIPLE DX										
0-19 YRS	21	5.3	13	1	1	6	8	10	12	14
20-34	213	4.8	12	1	1	4	6	9	10	16
35-49	58	4.2	8	<1	1	3	5	8	10	14
50-64	48	5.9	40	2	2	4	6	10	15	42
65+	33	6.8	18	3	3	5	9	13	14	22
TOT. SINGLE DX	532	3.2	8	1	1	2	5	7	9	12
" MULTIPLE DX	373	5.0	16	1	1	4	7	9	12	19
TOTAL 0-19 YRS	134	2.9	9	1	1	1	4	8	10	13
20-34	480	3.7	10	1	1	2	5	7	10	15
35-49	121	3.9	7	<1	1	3	5	7	9	13
50-64	98	5.3	22	2	2	4	6	9	10	31
65+	72	6.1	14	2	3	5	8	11	13	21
GRAND TOTAL	905	4.0	12	1	1	3	5	8	10	15

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8	16	2	2	7	10	11	11	11
20-34	174	6.4	10	3	3	6	8	10	12	17
35-49	509	7.5	10	4	4	7	9	11	13	19
50-64	780	7.6	7	4	5	7	9	11	13	17
65+	409	8.3	13	4	5	8	9	12	15	23
2. MULTIPLE DX										
0-19 YRS	4	5.3	12	2	2	4	7	10	10	10
20-34	268	7.7	13	3	4	7	9	12	15	18
35-49	892	9.2	25	5	5	8	10	14	16	28
50-64	1107	9.3	17	5	5	8	11	15	17	23
65+	701	10.4	32	5	6	9	12	16	20	32
TOT. SINGLE DX	1876	7.6	10	4	4	7	9	11	13	19
" MULTIPLE DX	2972	9.4	23	5	5	8	11	15	17	27
TOTAL 0-19 YRS	8	6.0	13	2	2	5	9	11	11	11
20-34	442	7.2	12	3	4	7	9	12	14	18
35-49	1401	8.6	20	4	5	8	10	13	16	25
50-64	1887	8.5	14	4	5	8	10	13	15	21
65+	1110	9.7	26	5	6	8	11	15	18	29
GRAND TOTAL	4848	8.7	19	4	5	8	10	13	16	24

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.9	11	<1	<1	2	3	6	11	17
20-34	249	4.0	8	1	1	3	5	7	9	13
35-49	124	4.8	14	1	1	4	6	9	12	19
50-64	81	6.3	10	1	2	7	9	10	11	14
65+	36	8.1	32	2	2	8	10	11	13	36
2. MULTIPLE DX										
0-19 YRS	65	5.0	42	1	1	3	6	10	19	40
20-34	155	5.9	23	1	2	5	8	11	15	24
35-49	101	8.3	38	1	2	7	11	15	21	31
50-64	105	9.9	100	2	2	9	12	17	19	71
65+	77	11.2	60	3	4	9	14	19	22	44
TOT. SINGLE DX	572	4.6	13	1	1	4	7	9	10	16
" MULTIPLE DX	503	7.9	55	1	2	6	10	15	19	39
TOTAL 0-19 YRS	147	3.8	26	<1	1	2	4	9	12	20
20-34	404	4.7	14	1	1	4	6	9	10	20
35-49	225	6.4	28	1	1	5	9	13	16	30
50-64	186	8.3	64	1	2	8	10	13	18	52
65+	113	10.2	53	2	4	9	12	18	21	43
GRAND TOTAL	[illegible]	6.1	35	1	1	5	8	12	15	29

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	2.9	9	<1	1	2	3	6	8	18
20-34	540	3.7	19	<1	1	2	4	8	10	16
35-49	258	4.2	22	1	1	2	5	9	14	36
50-64	188	4.9	17	1	1	4	6	10	13	21
65+	167	6.6	34	1	2	6	8	11	16	38
2. MULTIPLE DX										
0-19 YRS	148	4.1	23	1	1	2	4	9	14	26
20-34	429	5.9	46	1	1	4	7	12	17	37
35-49	251	5.8	25	1	1	4	8	12	15	23
50-64	274	8.1	48	2	2	7	10	19	22	36
65+	284	10.2	84	2	3	8	13	21	27	50
TOT. SINGLE DX	1378	4.2	21	1	1	3	5	9	12	25
" MULTIPLE DX	1386	7.0	52	1	2	5	9	15	20	35
TOTAL 0-19 YRS	373	3.4	15	1	1	2	3	7	10	23
20-34	969	4.6	33	1	1	3	6	10	13	27
35-49	509	5.0	24	1	1	3	7	11	15	31
50-64	462	6.8	38	1	2	5	8	14	19	32
65+	451	8.8	69	2	2	7	10	17	25	45
GRAND TOTAL	2764	5.6	38	1	1	3	7	12	17	32

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	378	2.7	25	<1	1	2	3	4	5	8
20-34	1495	2.4	7	<1	1	2	3	4	5	8
35-49	691	2.6	4	<1	1	2	3	4	5	10
50-64	282	3.4	9	1	1	3	4	6	8	19
65+	110	4.3	17	2	2	3	4	8	12	24
2. MULTIPLE DX										
0-19 YRS	155	3.4	7	1	1	3	4	6	8	16
20-34	515	4.0	19	1	1	3	5	7	9	22
35-49	350	5.0	23	1	2	3	6	11	14	26
50-64	189	6.0	44	1	2	4	7	13	20	35
65+	188	9.0	81	2	2	6	11	22	28	47
TOT. SINGLE DX	2956	2.7	9	<1	1	2	3	4	5	11
" MULTIPLE DX	1397	5.1	33	1	2	3	6	10	15	31
TOTAL 0-19 YRS	533	2.9	20	1	1	2	3	4	6	13
20-34	2010	2.8	10	<1	1	2	3	5	6	12
35-49	1041	3.4	12	1	1	2	4	6	9	19
50-64	471	4.4	25	1	2	3	5	8	12	28
65+	298	7.2	62	2	2	4	9	17	23	45
GRAND TOTAL	4353	3.5	18	1	1	2	4	6	9	22

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.3	2	<1	<1	2	3	4	5	5
20-34	24	4.3	13	1	1	3	5	9	12	15
35-49	28	7.2	22	2	2	7	9	13	18	19
50-64	41	10.0	228	2	2	6	11	24	28	93
65+	42	8.8	68	2	3	7	11	13	17	54
2. MULTIPLE DX										
0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	11	6.9	28	1	1	5	10	15	17	17
35-49	33	12.0	108	2	3	8	15	28	35	44
50-64	41	16.1	228	2	3	11	19	31	54	73
65+	65	21.3	364	3	4	15	30	51	63	99+
TOT. SINGLE DX	144	7.7	95	1	2	5	10	13	19	56
" MULTIPLE DX	153	16.6	261	2	3	11	21	42	52	96
TOTAL 0-19 YRS	12	3.3	6	<1	1	3	4	7	9	9
20-34	35	5.1	18	1	1	3	8	11	15	17
35-49	61	9.8	73	2	2	8	12	21	28	43
50-64	82	13.1	234	2	2	9	15	26	40	87
65+	107	16.4	284	3	3	10	19	48	54	98
GRAND TOTAL	297	12.3	200	2	2	8	14	29	46	83

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	2.1	3	<1	<1	1	3	4	6	10
20-34	155	3.2	3	1	1	3	4	5	7	10
35-49	48	4.1	5	1	1	4	6	7	8	8
50-64	33	4.4	5	1	2	4	5	7	9	12
65+	6	5.7	25	1	1	5	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	50	3.8	10	1	1	3	5	8	12	13
20-34	83	4.0	7	1	2	3	5	7	9	14
35-49	33	4.8	6	2	2	5	6	8	10	12
50-64	33	7.7	48	2	2	6	10	15	24	34
65+	14	9.3	32	3	4	7	13	18	22	23
TOT. SINGLE DX	309	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	213	5.0	18	1	2	4	6	10	13	24
TOTAL 0-19 YRS	117	2.8	7	<1	1	2	3	6	9	13
20-34	238	3.5	5	1	2	3	4	6	7	12
35-49	81	4.4	5	1	2	4	6	7	8	11
50-64	66	6.0	29	2	2	5	7	10	15	33
65+	20	8.2	31	1	2	7	12	15	20	23
GRAND TOTAL	**522**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**15**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	1.8	1	1	1	2	2	3	4	4
20-34	15	1.9	1	1	1	2	2	3	3	3
35-49	5	3.2	5	2	2	2	4	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	7	3.3	7	<1	<1	2	5	8	8	8
20-34	36	3.4	9	1	1	2	4	9	11	14
35-49	9	6.3	23	1	1	6	9	13	15	15
50-64	4	4.0	10	1	1	3	6	8	8	8
65+	7	6.4	30	2	2	6	8	15	17	17
TOT. SINGLE DX	35	2.1	2	1	1	2	2	3	5	7
" MULTIPLE DX	63	4.2	14	1	1	2	6	9	12	17
TOTAL 0-19 YRS	20	2.4	3	<1	1	2	2	5	7	8
20-34	51	3.0	7	1	1	2	3	6	10	14
35-49	14	5.2	18	1	1	3	8	11	14	15
50-64	5	3.6	8	1	1	2	6	8	8	8
65+	8	6.3	26	2	2	5	8	15	17	17
GRAND TOTAL	**98**	**3.5**	**10**	**1**	**1**	**2**	**4**	**8**	**10**	**16**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9348	3.2	3	2	2	3	4	4	5	7
20-34	34462	3.3	3	2	2	3	4	4	5	7
35-49	1100	3.5	3	2	2	3	4	5	5	7
50-64	12	3.3	1	<1	2	3	4	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	3644	3.8	11	2	2	3	4	5	7	14
20-34	16386	3.8	7	2	2	3	4	5	6	11
35-49	1040	4.0	6	2	2	4	5	6	6	12
50-64	5	3.6	1	3	3	3	4	5	5	5
65+										
TOT. SINGLE DX	44922	3.3	3	2	2	3	4	4	5	7
" MULTIPLE DX	21075	3.8	7	2	2	3	4	5	6	12
TOTAL 0-19 YRS	12992	3.3	5	2	2	3	4	4	5	9
20-34	50848	3.5	4	2	2	3	4	5	5	8
35-49	2140	3.7	4	2	2	3	4	5	6	9
50-64	17	3.4	1	1	3	3	4	5	5	5
65+										
GRAND TOTAL	**65997**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	3.1	8	2	2	3	3	4	4	15
20-34	625	3.2	4	1	2	3	4	4	5	9
35-49	34	3.1	1	2	2	3	3	4	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	185	3.1	6	1	2	3	3	5	6	23
20-34	887	3.7	10	1	2	3	4	5	7	16
35-49	75	3.4	5	1	2	3	4	4	7	14
50-64										
65+										
TOT. SINGLE DX	799	3.1	5	1	2	3	3	4	5	10
" MULTIPLE DX	1147	3.6	9	1	2	3	4	5	7	16
TOTAL 0-19 YRS	325	3.1	7	1	2	3	3	4	5	19
20-34	1512	3.5	7	1	2	3	4	5	6	14
35-49	109	3.3	4	2	2	3	3	4	6	14
50-64										
65+										
GRAND TOTAL	**1946**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**14**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	788	3.2	2	2	2	3	4	4	5	8
20-34	3238	3.4	2	2	2	3	4	5	5	7
35-49	108	3.4	1	2	2	3	4	5	5	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	729	3.8	4	2	2	3	4	6	7	11
20-34	2990	3.9	5	2	3	4	4	5	6	11
35-49	138	4.6	15	2	3	4	5	7	9	20
50-64	1	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	4136	3.3	2	2	2	3	4	4	5	7
" MULTIPLE DX	3858	3.9	5	2	2	4	4	5	7	12
TOTAL 0-19 YRS	1517	3.5	3	2	2	3	4	5	6	10
20-34	6228	3.6	3	2	2	3	4	5	6	9
35-49	246	4.1	10	2	2	4	4	6	8	13
50-64	3	3.0	1	2	2	3	4	4	4	4
65+										
GRAND TOTAL	**7994**	**3.6**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3138	3.1	6	2	2	3	3	4	5	8
20-34	13189	3.1	4	2	2	3	3	4	5	8
35-49	510	3.4	2	2	2	3	4	5	6	10
50-64	6	3.3	2	2	2	3	3	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	1511	3.8	7	2	2	3	4	5	7	14
20-34	14041	3.9	9	2	2	3	4	5	6	13
35-49	1302	4.1	11	2	3	4	4	6	6	10
50-64	5	3.0	2	2	2	3	4	5	5	5
65+										
TOT. SINGLE DX	16843	3.1	4	2	2	3	3	4	5	8
" MULTIPLE DX	16859	3.9	9	2	2	3	4	5	6	13
TOTAL 0-19 YRS	4649	3.3	6	2	2	3	4	4	5	11
20-34	27230	3.5	6	2	2	3	4	5	6	11
35-49	1812	3.9	9	2	2	3	4	5	6	10
50-64	11	3.2	2	2	2	3	3	5	6	6
65+										
GRAND TOTAL	**33702**	**3.5**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2489	5.9	10	4	4	5	6	7	9	13
20-34	12956	5.8	5	4	4	6	6	7	8	12
35-49	516	6.1	6	4	4	6	7	8	8	12
50-64	2	6.5	1	6	6	6	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	3765	6.9	14	4	5	6	8	10	12	20
20-34	20311	6.5	13	4	4	6	7	9	11	21
35-49	1765	7.2	21	4	5	6	7	10	14	29
50-64	6	11.2	129	4	4	7	10	32	34	34
65+										
TOT. SINGLE DX	15963	5.8	6	4	4	6	6	7	8	12
" MULTIPLE DX	25847	6.6	14	4	4	6	7	9	11	21
TOTAL 0-19 YRS	6254	6.5	12	4	4	6	7	9	11	18
20-34	33267	6.3	10	4	4	6	7	8	10	18
35-49	2281	7.0	18	4	5	6	7	9	12	27
50-64	8	10.0	97	4	4	7	9	27	34	34
65+										
GRAND TOTAL	**41810**	**6.3**	**11**	**4**	**4**	**6**	**7**	**8**	**10**	**18**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	349	5.9	6	4	4	6	6	8	9	20
20-34	1313	5.8	5	4	4	6	6	8	8	15
35-49	49	6.0	3	4	4	6	7	8	8	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	388	7.1	38	4	4	6	7	10	12	29
20-34	1785	6.8	16	4	4	6	7	9	12	23
35-49	194	7.4	24	4	5	7	8	10	12	29
50-64										
65+										
TOT. SINGLE DX	1711	5.8	5	4	4	6	6	8	8	15
" MULTIPLE DX	2367	6.9	21	4	4	6	7	9	12	25
TOTAL 0-19 YRS	737	6.5	23	4	4	6	7	9	10	26
20-34	3098	6.4	12	4	4	6	7	8	10	19
35-49	243	7.1	20	4	4	6	8	9	11	21
50-64										
65+										
GRAND TOTAL	**4078**	**6.4**	**14**	**4**	**4**	**6**	**7**	**8**	**11**	**21**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.0	9	3	3	6	8	9	9	9
20-34	25	5.8	3	3	4	6	7	8	9	11
35-49	4	5.0	5	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	5.7	8	1	2	6	7	9	10	10
20-34	58	7.1	29	3	4	6	8	11	14	36
35-49	14	6.6	6	3	4	6	9	10	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
TOT. SINGLE DX	32	5.7	4	3	3	6	7	8	9	11
" MULTIPLE DX	80	6.9	23	3	4	6	8	10	12	34
TOTAL 0-19 YRS	10	5.8	7	1	2	6	7	9	10	10
20-34	83	6.7	22	3	4	6	7	10	12	33
35-49	18	6.3	6	2	3	6	7	10	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
GRAND TOTAL	**112**	**6.6**	**18**	**3**	**4**	**6**	**7**	**10**	**11**	**30**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	928	2.1	2	1	1	2	2	3	4	6
20-34	819	2.2	3	1	1	2	2	3	4	6
35-49	49	2.1	2	1	1	2	2	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	479	2.1	5	1	1	2	2	3	4	9
20-34	454	2.5	5	1	1	2	3	4	5	17
35-49	59	2.6	3	1	1	2	3	4	6	8
50-64										
65+										
TOT. SINGLE DX	1797	2.1	2	1	1	2	2	3	4	6
" MULTIPLE DX	992	2.3	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	1407	2.1	3	1	1	2	2	3	4	7
20-34	1273	2.3	4	1	1	2	3	4	4	8
35-49	108	2.4	2	1	1	2	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2789**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	3.9	18	1	1	3	4	9	15	21
20-34	228	3.8	14	<1	<1	3	5	8	11	20
35-49	11	4.1	9	<1	<1	4	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	7.1	32	1	2	5	9	16	20	23
20-34	146	6.1	43	1	1	4	8	11	17	40
35-49	13	4.5	6	1	2	4	6	8	10	10
50-64										
65+										
TOT. SINGLE DX	314	3.8	15	<1	1	3	5	8	12	21
" MULTIPLE DX	188	6.1	39	1	1	4	8	12	17	35
TOTAL 0-19 YRS	104	4.8	24	1	1	3	5	11	16	22
20-34	374	4.7	27	<1	1	3	6	9	12	25
35-49	24	4.3	7	<1	1	4	6	8	9	10
50-64										
65+										
GRAND TOTAL	**502**	**4.7**	**25**	**<1**	**1**	**3**	**6**	**10**	**14**	**23**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	573	2.7	2	<1	1	3	3	4	5	8
20-34	2161	2.7	2	<1	1	3	3	4	5	8
35-49	94	2.8	3	<1	1	3	3	5	6	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	228	3.9	25	1	2	3	4	6	8	11
20-34	845	3.7	7	1	2	3	4	6	7	11
35-49	48	4.3	9	2	2	4	5	7	8	21
50-64										
65+										
TOT. SINGLE DX	2829	2.7	2	<1	1	3	3	4	5	8
" MULTIPLE DX	1121	3.8	11	1	2	3	4	6	7	11
TOTAL 0-19 YRS	801	3.1	9	1	1	3	3	4	6	10
20-34	3006	3.0	4	<1	1	3	3	5	6	9
35-49	142	3.3	5	<1	1	3	4	6	7	11
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**3950**	**3.0**	**5**	**<1**	**1**	**3**	**3**	**5**	**6**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2404	2.9	5	2	2	3	3	4	4	6
20-34	7532	2.9	3	1	2	3	3	4	4	6
35-49	365	3.0	5	1	2	3	4	4	5	19
50-64	4	2.0	1	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	1460	3.4	4	2	2	3	4	5	7	11
20-34	4902	3.5	8	2	2	3	4	5	6	13
35-49	313	3.8	4	2	2	3	4	6	7	13
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
TOT. SINGLE DX	10305	2.9	4	1	2	3	3	4	4	6
" MULTIPLE DX	6677	3.5	7	2	2	3	4	5	6	12
TOTAL 0-19 YRS	3864	3.1	5	2	2	3	3	4	5	9
20-34	12434	3.1	5	2	2	3	3	4	5	9
35-49	578	3.4	5	1	2	3	4	5	6	13
50-64	6	2.3	2	1	1	2	3	5	5	5
65+										
GRAND TOTAL	16982	3.1	5	2	2	3	3	4	5	9

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.6	3	<1	1	2	3	5	5	12
20-34	92	3.3	5	2	2	3	4	5	7	14
35-49	59	4.3	16	1	2	3	5	10	15	18
50-64	82	7.6	91	1	2	3	10	19	26	52
65+	62	7.3	66	1	2	5	10	15	20	48
2. MULTIPLE DX										
0-19 YRS	26	3.2	2	1	2	3	4	6	6	7
20-34	77	6.2	78	2	2	3	6	16	23	52
35-49	77	7.1	70	2	2	4	9	16	26	44
50-64	141	10.1	113	2	2	5	16	26	38	56
65+	113	10.4	106	2	2	8	15	21	31	77
TOT. SINGLE DX	352	5.1	41	1	2	3	5	12	16	32
" MULTIPLE DX	434	8.6	95	2	2	4	12	21	29	58
TOTAL 0-19 YRS	83	2.8	3	1	1	2	3	5	6	10
20-34	169	4.6	40	2	2	3	4	8	17	35
35-49	136	5.9	48	2	2	3	7	15	17	35
50-64	223	9.2	106	2	2	4	13	24	32	54
65+	175	9.3	93	2	2	6	13	18	28	63
GRAND TOTAL	786	7.0	74	2	2	3	9	17	24	49

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	4.2	3	2	3	4	5	6	7	12
20-34	468	4.2	3	2	3	4	5	6	7	12
35-49	176	3.6	4	1	1	3	4	6	7	10
50-64	60	3.3	4	1	1	3	4	6	7	10
65+	16	8.0	78	1	2	5	9	19	30	35
2. MULTIPLE DX										
0-19 YRS	211	5.0	8	2	3	4	6	8	10	18
20-34	315	4.7	5	2	3	4	5	7	9	15
35-49	121	6.2	98	2	2	4	6	9	16	62
50-64	55	8.9	97	2	2	5	10	19	35	48
65+	26	16.3	253	2	3	11	19	44	54	56
TOT. SINGLE DX	972	4.1	5	2	2	4	5	6	7	12
" MULTIPLE DX	728	5.8	42	2	3	4	6	9	14	46
TOTAL 0-19 YRS	463	4.6	5	2	3	4	5	6	9	15
20-34	783	4.4	4	2	3	4	5	6	8	14
35-49	297	4.7	44	1	2	4	5	7	10	29
50-64	115	6.0	56	1	2	4	6	12	19	41
65+	42	13.1	200	1	2	8	16	36	49	56
GRAND TOTAL	1700	4.8	21	2	2	4	5	7	10	26

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	2.8	4	1	1	2	3	5	6	13
20-34	365	3.6	13	1	1	3	4	6	9	17
35-49	97	3.4	5	1	1	3	4	6	7	12
50-64	32	3.9	5	1	1	4	5	8	9	9
65+	12	3.8	3	1	1	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	300	5.5	72	1	2	4	6	9	14	55
20-34	393	6.4	59	1	2	4	7	12	18	44
35-49	142	7.8	92	2	2	5	9	14	20	56
50-64	54	9.6	87	2	2	7	12	20	27	54
65+	29	12.8	136	2	3	8	16	32	39	50
TOT. SINGLE DX	769	3.4	9	1	1	3	4	6	8	14
" MULTIPLE DX	918	6.7	74	1	2	4	7	12	19	51
TOTAL 0-19 YRS	563	4.3	42	1	1	3	4	7	11	30
20-34	758	5.1	39	1	1	3	6	10	13	36
35-49	239	6.0	61	1	2	4	7	11	16	40
50-64	86	7.5	64	1	2	5	9	14	21	47
65+	41	10.1	114	2	2	7	11	24	36	50
GRAND TOTAL	1687	5.2	47	1	[illegible]	3	6	10	13	37

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	3.9	9	1	2	3	5	7	9	16
20-34	574	4.1	10	1	2	3	5	7	9	18
35-49	210	4.3	11	1	2	3	5	8	10	18
50-64	75	3.9	6	1	2	3	5	8	9	11
65+	36	7.0	32	2	2	5	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	314	8.3	98	2	2	6	9	16	26	49
20-34	735	7.5	64	2	2	5	9	14	21	49
35-49	310	8.5	68	2	2	6	10	16	25	51
50-64	147	10.7	114	3	3	7	12	21	33	55
65+	75	14.6	191	2	3	10	16	34	50	65
TOT. SINGLE DX	1122	4.2	11	1	2	3	5	8	10	18
" MULTIPLE DX	1581	8.5	85	2	2	6	10	17	25	53
TOTAL 0-19 YRS	541	6.5	65	2	2	4	7	12	19	42
20-34	1309	6.0	43	2	2	4	7	12	16	38
35-49	520	6.8	49	2	2	5	8	13	20	45
50-64	222	8.4	87	2	2	6	9	18	27	54
65+	111	12.1	151	2	3	8	14	28	45	59
GRAND TOTAL	**2703**	**6.7**	**58**	**2**	**2**	**4**	**8**	**13**	**19**	**45**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.8	6	<1	1	3	5	7	8	11
20-34	47	4.1	8	<1	2	4	5	7	8	18
35-49	21	4.6	12	1	1	4	5	9	13	15
50-64	23	6.4	24	1	1	6	8	12	17	22
65+	5	3.8	7	2	2	2	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	17	6.1	26	1	1	4	8	15	18	19
20-34	27	8.0	55	2	2	5	9	21	24	27
35-49	31	6.8	59	2	2	6	7	11	19	43
50-64	25	5.5	12	1	2	5	7	11	13	13
65+	12	12.2	229	<1	1	6	16	31	52	55
TOT. SINGLE DX	124	4.5	11	<1	1	4	6	8	11	19
" MULTIPLE DX	112	7.3	61	1	2	5	8	17	21	48
TOTAL 0-19 YRS	45	4.6	15	1	1	4	6	8	13	19
20-34	74	5.5	28	<1	2	4	6	10	20	26
35-49	52	5.9	40	1	2	5	7	11	15	42
50-64	48	5.9	17	1	1	5	7	12	13	22
65+	17	9.7	175	1	2	5	12	21	43	55
GRAND TOTAL	**236**	**5.8**	**37**	**1**	**2**	**4**	**6**	**12**	**18**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	6.3	40	2	2	4	7	12	19	28
20-34	471	5.2	32	2	2	4	6	10	14	30
35-49	325	6.4	34	2	2	5	7	13	18	28
50-64	299	7.5	33	2	3	6	9	13	17	32
65+	144	10.4	85	2	3	8	13	20	29	51
2. MULTIPLE DX										
0-19 YRS	260	8.4	97	2	2	5	8	18	31	53
20-34	338	7.3	65	2	2	5	9	14	20	56
35-49	317	7.9	91	2	2	5	9	15	23	52
50-64	331	10.2	116	2	3	7	12	20	25	56
65+	214	15.6	239	3	3	11	18	34	43	86
TOT. SINGLE DX	1682	6.6	41	2	2	5	8	13	18	33
" MULTIPLE DX	1460	9.5	121	2	2	6	11	20	30	56
TOTAL 0-19 YRS	703	7.0	62	2	2	5	8	14	23	47
20-34	809	6.1	47	2	2	4	7	13	16	40
35-49	642	7.1	63	2	2	5	8	14	20	42
50-64	630	8.9	78	2	3	7	11	17	23	51
65+	358	13.5	183	3	3	10	16	28	41	78
GRAND TOTAL	**3142**	**7.9**	**80**	**2**	**2**	**5**	**9**	**16**	**23**	**50**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	4.3	6	2	2	4	5	6	8	14
20-34	391	4.5	7	2	2	4	5	7	8	14
35-49	454	4.7	5	2	3	4	6	7	9	12
50-64	561	5.3	7	2	3	5	6	9	10	14
65+	227	6.0	9	3	3	5	7	10	11	16
2. MULTIPLE DX										
0-19 YRS	166	4.7	7	2	3	4	5	7	9	17
20-34	515	4.8	7	2	3	4	5	8	10	15
35-49	793	5.4	25	2	3	5	6	8	10	24
50-64	1404	6.0	19	3	3	5	7	10	12	21
65+	749	7.2	35	3	3	6	8	12	15	38
TOT. SINGLE DX	1798	5.0	7	2	3	4	6	8	9	14
" MULTIPLE DX	3627	5.9	22	2	3	5	7	9	12	24
TOTAL 0-19 YRS	331	4.5	6	2	2	4	5	7	8	15
20-34	906	4.7	7	2	2	4	5	7	9	14
35-49	1247	5.2	18	2	3	5	6	8	10	17
50-64	1965	5.8	16	2	3	5	7	9	11	19
65+	976	6.9	29	3	3	6	8	11	15	32
GRAND TOTAL	**5425**	**5.6**	**17**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1476	4.9	31	1	2	3	5	9	13	31
20-34	1914	5.4	45	2	2	4	6	10	15	35
35-49	1467	5.8	32	2	2	4	7	11	15	30
50-64	1210	6.4	48	2	2	4	7	12	18	43
65+	603	8.4	76	2	2	6	10	18	24	47
2. MULTIPLE DX										
0-19 YRS	705	9.6	163	1	2	5	10	27	39	95
20-34	1322	9.4	160	2	2	5	9	22	40	96
35-49	1192	9.1	133	2	2	5	9	21	32	69
50-64	1371	10.1	128	2	2	6	12	23	32	61
65+	1005	15.7	225	2	3	11	21	36	49	96
TOT. SINGLE DX	6670	5.8	43	2	2	4	6	11	17	34
" MULTIPLE DX	5595	10.7	164	2	2	6	13	26	39	78
TOTAL 0-19 YRS	2181	6.4	78	1	2	4	6	12	23	53
20-34	3236	7.0	96	2	2	4	7	15	24	66
35-49	2659	7.3	80	2	2	4	8	15	23	52
50-64	2581	8.4	94	2	2	5	10	18	26	53
65+	1608	13.0	182	2	3	8	17	30	42	90
GRAND TOTAL	**12265**	**8.0**	**104**	**2**	**2**	**5**	**9**	**18**	**28**	**61**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	6.0	32	2	2	4	7	11	15	35
20-34	460	6.6	53	2	2	5	8	12	19	37
35-49	197	8.1	66	2	2	6	9	15	23	48
50-64	223	10.4	79	2	3	9	13	20	22	61
65+	308	14.5	83	4	5	13	17	23	28	57
2. MULTIPLE DX										
0-19 YRS	196	11.5	252	2	2	5	12	28	46	86
20-34	247	11.4	212	2	2	6	11	29	49	93
35-49	159	13.9	276	2	3	8	16	36	54	94
50-64	218	14.8	190	3	3	11	18	34	47	99+
65+	389	20.0	175	6	9	16	24	38	44	88
TOT. SINGLE DX	1704	8.5	67	2	2	6	11	17	22	42
" MULTIPLE DX	1209	15.1	223	2	3	11	19	35	48	92
TOTAL 0-19 YRS	712	7.5	99	2	2	5	7	14	24	52
20-34	707	8.3	114	2	2	5	8	18	27	74
35-49	356	10.7	167	2	2	7	11	23	38	73
50-64	441	12.6	138	2	3	10	15	26	40	88
65+	697	17.6	142	5	7	15	20	32	42	83
GRAND TOTAL	**2913**	**11.2**	**142**	**2**	**3**	**7**	**14**	**24**	**35**	**74**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	976	3.0	24	<1	1	2	3	5	6	21
20-34	1291	3.1	10	1	1	2	3	5	7	16
35-49	686	3.6	15	1	1	2	4	7	9	25
50-64	566	5.3	54	1	1	3	5	10	18	39
65+	549	7.8	74	1	2	5	10	16	24	41
2. MULTIPLE DX										
0-19 YRS	232	5.9	74	1	1	3	5	13	23	53
20-34	395	7.3	121	1	2	3	7	17	30	71
35-49	241	6.7	94	1	2	4	6	14	22	53
50-64	330	9.6	151	1	2	5	12	20	40	66
65+	454	16.3	224	2	3	12	22	38	49	78
TOT. SINGLE DX	4068	4.1	32	1	1	3	4	8	13	31
" MULTIPLE DX	1652	9.9	161	1	2	5	12	25	39	67
TOTAL 0-19 YRS	1208	3.6	35	<1	1	2	3	5	8	32
20-34	1686	4.1	39	1	1	3	4	7	12	37
35-49	927	4.4	37	1	1	3	4	8	14	33
50-64	896	6.9	94	1	2	4	7	16	23	55
65+	1003	11.6	159	2	2	7	15	28	39	65
GRAND TOTAL	**5720**	**5.8**	**76**	**1**	**1**	**3**	**5**	**13**	**21**	**50**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	18.3	180	2	3	17	28	35	42	60
20-34	40	19.7	256	4	6	13	35	47	50	56
35-49	51	14.7	93	5	7	12	18	28	46	99
50-64	125	15.3	114	5	7	13	16	26	36	61
65+	518	17.3	74	8	10	15	20	27	35	55
2. MULTIPLE DX										
0-19 YRS	108	26.4	286	5	8	22	38	50	57	73
20-34	77	24.8	217	10	11	19	35	49	57	90
35-49	45	22.4	215	7	7	18	28	55	60	99+
50-64	137	24.8	256	8	10	20	33	49	64	99+
65+	762	21.8	141	9	11	19	26	36	45	91
TOT. SINGLE DX	876	17.1	107	5	7	15	20	31	39	58
" MULTIPLE DX	1129	22.8	179	9	11	19	28	41	53	93
TOTAL 0-19 YRS	250	21.8	241	3	4	19	32	43	50	69
20-34	117	23.1	234	6	8	17	35	49	55	77
35-49	96	18.3	164	6	7	15	24	36	56	99+
50-64	262	20.3	210	6	8	15	25	39	55	91
65+	1280	20.0	119	9	11	17	23	33	42	78
GRAND TOTAL	**2005**	**20.3**	**155**	**7**	**9**	**17**	**25**	**37**	**47**	**80**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	239	12.7	100	4	5	11	15	20	27	47
20-34	244	16.3	142	5	6	13	19	31	41	64
35-49	180	13.8	110	4	6	11	16	25	37	60
50-64	564	14.9	74	6	7	13	18	23	28	57
65+	2655	17.9	83	8	10	16	21	28	33	56
2. MULTIPLE DX										
0-19 YRS	293	20.9	220	6	7	17	26	40	55	95
20-34	352	23.2	235	7	9	19	29	44	61	99
35-49	261	23.1	275	7	9	18	29	44	63	92
50-64	678	21.3	214	8	9	17	25	41	53	95
65+	3971	22.0	136	10	11	19	26	36	47	75
TOT. SINGLE DX	3882	16.9	90	7	8	15	20	27	33	57
" MULTIPLE DX	5555	22.0	163	9	11	19	26	38	50	83
TOTAL 0-19 YRS	532	17.2	183	4	6	14	21	33	42	90
20-34	596	20.4	208	6	7	17	25	40	54	84
35-49	441	19.3	229	5	7	15	23	38	53	81
50-64	1242	18.4	161	7	8	15	21	34	46	82
65+	6626	20.3	119	9	11	18	24	33	42	68
GRAND TOTAL	**9437**	**19.9**	**139**	**8**	**9**	**17**	**23**	**34**	**44**	**75**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	362	12.2	155	1	2	7	20	31	38	51
20-34	36	23.3	400	1	2	19	42	51	58	68
35-49	28	15.4	282	1	2	8	22	49	52	53
50-64	49	14.8	149	3	4	12	18	30	45	61
65+	132	20.8	335	3	5	16	24	47	60	95
2. MULTIPLE DX										
0-19 YRS	165	21.2	292	3	4	18	31	44	53	70
20-34	85	25.2	312	5	6	20	40	53	62	91
35-49	45	25.9	367	5	5	20	39	56	68	99+
50-64	41	28.8	426	7	9	19	40	59	68	84
65+	192	23.5	204	7	10	19	32	44	57	74
TOT. SINGLE DX	607	15.1	228	1	2	10	21	36	47	65
" MULTIPLE DX	528	23.7	282	4	6	19	34	48	60	80
TOTAL 0-19 YRS	527	15.0	215	1	2	9	23	36	44	65
20-34	121	24.6	336	3	5	20	40	52	61	82
35-49	73	21.9	356	2	4	16	34	53	62	95
50-64	90	21.1	321	3	5	15	28	50	59	79
65+	324	22.4	258	5	7	18	28	45	58	87
GRAND TOTAL	**1135**	**19.1**	**271**	**2**	**3**	**15**	**26**	**44**	**54**	**75**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	489	5.2	31	1	1	3	6	14	18	26
20-34	428	4.9	30	1	1	4	5	10	13	32
35-49	277	5.2	17	1	2	4	7	10	14	21
50-64	297	6.1	39	1	2	4	8	12	17	35
65+	214	8.6	68	2	2	6	10	20	27	42
2. MULTIPLE DX										
0-19 YRS	198	13.1	257	1	2	7	16	32	50	74
20-34	278	10.6	154	2	2	6	12	23	41	62
35-49	187	12.6	236	2	2	7	12	26	48	84
50-64	181	13.9	252	2	2	7	19	35	46	92
65+	230	13.8	122	3	3	11	19	26	34	59
TOT. SINGLE DX	1705	5.7	36	1	1	4	7	12	17	29
" MULTIPLE DX	1074	12.7	198	2	2	8	16	27	46	76
TOTAL 0-19 YRS	687	7.5	109	1	1	4	9	18	24	58
20-34	706	7.1	87	1	2	4	7	15	23	55
35-49	464	8.2	118	1	2	5	9	16	25	60
50-64	478	9.0	134	1	2	5	10	21	32	69
65+	444	11.3	103	2	2	8	15	24	30	57
GRAND TOTAL	**2779**	**8.4**	**110**	**1**	**2**	**5**	**10**	**19**	**27**	**57**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1787	4.1	17	1	1	3	5	7	10	16
20-34	2166	5.1	17	1	2	4	6	9	11	22
35-49	1262	6.4	27	2	2	5	8	12	15	33
50-64	1181	7.5	27	2	3	6	9	14	17	28
65+	803	10.4	62	3	3	8	14	19	23	36
2. MULTIPLE DX										
0-19 YRS	860	8.1	111	1	2	5	9	17	29	64
20-34	1546	9.7	126	2	2	6	11	20	32	70
35-49	927	11.1	166	2	3	7	12	23	42	86
50-64	1000	12.5	158	3	3	8	15	27	36	78
65+	869	15.9	157	4	5	13	20	31	40	73
TOT. SINGLE DX	7199	6.1	29	1	2	5	7	12	16	28
" MULTIPLE DX	5202	11.3	148	2	3	7	13	25	36	73
TOTAL 0-19 YRS	2647	5.4	51	1	2	4	6	10	14	40
20-34	3712	7.0	67	2	2	5	8	13	20	47
35-49	2189	8.4	91	2	2	6	9	16	24	63
50-64	2181	9.8	93	2	3	7	11	19	27	61
65+	1672	13.3	119	3	4	10	17	25	33	60
GRAND TOTAL	**12401**	**8.2**	**86**	**2**	**2**	**5**	**9**	**17**	**25**	**54**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4005	2.8	14	1	1	2	3	5	8	19
20-34	1294	4.4	24	1	1	3	5	9	11	27
35-49	868	4.9	32	1	1	4	6	10	13	24
50-64	1028	5.2	31	1	1	4	7	11	14	26
65+	960	6.0	40	1	1	4	8	13	17	31
2. MULTIPLE DX										
0-19 YRS	1225	6.3	77	1	1	3	7	14	23	43
20-34	1017	8.7	120	1	2	5	10	18	33	63
35-49	715	9.2	115	1	2	6	11	19	30	56
50-64	854	9.8	150	1	2	6	12	19	30	64
65+	1172	10.8	110	2	2	7	14	23	33	60
TOT. SINGLE DX	8155	4.0	24	1	1	2	5	8	12	24
" MULTIPLE DX	4983	8.9	114	1	2	5	11	19	29	59
TOTAL 0-19 YRS	5230	3.6	31	1	1	2	4	7	12	28
20-34	2311	6.3	71	1	1	4	7	12	19	50
35-49	1583	6.9	74	1	1	4	8	14	20	45
50-64	1882	7.3	90	1	1	5	9	14	21	55
65+	2132	8.6	84	1	2	6	11	19	26	49
GRAND TOTAL	**13138**	**5.8**	**64**	**1**	**1**	**3**	**7**	**13**	**19**	**43**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	401	4.7	43	<1	1	2	5	12	19	35
20-34	331	3.7	18	<1	1	2	5	8	12	21
35-49	171	4.7	41	1	1	3	5	11	14	29
50-64	190	5.0	73	1	1	3	6	10	13	40
65+	200	5.6	51	1	1	3	6	15	20	43
2. MULTIPLE DX										
0-19 YRS	170	7.1	77	1	1	3	9	20	24	46
20-34	250	9.9	166	1	1	5	12	25	37	64
35-49	167	9.4	155	1	1	5	11	23	30	59
50-64	170	9.7	130	1	2	6	13	23	33	72
65+	252	11.2	152	1	2	7	15	28	36	63
TOT. SINGLE DX	1293	4.6	42	1	1	2	5	11	17	35
" MULTIPLE DX	1009	9.6	141	1	1	5	12	23	34	63
TOTAL 0-19 YRS	571	5.4	54	1	1	2	6	14	22	39
20-34	581	6.4	91	1	1	3	6	14	24	53
35-49	338	7.0	102	1	1	4	7	17	24	57
50-64	360	7.2	105	1	1	4	8	16	24	66
65+	452	8.7	115	1	1	5	11	21	32	62
GRAND TOTAL	**2302**	**6.8**	**92**	**1**	**1**	**3**	**8**	**16**	**24**	**51**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	4.4	47	1	1	3	5	7	11	24
20-34	358	4.2	7	1	2	4	5	7	9	17
35-49	159	4.7	8	1	2	4	6	8	10	15
50-64	121	6.8	43	1	2	5	8	13	20	66
65+	109	12.0	69	2	3	10	16	22	27	41
2. MULTIPLE DX										
0-19 YRS	93	7.5	57	1	2	5	10	19	22	80
20-34	170	7.6	77	1	2	5	8	17	25	49
35-49	86	9.0	102	2	3	6	9	18	38	87
50-64	89	10.0	68	3	4	8	13	18	25	85
65+	118	17.0	169	4	5	14	20	31	45	69
TOT. SINGLE DX	999	5.5	34	1	2	4	6	11	16	27
" MULTIPLE DX	556	10.2	108	2	3	6	13	22	31	64
TOTAL 0-19 YRS	345	5.2	52	1	1	4	5	11	17	27
20-34	528	5.3	32	1	2	4	6	9	14	32
35-49	245	6.2	45	2	2	5	7	10	16	49
50-64	210	8.2	56	2	3	6	10	17	23	76
65+	227	14.6	127	3	4	13	18	28	35	61
GRAND TOTAL	**1555**	**7.2**	**66**	**1**	**2**	**5**	**8**	**16**	**22**	**50**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	934	5.1	23	1	2	4	6	9	13	26
20-34	1100	4.8	14	2	2	4	6	8	10	21
35-49	568	5.1	15	2	2	4	6	9	13	23
50-64	356	7.6	85	2	2	5	8	15	23	57
65+	207	12.7	140	2	3	10	17	25	39	70
2. MULTIPLE DX										
0-19 YRS	434	6.3	42	2	2	4	6	12	19	34
20-34	728	6.9	63	2	2	5	7	12	22	44
35-49	435	7.4	68	2	2	5	8	16	23	48
50-64	407	11.1	123	2	3	7	13	27	39	56
65+	285	17.5	279	3	4	13	23	37	50	95
TOT. SINGLE DX	3165	5.8	37	2	2	4	6	11	16	33
" MULTIPLE DX	2289	9.0	110	2	2	5	10	20	30	57
TOTAL 0-19 YRS	1368	5.5	29	2	2	4	6	10	15	28
20-34	1828	5.6	34	2	2	4	6	9	14	31
35-49	1003	6.1	39	2	2	4	7	12	17	42
50-64	763	9.5	108	2	2	6	11	21	31	57
65+	492	15.5	226	2	3	11	20	33	46	93
GRAND TOTAL	**5454**	**7.1**	**70**	**2**	**2**	**5**	**7**	**14**	**23**	**47**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	10.4	26	4	5	9	12	17	20	32
20-34	3166	11.0	33	5	6	10	13	18	21	32
35-49	5895	11.4	30	5	6	10	14	18	22	31
50-64	3110	12.4	37	6	7	11	15	20	24	33
65+	600	15.2	63	7	8	13	18	24	30	45
2. MULTIPLE DX										
0-19 YRS	34	21.8	424	5	6	17	26	48	95	99+
20-34	669	14.2	70	6	7	12	17	24	30	50
35-49	1704	14.6	76	6	7	12	18	24	30	49
50-64	1544	15.7	80	6	8	14	19	27	32	52
65+	568	19.8	146	8	9	17	24	35	44	69
TOT. SINGLE DX	12924	11.7	35	5	6	10	14	19	23	32
" MULTIPLE DX	4519	15.6	91	6	7	13	19	26	33	56
TOTAL 0-19 YRS	187	12.4	116	4	5	10	14	22	32	93
20-34	3835	11.5	41	5	6	10	14	19	23	36
35-49	7599	12.1	42	5	6	10	15	20	24	36
50-64	4654	13.5	53	6	7	12	16	22	27	40
65+	1168	17.4	108	7	8	15	21	29	38	60
GRAND TOTAL	**17443**	**12.7**	**52**	**5**	**6**	**11**	**15**	**21**	**26**	**40**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1612	4.4	3	2	3	4	5	6	8	12
20-34	3414	4.8	5	2	3	4	5	7	8	13
35-49	1788	4.9	6	2	3	4	6	8	9	14
50-64	783	5.7	8	3	3	5	7	9	11	17
65+	156	6.6	13	2	3	6	8	12	14	18
2. MULTIPLE DX										
0-19 YRS	777	5.1	9	2	3	5	6	7	9	16
20-34	1704	5.4	11	2	3	5	6	8	11	19
35-49	995	6.1	17	2	3	5	7	10	12	24
50-64	843	6.8	20	2	3	6	8	11	15	24
65+	233	8.4	31	3	3	7	10	15	19	32
TOT. SINGLE DX	7753	4.9	5	2	3	4	6	7	9	14
" MULTIPLE DX	4552	5.9	15	2	3	5	7	9	12	22
TOTAL 0-19 YRS	2389	4.6	5	2	3	4	5	7	8	14
20-34	5118	5.0	7	2	3	5	6	7	9	15
35-49	2783	5.3	10	2	3	5	6	8	10	17
50-64	1626	6.2	15	2	3	5	7	10	13	22
65+	389	7.7	24	3	3	6	9	13	17	29
GRAND TOTAL	**12305**	**5.2**	**9**	**2**	**3**	**5**	**6**	**8**	**10**	**17**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1182	3.5	19	<1	1	2	4	6	8	20
20-34	1767	3.6	14	1	1	3	4	6	8	16
35-49	1006	4.0	12	1	1	3	5	7	10	21
50-64	695	4.6	23	1	1	3	5	9	13	23
65+	228	6.4	81	1	2	3	7	14	23	54
2. MULTIPLE DX										
0-19 YRS	429	3.9	15	<1	1	3	5	7	10	25
20-34	848	4.5	23	<1	1	3	5	8	12	26
35-49	633	5.7	39	1	2	4	6	12	17	38
50-64	597	7.4	82	1	2	5	8	16	24	55
65+	280	9.7	78	2	2	6	14	22	26	43
TOT. SINGLE DX	4878	3.9	20	1	1	3	4	7	10	22
" MULTIPLE DX	2787	5.8	46	1	1	4	6	13	18	35
TOTAL 0-19 YRS	1611	3.6	18	<1	1	3	4	6	9	21
20-34	2615	3.9	17	<1	1	3	5	7	9	20
35-49	1639	4.7	23	1	1	3	5	9	14	27
50-64	1292	5.9	52	1	2	4	7	13	18	39
65+	508	8.2	82	2	2	5	10	19	26	46
GRAND TOTAL	**7665**	**4.6**	**30**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	14.5	35	8	9	14	17	19	26	37
20-34	263	14.6	140	5	6	11	17	25	31	63
35-49	390	12.5	60	5	6	11	15	20	26	48
50-64	229	12.5	61	4	5	10	15	22	26	40
65+	20	14.9	50	6	7	14	19	24	28	32
2. MULTIPLE DX										
0-19 YRS	94	20.0	177	5	8	17	32	55	99+	99+
20-34	191	20.3	244	6	7	15	29	48	76	99+
35-49	275	16.2	148	6	7	13	18	31	46	79
50-64	193	18.6	154	6	7	15	23	35	42	80
65+	50	23.6	205	7	8	22	31	48	55	99+
TOT. SINGLE DX	1142	13.5	74	5	6	12	16	21	28	47
" MULTIPLE DX	803	18.7	183	6	7	15	24	40	55	99+
TOTAL 0-19 YRS	334	16.1	80	7	9	15	18	30	44	99+
20-34	454	17.0	191	5	7	13	20	35	53	99+
35-49	665	14.0	99	5	6	12	16	23	33	72
50-64	422	15.3	112	5	6	12	18	27	36	59
65+	70	21.1	175	7	8	19	29	43	55	92
GRAND TOTAL	**1945**	**15.6**	**125**	**5**	**7**	**13**	**18**	**29**	**41**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	4.8	8	2	2	4	6	9	10	14
20-34	331	5.3	12	2	2	4	7	9	11	19
35-49	315	6.2	21	2	2	5	8	11	15	22
50-64	343	6.0	27	2	2	5	7	12	15	28
65+	183	9.7	89	2	2	6	14	21	25	44
2. MULTIPLE DX										
0-19 YRS	129	5.9	23	2	2	5	7	12	15	31
20-34	239	6.7	43	2	2	5	8	11	15	39
35-49	212	7.6	37	2	3	5	9	15	20	35
50-64	301	8.0	54	2	2	6	10	16	21	44
65+	209	11.9	77	2	3	9	17	25	28	39
TOT. SINGLE DX	1366	6.2	30	2	2	5	8	12	16	26
" MULTIPLE DX	1090	8.1	53	2	2	6	10	17	24	39
TOTAL 0-19 YRS	323	5.2	[illegible]	2	2	4	6	9	12	19
20-34	570	5.9	[illegible]	2	2	5	7	10	14	23
35-49	527	6.7	[illegible]	2	2	5	8	13	17	29
50-64	644	7.0	[illegible]	2	2	5	8	14	18	32
65+	392	10.8	84	2	2	8	16	24	27	40
GRAND TOTAL	**2456**	**7.1**	**41**	**2**	**2**	**5**	**8**	**14**	**19**	**32**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	16.1	22	10	10	17	19	22	24	24
20-34	72	16.7	116	7	9	15	18	25	32	77
35-49	200	14.9	29	8	9	14	17	23	26	33
50-64	638	16.1	44	9	10	15	18	23	26	39
65+	1178	18.2	55	10	12	17	20	26	31	47
2. MULTIPLE DX										
0-19 YRS	5	15.4	40	6	6	16	20	22	22	22
20-34	44	19.2	206	8	9	17	20	30	47	84
35-49	182	18.3	93	8	10	16	22	27	38	62
50-64	517	19.5	95	9	11	17	23	32	40	57
65+	1088	23.0	157	11	13	19	26	39	50	81
TOT. SINGLE DX	2096	17.2	53	9	11	16	19	25	29	44
" MULTIPLE DX	1836	21.4	137	10	11	18	25	35	46	71
TOTAL 0-19 YRS	13	15.8	26	7	9	16	19	22	24	24
20-34	116	17.6	150	7	9	15	19	27	33	84
35-49	382	16.6	62	8	9	15	19	25	30	53
50-64	1155	17.7	69	9	10	16	20	27	34	51
65+	2266	20.5	110	11	12	18	23	31	41	67
GRAND TOTAL	**3932**	**19.2**	**97**	**9**	**11**	**17**	**22**	**29**	**38**	**62**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	10.8	77	3	3	8	13	20	29	42
20-34	36	15.2	185	5	6	13	17	20	27	88
35-49	50	12.9	22	6	7	12	16	20	21	23
50-64	319	15.3	39	7	9	14	18	23	27	39
65+	1718	17.8	56	9	11	16	21	26	31	45
2. MULTIPLE DX										
0-19 YRS	19	22.1	442	3	4	15	29	45	70	90
20-34	27	13.9	52	2	4	12	18	23	27	30
35-49	61	19.1	178	5	9	16	23	33	49	73
50-64	348	21.8	226	8	10	17	25	40	56	81
65+	2486	22.3	138	10	12	19	26	37	47	74
TOT. SINGLE DX	2149	17.2	57	8	10	16	20	26	30	44
" MULTIPLE DX	2941	22.1	151	9	11	19	26	38	47	75
TOTAL 0-19 YRS	45	15.6	257	3	4	11	18	42	44	90
20-34	63	14.6	127	4	6	13	18	23	28	80
35-49	111	16.3	116	6	8	14	19	25	34	66
50-64	667	18.7	147	8	9	15	21	30	42	71
65+	4204	20.5	109	9	11	18	24	33	42	64
GRAND TOTAL	**5090**	**20.0**	**117**	**9**	**11**	**17**	**23**	**32**	**42**	**66**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	597	5.4	4	3	3	5	6	8	9	13
20-34	681	6.2	17	2	3	5	7	9	12	23
35-49	250	10.3	69	3	4	8	14	19	24	35
50-64	597	16.3	67	5	8	15	20	26	31	42
65+	927	18.6	64	9	11	17	22	28	35	45
2. MULTIPLE DX										
0-19 YRS	438	6.1	14	3	3	5	7	9	11	16
20-34	611	7.5	52	3	4	6	8	11	16	37
35-49	256	10.6	89	3	4	8	13	20	26	46
50-64	382	18.4	115	4	6	17	22	32	38	60
65+	744	22.8	140	10	12	20	27	37	45	65
TOT. SINGLE DX	3052	12.1	76	3	4	10	17	23	28	40
" MULTIPLE DX	2431	14.0	136	4	4	10	19	28	36	59
TOTAL 0-19 YRS	1035	5.7	9	3	3	5	6	9	10	14
20-34	1292	6.8	34	3	3	6	7	10	14	29
35-49	506	10.4	79	3	4	8	14	19	25	42
50-64	979	17.1	87	5	7	16	21	28	34	49
65+	1671	20.5	102	9	11	18	24	33	39	60
GRAND TOTAL	**5483**	**12.9**	**103**	**3**	**4**	**10**	**18**	**25**	**32**	**47**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	683	3.8	3	2	2	4	5	6	7	10
20-34	1259	4.3	12	2	2	4	5	6	8	14
35-49	466	4.8	17	2	2		6	8	10	22
50-64	533	5.9	25	2	2	4	7	12	15	26
65+	184	7.8	40	2	2	6	10	16	19	34
2. MULTIPLE DX										
0-19 YRS	166	4.8	24	1	2	4	5	8	11	40
20-34	410	5.4	26	1	2	4	6	9	14	33
35-49	287	6.0	42	2	2	4	7	10	14	40
50-64	354	7.1	51	2	2	5	8	15	22	47
65+	197	8.4	47	2	2	6	10	18	24	34
TOT. SINGLE DX	3125	4.7	16	2	2	4	5	8	10	20
" MULTIPLE DX	1414	6.3	39	2	2	5	7	12	18	39
TOTAL 0-19 YRS	849	4.0	8	2	2	4	5	6	7	16
20-34	1669	4.5	16	2	2	4	5	7	9	20
35-49	753	5.3	27	2	2	4	6	9	13	25
50-64	887	6.4	36	2	2	5	7	13	17	30
65+	381	8.1	44	2	2	6	10	16	22	34
GRAND TOTAL	**4539**	**5.2**	**24**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	463	4.1	18	1	1	3	5	8	12	25
20-34	555	4.1	34	1	1	3	5	7	10	20
35-49	546	3.4	10	1	1	2	4	7	9	18
50-64	595	2.9	7	<1	1	2	3	5	8	16
65+	175	3.9	20	1	1	2	4	8	11	31
2. MULTIPLE DX										
0-19 YRS	260	6.7	76	1	2	4	7	14	24	54
20-34	256	6.4	41	1	2	4	8	14	20	32
35-49	263	7.7	117	1	2	4	8	16	25	56
50-64	338	7.2	86	1	2	4	8	17	29	54
65+	146	12.5	162	2	2	8	17	29	42	61
TOT. SINGLE DX	2334	3.6	17	1	1	2	4	7	10	21
" MULTIPLE DX	1263	7.6	93	1	2	4	8	18	27	54
TOTAL 0-19 YRS	723	5.0	40	1	1	3	5	10	15	39
20-34	811	4.8	37	1	1	3	6	9	13	28
35-49	809	4.8	49	1	1	3	5	9	14	37
50-64	933	4.5	40	1	1	2	4	9	15	34
65+	321	7.8	103	1	1	3	9	22	30	55
GRAND TOTAL	**3597**	**5.0**	**48**	**1**	**1**	**3**	**5**	**10**	**16**	**39**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1462	2.4	11	1	1	2	2	3	4	11
20-34	2602	2.4	3	<1	1	2	3	4	5	10
35-49	1435	2.9	9	1	1	2	3	4	7	18
50-64	913	3.5	17	1	1	2	4	7	10	23
65+	345	4.5	24	1	1	3	5	10	15	27
2. MULTIPLE DX										
0-19 YRS	217	3.9	22	1	1	2	4	7	12	27
20-34	583	4.5	35	1	2	3	4	9	15	29
35-49	645	5.8	38	1	2	3	7	13	19	28
50-64	703	7.7	73	2	2	5	10	17	23	45
65+	390	9.9	118	2	2	6	13	23	28	96
TOT. SINGLE DX	6757	2.7	9	1	1	2	3	4	6	16
" MULTIPLE DX	2543	6.5	62	1	2	4	8	15	22	41
TOTAL 0-19 YRS	1679	2.6	13	1	1	2	3	4	6	16
20-34	3190	2.8	10	1	1	2	3	4	6	17
35-49	2080	3.8	20	1	1	2	4	7	11	25
50-64	1616	5.4	46	1	2	3	6	12	18	37
65+	735	7.3	81	1	2	4	9	18	25	52
GRAND TOTAL	**9300**	**3.8**	**27**	**1**	**1**	**2**	**4**	**7**	**12**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.3	1	1	1	2	3	3	4	7
20-34	116	3.4	18	1	1	2	3	6	10	25
35-49	163	3.2	5	1	2	2	4	6	7	10
50-64	437	2.8	3	1	1	2	3	4	5	10
65+	216	3.1	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	29	5.5	94	1	2	3	4	8	16	54
20-34	68	4.9	34	1	1	3	6	9	13	37
35-49	91	4.3	18	1	2	3	4	8	16	23
50-64	231	4.7	44	2	2	3	5	8	10	31
65+	130	5.7	52	2	2	3	6	11	15	35
TOT. SINGLE DX	986	3.0	5	1	1	2	3	5	6	11
" MULTIPLE DX	549	4.9	43	1	2	3	5	9	14	29
TOTAL 0-19 YRS	83	3.4	35	1	1	2	3	5	7	41
20-34	184	4.0	24	1	1	2	4	8	11	32
35-49	254	3.6	10	1	2	3	4	6	9	21
50-64	668	3.5	18	1	2	3	4	6	8	16
65+	346	4.1	23	1	2	3	4	7	10	21
GRAND TOTAL	**1535**	**3.7**	**20**	**1**	**2**	**3**	**4**	**6**	**9**	**21**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	608	2.3	2	1	1	2	3	4	5	10
20-34	880	2.6	5	1	1	2	3	4	6	10
35-49	343	2.9	6	1	1	2	3	5	6	11
50-64	245	2.8	8	1	1	2	3	5	6	12
65+	67	3.2	11	<1	1	2	4	5	9	19
2. MULTIPLE DX										
0-19 YRS	358	3.0	9	1	1	2	3	5	7	13
20-34	589	3.3	9	1	1	3	4	6	8	16
35-49	242	4.2	30	1	1	3	5	7	11	37
50-64	172	4.4	38	1	1	3	5	7	10	44
65+	77	5.5	21	1	2	5	6	10	13	28
TOT. SINGLE DX	2143	2.6	5	1	1	2	3	4	6	11
" MULTIPLE DX	1438	3.6	17	1	1	3	4	6	9	22
TOTAL 0-19 YRS	966	2.5	5	1	1	2	3	4	6	11
20-34	1469	2.9	7	1	1	2	3	5	6	14
35-49	585	3.4	16	1	1	3	4	6	8	25
50-64	417	3.4	21	1	1	2	4	6	8	27
65+	144	4.4	17	1	1	3	5	9	12	22
GRAND TOTAL	**3581**	**3.0**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	3.0	8	1	1	2	4	5	7	12
20-34	535	3.3	7	1	1	3	4	6	8	12
35-49	575	4.0	12	1	1	3	5	7	9	21
50-64	525	4.1	12	1	2	3	5	8	9	18
65+	169	5.4	31	2	2	4	7	11	14	91
2. MULTIPLE DX										
0-19 YRS	148	5.3	56	1	1	3	6	10	19	30
20-34	342	5.2	49	1	1	4	5	9	16	44
35-49	328	6.1	55	1	2	4	7	12	15	32
50-64	317	7.0	65	1	2	5	8	15	20	47
65+	162	9.0	68	2	2	6	12	19	27	38
TOT. SINGLE DX	2141	3.8	12	1	1	3	5	7	9	17
" MULTIPLE DX	1297	6.4	59	1	2	4	7	13	19	38
TOTAL 0-19 YRS	485	3.7	23	1	1	2	4	7	9	26
20-34	877	4.0	24	1	1	3	5	7	9	26
35-49	903	4.8	29	1	2	3	6	9	12	28
50-64	842	5.2	34	1	2	4	6	10	14	29
65+	331	7.2	52	2	2	5	9	14	21	58
GRAND TOTAL	**3438**	**4.8**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	727	3.7	4	1	2	3	5	6	7	10
20-34	584	4.4	21	1	2	4	5	7	9	18
35-49	329	4.4	18	1	2	4	5	7	10	26
50-64	251	5.0	13	2	2	4	6	9	12	21
65+	75	7.6	38	2	2	6	9	14	20	32
2. MULTIPLE DX										
0-19 YRS	416	4.7	36	1	2	3	5	7	11	33
20-34	323	7.0	70	2	2	5	7	12	23	51
35-49	161	6.7	85	1	2	4	7	11	18	54
50-64	143	7.5	62	2	2	5	9	15	23	45
65+	61	13.0	310	2	3	7	14	30	73	99
TOT. SINGLE DX	1966	4.3	15	1	2	4	5	7	9	18
" MULTIPLE DX	1104	6.5	75	2	2	4	6	11	18	53
TOTAL 0-19 YRS	1143	4.0	16	1	2	3	5	6	8	15
20-34	907	5.3	40	1	2	4	6	9	12	37
35-49	490	5.2	41	1	2	4	5	9	12	40
50-64	394	5.9	32	2	2	4	7	11	16	31
65+	136	10.1	166	2	3	6	10	19	30	94
GRAND TOTAL	**3070**	**5.1**	**37**	**1**	**2**	**4**	**6**	**9**	**12**	**31**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	2.9	7	1	1	2	3	6	9	14
20-34	254	2.9	11	1	1	2	3	6	9	18
35-49	175	3.7	30	1	1	2	4	6	11	30
50-64	127	4.8	45	1	1	3	4	11	20	34
65+	56	3.7	17	1	1	2	4	10	11	23
2. MULTIPLE DX										
0-19 YRS	80	4.3	37	1	1	3	5	8	13	40
20-34	202	6.6	97	1	1	3	7	14	28	54
35-49	133	6.4	46	1	2	4	7	14	25	33
50-64	124	8.0	162	1	1	4	9	15	33	69
65+	97	8.3	151	1	2	4	8	19	41	64
TOT. SINGLE DX	730	3.5	22	1	1	2	3	7	11	27
" MULTIPLE DX	636	6.8	100	1	1	4	7	14	25	55
TOTAL 0-19 YRS	198	3.5	20	1	1	2	4	7	11	18
20-34	456	4.6	52	1	1	2	5	9	15	36
35-49	308	4.9	39	1	1	3	5	10	18	32
50-64	251	6.4	105	1	1	3	6	13	26	55
65+	153	6.6	106	1	1	3	7	13	22	58
GRAND TOTAL	**1366**	**5.0**	**61**	**1**	**1**	**3**	**5**	**10**	**17**	**44**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.1	129	3	3	5	11	30	35	35
20-34	18	10.0	346	1	1	5	8	14	55	83
35-49	15	3.8	7	1	1	3	6	8	8	8
50-64	6	14.0	141	<1	1	10	26	30	31	31
65+	9	9.7	28	2	3	8	13	18	18	18
2. MULTIPLE DX										
0-19 YRS	8	12.6	212	3	3	5	19	38	42	42
20-34	20	15.6	292	2	3	7	20	35	54	72
35-49	17	21.6	713	1	2	9	30	68	87	93
50-64	17	29.6	730	5	7	21	44	89	97	99+
65+	27	20.3	266	4	5	15	29	42	59	62
TOT. SINGLE DX	55	8.7	153	1	1	6	8	17	30	81
" MULTIPLE DX	89	20.6	448	3	3	12	29	51	75	97
TOTAL 0-19 YRS	15	11.5	163	3	3	5	12	35	40	42
20-34	38	12.9	317	1	2	6	14	33	58	83
35-49	32	13.3	452	1	1	5	9	39	71	93
50-64	23	25.6	612	3	6	18	36	83	94	99+
65+	36	17.6	226	3	5	13	23	40	54	62
GRAND TOTAL	**144**	**16.0**	**367**	**2**	**2**	**8**	**20**	**39**	**68**	**93**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.1	43	1	1	3	5	13	21	33
20-34	84	5.9	34	1	2	4	7	14	19	31
35-49	71	6.6	37	2	2	4	8	13	23	28
50-64	92	9.8	133	1	2	6	11	27	35	55
65+	125	12.1	133	2	3	8	16	27	40	54
2. MULTIPLE DX										
0-19 YRS	52	9.9	254	2	2	4	7	24	42	92
20-34	88	12.0	141	2	2	8	16	29	37	59
35-49	163	18.0	257	3	3	13	25	41	56	99
50-64	466	19.0	223	3	5	15	25	41	49	90
65+	621	22.2	306	3	5	17	30	48	63	89
TOT. SINGLE DX	444	8.4	91	1	2	5	10	20	30	49
" MULTIPLE DX	1390	19.5	270	3	4	15	27	43	56	92
TOTAL 0-19 YRS	124	7.1	136	1	1	3	6	16	32	61
20-34	172	9.0	98	2	2	5	11	22	30	43
35-49	234	14.5	217	2	3	10	21	34	48	93
50-64	558	17.5	219	3	4	13	24	39	48	77
65+	746	20.5	291	3	4	16	28	46	58	85
GRAND TOTAL	**1834**	**16.8**	**249**	**2**	**3**	**12**	**23**	**39**	**50**	**84**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	30.8	318	11	11	32	41	57	57	57
20-34	13	17.6	228	2	4	12	24	33	56	61
35-49	14	16.5	105	5	7	13	25	32	37	39
50-64	40	21.4	299	6	7	15	26	47	59	85
65+	90	22.5	234	7	9	18	28	47	53	97
2. MULTIPLE DX										
0-19 YRS	21	27.9	497	2	5	26	34	59	75	93
20-34	37	26.3	382	6	8	23	37	68	86	99+
35-49	106	27.7	405	8	9	22	35	66	86	99+
50-64	404	26.3	244	9	10	22	33	49	60	85
65+	932	27.2	286	9	11	22	35	52	66	96
TOT. SINGLE DX	162	21.6	242	7	8	16	26	46	54	91
" MULTIPLE DX	1500	27.0	288	9	11	22	34	53	67	99+
TOTAL 0-19 YRS	26	28.4	450	2	7	26	35	57	67	93
20-34	50	24.0	351	5	8	19	32	66	69	99+
35-49	120	26.4	382	7	9	21	33	64	82	99+
50-64	444	25.8	250	8	10	22	33	49	60	85
65+	1022	26.8	283	9	11	22	34	51	66	96
GRAND TOTAL	**1662**	**26.5**	**286**	**8**	**10**	**22**	**33**	**52**	**66**	**99**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	16.0	87	8	8	12	18	32	33	33
20-34	5	12.0	34	5	5	13	15	20	20	20
35-49	9	22.0	205	10	10	19	26	47	53	53
50-64	32	19.1	154	6	8	14	26	39	48	49
65+	145	18.0	147	6	7	14	22	34	48	76
2. MULTIPLE DX										
0-19 YRS	14	19.6	186	3	3	20	25	41	46	48
20-34	22	25.2	507	3	5	18	27	67	80	82
35-49	59	25.1	284	7	9	19	37	60	89	99+
50-64	286	25.1	258	8	10	21	35	56	69	99+
65+	1208	24.8	273	8	10	20	32	49	62	98
TOT. SINGLE DX	200	18.1	145	6	8	14	23	34	48	65
" MULTIPLE DX	1589	24.9	273	7	9	20	32	50	65	99+
TOTAL 0-19 YRS	23	18.2	145	3	4	16	24	34	43	48
20-34	27	22.8	442	3	5	17	24	59	79	82
35-49	68	24.7	272	7	9	19	37	57	81	99+
50-64	318	24.5	250	8	9	20	34	52	65	99+
65+	1353	24.1	264	7	9	19	31	48	60	98
GRAND TOTAL	**1789**	**24.1**	**263**	**7**	**9**	**19**	**31**	**49**	**62**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.1	25	2	2	10	13	15	15	15
20-34	8	12.5	56	3	3	12	21	69	99+	99+
35-49	9	15.0	216	<1	1	11	24	39	43	43
50-64	13	28.2	314	7	7	26	40	49	61	64
65+	22	27.9	409	6	8	26	39	71	83	99+
2. MULTIPLE DX										
0-19 YRS	10	18.6	170	3	3	17	25	38	46	46
20-34	15	33.9	299	10	16	30	45	61	66	68
35-49	35	31.0	471	6	7	29	46	81	98	99+
50-64	131	29.5	401	7	9	24	42	64	85	99+
65+	175	30.2	323	9	11	27	41	59	68	98
TOT. SINGLE DX	60	21.5	311	3	3	15	34	52	72	99+
" MULTIPLE DX	366	29.9	360	7	10	25	41	61	79	99+
TOTAL 0-19 YRS	18	14.4	123	2	3	13	19	28	40	46
20-34	23	26.5	317	4	8	23	41	62	78	99+
35-49	44	27.7	455	3	5	28	43	61	95	99+
50-64	144	29.4	391	7	9	24	41	63	84	99+
65+	197	29.9	331	9	11	26	41	59	72	99+
GRAND TOTAL	**426**	**28.7**	**361**	**7**	**9**	**24**	**41**	**59**	**78**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	3	<1	1	2	3	5	6	7
20-34	25	4.6	9	1	1	4	6	10	10	10
35-49	15	7.9	145	<1	1	4	7	28	40	44
50-64	12	5.4	22	<1	1	4	8	12	16	17
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	14	6.4	26	1	1	5	9	13	17	18
20-34	12	11.7	214	3	3	7	14	29	51	55
35-49	10	11.2	103	1	1	9	17	25	33	33
50-64	5	12.2	191	2	2	4	22	34	34	34
65+	4	20.8	884	2	2	8	38	65	65	65
TOT. SINGLE DX	76	4.7	38	1	1	3	6	9	10	40
" MULTIPLE DX	45	10.8	175	1	1	6	14	18	39	65
TOTAL 0-19 YRS	37	4.0	15	1	1	3	5	9	13	18
20-34	37	6.9	83	1	1	5	8	10	13	55
35-49	25	9.2	126	<1	1	5	13	28	36	44
50-64	17	7.4	73	<1	1	4	9	18	28	34
65+	5	16.8	741	1	1	5	24	65	65	65
GRAND TOTAL	**121**	**7.0**	**97**	**1**	**1**	**4**	**7**	**17**	**23**	**58**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	3.1	11	1	1	2	3	6	9	20
20-34	128	3.5	11	1	1	2	4	7	11	18
35-49	99	4.6	36	1	1	3	4	8	18	34
50-64	89	7.2	72	<1	1	4	9	18	22	46
65+	62	10.8	81	1	2	8	15	27	29	42
2. MULTIPLE DX										
0-19 YRS	18	4.0	20	1	1	2	4	9	15	19
20-34	55	4.6	19	1	1	3	6	9	12	22
35-49	68	8.9	153	1	1	5	9	19	32	63
50-64	100	12.6	172	2	2	10	17	25	37	99+
65+	114	16.5	166	3	4	14	22	38	48	99+
TOT. SINGLE DX	444	5.4	45	1	1	3	6	14	19	32
" MULTIPLE DX	355	11.5	154	1	2	8	15	26	38	99
TOTAL 0-19 YRS	84	3.3	13	1	1	2	3	6	10	21
20-34	183	3.8	14	1	1	2	5	8	11	21
35-49	167	6.3	87	1	1	3	6	14	29	56
50-64	189	10.1	132	1	2	6	14	23	30	95
65+	176	14.5	143	2	3	12	18	33	43	91
GRAND TOTAL	**799**	**8.1**	**102**	**1**	**1**	**4**	**11**	**19**	**29**	**60**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.1	32	2	2	3	4	15	19	19
20-34	11	4.5	14	2	2	3	5	10	15	15
35-49	7	16.6	292	4	4	9	27	45	48	48
50-64	14	8.4	55	2	2	5	15	19	24	25
65+	3	24.7	596	5	5	17	43	52	52	52
2. MULTIPLE DX										
0-19 YRS										
20-34	6	25.2	231	7	8	24	37	44	45	45
35-49	4	9.0	30	3	3	8	13	16	16	16
50-64	9	12.1	99	3	4	9	14	30	32	32
65+	7	15.6	77	7	7	12	24	28	28	28
TOT. SINGLE DX	43	9.2	131	2	2	4	11	20	38	52
" MULTIPLE DX	26	15.6	133	3	5	10	26	33	39	45
TOTAL 0-19 YRS	8	5.1	32	2	2	3	4	15	19	19
20-34	17	11.8	185	2	2	5	15	36	42	45
35-49	11	13.8	199	3	3	9	15	39	47	48
50-64	23	9.8	72	2	2	6	14	25	28	32
65+	10	18.3	203	5	6	14	26	40	52	52
GRAND TOTAL	**69**	**11.6**	**140**	**2**	**2**	**7**	**16**	**30**	**37**	**51**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1580	2.1	1	1	1	2	2	3	3	5
20-34	5148	2.3	3	1	1	2	2	3	4	8
35-49	6824	2.6	4	1	2	2	3	4	5	10
50-64	3103	3.1	8	1	2	2	3	5	8	14
65+	1466	4.1	19	2	2	3	4	8	12	18
2. MULTIPLE DX										
0-19 YRS	309	2.9	6	1	1	2	3	5	8	14
20-34	2099	3.3	16	1	2	2	3	6	9	17
35-49	3594	4.0	16	1	2	3	4	8	11	19
50-64	2228	5.3	36	2	2	3	6	11	15	31
65+	1487	7.5	72	2	2	5	9	16	22	45
TOT. SINGLE DX	18121	2.7	6	1	1	2	3	4	5	12
" MULTIPLE DX	9717	4.6	31	1	2	3	5	10	14	28
TOTAL 0-19 YRS	1889	2.3	2	1	1	2	2	3	4	9
20-34	7247	2.6	7	1	1	2	3	4	5	12
35-49	10418	3.0	9	1	2	2	3	5	8	14
50-64	5331	4.0	21	1	2	3	4	8	12	23
65+	2953	5.8	49	2	2	3	7	12	17	35
GRAND TOTAL	**27838**	**3.4**	**15**	**1**	**2**	**2**	**3**	**6**	**9**	**19**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	2.8	2	1	2	2	3	4	6	9
20-34	189	3.2	6	1	2	3	3	6	6	11
35-49	197	4.2	7	1	2	4	5	8	9	13
50-64	180	5.0	27	2	2	4	6	9	11	19
65+	239	7.7	56	2	2	6	10	13	18	36
2. MULTIPLE DX										
0-19 YRS	26	2.8	1	1	2	3	3	4	5	5
20-34	68	6.5	53	2	2	4	7	12	23	42
35-49	178	7.2	34	2	2	6	8	15	19	32
50-64	204	8.3	34	2	3	7	11	17	20	29
65+	351	11.0	76	3	3	9	13	20	26	49
TOT. SINGLE DX	987	4.7	25	1	2	3	6	9	12	21
" MULTIPLE DX	827	8.9	56	2	2	7	11	18	23	42
TOTAL 0-19 YRS	208	2.8	2	1	2	2	3	4	5	8
20-34	257	4.0	21	1	2	3	5	7	10	26
35-49	375	5.6	22	2	2	5	7	10	15	27
50-64	384	6.8	33	2	2	5	9	13	18	28
65+	590	9.6	70	2	3	8	12	18	23	47
GRAND TOTAL	**1814**	**6.6**	**43**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	22	2	2	3	10	12	12	12
20-34	143	8.2	10	3	5	8	10	12	13	17
35-49	669	8.1	8	4	5	8	10	12	13	16
50-64	1122	8.9	11	5	6	8	10	13	15	21
65+	1029	9.9	18	5	6	9	12	15	18	24
2. MULTIPLE DX										
0-19 YRS	5	6.2	20	2	2	4	10	12	12	12
20-34	118	9.5	15	4	5	9	11	15	16	21
35-49	666	9.9	23	5	6	9	11	15	19	31
50-64	1208	11.0	45	5	6	10	12	17	22	41
65+	1269	12.3	46	6	7	11	14	20	25	40
TOT. SINGLE DX	2970	9.0	13	5	5	8	10	13	16	22
" MULTIPLE DX	3266	11.2	41	5	6	10	13	18	22	36
TOTAL 0-19 YRS	12	5.7	19	2	2	3	11	12	12	12
20-34	261	8.8	13	3	5	8	10	13	16	20
35-49	1335	9.0	16	5	5	8	10	13	16	26
50-64	2330	10.0	30	5	6	9	11	15	19	31
65+	2298	11.2	35	5	6	10	13	18	22	34
GRAND TOTAL	**6236**	**10.2**	**29**	**5**	**6**	**9**	**12**	**16**	**20**	**31**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	341	3.6	28	1	2	3	4	5	6	11
20-34	1178	3.3	6	<1	1	3	4	6	7	11
35-49	961	3.9	7	1	1	3	5	7	8	12
50-64	317	4.2	8	1	2	4	5	7	9	15
65+	95	4.9	11	2	2	4	6	10	13	15
2. MULTIPLE DX										
0-19 YRS	96	4.2	23	1	2	3	5	7	9	31
20-34	645	4.3	13	1	1	4	5	7	9	19
35-49	797	5.1	23	1	2	4	6	8	10	26
50-64	388	5.4	14	2	2	4	7	9	13	18
65+	101	7.1	48	2	2	4	8	15	23	35
TOT. SINGLE DX	2892	3.7	9	1	1	3	5	7	8	12
" MULTIPLE DX	2027	4.9	19	1	2	4	6	9	11	24
TOTAL 0-19 YRS	437	3.7	27	1	2	3	4	5	7	12
20-34	1823	3.7	9	<1	1	3	5	7	8	14
35-49	1758	4.4	15	1	2	4	5	7	9	17
50-64	705	4.8	11	1	2	4	6	9	11	17
65+	196	6.0	31	2	2	4	7	12	16	31
GRAND TOTAL	**4919**	**4.2**	**14**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1261	4.1	6	2	2	4	5	6	8	13
20-34	2184	4.3	10	2	2	4	5	7	8	13
35-49	335	4.1	5	2	2	4	5	7	8	12
50-64	73	4.6	6	2	2	4	6	8	10	12
65+	25	4.8	16	1	2	4	5	8	16	18
2. MULTIPLE DX										
0-19 YRS	145	5.1	13	2	2	4	7	9	11	22
20-34	389	5.4	14	2	2	4	6	9	12	22
35-49	153	6.3	25	2	3	5	7	10	13	34
50-64	55	5.7	9	2	3	5	7	10	13	14
65+	24	10.3	40	2	2	10	14	20	22	25
TOT. SINGLE DX	3878	4.2	8	2	2	4	5	7	8	13
" MULTIPLE DX	766	5.7	17	2	2	5	7	10	13	23
TOTAL 0-19 YRS	1406	4.2	7	2	2	4	5	7	8	13
20-34	2573	4.5	10	2	2	4	5	7	9	14
35-49	488	4.8	12	2	2	4	6	8	10	17
50-64	128	5.1	8	2	2	4	6	9	11	13
65+	49	7.5	35	1	2	5	11	17	20	25
GRAND TOTAL	**4644**	**4.5**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2268	2.4	7	<1	1	2	2	4	6	13
20-34	2405	3.4	16	1	1	2	4	6	9	20
35-49	2043	3.7	20	1	1	2	4	7	10	24
50-64	1905	4.0	26	1	1	3	4	7	11	32
65+	1256	5.2	40	1	1	3	6	12	18	34
2. MULTIPLE DX										
0-19 YRS	741	4.4	28	1	1	2	5	10	15	30
20-34	1677	6.4	75	1	2	4	7	13	20	48
35-49	2168	6.8	63	1	2	4	8	14	20	48
50-64	2838	8.1	77	2	2	6	10	16	25	46
65+	3055	10.0	91	2	2	7	13	21	28	48
TOT. SINGLE DX	9877	3.6	20	1	1	2	4	7	10	24
" MULTIPLE DX	10479	7.8	77	1	2	5	10	17	24	47
TOTAL 0-19 YRS	3009	2.9	13	1	1	2	3	5	8	22
20-34	4082	4.7	42	1	1	3	5	9	14	31
35-49	4211	5.3	45	1	1	3	6	11	16	37
50-64	4743	6.4	60	1	2	4	8	13	21	42
65+	4311	8.6	80	1	2	6	11	19	26	46
GRAND TOTAL	**20356**	**5.8**	**54**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2296	4.6	37	1	1	3	5	10	14	33
20-34	2497	5.6	53	1	1	4	7	11	17	37
35-49	1516	6.2	59	1	1	4	7	13	20	43
50-64	1200	7.4	78	1	1	4	9	17	23	52
65+	1079	9.8	136	1	2	6	12	23	34	66
2. MULTIPLE DX										
0-19 YRS	2869	6.7	86	1	1	4	7	16	26	52
20-34	3932	7.9	118	1	1	4	8	19	31	60
35-49	2275	10.1	161	1	2	6	12	25	38	78
50-64	2573	12.6	178	1	2	8	17	30	41	76
65+	3009	15.7	241	2	2	11	21	37	52	99+
TOT. SINGLE DX	8588	6.2	66	1	1	4	7	14	21	44
" MULTIPLE DX	14658	10.4	165	1	1	6	13	27	39	75
TOTAL 0-19 YRS	5165	5.8	65	1	1	3	6	13	22	45
20-34	6429	7.0	94	1	1	4	8	15	26	56
35-49	3791	8.6	124	1	1	5	10	20	31	68
50-64	3773	10.9	152	1	2	7	14	26	37	69
65+	4088	14.1	220	2	2	9	19	34	48	90
GRAND TOTAL	**23246**	**8.9**	**133**	**1**	**1**	**5**	**10**	**22**	**33**	**66**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	497	8.1	104	1	1	4	9	19	30	48
20-34	532	8.1	85	1	2	5	10	19	24	43
35-49	344	9.3	102	1	2	7	12	21	29	53
50-64	302	12.8	159	1	2	9	18	30	36	64
65+	323	17.9	223	2	3	15	26	38	50	99+
2. MULTIPLE DX										
0-19 YRS	355	15.7	207	2	2	11	23	37	47	76
20-34	471	18.5	310	2	2	13	27	40	57	97
35-49	341	18.5	249	2	3	14	27	41	53	92
50-64	445	20.7	291	2	3	16	30	48	64	99+
65+	573	24.6	318	3	6	22	33	51	65	99+
TOT. SINGLE DX	1998	10.6	139	1	2	7	14	26	34	62
" MULTIPLE DX	2185	20.1	291	2	3	16	28	45	58	99+
TOTAL 0-19 YRS	852	11.3	161	1	2	6	15	29	39	58
20-34	1003	13.0	217	1	2	8	18	31	42	86
35-49	685	13.9	196	1	2	9	20	32	43	77
50-64	747	17.5	252	2	2	13	25	40	57	99
65+	896	22.2	294	2	4	19	30	48	59	99+
GRAND TOTAL	**4183**	**15.6**	**241**	**1**	**2**	**11**	**23**	**37**	**50**	**93**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	5.3	86	1	1	2	4	15	27	63
20-34	251	5.7	77	1	1	3	5	12	27	46
35-49	126	6.1	73	1	1	3	6	14	22	50
50-64	102	9.3	185	1	1	3	8	30	37	65
65+	47	16.3	320	2	2	8	29	49	56	60
2. MULTIPLE DX										
0-19 YRS	85	7.8	128	1	2	4	8	22	39	85
20-34	150	16.1	394	1	2	7	24	52	70	99+
35-49	86	15.2	389	1	2	7	21	54	84	99+
50-64	115	13.4	361	1	2	6	17	34	69	99
65+	119	17.1	404	2	2	9	25	49	82	99+
TOT. SINGLE DX	664	7.0	119	1	1	3	6	19	32	59
" MULTIPLE DX	555	14.3	355	1	2	6	19	46	68	99+
TOTAL 0-19 YRS	223	6.3	103	1	1	2	5	17	30	69
20-34	401	9.6	220	1	1	3	10	29	46	89
35-49	212	9.8	220	1	1	4	11	29	48	99+
50-64	217	11.5	282	1	1	5	13	32	53	91
65+	166	16.8	379	2	2	9	26	49	61	99+
GRAND TOTAL	**1219**	**10.3**	**240**	**1**	**1**	**4**	**11**	**31**	**49**	**98**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1030	2.5	13	<1	1	2	2	4	5	11
20-34	685	3.2	12	1	1	2	4	5	7	18
35-49	517	3.3	12	1	1	2	4	6	8	19
50-64	569	3.1	5	1	1	3	4	5	7	14
65+	246	4.5	32	1	1	3	5	8	14	24
2. MULTIPLE DX										
0-19 YRS	381	4.2	49	1	1	2	4	8	11	42
20-34	505	5.2	34	1	2	4	6	10	15	40
35-49	611	6.1	67	1	2	4	7	11	17	50
50-64	815	5.8	44	1	2	3	7	13	19	32
65+	640	8.7	78	2	2	6	12	19	24	51
TOT. SINGLE DX	3047	3.1	13	1	1	2	3	5	7	16
" MULTIPLE DX	2952	6.2	57	1	2	4	7	13	20	41
TOTAL 0-19 YRS	1411	2.9	23	<1	1	2	3	5	7	24
20-34	1190	4.1	22	1	1	3	4	7	11	29
35-49	1128	4.8	43	1	1	3	5	9	13	38
50-64	1384	4.7	30	1	2	3	5	10	15	26
65+	886	7.5	68	1	2	5	10	17	22	49
GRAND TOTAL	**5999**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**32**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated discharges and the rate per 10,000 days of care.

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	7,614	14.0	161	42.1
502	Craniotomy and craniectomy	5,941	10.9	133	34.9
503	Cranioplasty	2,695	4.9	27	7.1
504	Ventricular shunt, extracranial	2,030	3.7	43	11.3
505	Miscellaneous operations on brain and cerebral meninges	3,081	5.7	48	12.5
506	Exploration and decompression of spinal canal structures	13,306	24.4	220	57.7
507	Operations on spinal cord structures, except exploration	4,386	8.0	64	16.9
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	22.1	54	14.3
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	72.0	142	37.2
510	Sympathectomy	3,333	6.1	53	13.8
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	2.7	14	3.6
513	Thyroidectomy	22,470	41.2	133	34.9

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	9.7	35	9.3
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	3.0	25	6.5
517	Excision or destruction of lesion or tissue of eyelid	5,564	10.2	19	5.1
518	Miscellaneous operations on eyelid	17,407	31.9	57	15.0
519	Operations on lacrimal system	2,547	4.7	8	2.1
520	Operations on conjunctiva	995	1.8	3	0.8
521	Corneal transplant	3,007	5.5	17	4.4
522	Miscellaneous operations on cornea	4,992	9.2	17	4.5
523	Operations for regulation of intraocular pressure	5,303	9.7	25	6.5
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	11.7	28	7.5
525	Intracapsular extraction of lens	113,615	208.5	466	122.1
526	Other lens extraction	25,066	46.0	76	20.0
527	Miscellaneous operations on lens	5,911	10.8	19	5.0
528	Repair of retina	12,277	22.5	70	18.5
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	6.0	17	4.5
530	Resection and recession of ocular muscle	18,068	33.2	36	9.3
531	Miscellaneous operations on ocular muscle	197	0.4	1	0.3
532	Operations on orbit and eyeball	5,635	10.3	28	7.4
534	Operations on external ear	8,412	15.4	34	8.8
535	Stapes mobilization and stapedectomy	8,458	15.5	24	6.2
536	Tympanoplasty	17,728	32.5	44	11.5
537	Myringotomy	35,008	64.2	59	15.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	7,841	14.4	29	7.5
539	Miscellaneous operations on middle ear and inner ear	5,923	10.9	18	4.8
541	Submucous resection of nasal septum	17,319	31.8	55	14.3
542	Rhinoplasty	40,900	75.0	122	31.9
543	Other incision, excision of nose	12,486	22.9	47	12.4
544	Miscellaneous operations on nose	15,441	28.3	58	15.1
545	Radical maxillary antrotomy	5,722	10.5	25	6.5
546	Miscellaneous operations on accessory sinus	6,409	11.8	32	8.3
547	Tooth extraction	59,096	108.4	173	45.3
548	Tooth restoration and orthodontia	3,526	6.5	7	1.7
549	Operations on teeth and gums except extraction and restoration	6,264	11.5	21	5.4
550	Operations on salivary glands and ducts	10,198	18.7	49	12.9
551	Palatoplasty	1,831	3.4	9	2.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	30.0	88	23.2
553	Tonsillectomy without adenoidectomy	69,380	127.3	152	39.9
554	Tonsillectomy with adenoidectomy	108,131	198.4	202	53.0
555	Adenoidectomy without tonsillectomy	24,021	44.1	38	9.9
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	15.0	37	9.7
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	1.0	3	0.8

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	14,765	27.1	47	12.3
559	Partial laryngectomy and local excision of lesion of trachea	1,265	2.3	15	3.9
560	Complete laryngectomy	1,416	2.6	33	8.5
561	Permanent tracheostomy	419	0.8	12	3.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	3,956	7.3	98	25.8
563	Incision and local excision or destruction of lesion of bronchus	22,645	41.5	269	70.5
564	Bronchial resection and miscellaneous operations on bronchus	86	0.2	1	0.2
565	Local excision or destruction of lesion or tissue of lung	12,835	23.5	200	52.5
566	Lobectomy and complete pneumonectomy	6,207	11.4	118	31.0
567	Bronchoscopy (using natural orifice)	30,893	56.7	338	88.7
568	Miscellaneous operations on lung	2,194	4.0	26	6.7
569	Thoracotomy	17,013	31.2	213	55.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	22.0	148	38.7
571	Open heart operations	7,425	13.6	136	35.6
572	Direct heart revascularization	29,906	54.9	456	119.7
573	Cardiac catheterization	78,519	144.1	397	104.2
574	Pacemaker insertion, replacement, removal, and repair	39,291	72.1	473	124.2
575	Miscellaneous operations on heart	2,517	4.6	39	10.2
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	9,081	16.7	79	20.6

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577	Ligation and stripping of varicose veins	20,415	37.5	126	33.1
578	Systemic shunt or graft bypass	21,233	39.0	362	95.0
579	Extracorporeal circulation	227	0.4	4	1.0
580	Hemodialysis	9,382	17.2	70	18.3
581	Other operations on blood vessels	60,735	111.4	886	232.2
582	Incision, excision of lymphatic structures	22,787	41.8	191	50.0
583	Radical excision of lymph nodes	3,891	7.1	45	11.8
584	Miscellaneous operations on lymphatic system	39	0.1	1	0.1
585	Bone marrow transplant	50	0.1	<1	0.1
586	Miscellaneous operations on spleen and bone marrow	42,542	78.1	570	149.4
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	2,122	3.9	35	9.3
588	Operations on esophagus	13,465	24.7	138	36.1
590	Gastrotomy, pyloromyotomy	2,815	5.2	20	5.4
591	Gastrostomy	2,411	4.4	63	16.6
592	Local excision or destruction of lesion or tissue of stomach	21,760	39.9	228	59.9
593	Partial gastrectomy	9,563	17.5	182	47.7
594	Total gastrectomy	945	1.7	25	6.5
595	Vagotomy	4,696	8.6	74	19.5
596	Miscellaneous operations on stomach	14,098	25.9	201	52.8
597	Local excision or destruction of intestinal lesion or tissue	27,341	50.2	239	62.7
598	Resection of small intestine	6,179	11.3	124	32.4
599	Colectomy	37,973	69.7	730	191.4
600	Other incision, resection of intestine	3,067	5.6	62	16.3

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	5.6	86	1	1	3	7	10	13	57
20-34	66	4.8	13	1	1	4	6	11	13	15
35-49	85	5.3	26	1	1	4	6	12	17	23
50-64	79	5.4	68	<1	1	3	5	13	16	50
65+	52	7.4	41	1	1	6	10	16	19	29
2. MULTIPLE DX										
0-19 YRS	43	5.8	28	1	2	4	7	14	19	22
20-34	71	5.7	14	2	2	5	8	11	15	82
35-49	82	7.6	32	2	3	6	10	15	21	27
50-64	103	8.1	47	2	2	6	10	17	23	34
65+	176	11.6	111	3	3	9	14	24	32	49
TOT. SINGLE DX	319	5.6	43	1	1	4	7	12	16	34
" MULTIPLE DX	475	8.8	67	2	2	6	11	18	24	39
TOTAL 0-19 YRS	80	5.7	54	1	1	4	7	12	16	47
20-34	137	5.3	14	1	2	4	7	11	14	27
35-49	167	6.4	30	1	1	4	9	14	20	24
50-64	182	6.9	57	1	1	4	9	15	20	42
65+	228	10.7	98	1	3	8	13	23	30	44
GRAND TOTAL	**794**	**7.5**	**60**	**1**	**2**	**5**	**10**	**16**	**22**	**39**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	335	5.7	22	2	2	4	8	12	16	23
20-34	4327	6.7	29	2	2	5	9	14	17	25
35-49	5442	6.9	31	2	2	5	9	14	17	25
50-64	2719	7.1	31	2	2	5	10	15	18	27
65+	544	7.8	47	2	2	6	11	15	20	36
2. MULTIPLE DX										
0-19 YRS	157	6.8	40	2	2	5	8	13	17	36
20-34	2131	8.6	47	2	2	7	11	17	21	35
35-49	3264	8.8	53	2	2	7	11	17	22	35
50-64	2517	9.6	62	2	3	8	12	18	23	39
65+	987	11.8	102	2	3	9	16	23	28	52
TOT. SINGLE DX	13367	6.8	31	2	2	5	9	14	17	25
" MULTIPLE DX	9056	9.3	60	2	2	7	12	18	23	38
TOTAL 0-19 YRS	492	6.0	28	2	2	4	8	13	16	25
20-34	6458	7.3	36	2	2	6	10	15	18	28
35-49	8706	7.6	40	2	2	6	10	15	19	30
50-64	5236	8.3	48	2	2	7	11	17	21	33
65+	1531	10.3	86	2	2	8	14	21	25	48
GRAND TOTAL	**22423**	**7.8**	**44**	**2**	**2**	**6**	**10**	**16**	**20**	**31**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	5.1	19	2	2	4	7	10	13	25
20-34	427	5.7	31	2	2	4	6	11	15	30
35-49	596	6.0	41	2	2	4	7	12	16	36
50-64	950	6.5	49	2	2	4	8	12	18	36
65+	778	6.1	50	2	2	4	7	12	18	36
2. MULTIPLE DX										
0-19 YRS	92	12.1	153	2	3	8	12	35	47	81
20-34	329	9.6	96	2	2	6	11	21	31	60
35-49	680	8.8	76	2	2	6	10	19	26	50
50-64	1816	9.0	83	2	2	6	11	18	26	52
65+	2157	9.2	76	2	2	7	11	20	27	48
TOT. SINGLE DX	2866	6.1	44	2	2	4	7	12	17	34
" MULTIPLE DX	5074	9.2	81	2	2	7	11	19	27	50
TOTAL 0-19 YRS	207	8.2	90	2	2	5	9	16	29	54
20-34	756	7.4	63	2	2	5	9	15	23	40
35-49	1276	7.5	61	2	2	5	9	15	22	46
50-64	2766	8.2	73	2	2	5	10	17	24	44
65+	2935	8.4	71	2	2	6	10	18	25	47
GRAND TOTAL	**7940**	**8.1**	**70**	**2**	**2**	**5**	**10**	**17**	**24**	**46**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	40	3.4	5	1	2	2	4	7	8	9
35-49	323	3.5	9	1	2	2	4	7	11	15
50-64	527	3.3	9	1	1	2	3	7	10	16
65+	137	4.3	36	1	2	3	4	8	12	25
2. MULTIPLE DX										
0-19 YRS	5	2.0		2	2	2	2	2	2	2
20-34	78	4.6	32	1	1	3	5	10	12	85
35-49	711	4.4	17	2	2	3	5	9	13	19
50-64	1458	4.7	26	1	2	3	6	10	14	23
65+	442	6.0	36	2	2	4	8	12	16	29
TOT. SINGLE DX	1032	3.5	13	1	2	2	4	7	10	15
" MULTIPLE DX	2694	4.8	26	2	2	3	6	10	14	23
TOTAL 0-19 YRS	10	2.2		2	2	2	2	3	3	3
20-34	118	4.2	23	1	2	3	5	9	11	63
35-49	1034	4.1	15	1	2	2	5	9	12	17
50-64	1985	4.3	22	1	2	2	5	9	13	22
65+	579	5.6	37	2	2	4	7	12	15	29
GRAND TOTAL	**3726**	**4.4**	**22**	**1**	**2**	**3**	**5**	**10**	**13**	**22**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	5.0	21	1	1	3	7	11	16	22
20-34	827	6.0	24	1	2	4	9	13	16	24
35-49	1104	5.8	24	1	2	4	8	12	16	22
50-64	1479	5.5	24	2	2	4	7	12	15	23
65+	1165	6.5	44	2	2	4	9	14	18	31
2. MULTIPLE DX										
0-19 YRS	156	8.6	93	2	2	5	10	20	26	53
20-34	774	7.8	53	2	2	6	10	15	20	43
35-49	1660	7.8	46	2	2	6	10	16	21	33
50-64	3501	8.1	62	2	2	6	11	16	22	40
65+	3638	9.8	84	2	2	7	13	19	26	50
TOT. SINGLE DX	4775	5.9	29	1	2	4	8	13	16	23
" MULTIPLE DX	9729	8.7	68	2	2	6	11	18	23	42
TOTAL 0-19 YRS	356	6.6	56		1	4	8	15	21	36
20-34	1601	6.9	38	1	2	5	9	14	18	30
35-49	2764	7.0	38	2	2	5	9	15	19	29
50-64	4980	7.4	52	2	2	5	10	15	20	35
65+	4803	9.0	76	2	2	7	12	18	24	45
GRAND TOTAL	**14504**	**7.8**	**57**	**2**	**2**	**5**	**10**	**16**	**21**	**38**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	656	3.9	17	1	1	3	5	8	11	22
20-34	1064	5.1	24	1	1	4	6	10	14	26
35-49	1079	5.7	24	1	2	4	8	12	15	23
50-64	970	6.2	37	1	2	4	8	13	17	31
65+	700	7.3	38	2	2	6	9	14	19	30
2. MULTIPLE DX										
0-19 YRS	704	5.6	47	1	1	4	6	12	18	36
20-34	1493	6.9	53	1	2	5	9	13	18	41
35-49	1648	8.0	50	2	2	6	10	16	22	38
50-64	2497	9.8	89	2	2	7	12	19	26	52
65+	2888	11.7	104	2	3	9	15	24	31	53
TOT. SINGLE DX	4469	5.7	29	1	1	4	7	12	16	27
" MULTIPLE DX	9230	9.3	82	2	2	7	12	19	26	49
TOTAL 0-19 YRS	1360	4.8	33	1	1	3	6	10	15	33
20-34	2557	6.1	41	1	1	4	8	12	16	34
35-49	2727	7.1	41	1	2	5	9	14	19	34
50-64	3467	8.8	77	2	2	6	11	18	23	47
65+	3588	10.8	94	2	3	8	14	22	29	50
GRAND TOTAL	**13699**	**8.1**	**67**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	10.3	164	1	2	5	15	27	35	52
20-34	246	6.8	34	1	2	5	10	15	17	23
35-49	350	7.2	47	1	2	5	10	15	21	33
50-64	446	6.2	44	1	2	5	7	12	16	32
65+	121	7.9	47	1	2	5	11	17	22	36
2. MULTIPLE DX										
0-19 YRS	150	17.6	316	1	2	11	30	42	50	92
20-34	259	15.0	292	2	2	8	19	43	58	78
35-49	240	11.8	159	2	3	8	14	25	35	84
50-64	322	12.8	235	2	3	8	15	26	39	94
65+	275	16.9	182	3	4	14	23	38	50	99+
TOT. SINGLE DX	1311	7.2	58	1	2	5	9	15	21	37
" MULTIPLE DX	1246	14.5	234	2	3	9	18	34	47	89
TOTAL 0-19 YRS	298	14.0	253	1	2	6	21	37	45	88
20-34	505	11.0	183	1	2	6	13	22	44	72
35-49	590	9.0	98	2	2	6	11	18	26	59
50-64	768	9.0	134	2	2	6	10	18	27	77
65+	396	14.2	158	2	3	11	19	32	41	90
GRAND TOTAL	**2557**	**10.8**	**157**	**2**	**2**	**6**	**13**	**24**	**37**	**74**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	250	3.3	28	1	1	2	3	6	9	28
20-34	318	3.9	19	1	1	2	4	9	12	22
35-49	193	5.8	29	1	1	4	8	12	16	29
50-64	173	7.4	46	1	2	6	10	15	21	32
65+	143	7.7	47	1	2	6	10	15	21	39
2. MULTIPLE DX										
0-19 YRS	431	6.1	117	1	1	3	5	14	25	77
20-34	514	5.8	42	1	1	4	7	12	17	39
35-49	470	9.2	129	1	2	6	11	18	25	73
50-64	635	12.1	138	2	3	9	14	25	37	61
65+	799	13.9	146	3	4	11	17	28	38	69
TOT. SINGLE DX	1077	5.2	34	1	1	3	7	12	15	30
" MULTIPLE DX	2849	10.1	129	1	2	7	13	22	33	66
TOTAL 0-19 YRS	681	5.1	86	1	1	2	5	10	17	61
20-34	832	5.1	34	1	1	3	6	11	15	37
35-49	663	8.2	102	1	2	5	10	16	24	63
50-64	808	11.1	122	2	2	8	14	23	34	60
65+	942	13.0	136	2	3	10	16	26	36	68
GRAND TOTAL	**3926**	**8.7**	**107**	**1**	**1**	**5**	**11**	**19**	**28**	**58**

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	14,012	25.7	198	52.0
602	Ileostomy, colostomy, and other enterostomy	5,388	9.9	128	33.5
603	Appendectomy	87,962	161.4	512	134.3
604	Incidental appendectomy	1,590	2.9	11	2.8
605	Operations on appendix except appendectomy	688	1.3	8	2.1
606	Local excision or destruction of lesion or tissue of rectum	14,487	26.6	118	31.0
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	9.5	29	7.5
608	Proctectomy	8,363	15.3	175	45.8
609	Miscellaneous operations on intestine	13,831	25.4	142	37.2
610	Incision or excision of anal fistula	10,033	18.4	49	12.8
611	Local excision or destruction of lesion or tissue of anus	10,031	18.4	50	13.0
612	Hemorrhoidectomy	47,961	88.0	306	80.1
613	Miscellaneous operations on anus	9,626	17.7	55	14.4
614	Incision of liver	863	1.6	12	3.2
615	Miscellaneous operations on liver	22,326	41.0	262	68.8
616	Cholecystectomy	140,005	256.9	1,561	409.4
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	13.3	135	35.5
618	Operations on pancreas	4,608	8.5	81	21.3
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	28.2	158	41.5
620	Unilateral repair of inguinal hernia	137,871	253.0	684	179.4
621	Bilateral repair of inguinal hernia	22,664	41.6	120	31.5

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622 Unilateral or bilateral repair of femoral hernia	5,585	10.2	40	10.5
623 Repair of umbilical hernia	14,806	27.2	74	19.4
624 Repair of other hernia of anterior abdominal wall	24,376	44.7	198	51.8
625 Repair of diaphragmatic and other hernia	5,044	9.3	62	16.3
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	28.6	182	47.7
627 Laparotomy	25,030	45.9	337	88.3
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	49.3	97	25.5
630 Miscellaneous operations on abdominal wall and peritoneum	20,241	37.1	255	66.9
631 Complete nephrectomy	8,006	14.7	132	34.7
632 Miscellaneous operations on kidney	16,221	29.8	210	55.1
633 Ureterotomy	10,683	19.6	122	32.0
634 Ureteral diversion	3,166	5.8	47	12.3
635 Miscellaneous operations on ureter	12,769	23.4	81	21.3
636 Cystoscopy and urethroscopy	141,843	260.3	934	244.8
637 Transurethral excision or destruction of bladder lesion	32,751	60.1	217	57.0
638 Miscellaneous operations on bladder	18,098	33.2	204	53.6
639 Urethral meatotomy	5,110	9.4	15	3.8
640 Excision of urethral lesion, repair of urethra	10,151	18.6	62	16.2
641 Urethral dilation	30,079	55.2	170	44.7
642 Miscellaneous operations on urethra	9,781	17.9	51	13.4
643 Urethral suspension	8,306	15.2	86	22.4
644 Other repair of stress incontinence	1,614	3.0	16	4.3
645 Ureteral catheterization	1,396	2.6	10	2.7

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	705	1.3	9	2.4
648	Transurethral prostatectomy	82,823	152.0	876	229.8
649	Other prostatectomy	10,238	18.8	155	40.5
650	Miscellaneous operations on prostate and seminal vesicles	12,943	23.7	82	21.5
651	Operations on scrotum and tunica vaginalis	5,065	9.3	27	7.1
652	Orchiectomy	9,069	16.6	69	18.1
653	Orchiopexy	7,181	13.2	24	6.2
654	Miscellaneous operations on testis	2,776	5.1	10	2.6
655	Interruption of vas deferens	3,735	6.9	11	2.8
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	33.2	68	17.7
658	Miscellaneous operations on penis	4,208	7.7	24	6.3
660	Local excision or destruction of ovarian lesion or tissue	17,425	32.0	121	31.8
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	38.2	159	41.6
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	15.7	81	21.3
663	Miscellaneous operations on ovary	3,642	6.7	19	5.1
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	95.2	93	24.3
665	Other bilateral tubal interruption or salpingectomy	51,366	94.2	173	45.3
666	Miscellaneous operations on fallopian tube	18,027	33.1	96	25.2
667	Conization of cervix	13,499	24.8	40	10.5
668	Other excision or destruction of lesion or tissue of cervix	19,493	35.8	71	18.6
669	Repair and plastic operations on cervix	4,705	8.6	16	4.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670 Hysterotomy and excision of lesion of uterus	5,403	9.9	31	8.0
671 Abdominal hysterectomy	144,448	265.0	1,231	322.7
672 Vaginal hysterectomy	57,045	104.7	438	114.9
673 Radical hysterectomy and pelvic evisceration	912	1.7	15	3.8
674 Dilation and curettage of uterus for termination of pregnancy	11,850	21.7	23	6.0
675 Other dilation and curettage	286,436	525.5	733	192.3
676 Aspiration curettage for termination of pregnancy	28,280	51.9	43	11.3
677 Other aspiration curettage	9,517	17.5	18	4.7
678 Repair and plastic operations on supporting structures of uterus	1,215	2.2	8	2.1
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	6.9	15	3.9
680 Plastic repair of cystocele and rectocele	17,230	31.6	149	39.0
681 Other colporrhaphy	3,619	6.6	22	5.7
682 Miscellaneous operations on vagina	10,230	18.8	59	15.5
683 Incision and excision of lesion of vulva and perineum	15,252	28.0	52	13.7
684 Vulvectomy	1,015	1.9	13	3.4
685 Miscellaneous operations on vulva and perineum	1,644	3.0	7	1.8
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	358	0.7	2	0.4
687 Low forceps with and without episiotomy	190,746	350.0	682	178.9
688 Breech extraction	7,345	13.5	26	6.8
689 Other extraction procedures to assist delivery	28,341	52.0	106	27.7
690 Other procedures to assist delivery	154,551	283.6	547	143.4
691 Low cervical cesarean section	156,857	287.8	1,015	266.3

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	14,796	27.1	96	25.2
693	Other abdominal operation to remove embryo or fetus	394	0.7	3	0.7
694	Intra-amniotic injection for abortion	7,926	14.5	15	4.0
695	Diagnostic amniocentesis	2,860	5.2	10	2.6
696	Intrauterine procedures on fetus and amnion	25,683	47.1	73	19.1
697	Miscellaneous obstetric procedures	80,867	148.4	260	68.2
698	Excision of facial bone	2,197	4.0	15	4.0
699	Repair and plastic operations on facial bones	5,344	9.8	25	6.6
700	Closed reduction of maxillofacial fractures	6,602	12.1	33	8.7
701	Open reduction of maxillofacial fractures	9,445	17.3	62	16.2
702	Miscellaneous maxillofacial surgery	701	1.3	4	1.1
703	Incision and division of bones except facial	15,752	28.9	110	29.0
704	Bunionectomy	28,865	53.0	152	39.9
705	Excision of bone except facial	49,716	91.2	381	99.9
706	Repair and plastic operation on bone except facial	11,962	21.9	137	36.0
707	Removal of internal fixation device	25,368	46.5	141	36.8
708	Closed reduction of fracture of femur with internal fixation	8,009	14.7	170	44.7
709	Open reduction of fracture of femur with internal fixation	35,967	66.0	762	199.7
710	Reduction of fracture of femur without internal fixation	4,118	7.6	84	22.2

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	20.5	89	23.4
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	50,669	93.0	412	108.0
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	57,596	105.7	329	86.2
714 Closed reduction of dislocation	10,233	18.8	68	17.8
715 Open reduction of dislocation	6,165	11.3	47	12.3
716 Arthrotomy and division of joint capsule	22,126	40.6	155	40.7
717 Excision of intervertebral disc	56,462	103.6	745	195.4
718 Excision of semilunar cartilage of knee joint	53,197	97.6	282	73.8
719 Miscellaneous excisions of joint structures	33,240	61.0	149	39.1
720 Spinal fusion	8,067	14.8	124	32.6
721 Arthrodesis and stabilization of joint	9,956	18.3	67	17.5
722 Total hip replacement	18,543	34.0	358	93.8
723 Other arthroplasty of hip	19,118	35.1	401	105.2
724 Arthroplasty of knee	24,536	45.0	306	80.3
725 Repair of other joint	22,732	41.7	114	29.9
726 Incision and division of muscle, tendon, fascia and bursa	13,540	24.8	68	17.9
727 Excision of lesion of muscle, tendon, fascia, and bursa	30,754	56.4	122	32.0
728 Division and resection of muscle, tendon, and fascia of hand	6,838	12.5	24	6.2

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	15,127	27.8	44	11.4
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	25.1	65	17.1
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	23.3	66	17.3
732	Amputation of fingers and thumb	5,389	9.9	25	6.6
733	Amputation of hand, forearm, and upper arm	530	1.0	7	1.9
734	Amputation of toes	6,297	11.6	114	29.9
735	Below-knee amputation	5,458	10.0	169	44.3
736	Above-knee amputation	5,104	9.4	139	36.5
737	Other amputation of lower extremity	1,561	2.9	46	12.1
738	Reattachment of extremity	562	1.0	4	1.1
739	Revision of amputation stump	2,803	5.1	24	6.4
740	Miscellaneous operations on musculoskeletal system	247	0.5	3	0.8
742	Local excision or destruction of lesion of breast	84,844	155.7	299	78.4
743	Simple mastectomy	6,209	11.4	46	12.0
744	Extended simple mastectomy and radical mastectomy	25,311	46.4	257	67.4
745	Miscellaneous operations on breast	17,263	31.7	70	18.4
746	Incision and excision of pilonidal cyst or sinus	18,219	33.4	82	21.5
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	122.9	410	107.5
748	Other incision, excision, and suture of skin	88,934	163.2	776	203.4
749	Free skin grafts	13,963	25.6	226	59.4
750	Pedicle graft of skin	4,249	7.8	46	12.2
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	38.2	95	24.8

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753 Encephalography and ventriculography	3,750	6.9	32	8.5
754 Myelography	77,762	142.7	596	156.2
755 Cerebral arteriography	27,834	51.1	233	61.2
756 Coronary arteriography	10,145	18.6	51	13.3
757 Other arteriography and phlebography	57,821	106.1	466	122.2
758 Other radiography and special diagnostic procedures	48,009	88.1	427	111.9
760 Special therapies and rehabilitation	10,114	18.6	109	28.7
764 Miscellaneous diagnostic and therapeutic procedures	12,932	23.7	121	31.7
All patients in operation groups	5,450,222	10,000.0	38,133	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. The operation groups are listed in their rank order for the U.S. as a whole. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients tranferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges U.S. PAS Hospitals, 1979

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
675 Other dilation and curettage	286,436	1	1	1	1	1
687 Low forceps with and without episiotomy	190,746	2	4	2	2	4
691 Low cervical cesarean section	156,857	3	3	5	5	3
690 Other procedures to assist delivery	154,551	4	6	3	8	2
671 Abdominal hysterectomy	144,448	5	9	7	3	5
636 Cystoscopy and urethroscopy	141,843	6	8	4	4	20
616 Cholecystectomy	140,005	7	7	6	6	7
620 Unilateral repair of inguinal hernia	137,871	8	2	8	7	6
525 Intracapsular extraction of lens	113,615	9	5	10	10	8
554 Tonsillectomy with adenoidectomy	108,131	10	13	9	9	12
748 Other incision, excision, and suture of skin	88,934	11	11	13	12	14
603 Appendectomy	87,962	12	15	12	13	9
742 Local excision or destruction of lesion of breast	84,844	13	12	15	11	23

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
648 Transurethral prostatectomy	82,823	14	14	16	14	15
697 Miscellaneous obstetric procedures	80,867	15	18	11	23	11
573 Cardiac catheterization	78,519	16	21	14	17	13
754 Myelography	77,762	17	24	18	15	10
553 Tonsillectomy without adenoidectomy	69,380	18	19	17	19	18
747 Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	19	16	19	18	32
581 Other operations on blood vessels	60,735	20	22	24	24	16
547 Tooth extraction	59,096	21	10	22	26	82
757 Other arteriography	57,821	22	23	21	27	24
713 Other reduction of fracture without internal fixation, except maxillofacial	57,596	23	20	20	29	26
672 Vaginal hysterectomy	57,045	24	48	28	16	21
717 Excision of intervertebral disc	56,462	25	34	27	20	22
718 Excision of semilunar cartilage of knee joint	53,197	26	33	26	31	17
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	27	28	25	21	41
665 Other bilateral tubal interruption or salpingectomy	51,366	28	29	29	22	37

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
712 Open reduction of fracture with internal fixation, except maxillofacial	50,669	29	38	30	30	19
705 Excision of bone except facial	49,716	30	32	31	32	25
758 Other radiography and special diagnostic procedures	48,009	31	35	23	28	39
612 Hemorrhoidectomy	47,961	32	30	32	25	36
586 Miscellaneous operations on spleen and bone marrow	42,542	33	26	34	34	38
542 Rhinoplasty	40,900	34	31	35	33	27
574 Pacemaker insertion, replacement, removal, and repair	39,291	35	25	41	37	31
509 Miscellaneous operations on cranial and other peripheral nerves	39,244	36	43	33	45	28
599 Colectomy	37,973	37	27	38	42	33
709 Open reduction of fracture of femur with internal fixation	35,967	38	39	40	39	34
573 Myringotomy	35,008	39	37	45	36	44
719 Miscellaneous excisions of joint structures	33,240	40	46	42	49	29
637 Transurethral excision or destruction of bladder lesion	32,751	41	36	43	50	43
567 Bronchoscopy (using natural orifice)	30,893	42	44	47	35	56
727 Excision of lesion of muscle, tendon, fascia, and bursa	30,754	43	47	44	40	53

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
641 Urethral dilation	30,079	44	65	36	38	99
572 Direct heart revascularization	29,906	45	97	48	41	30
704 Bunionectomy	28,865	46	60	37	67	47
689 Other extraction procedures to assist delivery	28,341	47	58	51	46	46
676 Aspiration curettage for termination of pregnancy	28,280	48	17	66	100	84
755 Cerebral arteriography	27,834	49	80	49	47	42
597 Local excision or destruction of intestinal lesion or tissue	27,341	50	42	50	52	68
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	51	59	46	53	55
696 Intrauterine procedures on fetus and amnion	25,683	52	70	39	96	50
707 Removal of internal fixation device	25,368	53	55	52	63	48
744 Extended simple mastectomy and radical mastectomy	25,311	54	45	58	56	52
526 Other lens extraction	25,066	55	74	72	44	40
627 Laparotomy	25,030	56	67	55	48	54
724 Arthroplasty of knee	24,536	57	91	53	65	35
624 Repair of other hernia of anterior abdominal wall	24,376	58	51	56	54	57
555 Adenoidectomy without tonsillectomy	24,021	59	64	60	43	93
582 Incision, excision of lymphatic structures	22,787	60	54	62	55	70
725 Repair of other joint	22,732	61	81	54	82	45

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
621	Bilateral repair of inguinal hernia	22,664	62	62	59	59	61
563	Incision and local excision or destruction of lesion of bronchus	22,645	63	52	63	60	65
513	Thyroidectomy	22,470	64	68	68	51	63
615	Miscellaneous operations on liver	22,326	65	49	65	64	60
716	Arthrotomy and division of joint capsule	22,126	66	85	61	66	49
592	Local excision or destruction of lesion or tissue of stomach	21,760	67	61	57	68	72
578	Systemic shunt or graft bypass	21,233	68	50	79	62	58
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	69	82	69	57	62
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	70	69	67	58	73
577	Ligation and stripping of varicose veins	20,415	71	56	64	78	76
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	72	86	71	61	66
668	Other excision or destruction of lesion or tissue of cervix	19,493	73	40	74	85	151

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
723 Other arthroplasty of hip	19,118	74	75	76	69	69
722 Total hip replacement	18,543	75	96	73	97	51
746 Incision and excision of pilonidal cyst or sinus	18,219	76	57	81	80	108
638 Miscellaneous operations on bladder	18,098	77	73	77	79	79
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	78	72	75	86	78
530 Resection and recession of ocular muscle	18,068	79	78	80	75	77
666 Miscellaneous operations on fallopian tube	18,027	80	83	84	77	64
536 Tympanoplasty	17,728	81	106	78	74	67
660 Local excision or destruction of ovarian lesion or tissue	17,425	82	71	83	87	83
518 Miscellaneous operations on eyelid	17,407	83	53	100	89	85
541 Submucous resection of nasal septum	17,319	84	41	85	132	111
745 Miscellaneous operations on breast	17,263	85	94	96	70	59
680 Plastic repair of cystocele and rectocele	17,230	86	89	82	76	91
569 Thoracotomy	17,013	87	92	89	71	71

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	88	84	91	83	95
632 Miscellaneous operations on kidney	16,221	89	90	97	73	90
703 Incision and division of bones except facial	15,752	90	111	70	117	94
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	91	88	94	92	96
544 Miscellaneous operations on nose	15,441	92	76	99	106	89
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	93	77	92	81	145
683 Incision and excision of lesion of vulva and perineum	15,252	94	79	93	88	131
729 Repair and plastic operations on hand	15,127	95	109	87	109	74
623 Repair of umbilical hernia	14,806	96	101	95	84	114
692 Other cesarean section	14,796	97	120	88	93	98
558 Excision of lesion of larynx	14,765	98	66	104	101	106

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
606 Local excision or destruction of lesion or tissue of rectum	14,487	99	87	90	108	127
596 Miscellaneous operations on stomach	14,098	100	135	86	110	87
601 Intestinal anastomosis or repair	14,012	101	95	106	113	86
749 Free skin grafts	13,963	102	116	103	91	100
609 Miscellaneous operations on intestine	13,831	103	117	98	90	128
730 Resection and suture of muscle, tendon, and fascia, except hand	13,682	104	110	102	115	81
726 Incision and division of muscle, tendon, fascia and bursa	13,540	105	103	111	107	88
667 Conization of cervix	13,499	106	108	101	94	123
588 Operations on esophagus	13,465	107	102	105	99	113
506 Exploration and decompression of spinal canal structures	13,306	108	123	113	103	80
650 Miscellaneous operations on prostate and seminal vesicles	12,943	109	105	118	102	102
764 Miscellaneous diagnostic and therapeutic procedures	12,932	110	104	108	98	129

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
565 Local excision or destruction of lesion or tissue of lung	12,835	111	107	115	114	101
635 Miscellaneous operations on ureter	12,769	112	130	116	72	135
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	113	113	107	119	92
543 Other incision, excision of nose	12,486	114	98	112	118	118
528 Repair of retina	12,277	115	93	135	116	75
508 Excision or destruction of lesion of cranial or peripheral nerve	12,071	116	150	114	112	97
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	117	100	123	111	115
706 Repair and plastic operation on bone except facial	11,962	118	128	109	121	103
674 Dilation and curettage of uterus for termination of pregnancy	11,850	119	63	150	122	109
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	120	112	121	128	107
633 Ureterotomy	10,683	121	134	128	95	133
649 Other prostatectomy	10,238	122	99	138	133	125

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
714	Closed reduction of dislocation	10,233	123	126	119	142	119
682	Miscellaneous operations on vagina	10,230	124	127	120	130	142
550	Operations on salivary glands and ducts	10,198	125	121	126	131	120
640	Excision of urethral lesion, repair of urethra	10,151	126	132	122	120	143
756	Coronary arteriography	10,145	127	215	110	105	156
760	Special therapies and rehabilitation	10,114	128	144	117	136	134
610	Incision or excision of anal fistula	10,033	129	122	132	127	116
611	Local excision or destruction of lesion or tissue of anus	10,031	130	125	125	123	140
721	Arthrodesis and stabilization of joint	9,956	131	138	124	139	110
642	Miscellaneous operations on urethra	9,781	132	166	130	104	136
613	Miscellaneous operations on anus	9,626	133	118	133	137	132
593	Partial gastrectomy	9,563	134	124	136	125	126
677	Other aspiration curettage	9,517	135	115	143	135	121
701	Open reduction of maxillofacial fractures	9,445	136	152	127	134	112
580	Hemodialysis	9,382	137	129	141	144	105
576	Other diagnostic and therapeutic procedures on larynx, trachea	9,081	138	119	145	124	160

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
652	Orchiectomy	9,069	139	133	131	138	137
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	140	176	140	129	124
535	Stapes mobilization and stapedectomy	8,458	141	139	137	145	138
534	Operations on external ear	8,412	142	131	142	140	153
608	Proctectomy	8,363	143	114	144	155	150
643	Urethral suspension	8,306	144	169	129	147	130
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	145	147	139	146	141
720	Spinal fusion	8,067	146	178	148	150	104
708	Closed reduction of fracture of femur with internal fixation	8,009	147	148	134	148	147
631	Complete nephrectomy	8,006	148	143	146	143	148
694	Intra-amniotic injection for abortion	7,926	149	145	162	126	144
538	Mastoidectomy	7,841	150	140	151	141	154
501	Incision, excision of skull, brain, and cerebral meninges	7,614	151	161	153	151	117
571	Open heart operations	7,425	152	160	155	154	122
688	Breech extraction	7,345	153	136	147	149	174
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	154	141	149	162	162
653	Orchiopexy	7,181	155	142	152	167	155
728	Division and resection of muscle, tendon, and fascia of hand	6,838	156	154	154	177	149

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
700 Closed reduction of maxillofacial fractures	6,602	157	151	156	170	164
546 Miscellaneous operations on accessory sinus	6,409	158	162	159	159	163
524 Other operations on iris, ciliary body, sclera and anterior chamber	6,374	159	146	176	164	158
734 Amputation of toes	6,297	160	153	161	157	177
549 Operations on teeth and gums except extraction and restoration	6,264	161	156	164	158	167
743 Simple mastectomy	6,209	162	159	158	160	178
566 Lobectomy and complete pneumonectomy	6,207	163	173	165	156	161
598 Resection of small intestine	6,179	164	163	160	178	159
715 Open reduction of dislocation	6,165	165	175	157	176	157
502 Craniotomy and craniectomy	5,941	166	180	173	166	152
539 Miscellaneous operations on middle ear and inner ear	5,923	167	172	175	175	146
527 Miscellaneous operations on lens	5,911	168	191	185	152	139
545 Radical maxillary antrotomy	5,722	169	170	180	163	166
532 Operations on orbit and eyeball	5,635	170	174	177	165	170
622 Unilateral or bilateral repair of femoral hernia	5,585	171	157	168	184	171

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
517 Excision or destruction of lesion or tissue of eyelid	5,564	172	137	183	174	201
735 Below-knee amputation	5,458	173	164	174	173	186
670 Hysterotomy and excision of lesion of uterus	5,403	174	155	167	182	190
732 Amputation of fingers and thumb	5,389	175	184	163	183	175
602 Ileostomy, colostomy, and other enterostomy	5,388	176	149	171	190	180
699 Repair and plastic operations on facial bones	5,344	177	198	172	169	165
514 Operations on parathyroid and thyroid, except thyroidectomy	5,306	178	171	182	180	176
523 Operations for regulation of intraocular pressure	5,303	179	158	189	179	173
607 Other incision of rectum and incision or excision of perirectal tissue	5,181	180	186	178	153	192
639 Urethral meatotomy	5,110	181	183	170	168	206
736 Above-knee amputation	5,104	182	179	179	161	203
651 Operations on scrotum and tunica vaginalis	5,065	183	177	166	187	182
625 Repair of diaphragmatic and other hernia	5,044	184	195	187	171	168

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	North Central (5)	South (6)	West (7)
522 Miscellaneous operations on cornea	4,992	185	168	195	172	183
669 Repair and plastic operations on cervix	4,705	186	181	169	192	198
595 Vagotomy	4,696	187	208	184	181	169
618 Operations on pancreas	4,608	188	167	186	189	191
507 Operations on spinal cord structures, except exploration	4,386	189	202	181	196	172
750 Pedicle graft of skin	4,249	190	194	193	188	179
658 Miscellaneous operations on penis	4,208	191	189	192	186	195
710 Reduction of fracture of femur without internal fixation	4,118	192	188	191	191	194
562 Operations on larynx and trachea except excision and permanent tracheostomy	3,956	193	187	197	193	187
583 Radical excision of lymph nodes	3,891	194	182	198	198	184
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	195	193	190	201	202
753 Encephalography and ventriculography	3,750	196	203	188	206	185
655 Interruption of vas deferens	3,735	197	192	194	185	223
663 Miscellaneous operations on ovary	3,642	198	200	196	199	200

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
681	Other colporrhaphy	3,619	199	199	299	194	189
548	Tooth restoration and orthodontia	3,526	200	201	199	195	196
510	Sympathectomy	3,333	201	185	207	197	208
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	202	197	209	203	181
634	Ureteral diversion	3,166	203	207	203	202	193
505	Miscellaneous operations on brain and cerebral meninges	3,081	204	209	206	200	197
600	Other incision, resection of intestine	3,067	205	196	201	208	205
521	Corneal transplant	3,007	206	190	214	205	199
695	Diagnostic amniocentesis	2,860	207	165	213	218	217
590	Gastrotomy, pyloromyotomy	2,815	208	211	202	210	210
739	Revision of amputation stump	2,803	209	210	204	204	212
654	Miscellaneous operations on testis	2,776	210	205	205	209	214
503	Cranioplasty	2,695	211	216	212	211	188
519	Operations on lacrimal system	2,547	212	204	215	213	204
575	Miscellaneous operations on heart	2,517	213	219	211	212	209
591	Gastrostomy	2,411	214	206	210	215	220
698	Excision of facial bone	2,197	215	212	218	207	222
568	Miscellaneous operations on lung	2,194	216	214	219	214	213

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
587	Other diagnostic and therapeutic procedures on vessels, lymphatic	2,122	217	222	208	229	207
504	Ventricular shunt, extracranial	2,030	218	217	217	220	211
551	Palatoplasty	1,831	219	223	221	216	216
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	220	224	224	221	218
685	Miscellaneous operations on vulva and perineum	1,644	221	225	222	217	221
644	Other repair of stress incontinence	1,614	222	235	216	227	215
604	Incidental appendectomy	1,590	223	228	223	219	219
737	Other amputation of lower extremity	1,561	224	213	227	223	224
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	225	230	220	224	225
560	Complete laryngectomy	1,416	226	218	228	222	230
645	Ureteral catheterization	1,396	227	221	226	225	226
559	Partial laryngectomy and local excision of lesion of trachea	1,265	228	220	229	228	228
678	Repair and plastic operations on supporting structures of uterus	1,215	229	232	225	226	229
684	Vulvectomy	1,015	230	229	231	230	235
520	Operations on conjunctiva	995	231	226	233	231	231
594	Total gastrectomy	945	232	227	232	233	232

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
673 Radical hysterectomy and pelvic evisceration	912	233	231	230	232	237
614 Incision of liver	863	234	233	234	235	227
646 Miscellaneous operations on urinary tract	705	235	234	235	237	239
702 Miscellaneous maxillofacial surgery	701	236	241	236	234	236
605 Operations on appendix except appendectomy	688	237	237	237	236	233
738 Reattachment of extremity	562	238	240	240	241	234
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	239	236	239	239	241
733 Amputation of hand, forearm, and upper arm	530	240	243	238	238	238
561 Permanent tracheostomy	419	241	242	241	240	242
693 Other abdominal operation to remove embryo or fetus	394	242	239	242	242	240
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	358	243	238	243	243	243
740 Miscellaneous operations on musculoskeletal system	247	244	246	245	244	244
579 Extracorporeal circulation	227	245	244	244	246	246

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
531 Miscellaneous operations on ocular muscle	197	246	245	246	245	245
564 Bronchial resection and miscellaneous operations on bronchus	86	247	247	247	247	247
585 Bone marrow transplant	50	248	249	248	248	248
584 Miscellaneous operations on lymphatic system	39	249	248	249	249	249
All patients in operation groups	5,450,222					

Table 3

Ranking of *ICD-9-CM* Operation Groups by Days of Care
U.S. PAS Hospitals, 1979

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
616 Cholecystectomy	1,561	1	1	1	1	1
671 Abdominal hysterectomy	1,231	2	3	2	2	2
691 Low cervical cesarean section	1,015	3	2	4	4	4
636 Cystoscopy and urethroscopy	934	4	5	3	3	20
581 Other operations on blood vessels	886	5	8	7	5	3
648 Transurethral prostatectomy	876	6	4	5	6	7
748 Other incision, excision, and suture of skin	776	7	9	8	9	8
709 Open reduction of fracture of femur with internal fixation	762	8	7	10	11	6
717 Excision of intervertebral disc	745	9	15	9	8	5
675 Other dilation and curettage	733	10	10	6	10	28
599 Colectomy	730	11	6	13	14	9
620 Unilateral repair of inguinal hernia	684	12	11	11	13	12
687 Low forceps with and without episiotomy	682	13	16	12	7	17
754 Myelography	596	14	21	15	12	11
586 Miscellaneous operations on spleen and bone marrow	570	15	12	16	17	19
690 Other procedures to assist delivery	547	16	17	14	19	14
603 Appendectomy	512	17	19	17	18	13

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
574 Pacemaker insertion, replacement, removal, and repair	473	18	13	24	21	21
757 Other arteriography and phlebography	466	19	18	18	22	27
525 Intracapsular extraction of lens	466	20	14	22	24	23
572 Direct heart revascularization	456	21	41	20	16	10
672 Vaginal hysterectomy	438	22	47	25	15	18
758 Other radiography and special diagnostic procedures	427	23	22	19	23	32
712 Open reduction of fracture with internal fixation, except maxillofacial	412	24	25	26	26	16
747 Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	410	25	24	23	20	38
723 Other arthroplasty of hip	401	26	23	27	27	26
573 Cardiac catheterization	397	27	37	21	28	25
705 Excision of bone except facial	381	28	26	28	31	22
578 Systemic shunt or graft bypass	362	29	20	36	33	30
722 Total hip replacement	358	30	31	29	35	15
567 Bronchoscopy (using natural orifice)	338	31	28	34	25	37
627 Laparotomy	337	32	33	31	30	31
713 Other reduction of fracture without internal fixation, except maxillofacial	329	33	27	30	34	33

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
724	Arthroplasty of knee	306	34	55	32	37	24
612	Hemorrhoidectomy	306	35	42	35	29	41
742	Local excision or destruction of lesion of breast	299	36	32	37	32	56
718	Excision of semilunar cartilage of knee joint	282	37	43	38	40	29
563	Incision and local excision or destruction of lesion of bronchus	269	38	29	39	38	46
615	Miscellaneous operations on liver	262	39	30	41	41	45
697	Miscellaneous obstetric procedures	260	40	53	33	51	36
744	Extended simple mastectomy and radical mastectomy	257	41	34	42	43	40
630	Miscellaneous operations on abdominal wall and peritoneum	255	42	45	44	36	34
597	Local excision or destruction of intestinal lesion or tissue	239	43	35	43	49	59
755	Cerebral arteriography	233	44	65	40	42	48
592	Local excision or destruction of lesion or tissue of stomach	228	45	38	45	55	55
749	Free skin grafts	226	46	58	47	39	44
506	Exploration and decompression of spinal canal structures	220	47	61	50	47	35

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
637 Transurethral excision or destruction of bladder lesion	217	48	36	49	59	57
569 Thoracotomy	213	49	57	52	46	42
632 Miscellaneous operations on kidney	210	50	51	55	45	50
638 Miscellaneous operations on bladder	204	51	44	51	57	60
554 Tonsillectomy with adenoidectomy	202	52	83	46	44	58
596 Miscellaneous operations on stomach	201	53	71	48	56	39
565 Local excision or destruction of lesion or tissue of lung	200	54	50	57	52	53
601 Intestinal anastomosis or repair	198	55	49	59	60	43
624 Repair of other hernia of anterior abdominal wall	198	56	56	54	53	65
582 Incision, excision of lymphatic structures	191	57	48	56	58	76
593 Partial gastrectomy	182	58	59	72	54	54
626 Incision, excision of abdominal wall and peritoneum except laparotomy	182	59	54	63	62	62
608 Proctectomy	175	60	39	66	79	67
665 Other bilateral tubal interruption or salpingectomy	173	61	74	61	48	87
547 Tooth extraction	173	62	40	60	64	139
641 Urethral dilation	170	63	82	53	50	113

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
708	Closed reduction of fracture of femur with internal fixation	170	64	64	62	72	64
735	Below-knee amputation	169	65	52	69	63	77
501	Incision, excision of skull, brain, and cerebral meninges	161	66	75	75	73	47
661	Unilateral oophorectomy or salpingo-oophorectomy	159	67	78	70	61	66
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	158	68	60	67	68	115
716	Arthrotomy and division of joint capsule	155	69	79	73	76	51
649	Other prostatectomy	155	70	46	90	75	74
553	Tonsillectomy without adenoidectomy	152	71	91	65	74	69
704	Bunionectomy	152	72	87	58	95	70
719	Miscellaneous excisions of joint structures	149	73	81	71	80	61
680	Plastic repair of cystocele and rectocele	149	74	80	68	67	82
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	148	75	63	83	71	78

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
609 Miscellaneous operations on intestine	142	76	86	74	70	98
509 Miscellaneous operations on cranial and other peripheral nerves	142	77	103	64	89	71
707 Removal of internal fixation device	141	78	70	77	86	72
736 Above-knee amputation	139	79	67	79	65	109
588 Operations on esophagus	138	80	73	78	78	83
706 Repair and plastic operation on bone except facial	137	81	85	76	87	73
571 Open heart operations	136	82	89	88	88	52
617 Operations on biliary tract and gallbladder except cholecystectomy	135	83	66	81	90	79
513 Thyroidectomy	133	84	93	87	69	84
502 Craniotomy and craniectomy	133	85	88	99	77	63
631 Complete hephrectomy	132	86	76	86	81	81
602 Ileostomy, colostomy, and other enterostomy	128	87	62	96	106	88
577 Ligation and stripping of varicose veins	126	88	68	84	92	105
720 Spinal fusion	124	89	112	100	96	49
598 Resection of small intestine	124	90	84	93	98	75
727 Excision of lesion of muscle, tendon, fascia, and bursa	122	91	97	80	82	104
633 Ureterotomy	122	92	98	103	66	89
542 Rhinoplasty	122	93	90	98	85	80

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
660 Local excision or destruction of ovarian lesion or tissue	121	94	77	94	94	93
764 Miscellaneous diagnostic and therapeutic procedures	121	95	92	95	84	95
621 Bilateral repair of inguinal hernia	120	96	95	82	97	86
566 Lobectomy and complete pneumonectomy	118	97	94	101	83	85
606 Local excision or destruction of lesion or tissue of rectum	118	98	72	89	104	120
734 Amputation of toes	114	99	69	107	93	110
725 Repair of other joint	114	100	114	91	111	68
703 Incision and division of bones except facial	110	101	107	85	108	91
760 Special therapies and rehabilitation	109	102	109	92	103	100
689 Other extraction procedures to assist delivery	106	103	110	102	99	94
562 Operations on larynx and trachea except excision and permanent tracheostomy	98	104	96	113	100	99
628 Laparoscopy (excluding that for destruction of fallopian tubes)	97	105	119	97	112	121
666 Miscellaneous operations on fallopian tube	96	106	113	109	109	92

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
692	Other cesarean section	96	107	127	104	105	106
751	Miscellaneous operations on skin and subcutaneous tissue	95	108	118	106	102	126
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	93	109	126	108	91	147
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	89	110	106	114	113	102
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	88	111	104	111	114	117
643	Urethral suspension	86	112	138	110	116	101
710	Reduction of fracture of femur without internal fixation	84	113	108	116	118	114
650	Miscellaneous operations on prostate and seminal vesicles	82	114	105	120	115	130
746	Incision and excision of pilonidal cyst or sinus	82	115	99	112	123	152
662	Bilateral oophorectomy or salpingo-oophorectomy	81	116	143	115	107	103
618	Operations on pancreas	81	117	111	118	120	122

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
635	Miscellaneous operations on ureter	81	118	133	117	101	131
576	Other diagnostic and therapeutic procedures on larynx, trachea	79	119	102	124	122	129
526	Other lens extraction	76	120	137	135	110	96
595	Vagotomy	74	121	155	121	117	107
623	Repair of umbilical hernia	74	122	124	119	121	144
696	Intrauterine procedures on fetus and amnion	73	123	164	105	162	119
668	Other excision or destruction of lesion or tissue of cervix	71	124	100	122	131	173
528	Repair of retina	70	125	115	156	129	90
745	Miscellaneous operations on breast	70	126	144	134	124	108
580	Hemodialysis	70	127	117	140	138	97
652	Orchiectomy	69	128	125	127	126	137
726	Incision and division of muscle, tendon, fascia and bursa	68	129	136	132	130	112
714	Closed reduction of dislocation	68	130	128	125	140	127
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	68	131	129	123	132	140
721	Arthrodesis and stabilization of joint	67	132	139	129	133	116

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	66	133	130	128	139	123
730 Resection and suture of muscle, tendon, and fascia, except hand	65	134	140	130	136	118
507 Operations on spinal cord structures, except exploration	64	135	141	131	146	111
591 Gastrostomy	63	136	121	133	145	153
625 Repair of diaphragmatic and other hernia	62	137	161	144	119	128
600 Other incision, resection of intestine	62	138	122	143	137	136
701 Open reduction of maxillofacial fractures	62	139	156	138	128	125
640 Excision of urethral lesion, repair of urethra	62	140	143	136	125	156
662 Miscellaneous operations on vagina	59	141	142	137	141	146
537 Myringotomy	59	142	149	141	134	134
544 Miscellaneous operations on nose	58	143	134	139	153	138
518 Miscellaneous operations on eyelid	57	144	123	149	148	142
613 Miscellaneous operations on anus	55	145	132	147	150	143

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
541	Submucous resection of nasal septum	55	146	101	146	178	172
508	Excision or destruction of lesion of cranial or peripheral nerve	54	147	172	145	142	124
510	Sympathectomy	53	148	120	165	147	160
683	Incision and excision of lesion of vulva and perineum	52	149	147	142	143	178
642	Miscellaneous operations on urethra	51	150	176	150	127	157
756	Coronary arteriography	51	151	220	126	135	171
611	Local excision or destruction of lesion or tissue of anus	50	152	159	148	144	162
550	Operations on salivary glands and ducts	49	153	146	155	154	155
610	Incision or excision of anal fistula	49	154	153	159	151	151
505	Miscellaneous operations on brain and cerebral meninges	48	155	162	164	152	133
543	Other incision, excision of nose	47	156	150	151	156	163
715	Open reduction of dislocation	47	157	152	153	164	148
634	Ureteral diversion	47	158	158	158	159	141
558	Excision of lesion of larynx	47	159	135	157	163	170
750	Pedicle graft of skin	46	160	163	163	155	132
737	Other amputation of lower extremity	46	161	131	171	157	159
743	Simple mastectomy	46	162	154	152	161	169

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
583 Radical excision of lymph nodes	45	163	145	166	165	154
536 Tympanoplasty	44	164	182	160	158	145
729 Repair and plastic operations on hand	44	165	173	154	166	149
504 Ventricular shunt, extracranial	43	166	157	167	174	135
676 Aspiration curettage for termination of pregnancy	43	167	116	175	188	184
667 Conization of cervix	40	168	169	162	160	191
622 Unilateral or bilateral repair of femoral hernia	40	169	151	168	176	164
575 Miscellaneous operations on heart	39	170	178	169	167	158
555 Adenoidectomy without tonsillectomy	38	171	184	172	149	190
556 Operations on pharynx except tonsillectomy and adenoidectomy	37	172	165	173	170	166
530 Resection and recession of ocular muscle	36	173	175	174	172	165
514 Operations on parathyroid and thyroid, except thyroidectomy	35	174	166	178	168	167
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	35	175	188	161	212	150
534 Operations on external ear	34	176	180	176	171	180

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	33	177	168	177	177	182
560 Complete laryngectomy	33	178	160	183	173	199
753 Encephalography and ventriculography	32	179	183	170	201	168
546 Miscellaneous operations on accessory sinus	32	180	181	179	175	179
670 Hysterotomy and excision of lesion of uterus	31	181	167	180	181	196
607 Other incision of rectum and incision or excision of perirectal tissue	29	182	189	185	169	203
538 Mastoidectomy	29	183	179	188	180	183
524 Other operations on iris, ciliary body, sclera and anterior chamber	28	184	170	195	184	175
532 Operations on orbit and eyeball	28	185	187	186	179	185
651 Operations on scrotum and tunica vaginalis	27	186	185	181	190	206
503 Cranioplasty	27	187	202	191	186	161
688 Breech extraction	26	188	186	182	193	212
568 Miscellaneous operations on lung	26	189	190	196	185	181
732 Amputation of fingers and thumb	25	190	203	184	189	186
699 Repair and plastic operations on facial bones	25	191	209	193	183	174
523 Operations for regulation of intraocular pressure	25	192	174	202	191	195

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
594 Total gastrectomy	25	193	171	203	198	192
545 Radical maxillary antrotomy	25	194	195	199	182	197
515 Operations on endocrine glands, except parathyroid and thyroid	25	195	197	194	192	177
739 Revision of amputation stump	24	196	194	189	196	200
658 Miscellaneous operations on penis	24	197	198	192	187	202
728 Division and resection of muscle, tendon, and fascia of hand	24	198	200	187	207	188
535 Stapes mobilzation and stapedectomy	24	199	193	197	195	194
653 Orchiopexy	24	200	191	190	200	201
674 Dilation and curettage of uterus for termination of pregnancy	23	201	177	215	197	187
681 Other colporrhaphy	22	202	205	201	194	198
549 Operations on teeth and gums except extraction and restoration	21	203	199	205	206	207
590 Gastrotomy, pyloromyotomy	20	204	207	198	205	209
663 Miscellaneous operations on ovary	19	205	211	204	209	208
517 Excision or destruction of lesion or tissue of eyelid	19	206	192	207	204	219
527 Miscellaneous operations on lens	19	207	222	209	203	176

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
539	Miscellaneous operations on middle ear and inner ear	18	208	212	212	210	189
677	Other aspiration curettage	18	209	204	214	211	210
529	Miscellaneous operations on retina, choroid, and vitreous	17	210	206	217	214	193
522	Miscellaneous operations on cornea	17	211	208	216	202	213
521	Corneal transplant	17	212	196	221	215	205
644	Other repair of stress incontinence	16	213	232	200	219	204
669	Repair and plastic operations on cervix	16	214	210	206	216	223
694	Intra-amniotic injection for abortion	15	215	214	223	199	216
698	Excision of facial bone	15	216	216	220	208	217
679	Miscellaneous operations on uterus, cervix, and supporting structures	15	217	217	211	222	214
559	Partial laryngectomy and local excision of lesion of trachea	15	218	201	218	217	228
673	Radical hysterectomy and pelvic evisceration	15	219	213	213	218	224
639	Urethral meatotomy	15	220	224	210	213	233

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
511 Miscellaneous operations on sympathetic nerves and ganglia	14	221	226	208	225	218
684 Vulvectomy	13	222	215	219	220	227
614 Incision of liver	12	223	218	224	226	211
561 Permanent tracheostomy	12	224	223	226	223	215
604 Incidental appendectomy	11	225	230	225	224	221
655 Interruption of vas deferens	11	226	228	222	221	240
645 Ureteral catheterization	10	227	219	229	229	226
695 Diagnostic amniocentesis	10	228	221	228	232	229
654 Miscellaneous operations on testis	10	229	227	227	227	230
646 Miscellaneous operations on urinary tract	9	230	225	230	230	231
551 Palatoplasty	9	231	231	234	231	220
519 Operations on lacrimal system	8	232	229	236	234	225
678 Repair and plastic operations on supporting structures of uterus	8	233	235	231	228	234
605 Operations on appendix except appendectomy	8	234	233	233	236	222
733 Amputation of hand, forearm, and upper arm	7	235	238	232	233	237
685 Miscellaneous operations on vulva and perineum	7	236	236	235	235	236

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
548	Tooth restoration and orthodontia	7	237	234	237	237	232
738	Reattachment of extremity	4	238	239	239	241	235
702	Miscellaneous maxillofacial surgery	4	239	243	240	238	238
579	Extracorporeal circulation	4	240	237	238	244	239
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	3	241	241	242	239	244
520	Operations on conjunctiva	3	242	240	243	240	242
740	Miscellaneous operations on musculoskeletal system	3	243	245	241	242	241
693	Other abdominal operation to remove embryo or fetus	3	244	242	244	243	243
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	2	245	244	245	245	246
531	Miscellaneous operations on ocular muscle	1	246	246	246	247	245
564	Bronchial resection and miscellaneous operations on bronchus	1	247	248	247	246	247

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
584 Miscellaneous operations on lymphatic system	1	248	247	249	248	248
585 Bone marrow transplant	0	249	249	248	249	249
All operation groups	38,133					

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other